



CONSENT MANAGEMENT

Agenda No 1 - Annexure II - 21 Cases of Consent to Establish under orange category of the period 01.08.2012 to 31.08.2012(excluding the cases of redevelopment areas)recommended by Screening Committee as (2c category) on 17.09.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/2280 01-08-2012	J.K.FLOUR MILL B-129 ,SECTOR - 2 DSIDC BAWANA	Bawana Industrial Area	Orange Establish	FLOUR MILLS Flour Mills	- Date of commissioning of project ---- - Built Up Area ---- 170 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		13-08-2012 (1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set: ...Nil	17-09-2012 Recommended for grant of Consent to Establish.
2	DPCC/EC/2/1/2012/2281 01-08-2012	S.S. FLOUR MILLS PLOT NO 188 POCKET-I, SECTOR-3, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	FLOUR MILLS Flour Mills	- Date of commissioning of project ---- - Built Up Area ---- 70 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		13-08-2012 (1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set: ...Nil	17-09-2012 Recommended for grant of Consent to Establish.
3	DPCC/EC/2/1/2012/2287 03-08-2012	VARUN PRODUCTS P. LTD 36 S.S.I INDUSTRIAL AREA , G.T.K. ROAD	S.S.I Industrial Area	Orange Establish	MANUFACTURING STAINLESS STEEL UTENSILS(WITH BUFFING) Manufacturing of Stainless Steel Utensils (With Buffing Activity)	- Date of commissioning of project ---- - Built Up Area ---- 500 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		10-09-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 22.05.2012 issued by DTU submitted. (b) Stack monitoring report dated 04-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set:nil (4) Inspection details:no	17-09-2012 Recommended for grant of Consent to Establish.
4	DPCC/EC/2/1/2012/2299 06-08-2012	WORLD CLASS AUTOMOBILES PVT. LTD. A-78, PHASE-I, NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Establish	AUTOMOBILES SERVICING, REPAIRING, PAINTING AND WASHING Automobile Servicing And Repair Station With Washing Activity with burner	- Date of commissioning of project ---- - Built Up Area ---- 1003 (in sq. meter) - Water Consumption ---- 8500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 7500 liters/day		15-09-2012 (1)ETP ---- N/A (2)ECS - Paint booth (proposed) (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5	17-09-2012 Recommended for grant of Consent to Establish.

							of EPA details :NO		
5	DPCC/EC/2/1/2012/2303	INVITATION BANQUET B-12, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Establish	Banquet Hall Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 970.46 (in sq. meter) • Water Consumption ---- 5000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 3000 liters/day		11-09-2012 (1)ETP ---- ETP - Bio-logical (2)ECS - N/A (3)D.G.Set: ...Nil	17-09-2012 Recommended for grant of Consent to Establish.
6	DPCC/EC/2/1/2012/2306	JIT INDUSTRIES PLOT NO.-142, POCKET-K, SECTOR-3, DSIDC INDUSTRIAL COMPLEX BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	Mfg. of Secondary Plastic Dana with Washing. Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- 19-09-2007 • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 850 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 600 liters/day		10-09-2012 (1)ETP -- Physicochemical treatment (a) AR dated 26.07.2012 issued by DTU submitted. (b) Effluent analysis report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...nil (4) Inspection conducted on 29.03.2012. (5) SCN u/s 31(A) 33 (A) issued to the unit on 22.05.2012. (6) Modified direction u/s 31(A) 33 (A) issued to the unit on 25.07.2012.	17-09-2012 Recommended for grant of Consent to Establish.
7	DPCC/EC/2/1/2012/2309	CENTURY OVERSEAS 6/6-7, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Establish	MFG. OF READYMADE GARMENTS (LEATHER/WOVEN ACCESSORIES) WITH WASHING ONLY Readymade Garment (With Washing) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1800 (in sq. meter) • Water Consumption ---- 12000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 5600 liters/day (b) Trade Effluent ---- 5000 liters/day		15-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: 150 KVA no NMR attached. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	17-09-2012 Recommended for grant of Consent to Establish with condition that unit shall provide Effluent Treatment Plant(ETP) to treat the waste water generated from washing activity.
8	DPCC/EC/2/1/2012/2316	JAIN ENTERPRISES A-16, RAJASTHANI	Rajasthan Udyog Nagar Industrial Area	Orange Establish	STAINLESS STEEL RE-ROLLING (HOT) Stainless Steel Rerolling (Hot)			30-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) Stack monitoring report dated 01-08-2012 issued by DELHI COLLEGE OF	17-09-2012 Recommended for grant of Consent to Establish. Subsequently, inspection be conducted.

11	DPCC/EC/2/1/2012/2374	MOVIING KITCHEN PVT. LTD. A-9, DDA SHED, PH-II, OKHLA INDL. AREA 16-08-2012	Okhla Industrial Area	Orange Establish	CATERING (VEG, NON VEG AND BAKERY ITEMS) WITH WASHING. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 334 (in sq. meter) • Water Consumption ---- 1220 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 1000 liters/day		13-09-2012 (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set: 62.5 KVA proposed. Wrong name has been entered online. correct name is M/s MOVING KITCHEN PVT. LTD.	17-09-2012 Recommended for grant of Consent to Establish.
12	DPCC/EC/2/1/2012/2390	KONTAY BEVERAGES A-248 DSIDC NARELA INDL. AREA 17-08-2012	Narela Industrial Area	Orange Establish	MANUFACTURING OF DIFFERENT TYPE OF FLAVOURED BEVERAGES. Aerated Water And Fruit Beverage Food additives, nutrients and flavors	• Date of commissioning of project ---- • Built Up Area ---- 315 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 500 liters/day		12-09-2012 (1)ETP ---- Physico chemical treatment (a) AR dated 30.07.2012 issued by DTU submitted. (b) Effluent analysis report dated 30-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...Nil refusal of consent was issued on 30.03.2012 (6) Closure directions u/s 31(A)/33(A) was issued on 30.03.2012	17-09-2012 The closure directions were revoked temporarily. Applied for both Consent to establish and consent to operate. Recommended for grant of Consent to Establish.
13	DPCC/EC/2/1/2012/2399	ESSENCE BAR AND RESTAURANTS A-13, VISHAL ENCLAVE 17-08-2012	WEST	Orange Establish	BAR AND RESTAURANTS Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 3200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2000 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	17-09-2012 As per record earlier unit M/s 13 West have been closed. Recommended for grant of Consent to Establish.
14	DPCC/EC/2/1/2012/2434	SAHI ELECTROPLATING WORKS B-2322, DSIDC, NARELA INDUSTRIAL AREA 23-08-2012	Narela Industrial Area	Orange Establish	JOB WORK OF ELECTROPLATING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 400 liters/day		10-09-2012 (1)ETP ---- (Proposed) (2)ECS - (Proposed) (3)D.G.Set:62.5 KVA, NMR (Proposed) (4) Inspection conducted on 01.08.2012 during the inspection following were observed:	17-09-2012 Recommended for grant of renewal of Consent to Establish.

20	DPCC/EC/2/1/2012/2494	CONCORDE MOTORS (INDIA) LTD. A-31, MOHAN CO-OP. INDUSTRIAL ESTATE, MATHURA ROAD	Mohan Co-operative Industrial Area	Orange Establish	Automobile Servicing and Repairing. Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 4830 (in sq. meter) • Water Consumption ---- 21000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 20000 liters/day		13-09-2012 (1)ETP ---- Proposed (2)ECS - N/A Paint booth proposed. (3)D.G.Set: ... 70 KVA proposed.	17-09-2012 Recommended for grant of Consent to Establish.
21	DPCC/EC/2/1/2012/2507	THE EMBASSY RESTAURANT 11-D, CONNAUGHT PLACE	NEW DELHI	Orange Establish	RESTAURANT. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- 01-06-1948 • Built Up Area ---- 260 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 3000 liters/day		14-09-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A ((3)D.G.Set: 5 KVA (4) Inspection details: Inspection was conducted on 11.07.2012, and observed that oil and Grease trap found installed, one DG set of 5 KVA found installed without accoustic enclosure. (5) SCN u/s 31(A)/33(A)/5 of EPA details : on 25.07.2012. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	17-09-2012 Recommended for grant of Consent to Establish.