



S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/2270 01-08-2012	POONAM ELECTROPLATERS 308/3, SHAHZADA BAGH INDUSTRIAL AREA	Shahzada Bagh Industrial Area	Orange Renewal	ELECTROPLATING. Electroplating Industries	- Date of commissioning of project ---- - Built Up Area ---- 70 (in sq. meter) - Water Consumption ---- 800 liters/day - Ground Water ---- 800 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 500 liters/day		12-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 10.09.2009 issued by GGSIU submitted. (b) Effluent analysis report dated 10-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes . (2)ECS - N/A (b) Stack monitoring report dated 10-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil	17-09-2012 Recommended to seek effluent analysis report of ETP from empanelled laboratory of DPCC as per the latest standards notified by MOEF vide notification dated 30.03.2012.
2	DPCC/EC/2/1/2012/2272 01-08-2012	GROVER SWEET J-1/162, SHOP NO.3 & 4 (GF), RAJOURI GARDEN	WEST	Orange Renewal	EATING HOUSE. Restaurants/ Eating Houses/ Dhaba (Having Seating Capacity Less Than 36)/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of Less Than 1 Tonne/Day)	- Date of commissioning of project ---- - Built Up Area ---- 44 (in sq. meter) - Water Consumption ---- 2000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 1000 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	17-09-2012 Recommended for grant of Renewal of Consent to Operate.
3	DPCC/EC/2/1/2012/2275 01-08-2012	GUPTA ROLLER FLOUR MILLS G-1140, DSIDC NARELA INDL. AREA	Narela Industrial Area	Orange Operate	FLOUR MILL. Flour Mills	- Date of commissioning of project ---- 01-01-2003 - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 115 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 45 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 27.07.2012 issued by DTU submitted. (b) Stack monitoring report dated 27-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil...	17-09-2012 Recommended for grant of Consent to Operate.
4	DPCC/EC/2/1/2012/2276	SUNRISE AUTO WORLD PVT. LTD.	Patparganj Industrial Area	Orange Operate	SERVICE STATION OF CARS			14-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 09.04.2009 issued by	17-09-2012 Recommended for grant of Consent to

	01-08-2012	PLOT NO.376, PATPARGANJ INDUSTRIAL AREA			Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 5000 liters/day		DELHI COLLEGE OF ENGINEERING submitted. (b) Effluent analysis report dated 26-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 26-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 11.10.10, letter was issued on 22.10.10 for applying authorization under HWM Rules. Unit has applied for authorization under HWM Rules on 15.12.10. EARLIER CMC DECISION 30.01.2009 issue CTE, call on 18.03.2009. 15.06.2009. ask the unit to apply for CTO.call on 12.08.2009. 11.10.2010 Ask the unit to apply for authorization under HWM Rules.	Operate and authorization under HWM Rules.
5	DPCC/EC/2/1/2012/2277 01-08-2012	LEOGOLD CORPORATION C-47, OKHLA INDUSTRIAL AREA PHASE-I	Okhla Industrial Area	Orange Renewal	GARMENTS EXPORTS WITH WASHING. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 175 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 3500 liters/day		13-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 14.08.2008 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Effluent analysis report dated 13-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 13-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. Unit has submitted CGWA clearance along with the application in the name of Anil Palta, C-47, Ph-I, O.I.A.	17-09-2012 Recommended for grant of Renewal of Consent to Operate.
6	DPCC/EC/2/1/2012/2278 01-08-2012	SUNRISE AUTO WORLS PVT. LTD PLOT NO.-2, I.P. EXTN., NEAR MOTHER DAIRY PLANT,	Patparganj Industrial Area	Orange Operate	SERVICE STATION OF CARS Automobile Servicing And Repair Station With Washing Activity with burner			14-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 26.07.2012 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Effluent analysis report dated 26-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test	17-09-2012 Recommended to put up file administratively.

							Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...nil (4) Inspection conducted on 15.06.2012. during the inspection following was observed: (a) unit found operational without obtaining any consent from DPCC. (b) No proper channelising system/ ECS installed with furnace, hood provided was found broken. (5) SCN u/s 31(A) issued on 04.07.2012. (6) modified direction under section 31 (A) of the Air Act issued to the unit on 01.08.2012. A reply recieved from the unit on 13.08.2012 along with an affidavit.	
10	DPCC/EC/2/1/2012/2295 06-08-2012	BRIGHT ELECTROPLATERS C-85, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	JOB WORK OF ELECTROPLATING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 2250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 1250 liters/day	14-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated .21.07.2009 issued by GURU Gobind Singh Indraprastha University submitted. (b) Effluent analysis report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - Stack attached to the electroplating Bath. (A) Stack monitoring report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No	17-09-2012 Recommended to seek effluent analysis report of ETP from empanelled laboratory of DPCC as per the latest standards notified by MOEF vide notification dated 30.03.2012.

								(3)D.G.Set: ...nil (4) Inspection conducted on 29.03.2012. (5) SCN u/s 31(A) 33 (A) issued to the unit on 22.05.2012. (6) Modified direction u/s 31(A) 33 (A) issued to the unit on 25.07.2012.	
13	DPCC/EC/2/1/2012/2311 07-08-2012	SHAKTI SHIVA MAGNETS PVT. LTD. G-1-114, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MANUFACTURING OF COPPER WINDING AND COPPER WIRES. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - wet Scrubber and catalytic convertor, (b) Stack monitoring report of wet scrubber dated 07-08-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report of catalytic convertor dated 25-07-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 82 KVA and 82 KVA. Noise monitoring report dated 27-07-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . The unit has 2 D.G. Set(s) of 82 KVA and 82 KVA. Noise monitoring report dated 26-07-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	17-09-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
14	DPCC/EC/2/1/2012/2318	VARUN PRODUCTS P. LTD	S.S.I Industrial Area	Orange Operate	MANUFACTURING OF S.S. UTENSILS (WITH BUFFING)			10-09-2012 (1)ETP ---- N/A (2)ECS - Cyclone	17-09-2012 Recommended for grant of Consent to Operate.

	07-08-2012	36 S.S.I INDUSTRIAL AREA , G.T.K. ROAD			Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		(a) AR dated 22.05.2012 issued by DTU submitted. (b) Stack monitoring report dated 04-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set:nil (4) Inspection details:no	
15	DPCC/EC/2/1/2012/2319 07-08-2012	GENERAL MFG. CO. PLOT NO. 21, PHASE-II, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	GENERAL ENGG. GOODS INCLUDING SOFTENING AND HARDENING OF STEEL ALLOYS. Heat Treatment (Hardening/ Tampering of Steel)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 1100 liters/day • Waste Water generation (a) Domestic Effluent ---- 320 liters/day (b) Trade Effluent ---- 700 liters/day		11-09-2012 (1)ETP ----Physicochemical treatment (a) AR dated 31.07.2012 issued by DTU submitted. (b) Effluent analysis report dated 31-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes. (2)ECS - N/A (b) Stack monitoring report dated 31-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 31-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	17-09-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
16	DPCC/EC/2/1/2012/2330 08-08-2012	UTTAM TOYOTA (A UNIT OF THE STANDARD TYPE FOUNDRY P. LTD.) 95, F.I.E., PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	SALES AND SERVICING OF THE MOTOR VEHICLES. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 2000 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 1500 liters/day		13-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated30.07.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 30-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 30-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 11.10.10, CTO & letter for applying for fresh authorization under HWM Rules were issued on 01.12.10. Letter was also issued to DJB on 01.12.10 for ground water extraction. A letter was received from the SDM , Vivek vihar on 24.08.11 & stating the	17-09-2012 Recommended to inspect the unit.

	13-08-2012	DSIDC, BAWANA INDUSTRIAL AREA			Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 210 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 700 liters/day	(b) Effluent analysis report dated 18-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/a (b) Stack monitoring report dated 18-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil (4) Inspection conductred on 15.02.2012. (5) SCN u/s 31(A)/33(A) issued on 28.05.2012. (6) Modified directions u/s 31(A)/33(A) issued on 25.07.2012. A reply recieved from the unit along with adequacy report of ETP and CTE and CTO on 13.08.2012.	
19	DPCC/EC/2/1/2012/2361 14-08-2012	FASHION FACTORY INTERNATIONAL B-253,PHASE-I OKHLA INDUSTIRLA AREA	Okhla Industrial Area	Orange Operate	Manufacturing of Lather Begs/goods and woven garments with small unit of washing unit. Readymade Garment (With Washing) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1480 (in sq. meter) • Water Consumption ---- 5000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 4000 liters/day	17-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated16.03.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 24-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. As the unit is having activity of Mfg, of leather garments with washing. However, CTE was issued with the standard of Readymade garments (with washing). According to inspection report dated 15.03.11, unit was engaged in the activity of Mfg. of Readymade Garments & Leather Accessories including embroidery and spray dying/coloring. there is no such standard for Mfg. of leather garments with washing. (2)ECS - N/A (a) Stack monitoring report dated 11-06-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes	17-09-2012 Recommended to inspect the unit.

(4) Inspection details:conducted on 15.03.11 & following were observed:
(a) The unit is engaged in the Mfg. of Readymade Garments & Leather Accessories including embroidery and spray dying/coloring.
(b) No control measures have been provided with spray dying/coloring section of leather garments.
(c) Adequate stack height has not been provided with the oil fired boiler.
(d) As reported presently washing activity of garments are carried out in other unit i.e. B-164, Phase-I. However, the same will be installed in this premise within 15 days.
(e) Source of ground water is DJB & outside tanker.

(5) SCN u/s 31(A) and 33(A) details :issued on 13.07.11. (SCN for refusal of CTE(Green) also issued on 13.07.11)
No reply received from the unit.

(6) Closure directions u/s 31(A) and 33 (A) of EPA details :issued on 18.08.11. (Refusal of CTE (Green) also issued on 18.08.11)

The unit has submitted its reply on 15.09.11 & 16.09.11 along with an affidavit .The unit has informed that they have provided adequate stack height with the oil fired boiler, channelization system with the spray gun section & requested for grant of two months time for installation of ETP. It has also been mentioned in reply that they will not carryout washing activity without installation of ETP & prior approval of DPCC. The unit has also applied for CTE(orange) on 16.09.11

Case was taken up by Scrutinizing Committee on 22.09.2011 / 23.09.2011 / 26.09.2011, it was recommended that Ask the compliance from discom, DJB & MCD. Ask the unit to submit an undertaking on an affidavit that unit is non operational, failing which, SDM will be asked for effective closure of the unit. Also ask the unit to install the ETP and submit a technical adequacy report (in non operational condition) from empanelled consultant of DPCC for further decision on revocation.

Unit again submitted its reply on 28.09.11 and 10.10.11 along with the photocopy of earlier representations dated 15.09.11 and 16.09.11 and

								(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 09-08-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
22	DPCC/EC/2/1/2012/2375 16-08-2012	DEEP MOTORS K-1, PEERAGARHI CROSSING UDYOG NAGAR INDUSTRIAL AREA, ROHTAK ROAD	Udyog Nagar Industrial area	Orange Renewal	CAR SERVICING AND REPAIRING OF VARIOUS CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 627.75 (in sq. meter) • Water Consumption ---- 10000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 9000 liters/day		14-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 20.04.2009 issued by .GGSIPU submitted. (b) Effluent analysis report dated 25-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 25-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	17-09-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
23	DPCC/EC/2/1/2012/2376 16-08-2012	DEEP INDIA ENTERPRISES PVT. LTD. T-5/1, PH-I, MANGOLPURI INDL. AREA	Mangolpuri Industrial Area	Orange Operate	SERVICING,REPAIRING OF VARIOUS CARS Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 2000 (in sq. meter) • Water Consumption ---- 10000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 9000 liters/day		10-09-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 25.05.2012 issued by DTU submitted. (b) Effluent analysis report dated 25-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A	17-09-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.

								(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 27-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
27	DPCC/EC/2/1/2012/2408 21-08-2012	K.S. & SONS B-75, MAYAPURI INDUSTRIAL AREA PHASE-I	Mayapuri Industrial Area	Orange Renewal	ENGINEERING WORKS AND FORGING AUTOMOBILES PARTS. Forging of Ferrous and Non-Ferrous Metal (Except Pneumatic Hammer and More than 4 T Hammer)	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 2640 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2000 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - stack attached to furnace hood (a) Stack monitoring report dated 24-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	17-09-2012 Recommended for inspection.
28	DPCC/EC/2/1/2012/2411 22-08-2012	AGRO PURE CAPITAL FOODS PVT. LTD. D-1511, DSIIDC NARELA INDL. AREA	Narela Industrial Area	Orange Operate	DALL MILL Dal Mills	• Date of commissioning of project ---- 01-01-1992 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 0 liters/day		11-09-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 24.07.2012 issued by DTU submitted. (b) Stack monitoring report dated 27-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ..Nil	17-09-2012 Recommended for grant of Consent to Operate.
29	DPCC/EC/2/1/2012/2412 22-08-2012	NATIONAL FOUNDRY WORKS C-8/2,WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	CASTING OF FERROUS AND NON FERROUS METAL Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 65 (in sq. meter) • Water Consumption ---- 85 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		11-09-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 27-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test	17-09-2012 Recommended for inspection.

								(4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
33	DPCC/EC/2/1/2012/2426 23-08-2012	SAHI ELECTROPLATERS PVT. LTD. 54/D-12, RAMA ROAD NAJAFGARAH ROAD INDL. AREA	Najafgarh Road Industrial Area	Orange Operate	Electroplating job Work. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 89 (in sq. meter) • Water Consumption ---- 750 liters/day • Ground Water ---- 750 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 350 liters/day		13-09-2012 (1)ETP ---- physiochemical (a) AR dated 31.05.2012 issued by DTU submitted. (b) Effluent analysis report dated 31-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes. number of parameters analyzed which are within limit. (2)ECS - stack attached to Electroplating bath (a) Stack monitoring report dated 31-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - yes. number of parameters analyzed which are within limit (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	17-09-2012 Recommended to seek effluent analysis report of ETP from empanelled laboratory of DPCC as per the latest standards notified by MOEF vide notification dated 30.03.2012.
34	DPCC/EC/2/1/2012/2429 23-08-2012	SAMARA AUTOMAX P. LTD A-17, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	SERVICE STATION. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 2080 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 4000 liters/day		14-09-2012 (1)ETP ---- physiochemical (a) AR dated 25.08.2008 issued by DTU submitted. (b) Effluent analysis report dated 13-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 13-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	17-09-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

								number of parameters analyzed which are within limit. (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
35	DPCC/EC/2/1/2012/2441 24-08-2012	VEEJAY SERVICE STATION KALIDAS MARG, OPP, VAISHNO DEVI MANDIR, SHASTRI NAGAR	NORTH	Orange Renewal	VEHICLE SERVICING (CAR WASHING) Automobile Fuel Outlet (With Automobile Servicing, Repairing And Painting)	• Date of commissioning of project ---- • Built Up Area ---- 112 (in sq. meter) • Water Consumption ---- 2350 liters/day • Ground Water ---- 2350 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 1600 liters/day		11-09-2012 (1)ETP ---- N/A (a) AR dated 28.06.2012 issued by DTU submitted. (b) Effluent analysis report dated 28-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 28-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	17-09-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
36	DPCC/EC/2/1/2012/2450 27-08-2012	GIANIS FOODS C-86, PH-II, MAYAPURI INDL. AREA	Mayapuri Industrial Area	Orange Operate	Manufacturing of Ice Cream. Ice-cream	• Date of commissioning of project ---- • Built Up Area ---- 459.87 (in sq. meter) • Water Consumption ---- 12000 liters/day • Ground Water ---- 2000 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 4000 liters/day		14-09-2012 (1)ETP ---- physiochemical (a) AR dated 30.07.2012 issued by DTU submitted. (b) Effluent analysis report dated 30-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 27-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	17-09-2012 Recommended for grant of Consent to Operate.
37	DPCC/EC/2/1/2012/2457	MALWA AUTOMOBILIES	Rajasthan Udyog	Orange Operate	Car Washing (with Service centre)			17-09-2012 (1)ETP ---- Oil and Grease Trap	17-09-2012

	28-08-2012	PVT. LTD. PLOT NO-29, RAJASTHANI UDYOG NAGAR INDL. AREA	Nagar Industrial Area		Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- 01-01-2000 • Built Up Area ---- 1672.25 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 4000 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 3400 liters/day	(a) AR dated 01.08.2012 issued by DTU submitted. (b) Effluent analysis report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes File has been submitted administratvly for further decision.	Recommended to take action as per the decision taken on file.
38	DPCC/EC/2/1/2012/2460 28-08-2012	G.S. STEELS A-25, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	BUFFING OF S.S.UTENSILS Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 85 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day	12-09-2012 (1)ETP ---- N/A (2)ECS -Cyclone (a) AR dated 26.07.2012 issued by DTU submitted. (b) Stack monitoring report dated 26-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	17-09-2012 Recommended for grant of Consent to Operate.
39	DPCC/EC/2/1/2012/2470 29-08-2012	GANESHA INTERNATIONAL A-88 WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	MANUFACTURING OF S.S. SINK Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day	11-09-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 21.07.2012 issued by GGSIPU submitted. (b) Stack monitoring report dated 24-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	17-09-2012 Recommended for grant of Renewal of Consent to Operate.
40	DPCC/EC/2/1/2012/2471 29-08-2012	DIVINE AUTOTECH PVT.LTD. 51, NAJAFGARH ROAD INDL. AREA	Najafgarh Road Industrial Area	Orange Operate	SERVICING, REPAIRING OFR VARIOUS CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 685 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 2000 liters/day	13-09-2012 (1)ETP ---- physiochemical (a) AR dated 31.05.2012 issued by DTU submitted. (b) Effluent analysis report dated 31-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5	17-09-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.

								KVA. Noise monitoring report dated 31-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
41	DPCC/EC/2/1/2012/2473 29-08-2012	KEYMAN LOCKING DEVICES F-90/34, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MFG. OF LOCKS (WITHOUT POLISHING AND ELECTROPLATING). Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 06-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 06-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes.	17-09-2012 Recommended to inspect the unit.
42	DPCC/EC/2/1/2012/2475 29-08-2012	ACMECAST WH-76, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	CASTING OF FERROUS/NON FERROUS METALS/ALLOYS BY USING PIT FURNACE. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 122.59 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - stack attached to pit furnace (a) Stack monitoring report dated 13-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. (3)D.G.Set: ...N/A... (4) Inspection details: No. Inspection be conducted as decided by Screening Committee on 14.08.2012. inspection has to be conducted. (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	17-09-2012 Recommended for inspection.
43	DPCC/EC/2/1/2012/2479	RAINBOW COLOUR GRAPHICS	Naraina Industrial Area Phase - II	Orange Operate	Proofing layout designing plate making processing.			14-09-2012 (1)ETP ---- physiochemical (a) AR dated 31.05.2012 issued by DTU submitted.	17-09-2012 Recommended for grant of Renewal of Consent to Operate and Authorization

	29-08-2012	A-44,NARAINA INDUSTRIAL AREA PHASE - II			Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 151 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 500 liters/day		(b) Effluent analysis report dated 31-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	under HWM Rules.
44	DPCC/EC/2/1/2012/2485 30-08-2012	MALWA MOTORS PVT. LTD W-10, PH-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	SERVICING AND WASHING OF TWO WHEELERS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 743 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 2000 liters/day		14-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJune, 2009..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 16-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 28.10.09 & following were observed: a) Unit found in operation & ETP is installed which is in operation. b) one DG set of 5 KVA W/O acoustic enclosure is installed with inadequate stack height. c) NMR not submitted. d) Bore connection is not there. As decided by the CMC (O) in its meeting held on 19.08.10, SCN for refusal was issued on 29.09.10 for incorporating the requirement to apply for fresh authorization under HWM Rules. EARLIER CMC DECISION 07.10.09 Inspection be conducted. 21.12.09/22.12.09 Ask the unit to provide adequate stack height with the D.G. Set and submit noise monitoring report from approved laboratory of DPCC. 25.01.10 Implement the earlier CMCs decision dated 21.12.2009 19.08.10 Issue SCN for refusal of consent incorporating the requirement to apply for fresh authorization under HWM	17-09-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.

							Rules.	
45	DPCC/EC/2/1/2012/2491	MECHANICAL COCKS & VALVES INDIA Y-21, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Manufacturing of Brass Components (without Plating.) Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 280 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 0 liters/day	14-09-2012 (1)ETP ---- N/A (2)ECS - Scrubber (a) AR dated 20.08.2012 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Stack monitoring report dated 20-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 27-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 02.02.2011 and following were observed: 1. Unit found in operation. 2. Unit is having three oil fired furnaces. 3. The top of working furnace is about 3 above ground level. 4. Unit has installed ECS (wet scrubber) and found in operation. 5. Unit having two DG Set (62.5 & 15 KVA) but 15 KVA DG Set found w/o acoustic enclosure and inadequate stack height. 6. Unit is not fully complying with the provisions of HWM Rules As decided by the CMC (O) in its meeting held on 16.03.11, letter was issued on 06.04.11 to correct the deficiencies observed during the inspection and submit an affidavit in this regard. Unit has submitted the above mentioned affidavit on 18.04.11. Unit has submitted its representation on 10.06.11 along with NMR of DG set (62 KVA capacity) dated 26.05.11. EARLIER CMC DECISION 11.10.2010 Inspection be conducted to check the type of furnace. 16.03.2011 Ask the unit to correct the deficiencies observed during the inspection and submit an affidavit in this regard.	17-09-2012 Recommended for inspection.
46	DPCC/EC/2/1/2012/2493	SPLASH WATER RIDES (RUN BY SAGU DREAMLAND	NORTH WEST	Orange Operate	WATER PARK. Amusement/Water Park		14-09-2012 (1)ETP ---- biological (a) AR dated 17.10.2011 issued by DTU submitted.	17-09-2012 Recommended for grant of Consent to Operate.

	30-08-2012	PVT.LTD. MAIN G.T.KARNAL ROAD NEAR PALLA MORE,ALIPUR				• Date of commissioning of project ---- 01-01-2004 • Built Up Area ---- 1012 (in sq. meter) • Water Consumption ---- 62000 liters/day • Ground Water ---- 12000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 8000 liters/day		(b) Effluent analysis report dated 16-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 16-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes
--	------------	---	--	--	--	--	--	---