



CONSENT MANAGEMENT

Agenda No. 2 - Annexure I - 36 Cases of Consent to Operate and Consent to Operate(renewal)under orange category of the period 31.05.2011 to 01.03.2011 in reverse chronology (excluding the cases of Redevelopment areas) recommended by Screening Committee as (2b category) in its meeting on 25.09.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	36650 09-03-2011	SYNDICATE LABLES 6-E RANI JHANSI ROAD,JHANDEWALAN EXTN.	CENTRAL	Orange Renewal	Paper Printing. Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 185.8 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1200 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: one DG Set of 200 KVA installed and NMR not submitted. inspection of the unit was conducted on 22.10.2009 a letter issued to the unit for submission of bank guarantee on 25.02.2011. unit submitted its reply alongwith affidavit on 07.05.2011.	25-09-2012 Renewal of Consent to Operate (without trade effluent discharge) and Authorization under HWM Rules granted.
2	36659 09-03-2011	SHIV SHAKTI ROLLING MIL A-93/7, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	Cold Re Rolling of S. S. Sheets. Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 160 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...nil (4) Inspection conducted on 09.05.2012 during the inspection unit found engaged in cold re-rolling of SS Sheet and no pickling activity found in the premises.	25-09-2012 Consent to Operate granted.
3	36660 09-03-2011	SHREE KRISHNA ROLLING WORKS A-93/14, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	COLD RE ROLLING OF S.S. SHEETS. Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		17-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil (4) Inspection conducted on 27.04.2012 during the inspection unit found in operation and engaged in cold re-rolling activity.	25-09-2012 Consent to Operate granted.
4	36666 10-03-	SONA FOOTWEAR A-5, MANGOLPURI INDUSTRIAL AREA PH-II	Mangolpuri Industrial Area	Orange Operate	MFG. OF PLASTIC PRODUCTS BY INJECTION MOULDING (AUTO PARTS).			13-09-2012 (1)ETP ---- N/A (2)ECS - N/A	25-09-2012 Consent to Operate granted without using plastic scrap as a raw material.

	2011				Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...Nil (5) SCN u/s 31(A)was issued on 25.02.2011. unit submitted its reply on 16.03.2011 & 21.11.2011 informing about the installation of channelization of hood and suction arrangement.	
5	36703 15-03-2011	PUNJAB STEEL WORKS B-38, PHASE-I MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	FORGING OF COMPONENTS Forging of Ferrous and Non-Ferrous Metal (Except Pneumatic Hammer and More than 4 T Hammer)	• Date of commissioning of project ---- • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day		19-09-2012 (1)ETP ---- N/A (2)ECS - stack connected to oil fired furnace. (a) Stack monitoring report dated 07-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 07-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes . The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 07-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes . (4) Inspection details: an inspection was carried out on 09.08.2011 on recived of a compaint, during the inspection following are the observed: - unit found operational and engaged in the activity of metal forging. - two oil fired boilers found installed using LDO as fuel having stack height of 35m above ground level. - four oil fired furnace found installed using LDO as fuel having stack height of 15m attached only with two furnace. - some amount of CBFS fuel also stored at site. - 3 D.G. sets of 125 KVA each found installed in which only two are acoustic enclosure and inadequate stack height. - two hammers of 1.5 tons (free fall) and 0.5 tonnes (electric hammer) found installed. A letter was issued to the unit on 05.10.2011 regarding solution of stack	25-09-2012 File be put up file administratively.

								maintoring report of boiler and NMR. and another letter issued on 22.11.2011 regarding cancel the permission of coal fired boiler. (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
6	36704 16-03-2011	JAYANT CABLES INDUSTRIES PLOT NO-1/536-A/3, GALI NO-4, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Operate	MFG. OF PVC WIRE AND CABLES. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- 20-08-2008 • Built Up Area ---- 93.27 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 150 liters/day • Waste Water generation (a) Domestic Effluent ---- 75 liters/day (b) Trade Effluent ---- 0 liters/day		18-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 21.06.10 & it was observed that unit found operating & engaged in mfg. of wires & cables. Unit have one DG set of 125 KVA W/O , A/E & inadequate st. ht. No ECS found installed for the control of air emission. (5) SCN u/s 31(A)details :issued on 05.10.10. Reply along with affidavit submitted stating that D.G.Set has been removed. File was put administratively & it was decided to inspect the unit to verify as to whether DG set has been removed or not. Inspection yet to be conducted. EARLIER CMC DECISION 02.09.11 (Orange) File be put up administratively.	25-09-2012 Expedite inspection.
7	36713 16-03-2011	SRI BALAJI ROLLING WORKS A-93/14, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	COLD ROLLING OF S.S. SHEET. Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		17-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection conducted by the officials and during the inspection unit found in operation and engaged in cold re-rolling machine unit is not envolved in pickling activity.	25-09-2012 Consent to Operate granted.

8	36752	ALPHA AUTO INDUSTRIES E-844, NARELA INDUSTRIAL AREA 24-03-2011	Narela Industrial Area	Orange Operate	Mfg. OF AUTO RUBBER PARTS. Rubber Auto Parts Excluding Production Of Tyres And Tubes (Without Reclamation And Devulcanisation Of Rubber)	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	17-09-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 03-02-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil A letter issued to the unit on 18.10.11 to submit a proof of CETP membership and channelise its emmissions. A reply recieved from the unit along with Affidavit on 01.11.2011.	25-09-2012 Consent to Operate granted with the condition that unit will comply with the prescribed standars w.r.t. rubber industries.
9	36776	SIDDHARTHA INDUSTRIES PLOT NO 22/3, GALI NO 3, FRIENDS COLONY INDUSTRIAL AREA SHAHDARA 28-03-2011	Friends Colony Industrial Area	Orange Operate	MFG. OF ADHESIVE TAPE. Self Adhesive Tapes	• Date of commissioning of project ---- • Built Up Area ---- 137.96 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	18-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 11.02.09 & following were observed: a) Unit is found operational at the 1st floor of the building engaged in the activity of self adhesive taps (cello taps). b) Unit is generating hazardous waste which includes colour inks, adhesive etc waste washing of colours is directly discharge into drains. c) Rotographic machine is found which is used for coating of adhesive and printing. No ducting provided. d) One DG set (62 KVA) exist without acoustic enclosure (5)SCN u/s 31(A) details :issued on 23.09.11. SCN for refusal was also issued on 23.09.11. Unit has submitted its reply on 10.10.11 along with an affidavit stating they have removed the DG set of 62 KVA observed during inspection. Channelization of process emission with ducting provided & requested to withdraw the SCNs. Earlier Committee Decision 02.09.2011 Issue SCN for refusal of consent and SCN u/s 31(A) of the Air Act for concealmen of D.G. Set which was found without acoustic enclosure during inspection.	25-09-2012 File be put up administrativley.

10	36788	SMART SOLUTION PLOT NO 157 FIE PATPARGANJ INDUSTRIA AREA	Patparganj Industrial Area	Orange Operate	MIXING AND RE- PACKING OF PRINTING INK. (WITHOUT TRADE EFFLUENT). Ink and Printing Ink (Excluding Flexographic Ink)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		18-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 09.12.11 & following were observed: a) Unit found in operation. b) No flexographic ink is manufactured nor colour matching of the same is done. c) Printing ink (solvent based) are mixed and disfratched to fruesties. d) HW in the form of cotton rags & empty cotainers is generated. Earlier Committee Decision 10.08.11 Inspection be conducted to check the flexo graphic ink i.e. prohibited activity as per MPD. 02.09.11 Inspection be conducted to check the flexo graphic ink i.e. prohibited activity as per MPD as decided in CTE application.	25-09-2012 Consent to Operate (without mfg. of flexo graphic ink and without trade effluent discharge) and authorization under HWM Rules granted.
11	36818	CHIRAG WIRE & CABLE INDUSTRIES WH-57, PHASE I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. Of COPPER WIRE AND DRAWING AND AUTO ELECTRIC CABLE. Copper Wire Drawing With Super Enamelling (Dry Process) Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 148 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 400 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		21-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details: NO As per the recommendation in CMC meeting held on 07.09.2011 a letter was sent to the unit on 05.10.2011 regarding to apply for consent to establish and to DJB regarding Extraction of ground water. A letter was submitted by the unit on 16.11.2011 and inform that they have submitted application for consent to establish.	25-09-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit as per DPCC categorization.
12	36823	AUTO LIFE RUBBER	Mangolpuri	Orange	MFG. OF AUTO			18-09-2012	25-09-2012

	05-04-2011	INDUSTRY T-2/165, PH-I, MANGOLPURI INDUSTRIAL AREA	Industrial Area	Renewal	MOBILE COMPONENTS (RUBBER). Rubber Auto Parts Excluding Production Of Tyres And Tubes (Without Reclamation And Devulcanisation Of Rubber)	• Date of commissioning of project ---- 01-01-1992 • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	Renewal of Consent to Operate granted with the condition that unit will comply with the prescribed standards w.r.t. rubber industries.
13	36867 11-04-2011	MITUL INDUSTRIES A-113/2, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	Annealing of S. S. Sheets. Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 28-03-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil Earlier CMC Decision on 07.09.2011 Ask the unit to submit the attested copy of CETP membership proof. Accordingly, compliance letter issued to the unit on 05.10.2011. A reply eceived from the unit along with copy of CETP mebmbership on 17.10.2011.	25-09-2012 Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit as per DPCC categorization.
14	36868 11-04-2011	AHUJA TYRE PVT. LTD. A-14,WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	Vulcanizing/ Manufacturing of Rubber Parts. Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		20-09-2012 (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 28-03-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil (4) Inspection conducted on 10.10.2011 (5) SCN u/s 31(A) ISSUED ON 15.11.2011 a letter has been issued to the unit for the submission of Bank guarantee on 17.02.2012. unit submitted bank guarantee on 05.03.2012	25-09-2012 File be put up administrativley.
15	36882	JAIN CELLO CORPORATION PLOT NO.15,	Bawana Industrial Area	Orange Operate	ROTO PRINTING PAPERS AND POLYTHENE TUBE AND FILM.			19-09-2012 (1)ETP ---- N/A (2)ECS - N/A	25-09-2012 Inspection be conducted.

	13-04-2011	SECTOR-3, POCKET-K, DSIDC INDUSTRIAL ESTATE BAWANA INDUSTRIAL AREA			Plastic Processed Goods Roto and Flexo Printing	• Date of commissioning of project ---- 02-04-2003 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		(a) Stack monitoring report dated 30-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62 KVA. Noise monitoring report dated 30-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	
16	36890 15-04-2011	ESKA AUTO INDUSTRIES 83, BADLI INDUSTRIAL ESTATE , PHASE-II	Badli Industrial Estate	Orange Operate	Hot Re Rolling of Stainless steel Sheet. Re-rolling mill hot (oil or gas fired) (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 320 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 07-04-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil SCN for refusal of consent was issued on 14.10.2011 for submission of revalidaded ank guarantee on 02.12.2009 unit submitted its reply on 04.11.2011 along with revalidaded bank guarantee.	25-09-2012 Inspection be conducted.
17	36895 18-04-2011	STAR ELECTRO TECH A-42, JHILMIL INDUSTRIAL AREA SHAHDARA	Jhilmil Industrial Area	Orange Operate	Manufacturing of Electrical and Electronic Items. Electrical and Electronic Goods involving use of varnish	• Date of commissioning of project ---- • Built Up Area ---- 167.22 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		18-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 06-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 07.09.11, letter was issue on 29.09.11 for submission of bank guarantee of Rs. 50,000 each under Air Act and HWM Rules valid for one year & apply for CTE under orange category & authorization under HWM Rules. Unit has submitted above said BGs on 17.01.12. Unit has submitted its reply on 18.01.12 stating that they had applied for CTE under orange category & authorization under HWM Rules on 17.01.12. CTE was issued to the unit on 04.05.12. EARLIER CMC DECISION 07.09.11 Ask the unit to submit the bank guarantee of Rs. 50,000 each under Air	25-09-2012 Consent to Operate and Authorization under HWM Rules granted.

								Act and HWM Rules valid for one year and also to seek consent to establish under orange category and authorization under HWM Rules. 06.03.11 Issue consent to establish.	
18	36905 20-04-2011	LAMBA AUTO PRODUCTS A-142,PHASE -2 MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF RUBBER AUTO PARTS AND MACHINERY PARTS. Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	• Date of commissioning of project ---- • Built Up Area ---- 117 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		25-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: inspection conducted on 24.09.2012 during Inspection following are the observation:- - unit found operational and engaged in the activity of mfg. of rubber Auto parts and machinery parts. - channelization is provided on rubber pressing, rubber mixing machine, but with inadequate stack height uptill the roof of ground floor window. - water is recylced and recirculated for cooling rubber mixing machine. (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No CMC (O), meeting held on 07.09.2011 and decision was taken for inspection to be conducted.	25-09-2012 Issue Show Cause Notice for refusal of consent.
19	36906 20-04-2011	G.K. RUBBER WORKS A-142, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF RUBBER AUTO PARTS AND MACHINERY PARTS. Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		25-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: inepection conducted on 24.09.2012 during Inspection following are the observation:- - unit found operational and engaged in the activity of mfg. of rubber parts, involved in sheet cutting with two power press of capacity 50 and 20 tonnes resp. - channelization is provided on two rubber moulding press with inadequate stack height.	25-09-2012 Issue Show Cause Notice for refusal of consent.

								- water used for cooling rubber machine is recirculated and donot discharge into sewer. (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO CMC (O), meeting held on 07.09.2011 and decision was taken for inspection to be conducted.	
20	36907 20-04-2011	AHUJA TYRE RETREADERS A-14, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	Retreading of Old Tyers Tyres Retreading (Without Boiler)	• Date of commissioning of project ---- • Built Up Area ---- 190 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		21-09-2012 (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 28-12-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil (4) Inspection conducted on 10.10.2011 and following observed: a) Unit is having baby boiler which does not have proper stack height using diesel as fuel. b) DG set without acoustic enclosure and inadequate stack height found in the preimises (5) SCN u/s 31(A) issued 11.11.2011. unit submitted its reply on 24.11.2011stating that unit has removed DG set and adequate stack height is provided to the boiler. A letter issued to the unit for sumission of bank guarantee and stack monitoring report. unit submitted bank guarante on 19.01.2012.	25-09-2012 File be put up administratively.
21	36959 27-04-2011	DTC CENTRAL WORKSHOP BBM MARG CENTRAL WORKSHOP-1, DTC BBM MARG	NORTH	Orange Renewal	Accident, bus body repairing and repatring. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 14883 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 1000 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 500 liters/day		24-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has proposed 2 D.G. Set(s) of 62.5 KVA and 110 KVA to be installed with in 2 months and also submitted the Reciept of NMR application applied in DPCC. Earlier CMC Decision on 07.09.2011: Ask the unit to explain as to how the waste oil collected from different DTC	25-09-2012 Expedite the inspection.

								Depot of Delhi is handled in the central workshop clearly indicating the waste oil is covered under the HWM Rules, 2008 warranting the mandatory authorization to be obtain from DPCC. Inspection be conducted. accordingly compliance letter issued to the unit on 29.09.2011. unit submitted reply on 16.11.2011 alongwith copy of Noise Monitoring Reports dated 24.06.2011 and reciept of authorization.	
22	37012	EXPAN PLASTIC PACKAGING B-5, DSIDC ENGG. COMPLEX, PHASE-I, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Operate	Mfg. of Plastic Moulds and plastic Mouldings. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Earlier CMC Decision on 28.09.2011 Ask the unit to provide hood and suction arrangement to channelize the process emissions and a reference be sent to Institute of Chartered Accountants to clarify the authenticity of CA who has issued the certificate submitted by the unit 15 days with a copy to the unit. Accordingly, comliance letter issued to unit on 22.11.2011.	25-09-2012 File be put up administratively w.r.t CA Certificate.
23	37013	SHRI DURGA EXPORT INC 252, BLOCK-3, FIE, PATPARGANJ	Patparganj Industrial Area	Orange Operate	MRF. OF EXPORTING OF READYMADE GARMENTS Readymade Garment with oil fired boiler (Without Washing/Dyeng)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 1200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day		20-09-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 29-04-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 25-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 05.11.09 & following were observed: a) Unit having a baby boiler (Diesel fired) for generation of steam for pressing of garments but stack height is found inadequate. b) Stack height with DG set (63 KVA) found inadequate. As decided by the CMC (O) in its meeting held on 28.09.11, letter was issued on 22.11.11 for submission of Bank Guarantee of Rs. 50,000 under Air Act valid for one year and apply for fresh	25-09-2012 File be put up administrativley.

								consent to establish under Orange category. Unit has submitted its reply on 03.02.12 which is untraceable. EARLIER CMC DECISION 23.10.09 (Green) Wait for inspection report w.r.t decision taken in CMC (O) 01.02.10 (Green) Consent to Establish be revoked and Consent to Operate be made infructuous and link the file with orange application 28.09.11 (Orange) Ask the unit to submit bank guarantee of Rs. 50,000 under Air Act valid for one year and apply for fresh consent to establish under Orange category.	
24	37017 03-05-2011	BROTHER SALES CORPORATION D-219. SECTOR 5, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Manufacturing of Auto Rubber Parts. Rubber Auto Parts Excluding Production Of Tyres And Tubes (Without Reclamation And Devulcanisation Of Rubber)	• Date of commissioning of project ---- 01-01-2002 • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 105 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil (4) Inspection details: Earlier CMC Decision on 28.09.2011 Inspection be conducted. Inspection conducted on 03.01.2012 and 17.05.2012 during the inspection no channelization system for control of process emission installed.	25-09-2012 Issue Show Cause Notice for refusal of consent.
25	37043 06-05-2011	ESS KAY PRESS PLOT NO.220, FIE, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	OFFSET PRINTING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 300 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		20-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Wrong DPCC categorization was selected. Correct categorization is Printing Press (Without Trade Effluent Discharge) Unit yet to be inspected. EARLIER CMC DECISION 28.09.11 Inspection be conducted.	25-09-2012 Expedite inspection.
26	37050	DIAMOND TOYS CO. PVT. LTD.	Mayapuri Industrial Area	Orange Renewal	ALL KIND OF FOOTWEAR.			21-09-2012 (1)ETP ---- N/A	25-09-2012 Expedite inspection.

	09-05-2011	B-40, PHASE-I, MAYAPURI INDUSTRIAL AREA			Eva Footwear and Eva Compound Footwear (rubber) • Date of commissioning of project ---- • Built Up Area ---- 1910.4 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS -stack attached to boiler (a) Stack monitoring report dated 08-04-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes . (3)D.G.Set Noise Report : 1 (a) The unit has 3 D.G. Set(s) of 125, 125, 530 KVA. Noise monitoring report dated 08-04-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no As per CMC(O) meeting held on 28.09.2011, an inspection to be conducted	
27	37124 18-05-2011	VIJAY FRUIT INDUSTRIES B-26, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	MFG. OF PLASTIC MOULDED PRODUCTS. Plastic Processed Goods • Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil A letter issued to The Institute of chartered accountents of india regarding the authenticity of C.A. certificate on 23.11.2011.	25-09-2012 File be put up administratively w.r.t. CA Certificate.
28	37126 18-05-2011	SANT RAM GOYAL D-6, SMA CO-OP INDL. ESTATE, G.T. KARNAL ROAD INDUSTRIAL AREA	S.M.A Industrial Area	Orange Renewal	Cold Re rolling of S.S. Patta/Patti. Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day) • Date of commissioning of project ---- • Built Up Area ---- 180 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		18-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	25-09-2012 Renewal of Consent to Operate (without pickling) granted.
29	37142 19-05-2011	EVERSHINE PAINT & CHEMICAL INDUSTRIES W-19, PHASE-II, OKHLA INDUSTRIAL	Okhla Industrial Area	Orange Renewal	MFG. OF ENEMAL PAINT, DRY DISTEMPER (WITHOUT N.C. PAINT).		19-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	25-09-2012 File be put up administratively.

		AREA			Enamel Paints	• Date of commissioning of project ---- 01-10-1983 • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		As decided by the CMC (O) in its meeting held on 28.09.11, letter was issued on 14.11.11 for submission of fresh proper affidavit as per prescribed format. Unit has submitted its reply on 29.11.11 along with affidavit. However, unit has mentioned Not Applicable in 6th, 7th 8th & 9th point of the affidavit. Unit has submitted a representation on 16.01.12 & 25.01.12 requesting for grant of consent. Unit has also requested to issue user ID & password. EARLIER CMC DECISION 28.09.11 Ask the unit to submit fresh proper affidavit as per prescribed format.	
30	37151 20-05-2011	J M S POLYMERS P LTD E-889, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	CO-EXTRUDED MULTILAYER FILMS. Photographic Films and Chemicals	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Earlier CMC Decision on 28.09.2011 A reference be sent to Institute of Chartered Accountants to clarify the authenticity of CA who has issued the certificate submitted by the unit 15 days with a copy to the unit. Accordingly, comliance letter issued to unit on 29.11.2011. unit submitted fresh CA certificate and affidavit on 06.01.2012	25-09-2012 Inspection be conducted.
31	37181 25-05-2011	GLOSSA ELECTRICALS B-70/5,DSIDC SHEDS,LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	MFG OF PLASTIC BOTTLES AND FOOTWEAR. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 155.38 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 500 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil (4) Inspection was conducted on 08.05.2012 and following observed: a) channelization system is provided with adequate stack height.	25-09-2012 Consent to Operate granted without using plastic scrap as a raw material. Also consent to establish (application dated 17.04.2009) be made infructuous.
32	37218 30-05-2011	KASH INDUSTRIES PVT. LTD. 14, G.T. KARNAL ROOD, RAJASTHAN UDYOG NAGAR INDUSTRIAL AREA	Rajasthan Udyog Nagar Industrial Area	Orange Renewal	MANUFACTURING OF MONOFILAMENT YARN. Plastic Processed Goods			14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 625 KVA and 380 KVA. Noise monitoring report dated 27-05-2011 issued by DPCC	25-09-2012 Renewal of Consent to Operate granted.

						• Date of commissioning of project ---- • Built Up Area ---- 1950 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 625 KVA and 380 KVA. Noise monitoring report dated 27-05-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Insection was conducted on 13.02.2012 and no water polluting activity observed in the premises.	
33	37226	STANDARD ROSIN TURPENTINE MFG. CORPORATION F-7 A, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	mfg. of paint (without nitro cellulose paint). Paint (By Mixing Process Only) Except Nitrocellulose and Alkd Resin Based Paints	• Date of commissioning of project ---- • Built Up Area ---- 127.63316924928 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		19-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 28.09.11, letter was issued on 10.11.11 for apply for authorization under HWM Rules. Unit has applied for authorization under HWM Rules on 09.12.11. EARLIER CMC DECISION 28.09.11 Ask the unit to apply for authorization under HWM Rules.	25-09-2012 Consent to Operate (without nitro cellulose paint) and Authorization under HWM Rules granted.
34	37230	PUSHPA RETREADS SHED NO. 3, SCHEME-III, OPP. NATIONAL DHARAM KANTA, OKHLA INDUSTRIAL AREA PH-II	Okhla Industrial Area	Orange Renewal	Mfg. of Tyres Retreading. Tyres Retreading (Without Boiler)	• Date of commissioning of project ---- • Built Up Area ---- 306 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 0 liters/day		19-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 07-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 03.01.12 & following were observed a) Unit found operational & engaged in the activity of tyre retreading. b) One DG set exist with capacity of 62.5 KVA having adequate stack height & acoustic enclosure. c) Buffing machine exists with dust collector (dust being given to authorized dealer). d) Polishing is also done. e) Source of water is DJB (copy of bill enclosed). Bore well not existing. EARLIER CMC DECISION	25-09-2012 Renewal of Consent to Operate granted.

							28.09.11. Inspection be conducted.	
35	37235 31-05-2011	SHANTA INDUSTRIES 1/355/ D-21, GALI NO.1, FRIENDS COLONY INDUSTRIAL AREA, G.T. ROAD SHAHDARA	Friends Colony Industrial Area	Orange Renewal	COPPER WIRE DRAWING. Wire Drawing (Without Pickling/ Galvanizing)	• Date of commissioning of project ---- • Built Up Area ---- 61.02 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	21-09-2012 Earlier Remarks BUA: 73 SQ Yards. Water Consumption :100 Lts/Day. GW:Nil. Waste Water generation : (a) Domestic effluent: 50 Lt/Day (b) Trade effluent: NIL Date of Commissioning: 1990 D.G.SET: nil NMR submitted :N/A Earlier Committee Decision 28.09.2011 Ask the unit to submit bank guarantee of Rs. 50,000 under Air Act valid for one year. If unit submits the bank guarantee, renewal of consent and authorization be issued. Consent file is not traceable.	25-09-2012 Inspection be conducted.
36	37236 31-05-2011	BHARAT SILICATE WORKS B-38, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Renewal	dilution of sodium silicate. Dilution of Sodium Silicate Using Sodium Silicate As Raw Material	• Date of commissioning of project ---- • Built Up Area ---- 668 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	20-09-2012 BUA: 800 SQ Mts. Water Consumption : 500 Lts/Day. GW:Nil. Waste Water generation : (a) Domestic effluent: 50 Lt/Day (b) Trade effluent: NIL Date of Commissioning:1976 D.G.SET: nil NMR submitted : N/A SCN issued on 19.04.2011. Reply received on 30.05.2011 stating that they have applied for renewal .They further state that washing is not done instead left over material is reused.They have dismantled the coal fired boiler and now only LDO fired boiler is used in their unit.stock of coal has also been removed. As decided by the CMC (O) in its meeting held on 28.09.11, letter was issued on 14.12.11 for clarification w.r.t. category of activity mentioned in negative list as per MPD-2021. EARLIER CMC DECISION 28.09.11 Seek clarification from CPCB w.r.t. category of activity mentioned in negative list as per MPD-2021 mentioning the time limit of 15 days for	25-09-2012 Issue reminder to CPCB.

