



CONSENT MANAGEMENT

Agenda No. 1 - Annexure II - 15 Cases of Consent to Establish under orange category of the period 31.05.2011 to 01.03.2011 in reverse chronology (excluding the cases of Redevelopment areas)recommended by Screening Committee as (2c category) in its meeting on 25.09.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	36600 03-03-2011	RAPID COOL B-151, PH-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Establish	Fabrication and Machining for making steam boiler and hot water generator (engg. works) Spray Painting, Paint Baking, Paint Stripping	- Date of commissioning of project ---- - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 400 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 0 liters/day		18-09-2012 (1)ETP ---- N/A (2)ECS - paint booth connected to wet Scrubber (A) Stack monitoring report dated 03-02-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-02-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: as per the approval in CMC meeting held on 08.04.2011 an inspection was carried out on 19.07.2011 and aboserved that 1. unit found operational and engagd in the aktivikyof machining and fabrication of hot water generators. 2. one paint booth found installed with wet scrubber as ECS and providing stack height of about 2m above the roof level. 3. one DG set of 62.5 KVA found installed with accoustic enclosure and adequate stack height. unit generating hazardous waste in the form of cloth during painting activity. (5) SCN u/s 31(A)/5 of EPA details : SCN was issued to the unit on 26.09.2011 under Air Act. in response of SCN a letter submitted by the unit on 07.10.2011 alongwith affidavit and informed that they do not make or fabricate any tupes of steam	25-09-2012 Recommended to put up file administratively.

								boiler, actual activity is machining & fabrication of hot water generator and request to issue necessary consent to Establish and operate certificate as early as possible. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO	
2	36627 07-03-2011	BIKANER NAMKEEN BHANDAR 382, CHANDNI CHOWK DELHI	NORTH	Orange Establish	Sweets and Snacks Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 200 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 28-10-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes	25-09-2012 Recommended to inspect the unit, thereafter, file be put up administratively.
3	36673 11-03-2011	V.S. INDUSTRIES PLOT NO. B-44, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Establish	MFG. OF LIGHT FITTINGS AND REFLECTORS WITH CASTING, POWDER COATING AND BUFFING. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only) Phosphating & Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 506.2 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		18-09-2012 (1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set Noise Report : 81.25 KVA. Incomplete address mentioned in the software. Complete address is Plot No. B-44/2, Jhilmil Industrial Area Delhi Earlier Committee Decision 10.08.11 Inspection be conducted to check the kind of furnace. 28.09.11 Inspection be conducted to check the kind of furnace.	25-09-2012 Recommended to expedite the inspection.
4	36675 14-03-2011	PARKASH RUMAL FACTORY A-55 GROUP WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Establish	MANUFACTURING OF HOOKS, S.S UTENSILS WITH BUFFING, CIRCLE CUTTING ETC. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		24-10-2011 (1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 10-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	25-09-2012 Implement the decision dated 14.08.2012.

							(3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. Earlier CMC Decision: 10.08.2011 Ask the unit to submit the proposal for controlling the air pollution from the buffing process. Letter for submission of proposal for controlling the air pollution from buffing process was sent to the unit on 22.09.2011. Reply has been received on 03.10.2011 alongwith an affidavit stating that they have installed the Emission Control System for controlling the air pollution from the buffing process and whenever, they get the Adequacy/Test report of ECS they will submit the application for Consent to Operate.	
5	36683 14-03-2011	S.N.S FRESH D-37 (IST FLOOR) SMA INDUSTRIAL AREA	S.M.A Industrial Area	Orange Establish	FOOD AND FRUIT PROCESSING INDUSTRY - FRUIT AND VEGETABLES. Food and Fruit Processing Industry - Confectioneries	• Date of commissioning of project ---- • Built Up Area ---- 1018.24 (in sq. meter) • Water Consumption ---- 1290 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 75 liters/day (b) Trade Effluent ---- 1000 liters/day	13-09-2012 (1)ETP ---- (trade effluent 1000 LPD Proposed) (2)ECS - N/A stack monitoring report : (Proposed) (3)D.G.Set: ...Nil (4) Inspection conducted on 30.10.2010. (5) SCN u/s 31(A)/33(A) issued on 15.12.2010. (6) Closure directions u/s 31(A)/33(A) issued on 07.02.2011. A reply received from the unit on 11.03.2011 along with an affidavit and requesting for revocation of closure directions. A letter for the submission of bank guarantee/ application for CTO along with all reports. A reply received from the unit on 01.11.2011 along with bank guarantee.	25-09-2012 Recommended to inspect the unit, thereafter, put up file administratively.

[illegible]

						Pvt. Ltd. with the advise not to operate without revocation of closure directions issued to M/s Aalianz Automobile. Decision of Consent Management Committee on 10-08-2011 Ask M/s Aalianz Automobiles, who is the premises owner, to submit bank guarantee of Rs. One Lakh each under Air Act, Water Act and HWM Rules valid for one year. If M/s Aalianz Automobile submits the bank guarantee, closure directions be revoked and consent to establish be issued to M/s Divine Automobiles Pvt. Ltd. Copy of this letter be sent to M/s Divine Automobiles Pvt. Ltd. with the advise not to operate without revocation of closure directions issued to M/s Aalianz Automobile.	Remarks / Action Taken / ATR Water Consumption : 5Kld Waste Water generation : (a) Domestic effluent: 1.5 Kld (b) Trade effluent: 4.5 Kld Date of Commissioning :15.04.11 DG set : Nil GW: Nil Earlier a unit has obtained CTE on 04.06.10 vd CNO 23986 with the name of Aalianz authomobile SCN for closure u/s 31(A) of the Air Act, u/s 33(A) of the Water Act and u/s 5 of the EPA issued on 23.12.10. No reply received so far. Hence, as per approval on file, Closure direction issued to the said unit on 17.3.11 but same was returned back undelivered. As approved inspection was conducted on 06.04.11& closure directions pasted on the wall of office of unit.As reported M/s Aalianz authomobile has been closed down & now premises in possession of M/s DIVINE AUTOMOBILES PVT. LTD which is in progress to establish a automobile workshop. As reported some machineries have been taken over from alianz authomobile M/s alianz authomobile has submitted its reply on 02.05.11 requesting revocation of closure direction Letter received on 03.05.11 from BSES that the electricity supply has been disconnected. M/s DIVINE ATOMOBILE submitted CTE application with address only 24/4 MOHAN CO-OPERATIVE INDUSTRIAL AREA, instead of A-24/4 MOHAN CO-OPERATIVE INDUSTRIAL AREA Recommendation / Action Taken Details (EE/AEE) on 20-09-2012 As decided by the CMC (O) in its meeting held on 11.11.11, letter was issued on 23.12.11 to Sh. Anil Kapoor (Owner of M/s Aalianz Automobiles), A-2/30, Safdarjung Enclave, New Delhi & copy was also sent to M/s DIVINE AUTOMOBILES PVT. LTD. As decided by the CMC (O) in its meeting held on 11.11.1, letter was issued on
--	--	--	--	--	--	--	--

								23.12.11 for seeking compliance to DJB, MCD & SDM . Copy of letter dated 23.12.11 sent to M/s DIVINE AUTOMOBILES PVT. LTD. was returned back undelivered. EARLIER CMC DECISION 11.11.2011 (In M/s Aalianz Automobiles) Compliance received from discom. The letter received back be delivered at residential addresses. Ask the compliance from DJB, MCD and also ask the SDM for effective closure of the unit.	
10	36865 11-04-2011	ANKITA COMMUNICATION A-1, DDA SHED, PH-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Establish	MAKING FILM OUTPUT FOR OFFSET PRINTERS WITH TRADE EFFLUENT DISCHARGE. Printing Press (With Trade Effluent Discharge)	- Date of commissioning of project ---- - Built Up Area ---- 120 (in sq. meter) - Water Consumption ---- 700 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 200 liters/day	Recommendations of Scrutinizing Committee on 31-05-2011 Ask the unit to submit bank guarantee of Rs. 50,000 under Water Act valid for one year. If unit submits the same, consent to establish be issued. Decision of Consent Management Committee on 10-08-2011 Ask the unit to submit bank guarantee of Rs. 50,000 under Water Act valid for one year. If unit submits the same, consent to establish be issued. Subsequently, inspection be conducted.	24-05-2011 Earlier Committee Decision 66th(In Green File) Inspection be conducted. 67th(In Green File) Re-inspection by AEE. 69th(In Green File) Inspection be expedited. 70th(In Green File) Issue SCN for refusal and SCN u/s 33(A) of Water Act 1974 for closure of the unit. Remarks / Action Taken / ATR Water Consumption : 700 Lt/d Waste Water generation : (a) Domestic effluent: 500 Lt/d (b) Trade effluent: 200Lt/d Date of Commissioning : December 2010 DG set : 62.5 KVA GW: Nil CTO (Green) issued on 29.9.03 vd CNO 7885. CTO (orange) applied on 11.07.05 vd ID 15000. CTE(Green) applied on 28.06.10 vd ID 34344. SCN for refusal of consent under Air act and water act issued on 17.03.11. SCN u/s 33(A) of Water Act 1974 for closure of the unit issued on 17.03.11. Unit submitted its reply on 29.03.11 and 03.05.11 Unit has applied for CTE(orange) on 11.04.11 vd ID 36865. Recommendation / Action Taken Details (EE/AEE) on 19-09-2012 As decided by the CMC (O) in its meeting held on 10.08.11, letter was issued on	25-09-2012 Recommended to implement the decision dated 10.08.2011.

								12.09.11 for submission of bank guarantee of Rs. 50,000 under Water Act valid for one year. Unit has submitted its reply on 04.11.11 along with above said bank guarantee of Rs. 50,000 under Water Act valid for one year. Unit has submitted its representation on 06.01.12 along with NMR of DG set (62.5 kVA capacity) dated 25.11.11, adequacy report of ETP dated 28.12.11 issued by DTU & effluent analysis report dated 28.12.11 issued by DTU.	
11	36955 27-04-2011	PFIZER ANIMAL HEALTH INDIA LTD A-26/6 MOHAN CO- OPERTIVE INDUSTRIAL AREA	Mohan Co-operative Industrial Area	Orange Establish	Research and development of verterinary pharmaceutical formulation and their active pharmaceutical ingredients (API) Medicines / Pharmaceutical Formulation- Without Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1454.35 (in sq. meter) • Water Consumption ---- 12000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 4000 liters/day (b) Trade Effluent ---- 8000 liters/day		20-09-2012 EARLIER CMC DECISION 10.08.11 Inspection be conducted w.r.t. details of process. Remarks Water Consumption : 12 Cu m Waste Water generation : (a) Domestic effluent: 4 cu m (b) Trade effluent: 8 cu m Date of Commissioning : 01.06.11 ETP/ STP : ETP shall be installed DG set : 630 KVA GW: Nil Unit has submitted a letter on 09.08.11 requested for correction in typographical error proposed capacity has been mentioned 12 KLD instead of 15 KLD. Unit has again submitted a letter on 23.08.11 with the type & Quantity of solvent. As decided by the CMC dated 10.08.11, Inspection was conducted by DPCC officials on 04.10.11 & following were observed:- 1. unit was not in operational. It is under construction phase. 2. There are 2 DG set on site for construction purpose with capacity of 180 KVA & 62.5 KVA with acoustically treated. 3. one bore well exist.	25-09-2012 Recommended for grant of Consent to Establish. Subsequently, inspection be conducted.
12	37052	RANDHAWAN GARDEN MANIPALPUR	SOUTH WEST	Orange Establish	Party Lawn Banquet Hall/ Party Lawn			21-09-2012 (1)ETP ---- N/A (2)ECS - N/A	25-09-2012 File was put up administratively and as decided an inspection is to be carried

	09-05-2011	DWARKA ROAD SAMALAKHA			(Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 2000 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 5000 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 125 KVA, 125 KVA and 125 KVA. Noise monitoring report dated 11-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes . The unit has 3 D.G. Set(s) of 125 KVA, 125 KVA and 125 KVA. Noise monitoring report dated 11-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes . The unit has 3 D.G. Set(s) of 125 KVA, 125 KVA and 125 KVA. Noise monitoring report dated 11-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes . (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : issued on 13.04.2011. A reply was received from the unit and informed that they will install ETP in one month and applying for CTE. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : issued on 02.06.2011. in response to above said letter, reply was received from the unit on 22.06.2011 and informed that the work was awarded to Eco- Max Technologies and requested for 30 days time. A letter was issued to the unit on 05.07.2011 for disconnection of water supply and electricity supply. A CMC(O) meeting held on 14.09.2011 and it was decided to issue SCN to the unit for refusal of consent. the same was issued on 02.11.2011 A CMC(O) meeting held on 11.11.2011 and it was decided to ask the compliance from DJB, discom, MCD, and SDM for effective closure of the unit. A letter was received from the unit on 13.06.2012along with NMR and adequacy report of installed ETP.	out. Recommended to expedite inspection.
13	37060	SOM PAN	Naraina	Orange	mfg. of Marketing			03-08-2012	25-09-2012

09-05-2011	PRODUCTS PVT. LTD. (UNIT-2) C-123 NARAINA INDUSTRIAL AREA	Industrial Area Phase - I	Establish	of Pan Masala. Pan Masala (Mixing Only)	• Date of commissioning of project ---- • Built Up Area ---- 880 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 0 liters/day	(1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 15-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 15-07-2011 issued by DPCC	Recommended to put up file administratively.
------------	--	------------------------------	-----------	--	---	---	--

							submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details: conducted on 08.05.2012 by officials of DPCC and observed that: (a) unit found operational and engaged in manufacturing of pan masala/ gutka with its packing. (b) brand names are: dilbaag and talab. (c) pouches material is paper coated with aluminium (d) hood and channelisation provided but not properly maintained/ not fully operated as required. (e) pouches are being packed in plastic material and paper also. (f) samples were collected containing pouches out of packed materials, packets containing large number of pouches during inspection in the presence of Mr. I.D. Tripathi (Director) (5) SCN u/s 31(A)/5 of EPA details : and for refusal of consent under Air and Water Act issued on 28.05.2012 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO In reference to issue of pouches of pan, masala and gutka case is under process. Regarding prosecution case is being dealt by legal cell.	
14	37118 18-05-2011	SILVER GRAND SERVICES A-1 54 RAMA ROAD NAJAFGARH ROAD INDL. AREA	Najafgarh Road Industrial Area	Orange Establish	BANQUET HALL AND LOUNGE. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 447.6 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 3000 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2000 liters/day	19-09-2012 (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: inspection conducted on 25.01.2011 and observed that : -unit is a banquet hall for party and started since last one month. First function was held on 13.01.2011. kitchen is having 3 Numbers of coal fired tandoor and Six no. of LPG bhatties and found in operation. ducting provided but filters not fitted, the hight of stack is only two feet from the roof top. - waste water generated for the kitchen	25-09-2012 Recommended to put up file administratively.

							is discharging in to drain/sewar without any treatment. ETP is not installed so far. -Unit has not applied for the consent. (5) show cause notice for closure was issued on 11.02.2011 under air and water act. a reply was submitted by the unit on 04.03.2011 and requested some time for completion of work and commissioning / installation of pollution control equipment, procurement of adequacy report and submission of consent application to DPCC. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :issued under water and Air act on 24.03.2011. a letter was issued 9/5/2011 to the consurned authorities for disconnection of Water and electricity connection. A committee was held on 11.11.2011 and decied to ask complience report from DJB and SDM for effective closure of the unit. a reply was submitted on 27.04.2011 from the unit and informed that rectification of deficiency has been completed. (6)SCN u/s 31(A)/33 (A)/ 5 of EPA details : issued on 02.11.2011 for refusal of consent under Air and water Act. in response of above SCn unit has submitted a reply on 22.11.2011 along with adequacy report of ETP installed as well as photograph of ducting providing for the tandoor and bhatti for pollution control. a letter was issued to te unit on 20.01.2012 regarding submission of bank guarantee of Rs. one lakh each under Air and water act. reply is still awaited.	
15	37137	SDG TECHNOPRINT PVT. LTD.	Naraina Industrial Area Phase - I	Orange Establish	OFFSET PRINTING AND PACKAGING.		19-09-2012 (1)ETP ---- N/A (2)ECS - N/A	25-09-2012 Recommended for grant of Consent to Establish.

19-05-2011	B-232 NARAINA INDL. AREA PH-I			Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...N/A... (4) Inspection details:No A CMC (O) meeting was held on 14.09.2011 and ask for issued a SCN u/s 21/22 of Air act and 25/26 of water act for commensing the unit with obtaining consent to operate from DPCC with a direction to apply consent to operate immediatly (5) SCN u/s 31(A)/33(A)/5 of EPA details : issued on 18.10.2011. a reply was submitted on 03.11.2011 and informed that consent to operated application is in process and will be submitted with in 20 days with required formality. a meeting held on 01.06.2012 and decided to Consent to Operate and authorization under HWM Rules granted without mfg. of plastic bags. CTO is issued on 19.06.2012 along with HWM authorization issued on 22.06.2012. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No.
------------	----------------------------------	--	--	---	---	--	--