




DELHI POLLUTION CONTROL COMMITTEE
4th & 5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/ Committee II (b) /16th Meeting / 2016/ 6964 - 6970 Dated: 27/12/16

Subject: Minutes of the 16th Meeting of the Committee for II (b) Category Cases headed by Member Secretary, DPCC, held on 23.12.2016, in the Conference Room of DPCC at ISBT Building Kashmer Gate , Delhi -06.

Please find enclosed herewith the Minutes of the 16th Meeting of the aforementioned Committee, held on 23.12.2016, in the Conference Room of DPCC at ISBT Building Kashmer Gate , Delhi -06.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.



(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC ,for kind information of Chairman, DPCC please.
2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC .
3. SEEs(WMC I/II)
4. Environmental Engineers (WMC I/II)


(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

Minutes of the 16th Meeting of the Committee for II (b) Category cases, headed by Member Secretary, DPCC and constituted vide office order dated 12.04.2016, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous & Other Wastes / Plastic Waste Rules, held on 23.12.2016, in the conference room of DPCC, at 5th Floor, ISBT Building, Kashmere Gate, Delhi-06.

Attendance Sheet is enclosed as Annexure "A".

Following are the Minutes of the Meeting:-

Pending Cases of Consent to Establish / Operate/Renewal of the period 01.09.2015 to 15.12.2016 were to be taken by the Committee however due to paucity of time, the Committee decided to take up cases of the period 01.11.2016 to 15.12.2016 in this meeting and rest of the cases in next meetings of the Committee.

Agenda Item No 1: 59 Pending Cases of Consent to Establish/Operate /Renewal of the period 01.11.2016 to 15.12.2016

Decisions were taken online in individual cases and list of 27 no. of units (Cases of Consent to Establish) including decisions taken in these cases are at Annexure I and list of 32 no. of units (Cases of Consent to Operate/Renewal) including decisions taken in these cases are at Annexure II.

Following Table Agenda Items were taken by the Committee with the permission of chair:-

(i) M/s Safdarjung Service Station, Safdarjang Road, Delhi [Consent to Operate(Renewal) ID No. 8184 Dated 17.06.2014] engaged in the activity of Petrol Pump cum Service Station of Cars.


The Case was briefed by the concerned engineers of CMC-IV. Unit was inspected on 06.04.2016 and ETP installed and found operational. HWM guidelines were being followed.

In view of the above, Committee decided to grant Consent to Operate (Renewal) and Authorization under HWM Rules.

(ii) M/s Shiv Plastics, 56-A/2, Rama Road, Najafgarh Road Industrial Area, New Delhi-15 [Consent to Operate(Renewal) ID No. 13813 Dated 02.03.2016] engaged in the activity of Manufacturing of PVC Dana from PVC Waste / Scrap with Washing.

Committee decided to revoke the directions u/s 33(A) of Water Act, u/s 31(A) of Air Act and u/s 5 of EP Act for closure issued on 26.05.2016 temporarily for 45 days for applying for registration under The Plastic Waste Management Rules, 2016 and for verification of the rectification measures taken by the unit & for compliance w.r.t. Plastic Waste Management Rules, 2016 however letter for temporary revocation to be issued after obtaining Security Bond and undertaking as per office order Dated 18.06.2015.

It was informed to the Committee members that a circular has already been issued by Member Secretary, DPCC on 15.07.2015 regarding disposal of hazardous waste generated by the earlier existing Seriously Polluting Industries (SPIs). As per the said circular, all SEE/In-charges of CMCs & WMCs in DPCC are required to take necessary action w.r.t. said circular while considering / placing cases of the units applying for Consent to Establish / Consent to Operate before the concerned Committee.

 Contd.2...


Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on such lists (**Annexure I & II**). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.

In future, if any case is falling in the chronology of the period selected for meeting however not appearing in the agenda item generated through existing software, such cases be brought before the Committee for taking offline decision.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.


The meeting ended with a vote of thanks to the Chair.


(S.M. Ali)
Member Secretary, DPCC


(D.K. Singh)
SEE, CMC-II


(M. Arif)
SEE, CMC- V


(P. S. Pankaj)
EE, CMC- IV



(B.L. Chawla)
SEE, CMC-I


(Satender Kumar)
SEE, CMC-III


(D.K. Srivastava)
EE, CMC-III


(M.S. Rawat)
EE, CMC-V


(N.K. Joshi)
EE, CMC-III









(Sanjay Vatts)
EE, CMC-II

- Sd -
(K. Kumar)
EE, CMC-IV

- Sd -
(Amit Chaudhary)
EE, CMC-V

- Sd -
(Sunil Kumar)
EE, CMC-IV

Attendance Sheet for 16th Meeting of the Committee constituted vide office order Dated 12.04.2016 and headed by Member Secretary, DPCC, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes /Plastic Waste Rules of the units under Category II (b), held on 23.12.2016 in the Conference Room of DPCC at ISBT Building, Kashmere Gate, Delhi.

S.No.	Name	Designation	Signature
1.	Sh. S. M. Ali	Member Secretary, DPCC	
2.	Sh. D.K. Singh	SEE(CDC)(CMC II), DPCC	
3.	Sh. M. Arif	SEE(CDC) (CMC V), DPCC	
4.	Sh. P. S. Pankaj	EE, Incharge CMC IV, DPCC	
5.	Sh. B. L. Chawla	SEE(CDC)(CMC I), DPCC	
6.	Sh. Satender Kumar	SEE(CDC) (CMC III), DPCC	
7.	Sh. D. K. Srivastava	EE(CDC) (CMC III), DPCC	
8.	Sh. N.K.Joshi	EE(CDC) (CMC III), DPCC	
9.	Sh. M. S. Rawat	EE(CDC) (CMC V), DPCC	
10.	Sh. Sanjay Vatts	EE(CDC) (CMC II), DPCC	
11.	Sh. Shyam Sunder	EE(CDC) (CMC I), DPCC	On Leave
12.	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	On Leave
13.	Sh. Amit Chaudhary	EE(CDC) (CMC V), DPCC	
14.	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	
15.	Sh. K. Kumar	EE(CDC) (CMC IV), DPCC	



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 16th meeting on 23.12.2016 w.r.t. Agenda Item No 1 -- 27 Pending Cases of Consent to Establish of the period 01.11.2016 to 15.12.2016 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	GANGANAGAR VEHICLES PVT. LTD.	C-1,2,25,26 AND 27, PHASE- I, MANGOLPURI INDUSTRIAL AREA	02-11-2016	DPCC/EC/2/1/2016/16353	AUTOMOBILES SERVICE STATION WITH WASHING AND REPAIRING DENTING AND PAINTING OF CARS Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: ...125 KVA with stack height 2.5 m above roof level. (4) Source of water ---- Other 3.5 KLD	N/A	05-11-2016 Common consent for premises at Plot no1,2,25,26 and 27 has been sought. Inspection may be conducted.	23-12-2016 Consent to Establish granted. Subsequently, inspection be conducted.
2	SAWAN BANQUETS (A UNIT OF G S HOSPITALITY SERVICES)	54-A/1, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	07-11-2016	DPCC/EC/2/1/2016/16380	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of water:DJB, Category-II (Copy f bill enclosed) Water Consumption:19770 litre/day Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: 62.5, 125 & 200 KVA installed Status of Ground Water extraction :Nil Status of Inspection:No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	.	23-12-2016 -Consent to Establish may be granted.	23-12-2016 Consent to Establish granted.
3	MG MAHARAJA PALACE BANQUETS	45/35,WEST PUNJABI BAGH	09-11-2016	DPCC/EC/2/1/2016/16390	Banquet Restaurants/Eating Houses / Dhabas and other such	Orange Establish	Non-SPI		Source of water:DJB, Category-II (copy enclosed) Water consumption:2500 litre/day	.	23-12-2016 consent to establish may be granted.	23-12-2016 Consent to Establish granted with the condition that unit shall submit photographs and details

					establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 3 D,G sets of 62.5 KVA installed Status of Ground Water extraction :No Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No			(size/dimensions & schematic diagram) of Effluent Treatment System in view of office order Dated 04.11.2016.
4	METCON INDIA REALTY & INFRASTRUCTURE PVT. LTD.	DDA GROUND, DMRC CC-95 CASTING YARD BEHIND BUSTER PUMP SEC. 20 DWARKA	10-11-2016	DPCC/EC/2/1/2016/16394	READY MIX CONCRETE PLANT. Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI		water Consumption- 10 Kilo Liter Per Day. Source of Water- Ground Water. Status of Pollution Control System (1)ETP ---- N/A (a) Effluent analysis report dated - N/A (2)ECS - N/A (a) Stack analysis report dated - N/A . (3)D.G.Set: ...1 No., 125 KVA. (a)Noise monitoring report of - N/A (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - Status of Ground Water extraction :10000 L/D Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	N/A	22-12-2016 Unit has applied for Consent to Establish on 10.11.2016 for the activity of Ready Mix Concrete Plant. The unit has submitted a letter from DDA dated 03.11.2015 issued to Chief Engineer, DMRC for extension of lease period on temporary basis for casting yard at Bharat Vandana Park, Sector 9, Dwarka(which is different from the address of the unit) till 10.07.2017. Likely date of commissioning has been mentioned as 22.11.2016.	23-12-2016 Seek clarification from the unit regarding difference of the address of the unit and letter issued by DDA to DMRC regarding extension of lease period on temporary basis for casting yard at Bharat Vandana Park, Sector 9, Dwarka(which is different from the address of the unit) till 10.07.2017.
5	GANPATI AUTOTECH PRIVATE LIMITED	PLOT NO. 1/536-J/12, GALI NO. 5, FRIENDS COLONY INDL. AREA, SHAHDARA	17-11-2016		SERVICING OF VEHICLES (TWO WHEELERS) WITH WASHING Automobile	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical	Nil	23-12-2016 Recommended for grant of CTE.	23-12-2016 Consent to Establish granted.

					Servicing and Repair Station with Washing Activity				(2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil			
6	FASHION FLARE INTERNATIONAL PRIVATE LIMITED	A-189, OKHLA INDUSTRIAL AREA, PHASE-I	23-11-2016	DPCC/EC/2/1/2016/16434	Manufacturing of Readymade Garments Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - 10 KLD (Proposed) (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 126 KVA and 62.5 KVA (Proposed) (4)Source of Water- 10 KLD (Ground Water) (5)Year of commencement of production- 01.12.2016		23-12-2016 Unit has applied for CTE on 23.11.2016.	23-12-2016 Consent to Establish granted.
7	VINAYAK FOOD PRODUCTS	A-291, DSIIDC, NARELA INDUSTRIAL AREA	24-11-2016	DPCC/EC/2/1/2016/16443	DAL MILL. Dal Mills	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP-N/A 2. ECS- Proposed 3. D.G. set- No Plot Area- 350sq.mt. commencement Date- 16.04,2015 Status of Ground Water Extraction-No 1. Water consumption- 200 L/day. a) Source of water- DSIIDC (copy of water bill not submitted) Status of Inspection- No	Water(Effluent)-N/A Emission monitoring report -N/A Noise Test Report-N/A	23-12-2016	23-12-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
8	ENPEECON	SEC 20 DWARIKA OPP MARBLE MARKET	25-11-2016	DPCC/EC/2/1/2016/16457	ready mix concrete without trade effluent discharge Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (a) Effluent analysis report dated - N/A (2)ECS - N/A ((a) Stack analysis report dated - N/A (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A (b) Stack monitoring report (for more than 1000 KVA) dated - N/A Status of Ground Water extraction :N/A Status of Inspection :No	N/A	22-12-2016 Closure direction were issued to the Unit on 26.10.2016. Unit has applied for CTE on 25.11.2016 for the activity of Ready Mix Concrete without Trade Effluent Discharge. Alongwith application unit has submitted letter of DDA dated 23.08.2013 issued to Chief Engineer, DMRC regarding allotment of land at Bharat Vandana Park, Sector 20, Dwarka on temporary	23-12-2016 Unit has submitted security bond of Rs. 2 Lakh on 22.12.2016. Consent to Establish granted. Directions for closure be revoked temporarily for 45 days for submission of consent to operate application along with required test reports etc.

									SCN u/s 31(A)/33(A)/5 of EPA details :No		basis for four years.	
									Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
9	ITD-ITD COM JV	DMRC PROJECT, PACAKAGE: CC26R CBD GROUND, DDA LAND, SHAHADARA, KARKARDOOMA	29-11-2016	DPCC/EC/2/1/2016/16472	READY MIX CONCRETE PLANT. Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Dust collector with cement Silo. (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Inspection of your unit was conducted on 25.02.2016 by the officials of DPCC and was found various deficiencies causing air pollution. Direction for closure was issued to the unit on 05.10.2016. The said direction were temporarily revoked for 15 days on 25.12.2016.	Nil.	23-12-2016 Recommended to inspect the unit.	23-12-2016 Inspection be conducted.
10	J S INDUSTRIES	E-8 (1ST AND 2ND FLOOR) SMA INDUSTRIAL AREA, G.T. KARNAL ROAD	29-11-2016	DPCC/EC/2/1/2016/16479	BUFFING AND POWDER COATING OF HARDWARE GOODS (HINGES , DOOR FITTINGS ETC). WITHOUT PHOSPHATING Powder Coating without phosphating Process Involving Buffing	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS-N/A 3. D.G. set- 1 X 40 KVA and 1 X 62.5 KVA Plot Area-200 sq mt Date of Commencement- 10.10.2016 Status of Ground Water Extraction-No 1.Water consumption- 100 L/day. Source-DJB (bill submitted) Status of Inspection- No Earlier Consent to establish was granted on 19.05.2016 for the activity of Buffing of Hardware goods(Hinges, Door fittings etc.). Now unit has submitted that activity of Powder coating without phosphating along with buffing has been added to the previous activity during installation.	Effluent analysis report - N/A Emission moniotring report- N/A Noise monitoring report - N/A	23-12-2016 -	23-12-2016 Consent to Establish granted. Subsequently, inspection be conducted.
11	TRIUMPH (A DIVISION OF DEHRADUN	D-149, OKHLA INDUSTRIAL AREA, PHASE-I,	02-12-2016	DPCC/EC/2/1/2016/16506	Repairing, Service with washing of two wheelers	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- 2 KLD	.	23-12-2016 Unit has applied for CTE on 02.12.2016.	23-12-2016 Consent to Establish granted.

	AUTOMOBILES PVT. LTD	NEW DELHI- 110020			Automobile Servicing and Repair Station with Washing Activity				(2)ECS - N/A (3)D.G.Set: 62 KVA (4)Source of Water- DJB (Bill not enclosed) (5)Year of commencement of Production - 01.02.2017 Water consumption-2 KLD Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
12	SAIVANA EXPORT PRIVATE LIMITED	B-125, OKHLA INDUSTRIAL AREA, PHASE - I,	02-12-2016	DPCC/EC/2/1/2016/16507	Manufacturing of Readymade Garment with Washing Readymade Garment with Electric/ Gas fired boiler (with Washing)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - 5 KLD (Proposed) (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1D.G. Set(s) of 200 KVA. (4)Source of Water- DJB (Bil Enclosed) Water consumption- 5 KL/d (5)Year of commencement of production-01.10.2016		23-12-2016 Unit has applied for CTE on 02.12.2016.	23-12-2016 Consent to Establish granted.
13	T. R. SAWHNEY MOTORS PVT. LTD.	A-191, PHASE-I, OKHLA INDUSTRIAL AREA	05-12-2016	DPCC/EC/2/1/2016/16512	SERVICING, REPAIRING AND WASHING OF CARS WITH PAINT BOOTH. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 26-03- 2014 Authorisation Status Pending	Status of Pollution Control System (1)ETP -Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set of 82.5 KVA. Source of Water- Tanker (Bill Enclosed) Water Consumption: 2800 l/d		23-12-2016 As per inspection held on 25.05.2016, the unit was engaged in the activity of Service Station (Washing and Repairing of Cars) With Paint Booth.However Consent application for CTO not shows the activity of paint booth Now, the unit has applied for Consent to Establish under the activity of Servicing,	23-12-2016 Consent to Establish granted with the condition that unit shall apply afresh for Consent to Operate and authorization under HWM Rules, 2016 within 30 days.

											Repairing and Washing of Cars with Paint Booth But unit has not applied for Consent to Operate for the same activity.	
14	LUXE PASSION PRIVATE LIMITED	A-16, PHASE-I, MAYAPURI INDUSTRIAL AREA	05-12-2016	DPCC/EC/2/1/2016/16513	TWO-WHEELER REPAIRING AND SERVICING (WITH WASHING ACTIVITY) Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Source of water:corporation (copy of bill not enclosed) Water consumption:4000 litre/day Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :No Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	.	22-12-2016 Consent to establish may be granted.	23-12-2016 Consent to Establish granted.
15	PITRASHISH PRIDE (A UNIT OF PITRASHISH AASHRAY PVT LTD)	98, BRIJWASAN ROAD, KAPASHERA,	07-12-2016	DPCC/EC/2/1/2016/16530	GUEST HOUSE WITH 44 ROOMS (NO OF BEDS 88). Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source Of water: Tanker Water Consumption : 20000 L/D Status of Pollution Control System (1)ETP ---- N/A (a) Effluent analysis report dated 11-11-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 04-11-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) Stack monitoring report (for more than	Effluent analysis report dated 11-11-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring Report: The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 04-11-2016 issued by DPCC submitted.	23-12-2016 Unit has applied for CTO & CTE on 08.12.2016 and 07.11.2016 respectively for the activity of hotel(44 rooms). As per the Project Report submitted along with Consent application, unit has installed STP of 20 KLD capacity.	23-12-2016 Consent to Establish granted.

									1000 KVA) :N/A Status of Ground Water extraction :N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :			
16	NDCON CONSTRUCTIONS	KH NO. 427,VILLAGE SABHAPUR,DELHI-94	08-12-2016	DPCC/EC/2/1/2016/16544	Manufacturing of Ready Mix Concrete Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: No Status of Ground Water extraction :No , Source of water is outside tanker. Status of Inspection : Inspection of the unit was conducted on 01.09.2016 by the officials of DPCC and the following were observed: 1. The mixing plant was found not in operation. 2. Due to rains the coarse sand and stone aggregate were found wet. However, no measures for control of dust for the storage of materials i.e. stone aggregates and coarse aggregates were seen 3. No dust collecting system was seen installed in the cement rooms from where loose cement from hopper through screw conveyor pumped to the mixing plant. Significant leakages in & around cement conveying system seen. 4. No dust emission control measures around the boundary of unit provided. Closure directions u/s 31(A)/33(A)/5 of EPA details : Closure direction was issued on 03.10.2016. Representation was	N/A	14-12-2016 Recommended for inspection of the unit.	23-12-2016 Inspection be conducted.

									received from the unit on 31.10.2016 and informed regarding the measures taken for rectification of deficiencies observed during inspection and requested for revocation of closure directions. Revocation of closure direction was issued on 02.12.2016.			
17	KAMDHENU CEMENT	KH NO. 616/2,VILLAGE SABHAPUR,DELHI-110094	08-12-2016	DPCC/EC/2/1/2016/16545	Manufacturing of Ready Mix Concrete Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- No (2)ECS - No (3)D.G.Set: ...N/A... Status of Ground Water extraction : Undertaking attached online with the file is not as per the prescribed format and reveals no information about the unit. Status of Inspection :Inspection of the unit was conducted on 01.09.2016 by the officials of DPCC and the following were observed: 1. The unit was found in operation i.e. concrete mixing was going on. 2. Significant dust emissions from cement room through the exhaust fan were seen. 3. No dust control measures were found taken to control the dust emits during feeding of loose cement in the screw conveyor hopper. 4. Green Hessen cloth net provided around and over the boundary of the plant (at front side). 5. Sprinklers (five Nos.) were found provided in bins of scrapper batching plant. Closure directions u/s 31(A)/33(A)/5 of EPA details : Closure direction was issued to the unit on 03.10.2016. Representation was	N/A	14-12-2016 Undertaking attached online with the file is not as per the prescribed format and reveals no information about the unit. Unit may be asked the undertaking in the prescribed format of DPCC and also inspection may be conducted.	23-12-2016 Unit may be asked the undertaking in the prescribed format of DPCC. Also inspection be conducted.

									received from the unit on 31.10.2016 and informed regarding the measures taken for rectification of deficiencies observed during inspection and requested for revocation of closure directions.			
									Revocation of closure direction was issued on 02.12.2016.			
18	VINOD KUMAR(RMC PLANT)	KH NO. 434,VILLAGE SABHAPUR,DELHI-94	08-12-2016	DPCC/EC/2/1/2016/16546	Manufacturing of Ready Mix Concrete Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- No (2)ECS - No (3)D.G.Set: Status of Ground Water extraction :No Status of Inspection : Inspection of the unit was conducted on 02.09.2016 by the officials of DPCC and the following were observed: 1. The batching mixing plant was found in operation. 2. Significant dust emission from cement feeding area and scraping of material to batch mixing plant was seen. No dust preventive measures were found taken. 3. The heaps of stored building material were found stored without any covering and enclosure. As informed they use water sprinkling as preventive measures for dust emission from stored building material. 4. Stack height of DG set found in adequate and main road boundary wall has been found raised by placing corrugated MS/ tin sheet. Closure directions u/s 31(A)/33(A)/5 of EPA details : Direction for closure issued on 03.10.2016 Representation was received from the unit on 31.10.2016 and informed regarding the measures	N/A	14-12-2016 Recommended for inspection.	23-12-2016 Inspection be conducted.

									taken for rectification of deficiencies observed during inspection and requested for revocation of closure directions.			
									Revocation of direction for 15 days was issued on 02.12.2016.			
19	SPIRIT GLOBAL CONSTRUCTIONS PVT. LTD.	RAJOURI GARDEN, ADJACENT TO RAJOURI GARDEN METRO RAILWAY STATION	09-12-2016	DPCC/EC/2/1/2016/16549	Multi Level Parking with Commercial Development. Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Establish	Non-SPI		(1)ETP -- STP (2)ECS - N/A (3)D.G. Set : 2 D.G Sets of 75 KVA & 320 (installed) (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption : 23070 litre/day (8) Date of Possession of land : 30.06.2010 (9) Date of Commencement of Construction : 15.02.2014 (10) Proposed date of completion of construction : 01.12.2016 (11) Total Plot Area : 6797.29 sqm (12) Built up area : 18905.27 sqm (13) Status of Ground Water extraction :No -Unit has obtained consent to establish on 28.05.2014 valid upto 12.01.2015. -Now unit has applied for Renewal of Consent to Establish for further one year period and submitted a letter stating that construction work has not yet been completed and there is no change in the application.		23-12-2016	23-12-2016 Extension of Consent to Establish granted.
20	NEUTEC HEALTHCARE PVT. LD.	E-698, DSIDC, NARELA INDUSTRIAL AREA	14-12-2016	DPCC/EC/2/1/2016/16554	FORMULATION OF MEDICINES. Medicines / Pharmaceutical Formulation- without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Proposed. 2. ECS- N/A 3. D.G. set- No Plot Area- 350 sq.mt. commencement Date- 01.04.2014 Status of Ground Water Extraction-No 1. Water consumption- 1500 L/day. a) Source of water- DSIIDC (copy of water bill not submitted) Status of Inspection- DPCC lab has visited the unit on 11.03.2016 to lift	Water(Effluent) report-No Emission monitoring report - N/A Noise Test Report-N/A	23-12-2016	23-12-2016 Inspection be conducted.

									the sample. Unit found operating without ETP. Show cause notice for closure u/s 33 (A) of the Water Act, 1974 and u/s 31(A) of the Air Act, 1981 issued on 03.08.2016. Replied on 19.10.2016 & 04.11.2016 stated that ETP is installed and they have requested 45 days more for testing purposes & to apply for consent & Authorization.			
21	AMP MOTORS PRIVATE LIMITED	PLOT NO:31, SHIVAJI MARG, NAJAFGARH ROAD INDUSTRIAL AREA	14-12-2016	DPCC/EC/2/1/2016/16558	AUTOMOBILE REPAIRING AND SERVICING (WITH WASHING ACTIVITY) Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Source of water:DJB (copy of bill enclosed) Water consumption: 4000 litre/dayStatus of Pollution Control System Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :No Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		23-12-2016	23-12-2016 Consent to Establish granted.
22	RAMAKANTA	PLOT NO. 205, POCKET I, SECTOR-01, BAWANA INDUSTRIAL AREA	14-12-2016	DPCC/EC/2/1/2016/16563	Manufacturing of Stainless Steel Utensils (Gas Stoves Body) with Buffing Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP-N/A 2. ECS- Proposed 3. D.G. set- No Plot Area- 150sq.mt. commencement Date- 01.09.2016 Status of Ground Water Extraction-No 1. Water consumption- 800 L/day. a) Source of water- DSIIDC (copy of water bill not submitted) Status of Inspection- Yes (on 22.09.2015 based on common complaint against dyeing units) Inspection Findings- 1. Unit found operating and engaged in the activity of buffing on SS chullah.(owned by one Mr. Monty) 2. No ECS installed, process emission	Water(Effluent)-N/A Emission monitoring report - N/A Noise Test Report-N/A	23-12-2016	23-12-2016 File be put up administratively.

									observed from buffing process. 3.Unit is operating without valid consent from DPCC. 4. As informed, earlier a jeans dyeing unit was in operation. Same had been closed and shifted. 5. One borewell exists without permission from DJB/CGWA. 6. Presently, no dyeing activity is going on. SCN for closure in name of Buffing Unit(Prop. Mr. Monty) u/s 31 (A) of Air act issued on 19.10.2015. Closure Directions u/s 31(A) of Air Act issued on 16.02.2016.			
23	JAIN STEEL	A-92 (BACKSIDE GROUND FLOOR), WAZIRPUR INDUSTRIAL AREA,	14-12-2016	DPCC/EC/2/1/2016/16564	Buffing On Utensils Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Establish	Non-SPI		(1)ETP: N/A (2)ECS: Cyclone (proposed) (3)D.G.Set: Nil (4)Source of Water Supply: 0.05 KLD from outside (5) Year of commencement of production: 01.08.2016	.	21-12-2016	23-12-2016 Consent to Establish granted. Subsequently, inspection be conducted.
24	ENPEECON	KH NO. 434,435,436 VILLAGE SABHAPUR,DELHI-94	14-12-2016	DPCC/EC/2/1/2016/16568	Manufacturing of Ready Mix Concrete Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - No. (3)D.G.Set ---- No Status of Ground Water extraction : No. Existing RMC. SCN for Closure was issued for not submitting application for Consent to operate. Applied for Consent to Establish.Not applied yet for Consent to operate.	No test report Submitted.	23-12-2016 Recommended to inspect the unit and also ask to apply for consent to operate.	23-12-2016 Inspection be conducted and also ask to apply for consent to operate.
25	MAGIC AUTO PVT. LTD.	449-450 , PATAPRGANJ INDUSTRIAL AREA	14-12-2016	DPCC/EC/2/1/2016/16569	Service,Repairing, Washing with Denting Painting Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Yes (2)ECS ---- No (3)D.G.Set ---- No Status of Ground Water extraction : No. M/s MGF Automobile was in operation at the same address.	No test report Submitted.	23-12-2016 Inspection be Conducted. And also ask the unit to submit the details of HW of M/s MGF Automobiles operating at the premises.	23-12-2016 Inspection be Conducted. Also ask the unit to submit the details of HW of M/s MGF Automobiles operating at the premises.
26	THIRTY SIX AUTOMOBILES	C-108-109, MAYAPURI	15-12-2016	DPCC/EC/2/1/2016/16574	Automobile Servicing,	Orange Establish	Non-SPI		Source of water: DJB (copy of bill enclosed)	.	22-12-2016 Consent to	23-12-2016

	PVT. LTD.	INDUSTRIAL AREA, PHASE-II			Repairing, Denting and Painting with Washing Automobile Servicing and Repair Station with Washing Activity with burner				Water consumption: 6000 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :No Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		Establish may be granted.	Consent to Establish granted.
27	PADIA EXPORT PVT. LTD.	D-35 SMA INDL. AREA	15-12-2016	DPCC/EC/2/1/2016/16583	SHEET METAL WORKS. Buffing on Metal	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS-Yes 3. D.G. set- 1X 82.5 KVA & 1 X 125 KVA Plot Area-1027.6 sq mt Date of Commencement- 01.08,2011 Status of Ground Water Extraction-No 1.Water consumption- 500 L/day. Source- DJB (bill submitted) Status of Inspection- Yes An inspection was conducted on 03.11.2016 and the observation/deficiencies found in the unit are as follows: 1. Unit found in operation and engaged in the activity of mfg. of utensils by process of pressing, buffing, painting, finishing and packing. 2. ECS has been provided with buffing addas. Suction not being carried out. 3. Out of 3 D.G. sets, one D.G. set of 125.0 KVA found in non- operational condition. SCN was issued on 28.11.2016 for the deficiencies observed during inspection and hiding the facts regarding activity. Unit has replied stating that unit have installed 18	Effluent analysis report - N/A Emission monitoring report issued on 09.12.2016 by Enviro - Tech Services. Parameters are within prescribed limits. Noise monitoring reports issued on 09.12.2016 by Enviro -Tech Services. Parameters are within prescribed limits.	23-12-2016 -	23-12-2016 Consent to Establish granted with the condition that unit shall apply for consent to operate for the present activity within 15 days. Consent to Operate under Green category issued on 19.09,2012 (valid upto 01.07.2022) be revoked.

										buffing machines and 1 coloring machine and requested to change the consent from Green category to Orange category. Unit is having Consent to operate i.e. valid upto 01.07,2022 under Green category.				
--	--	--	--	--	--	--	--	--	--	---	--	--	--	--



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 16th meeting on 23.12.2016 w.r.t. Agenda Item No 1 -- 32 Pending Cases of Consent to Operate / Renewal of the period 01.11.2016 to 15.12.2016 (Annexure II).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	MEHAR OVERSEAS	A 27 BADLI INDUSTRIAL ESTATE PH III	02-11-2016	DPCC/EC/2/1/2016/16354	Mfg. of Mahendi Manufacturing of Kali Mehandi / Hair Colour in Powder form (Grinding and mixing only)	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP-No 2. ECS- Yes attached to mixing cum ball mill machine 3. D.G. set- 1 X 62.5 KVA Plot Area- 249.78 sq.mt. Establishment Date- 01.01.2004 Status of Ground Water Extraction-No 1. Water consumption- 400 L/day. a) Source of water- DJB, Cat-II (copy of water bill submitted) Status of Inspection- No	Water(Effluent)- No Emission monitoring report -Yes, issued by DPCC submitted on 21.09.2016. Parameters are within prescribed limit. Noise Test Report-Yes, Issued by DPCC on 15.09.2016, Parameters are within prescribed limit.	23-12-2016 .	23-12-2016 Consent to Operate granted.
2	S.K. FLORESCENCES PVT. LTD.	S-4, PHASE-I, BADLI INDUSTRIAL AREA	03-11-2016	DPCC/EC/2/1/2016/16361	MFG. OF FOOD FLAVOURS Food Additives, Nutrients and Flavours with Trade Effluent Discharge with Electric Furnace	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP-Yes 2. ECS- N/A 3. D.G. set- No Plot Area- 500 sq.mt. commencement Date- 01.08.2014 Status of Ground Water Extraction-No 1. Water consumption- 400 L/day. a) Source of water- DJB, Cat-II (copy of water bill submitted) Status of Inspection- DPCC lab has visited the unit on 11.03.2016 to lift the sample. Unit found operating without ETP. Show cause notice for closure u/s 33 (A) of the Water Act, 1974 and u/s 31(A) of the Air Act, 1981 issued on 03.08.2016. Replied on 07.11.2016 that ETP has been installed. All trade effluent has been treated and	Water(Effluent)-Yes, issued by DPCC submitted on 05.10.2016. Parameters are within prescribed limit. Emission moniotring report -No Noise Test Report-No	23-12-2016 .	23-12-2016 Consent to Operate granted. Subsequently, inspection be conducted.

									applied for consent to operate on 03.11.2016 vide ID.No. 16361.			
3	AMITABH RESTAURANT AND GUEST HOUSE (A UNIT OF AMITABH BANQUET)	E 23 BUNGLOW ROAD KAMLA NAGAR	04-11-2016	DPCC/EC/2/1/2016/16370	RESTAURANT (190 SEATS)AND GUEST HOUSE (15 ROOMS AND 19 LODGERS). Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP-Yes 2. ECS-Yes (Kitchen emission channelisation) 3. D.G. set- 2 x 125 KVA Plot Area-1045.125 sq mt Date of Commencement- 01.09.2009 Status of Ground Water Extraction-No 1.Water consumption- 4000 L/day. Source- DJB (bill submitted) Status of Inspection- Yes (02.09.2016) Inspection findings are as follows- 1. No proper ducting/channelisation provided with tandoor and kitchen bhattis (LPG and coal). 2. No ETP for kitchen effluent waste have been provided. 3. Effluent generated from kitchen directly sent to drain/sewage. 4. Unit is having borewell having no permission from concerned authorities. 5. Foul smell observed. 6. At first floor, gathering capacity is approx 150 persons and 86 seats were observed. SCN was issued on 27.09.2016 for the deficiencies observed during inspection. Unit has submitted reply on 05.10.2016, wherein it is mentioned that unit have installed ETP and ducting work is in process and applied for effluent testing in DPCC and further requested for 45 days time to submit the consent to operate. Modified directions u/s 33 (A) of the Water Act, 1974 and u/s 31 (A) of the Air Act issued on 25.10.2016. A reply was received along CTO application on 04.11.2016. An inspection was again conducted on 14.12.2016 and the observations are as follows: 1. Unit found in operation	Effluent Analysis report issued on 06.10.2016 by DPCC. Parameters are within prescribed limit. Emission monitoring report- N/A Noise monitoring reports issued on 07.10.2016 and 14.10.2016 by DPCC.Parameters are within prescribed limit.	23-12-2016 -	23-12-2016 Consent to Establish and Consent to Operate granted however to be issued after receiving details (size/dimensions & schematic diagram) of Effluent Treatment System in view of office order Dated 04.11.2016.

									and engaged in the activity of Guest House of 16 rooms with double beds and Restaurant of 190 seating capacity. 2. Unit consists of basement (Store room), G.F. (restaurant), F.F. (guest house) & S.F. (residence of owner) 3. ETP found installed and in operational condition. 4. ECS/ Channelisation provided over tandoor and burners in the kitchen. 5. 2 borewell exists without permission. 6. 2 D.G. sets of 125 KVA each found installed with acoustic enclosure and adequate stack height. Unit has also applied for CTE on 07.09.2016 vide ID no DPCC/EC/2/1/2016/16092.			
4	THE PEARL BANQUETS	PLOT NO 21, SHIVAJI MARG, NAJAFGARH ROAD INDUSTRIAL AREA	09-11-2016	DPCC/EC/2/1/2016/16389	BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of water:Outside (copy of bill not enclosed) Water consumption:4000 litre/day Status of Pollution Control System (1)ETP ---- ETP - Physiochemical,Oil and Grease Trap (2)ECS - N/A (3)D.G,Set Noise Report : 2 D.G. Set of 125 KVA and 180 KVA installed. Status of Ground Water extraction :No Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Effluent analysis report (a) Effluent analysis report dated 22-08-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 2 D.G. Set(s) of 180 KVA, Noise monitoring report dated 12-08-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 2 D.G. Set(s) of 125 KVA Noise monitoring report dated 12-08-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	23-12-2016 -Consent to operate may be granted.	23-12-2016 Consent to Operate granted however to be issued after receiving details (size/dimensions & schematic diagram) of Effluent Treatment System in view of office order Dated 04.11.2016.
5	LAVANYA DREAMS (A UNIT OF RPM BANQUETS)	PLOT NO D-13, UDYOG NAGAR INDUSTRIAL AREA, PHASE-I	10-11-2016	DPCC/EC/2/1/2016/16392	Serve To Customer (Banquet Halls) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (a) AR dated issued by submitted. (b) Effluent analysis report submitted by FICCI Reseaarch and analysis Centre on 19.05.2016. (2)ECS - N/A	Effluent analysis report submitted by FICCI Reseaarch and analysis Centre on 19.05.2016.	07-12-2016 Consent to operate granted. Remarks/ATR on 23-12-2016 -Unit has submitted Noise monitoring report of D.G Set of 125 & 125 KVA on 13.05.2016 issued by FICCI Research	23-12-2016 Consent to Operate granted however to be issued after receiving details (size/dimensions & schematic diagram) of Effluent Treatment System in view of office order Dated 04.11.2016.

					Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		analysis center. all the parameters are found within limit.	
6	UNITED FABRICATORS	B-1 TO B-5, MAYAPURI INDUSTRIAL AREA, PHASE-II	11-11-2016	DPCC/EC/2/1/2016/16397	C.I. CASTING THROUGH PIT FURNACE WITH MACHINING(LIGHT ENGINEERING WORKS). Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		Source of water:outside (copy of bill enclosed) Water consumption:200 litre/day Status of Pollution Control System (1)ETP ---- N/A (2)ECS - installed (3)D.G.Set: N/A Status of Ground Water extraction :No -A complaint revived in office and as approved an inspection was conducted by DPCC officials on 29.06.2016 and found operating without consent. -Accordingly, a show cause notice was issued to the unit on 05.07.2016. -Unit submit its reply on 25.07.2016 and informed that uni has applied fr consent to establish on 25.07.2016. --A letter issued to the unit on 26.09.2016 regarding informing about the date of commissioning of the unit and also either to submit one documentary proof or consent fee w.e.f. 01.06.1991 as per office order dated 20.05.2016. -Unit submits its reply on 17.10.2016 along with an undertaking and stated that M/s United Fabricators engaged in manufacturing of casting	(a) Stack monitoring report: Stack monitoring report dated 15-09-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes	23-12-2016 .	23-12-2016 File be put up administratively.

									through pit furnace with machining (Light Engineering Works) earlier they were engaged in assembling work (Light Engineering Works) only but they have take over pit furnace from Happy Metal (which were operated at the same premises since 07.03.2016) on dated 21.07.2016. -Also as informed that copy of rent agreement enclosed but it is not provided. -As approved in the Consent meeting held on 04.11.2016 an inspection was carried out by representative of DPCC on 23.12.2016 and during inspection following observations were made: 1. Unit found operational and engaged in the activity of C.I Casting by Pit furnace & Light eng. works. 2. No D.G set found installed in the premises. 3.Unit is not water polluting hence no ETP installed. 4. Hood suction provided on pit furnace with adequate stack height of chimney.			
7	HINDUSTAN CONSTRUCTION CO. LTD	MUNIRKA ELEVATED CORRIDOR PROJECT NELSON MANDELA ROAD (OPP ONGC OFFICE)	17-11-2016	DPCC/EC/2/1/2016/16411	Munirka Elevated Corridor Ready Mix Concrete Plants (without trade effluent discharge)	Orange Operate	Non-SPI		Source of water:Outside (copy of bill enclosed) Water consumption: 5000 litre/dayStatus of Pollution Control System (1)ETP -Sedimentation Tank (2)ECS - N/A (3)D.G.Set: 2 D.G Sets of 125 & 30 KVA installed Status of Ground Water extraction :No Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Noise Monitoring report: (a) The unit has 2 D.G. Sets of 125 KVA and 30 KVA. Noise monitoring report dated 26-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Ambient air monitoring report: (a) The unit has submitted ambient air monitoring report dated 27-10-2016 issued by Shri Ram Institute for Industrial Research submitted. Noise monitoring report within Limit - Yes	23-12-2016	23-12-2016 File be put up administratively.
8	LALA RAM	E 8 ARJUN GALI	18-11-2016	DPCC/EC/2/1/2016/16416	Mfg. of Aluminium	Orange	Non-SPI		-ECS Installed : Wet	Stack Monitoring Report	09-12-2016	23-12-2016

	ROLLING	NEW MANDOLI INDL AREA			Circles Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Operate			Scrubber -D.G. Set : NIL -Online Monitoring System : No -Establish before 07.02.2007 : Yes (saraI on the name of propriter- Ravi Kumar for the assessment year 2005- 2006 submitted) -Whether located within Redevelopment Area :Original certificates of the Industrial department government of Delhi has not been submitted. The unit was sealed on 16.11.2016 in compliance of the directions of Honble NGT in in reference to the OA No -510/2015 titled as Kamal Kishore Vs U.O.I & Ors. and in OA No 28/2016 titled as Mohd. Arif Vs U.O.I & Ors before Honble NGT and decisions taken in the meeting held on 27.09.2016 regarding air pollution in Mandoli. The unit submitted its representation on 21.11.2016, 05.12.2016 along with Surety bond of Rs. 5,00,000/ (Rs. Five Lakhs), affidavit, copy of receipt of application for Consent to operate dated 18.11.2016 Vide ID no. 16416, Undertaking and requested for de-sealing of the premises A letter of de-sealing the unit for installation of Online Monitoring System and submission of authenticated proof of location of the unit within the Mandoli Redevelopment Area was issued on 05.12.2016.	dated 22.09.2016 from DPCC lab submitted. Stack attached to exhaust of hood over pit furnace. 1. Stack Height (from ground level) :17m Stack Height (from roof level) : 11.7m 2. Particulate Matter : 92 (mg/Nm3) 3. Fuel used : LDO	Recommended to issue a letter for obtaining certificates from Industries Department wrt location of unit within the boundary and installation of online monitoring system including username and password.	Ask the unit to submit certificates from Industries Department wrt location of unit within the boundary and installation of online monitoring system including username and password.
9	HARI RAM AND BROTHERS	Y 1 VISHNU GALI NEW MANDOLI INDL AREA	18-11-2016	DPCC/EC/2/1/2016/16417	Mfg. of Aluminium Circles Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		-ECS Installed : Wet Scrubber. -D.G. Set Capacity : NIL -Online Monitoring System : Not installed. -Establish before 7/2/2007 : Yes (BSES Bill - CA No: 100048994 dated	Stack Monitoring Report dated 19.09.2016 from DPCC lab submitted. Stack attached to exhaust of hood over pit furnace. 1. Stack Height (from ground level) : 17m Stack Height (from roof level) : 8m	13-12-2016 Recommended to issue a letter for obtaining certificates from Industries Department w.r.t. location of unit within the boundary and installation of online monitoring system	23-12-2016 Ask the unit to submit certificates from Industries Department wrt location of unit within the boundary and installation of online monitoring system including username and password.

									15.12.2005 on the name of Hari Ram and Brothers and Central Excise Registration Certificates). -Whether located within Redevelopment Area : Original certificates of the Industrial department Gov. of Delhi has not submitted. The unit was sealed on 11.11.2016 in compliance of the directions of Honble NGT in in reference to the OA No -510/2015 titled as Kamal Kishore Vs U.O.I & Ors. and in OA No 28/2016 titled as Mohd. Arif Vs U.O.I & Ors before Honble NGT and decisions taken in the meeting held on 27.09.2016 regarding air pollution in Mandoli. The unit submitted its representation on 21.11.2016 and on 05.12.2016 along with Surety bond of Rs. 5,00,000/ (Rs. Five Lakhs), affidavit, copy of receipt of application for Consent to operate dated 18.11.2016 Vide ID no. 16417 and Undertaking and requested for de-sealing of the premises A letter of de-sealing the unit for installation of Online Monitoring System and submission of authenticated proof of location of the unit within the Mandoli Redevelopment Area was issued on 05.12.2016.	2. Particulate Matter : 47 (mg/Nm3) 3. Fuel used : LDO	(including username and password).	
10	DEEP (INDIA) ENTERPRISES PVT. LTD.	72, SWARN PARK MUNDKA REDEVELOPMENT AREA	21-11-2016	DPCC/EC/2/1/2016/16422	CAR SERVICING AND REPAIRING WITH DENTING PANTING. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 01-04-2014 Authorisation Status Approved Authorisation Issue Date 23-03-2015 Authorisation Expiry Date 31-03-2019 HWM	Source of water:outside (copy of bill not enclosed) Water consumption:8000 litre/day Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - Cyclone, Cyclone (3)D.G.Set Noise Report :unit has 2 D.G. Set(s) of 75 KVA and 125 KVA Status of Ground Water extraction :No	(1) Effluent analysis report : (a) Effluent analysis report dated 12-07-2016 issued by FICCI research analysis center submitted. Effluent Test Report within Limit - Yes (2)Stack monitoring report (a) Stack monitoring report dated 08.07.2016 issued by FICCI research analysis center submitted. Stack Test Report within Limit - Yes	23-12-2016 Consent to operate (renewal) may be granted.	23-12-2016 Consent to Operate (Renewal) granted for five years, provided the fee for remaining four years period is deposited within 15 days otherwise issue consent for one year and Authorization under HWM Rules also granted.

								Application No, 2 Application Date 16-10-2016 Authorisation Status Pending	Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	(b) Stack monitoring report dated 08.07.2016 issued by SFICCI research analysis center submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : (a) The unit has 2 D.G. Set(s) of 75 KVA and 125 KVA. Noise monitoring report dated 08.09.2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
11	PARDEEP KUMAR MISHRA	11, TOP FLOOR, S.S.I. INDUSTRIAL AREA, G.T.K. ROAD, DELHI - 110033	21-11-2016	DPCC/EC/2/1/2016/16424	Stainless Steel Utensils with Buffing Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS-Yes 3. D.G. set- N/A Plot Area-100 sq mt Date of Commencement- 01.11.2016 Status of Ground Water Extraction- No 1.Water consumption- 100 L/day. Source- Outside (bill not submitted) Status of Inspection- No Inspection is yet to be conducted.	Effluent analysis report - N/A Emission monitoring report issued on 18.11.2016 by DPCC. Parameters are within prescribed limits. Noise monitoring report - N/A	23-12-2016 -	23-12-2016 Expedite inspection.
12	SAGAR RATNA RESTAURANTS PVT. LTD.	G-86, VIKAS MARG, PREET VIHAR	23-11-2016	DPCC/EC/2/1/2016/16436	Restaurant. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		-ETP : No -ECS : No -D.G. Sets : One D.G. Set capacity of 82.5 KVA -MCD Health license valid up to : 31.03.2018 Temporary revocation of closure directions u/s 31(A) of the Air (Prevention & control of the Pollution) Act, 1981 and u/s 33 (A) of the water (Prevention & control of the Pollution) Act, 1974 as amended to date was issued on 13.10.2016.	-pH : 7.0 -Total Suspended Solids : 50 -Bio-chemical oxygen demand : 46 -Oil and Grease : 5.6	23-12-2016 Recommended for inspection.	23-12-2016 Inspection be conducted.
13	OPULENT (A UNIT OF BHUPINDAR FARMS PVT. LTD.)	98, CHANDAN HULLA, VILLAGE SATBARI	24-11-2016	DPCC/EC/2/1/2016/16442	BANQUET AND HOTEL. Hotel/ Guest Houses having 20	Orange Operate	Non-SPI		Source of Water- Can Bottle or Jar, and Ground water Water Consumption- 40 KI / Funtion and on rest of	Emission Monitoring Report- Stack monitoring report, stack attached to boiler dated 16-11-2016 issued	22-12-2016 The unit was earlier issued Temporary Revocation of directions u/s 33(A)	23-12-2016 Consent to Operate granted.

					to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler				days 7800 l/d Status of Pollution Control System 1 STP- Yes 5000 l/d (a) Effluent analysis report dated 16-11-2016 issued by DPCC submitted, Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report, stack attached to boiler dated 16-11-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 KVA and 200 KVA. Noise monitoring report dated 08-11-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 2 D.G. Set(s) of 125 KVA and 200 KVA. Noise monitoring report dated 08-11-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Status of Ground Water extraction :Yes 1800 l/d Status of Inspection :NO SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil	by DPCC submitted. Stack Test Report within Limit - Yes Noise Monitoring Report- The unit has 2 D.G. Set(s) of 125 KVA and 200 KVA. Noise monitoring report dated 08-11-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	of Water Act and u/s 31(A) of Air Act on 24.10.16. Unit has now submitted the compliance report and applied for CTO on 24.11.2016 for the activity of Banquet and Hotel.	
14	MODERN METAL INDUSTRIES	M 12 VISHNU GALI NEW	25-11-2016	DPCC/EC/2/1/2016/16448	MFG. OF ALUMINIUM CIRCLES.	Orange Operate	Non-SPI		-ECS Installed : Wet Scrubber -D.G. Set Capacity : NIL	Stack Monitoring Report dated 26.09.2016 from DPCC lab submitted.	09-12-2016 Recommended to issue a letter for	23-12-2016 Ask the unit to submit certificates

		MANDOLI INDL AREA			Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing				-Online Monitoring System : No -Establish before 7/2/2007 : Rent Agreement dated 15.03.2006 -Whether located within Redevelopment Area : Original certificates of the Industrial department Gov. of Delhi has not been submitted. The unit was sealed on 23.11.2016 in compliance of the directions of Honble NGT in in reference to the OA No -510/2015 titled as Kamal Kishore Vs U.O.I & Ors. and in OA No 28/2016 titled as Mohd. Arif Vs U.O.I & Ors before Honble NGT and decisions taken in the meeting held on 27.09.2016 regarding air pollution in Mandoli. The unit submitted its representation on 28.11.2016, 05.12.2016 along with Surety bond of Rs. 5,00,000/ (Rs. Five Lakhs), affidavit, copy of receipt of application for Consent to operate dated 25.11.2016 Vide ID no. 16448, Undertaking and requested for de-sealing of the premises A letter of de-sealing the unit for installation of Online Monitoring System and submission of authenticated proof of location of the unit within the Mandoli Redevelopment Area was issued on 05.12.2016.	Stack attached to exhaust of hood over pit furnace. 1. Stack Height (from ground level) : 14m Stack Height (from roof level) : 8m 2. Particulate Matter : 59 (mg/Nm3) 3. Fuel used : LDO	obtaining certificates from Industries Department w.r.t. location of unit within the boundary and installation of online monitoring system (including username and password).	from Industries Department wrt location of unit within the boundary and installation of online monitoring system including username and password.
15	RAJASTHAN SALES CORPORATION	L-11 & KHASRA NO. 69 NEW MANDOLI REDEVELOPMENT AREA	25-11-2016	DPCC/EC/2/1/2016/16449	Mfg. of Copper Wire Bars ingot Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		-ECS Installed : Yes, Cyclone and Wet Scrubber. -D.G. Set : Two D.G. Set of capacity 62.5 KVA. -Online Monitoring System : No -Establish before 7/2/2007 : Yes (BSES Bill : CA No-100049123 in the name of Mr. Mukesh Sharma and central Sales tax registration). -Whether located within Redevelopment Area : Certificate from Industries department not provided.	Emission Monitorinr report dated 13.06.2016 from DPCC lab submitted. Stack attached to exhaust of hood over furnace. 1. Stack Height (from ground level) : 24m Stack Height (from roof level) : 10m 2. Particulate Matter : 76 (mg/Nm3) 3. Fuel used : Diesel	14-12-2016 Recommended to issue a letter for obtaining certificates from Industries Department w.r.t. location of unit within the boundary and status of installation of online monitoring system. Also ask to give link of OLMS including username and password after installation of OLMS.	23-12-2016 Ask the unit to submit certificates from Industries Department wrt location of unit within the boundary and installation of online monitoring system including username and password.
16	BALAJI TRADERS	O-4, KH. NO 69, NEW MANDOLI	25-11-2016	DPCC/EC/2/1/2016/16450	MFG. OF ALUMINIUM	Orange Operate	Non-SPI		-ECS Installed : Yes, Cyclone and Wet	Emission monitoring report dated 22.09.2016	14-12-2016 Recommended to	23-12-2016

		REDEVELOPMENT AREA			CIRCLES. Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing				Scrubber. -D.G. Set Capacity : NIL -Online Monitoring System : No -Establish before 7/2/2007 : Yes, registration under CST Act on 01.04.2005 -Whether located within Redevelopment Area : Original certificates of the Industrial department government of Delhi has not been submitted.	from DPCC lab submitted.	issue a letter for obtaining certificates from Industries Department w.r.t. location of unit within the boundary and status of installation of online monitoring system. Also ask to give link of OLMS including username and password after installation of OLMS.	Ask the unit to submit certificates from Industries Department w.r.t. and status of installation of online monitoring system. Also ask to give link of OLMS including username and password after installation of OLMS.
17	HI-PRINT CORPORATION	29-30, DSIDC COMPLEX, PHASE-I, OKHLA INDUSTRIAL AREA	25-11-2016	DPCC/EC/2/1/2016/16453	MFG. OF PRINTEX CIRCUIT BOARD. Printing or Etching of Glass Sheet and PCB Boards using Hydrofluoric Acid	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 22-09-2004 Authorisation Expiry Date 21-09-2006 HWM Application No. 2 Application Date 20-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 16-11-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP --Yes (Physiochemical) (b) Effluent analysis report dated 08-09-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 08-09-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 06-09-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil	Effluent analysis report : Effluent analysis report dated 08-09-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Emission Monitoring Report: Stack monitoring report dated 08-09-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes Noise Monitoring Report: The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 06-09-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	23-12-2016 Unit has applied for Operate (Renewal) on 25.11.2016 and Inspection of the unit was carried out by representatives of DPCC on 21.12.2016 and following observation : - Unit found in operation & engaged in the activity of Printing of circuit boards of Electronics. - Unit has installed an ETP and same found operational. -As informed, Source of Water is is through Tanker(Bill enclosed). -Unit is Complying with the provision of HWM Rules,2016. -Records of Hazardous Wastes maintained. -Logbook of ETP maintained. D,G set of 40 KVA Capacity with Acoustic enclosure and adequate stack height installed.	23-12-2016 File be put up administratively.
18	JAIN BANQUETS (A UNIT OF G.S. AUTOMOBILES PRIVATE LIMITED)	PLOT NO 10, WAZIRPUR PRESS AREA,	25-11-2016	DPCC/EC/2/1/2016/16456	Serve To customer (Banquets Halls) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100	Orange Operate	Non-SPI		(1)ETP: Physiochemical (2)ECS: N/A (3)D.G.Set Noise Report : 125 KVA (1 no.) (4)Source of water supply:6 KLD from outside. Earlier, unit was inspected on 07.06.2016 with reference to PGMS complaint.Thereafter show cause notice was issued on 20.07.2016 w.r.t	(1)Effluent analysis report dated 03-10-2016 issued by DPCC submitted. Effluent Test Report within Limit :Yes (2)The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 17-10-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	22-12-2016 .	23-12-2016 Directions for closure be revoked and Consent to Operate granted.

					m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				deficiencies observed. Unit has not submitted any reply within stipulated time, therefore directions for closure under Air and Water Acts were issued on 09.09.2016. Further, unit has submitted its replies on 26.09.2016, 24.10.2016 and 30.11.2016 along with security bond of rupees 2 lakhs, photographs of channelisation system installed in kitchen area,copy of water analysis report, copy of CTE granted, copy of receipt of CTO issued by DPCC and requested to revoke the aforesaid directions. Unit has submitted CTO application with all requisite documents.			
19	BALAJI COPPER (P) LTD	P-16 NEW MANDOLI INDUSTRIAL AREA	28-11-2016	DPCC/EC/2/1/2016/16461	Mfg. of Copper Re Rolling Mill (Copper Rods) Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) with Capacity less than 25MT/Day	Orange Operate	Non-SPI		-ECS Installed : Yes, Cyclone and wet scrubber. -D.G, Set Capacity : 750 KVA, DPCC report dated 26.10.2016 is within limit. -Online Monitoring System : No -Establish before 7/2/2007 : Yes (BSES Bill - CA No: 100010409 dated 09.12.2005 in the name of Pieush Aggarwal and Certificate of Incorporation in the name of Balaji Copper Private Ltd.) -Whether located within Redevelopment Area : Original certificates of the Industrial department Gov. of Delhi has not been submitted.	Emission monitoring report dated 22.11.2016 for DPCC lab submitted. Stack attached to furnace 1. Stack Height (from ground level) : 20m Stack Height (from roof level) : 6m 2. Particulate Matter : 67.5 (mg/Nm3) 3. Fuel used :Diesel Noise Monitoring report dated 27.10.2016 form DPCC Lab submitted. Noise monitoring report is within the limits	14-12-2016 Recommended to issue a letter for obtaining certificates from Industries Department w.r.t. location of unit within the boundary and status of installation of online monitoring system. Also ask to give link of OLMS including username and password after installation of OLMS.	23-12-2016 Ask the unit to submit certificates from Industries Department w.r.t. location of unit within the boundary and status of installation of online monitoring system. Also ask to give link of OLMS including username and password after installation of OLMS.
20	SAFFRON HOSPITALITY (REGALIA)	C 111 MAYAPURI INDUSTRIAL AREA PH II	30-11-2016	DPCC/EC/2/1/2016/16483	A PARTY HALL / BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais	Orange Operate	Non-SPI		Source of Water: Delhi Jal Board (Cat-II) Name not matched and address matched Water Consumption:3000 Litres/ Day Status of Pollution Control System (1)ETP -working (2)ECS - N/A (3)D.G.Set Noise Report :	Effluent analysis report: (a) Effluent analysis report dated 14-10-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 2 D.G, Set(s) of 125 KVA and 250 KVA. Noise monitoring report dated 11-11-2016 issued by	22-12-2016 .	23-12-2016 Consent to Operate granted however to be issued after receiving details (size/dimensions & schematic diagram) of Effluent Treatment System in view of office order Dated 04.11.2016.

					and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				unit has 2 D.G. Sets of 125 KVA and 250 KVA Status of Ground Water extraction : Nil -A complaint was received in DPCC on 02.06.2016 regarding hotels and banquets running in Mayapuri Industrial Area. -Accordingly, an inspection was carried out by DPCC officials on 30.08.2016 and during inspection various deficiencies were observed. -As per decision a show cause notice for closure u/s 33(A) of the Water (Prevention and Control of the Pollution) Act, 1974 and u/s 31(A) of the Air (Prevention and Control of the Pollution) Act, 1981 as amended to date was issued on 20.09.2016. -Unit has been submitted a reply on 28.09.2016 and requested to grant 45 days time to rectify deficiencies. -As per decision, modified direction u/s 33(A) of the Water (Prevention and Control of the Pollution) Act, 1974 and u/s 31(A) of the Air (Prevention and Control of the Pollution) Act, 1981 as amended to date was issued on 25.10.2016.	DPCC submitted, Noise monitoring report within Limit - Yes (b) The unit has 2 D.G. Set(s) of 125 KVA and 250 KVA. Noise monitoring report dated 11-11-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes		
21	SHARMA TRADERS	834/78 NEW MANDOLI INDL. AREA	01-12-2016	DPCC/EC/2/1/2016/16488	Mfg. of Copper Wire Bars Ingot Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)ECS - Yes (Cyclone and wet scrubber) (b) Stack monitoring report dated 21.07.2016 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 21.07.2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	Stack Monitoring Report dated 21.07.2016 from DPCC lab submitted. Stack attached to hood over D furnace. 1. Stack Height (from ground level) : 14m Stack Height (from roof level) : 6 m 2. Particulate Matter : 47 (mg/Nm3) 3. Fuel used : HSD Noise Monitoring Report dated 21.07.2016 issued by DPCC lab submitted. Noise monitoring report within Limit - Yes	14-12-2016 Recommended to issue a letter for obtaining certificates from Industries Department w.r.t. location of unit within the boundary and status of installation of online monitoring system. Also ask to give link of OLMS including username and password after installation of OLMS.	23-12-2016 Ask the unit to submit certificates from Industries Department w.r.t. location of unit within the boundary and status of installation of online monitoring system. Also ask to give link of OLMS including username and password after installation of OLMS.

									Status of Ground Water extraction : No. Source of water is Outside. -Online Monitoring System : No -Establish before 7/2/2007 : Copy of Registration Certificate issued by Central Board of Excise and Customs submitted however date is not clear. -Whether located within Redevelopment Area : Certificates of the Industries Department Govt. of Delhi has not been submitted.			
22	CONCORDE MOTORS INDIA LTD	338, FIE, PATPARGANJ INDUSTRIAL AREA	01-12-2016	DPCC/EC/2/1/2016/16490	AUTOMOBILE REPAIR WITH WASHING. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 01-12-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP ----Physio-Chemical (b) Effluent analysis report dated 16-09-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - (b) Stack monitoring report dated 19-09-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G,Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 12-09-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :No M/s Him Motors was operating at the same premises, therefore inspection may be conducted to ascertain about the Hazardous waste stored at site.	(b) Effluent analysis report dated 16-09-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) Stack monitoring report dated 19-09-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G,Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 12-09-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	23-12-2016 M/s Him Motors was operating at the same premises, therefore inspection may be conducted to ascertain about the Hazardous waste stored at site. Recommended for inspection.	23-12-2016 Inspection be conducted.
23	GLACIER GARMENTS	H-200, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA	02-12-2016	DPCC/EC/2/1/2016/16501	Washing of Readymade Garments with Boiler. Readymade	Orange Operate	Non-SPI		Status of Pollution Control system/Devices: 1. ETP-Proposed (5KLD) 2. ECS- N/A 3. D.G. set- No	Test Reports: Air (Emission) Diesel fired boiler stack-Yes issued by DPCC on 22.11.2016. Meeting the norms	23-12-2016 .	23-12-2016 Expedite inspection.

[illegible]

									(photographs submitted), requested two months time to submit necessary documents and apply for CTO. Reply received on 13.10.2016 & 21.10.2016 wherein the unit the also submitted the Security Bond of Rs. 5 lakhs along with the undertaking. The unit also submitted receipt for ETP and stack monitoring report. As decided in common file, Closure Directions revoked temporarily for 30 days on 22.11.2016 for necessary testing/compliances & to apply for Cosent to operate/authorization etc. It was also decided that final revocation shall be considered only after inspection. Inspection is yet to be conducted.			
24	KAUSHIK KETH JOB WORKS	M-19, MAHAVIR GALI NEW MANDOLI INDL. AREA	06-12-2016	DPCC/EC/2/1/2016/16519	PULVELIZER, Pulverizing units	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Yes (Bag Filter / Bag House) (b) Stack monitoring report dated 05-12-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 25-11-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : No. Source of water is Outside. -Online Monitoring System : No -Establish before 7/2/2007 : Rent Agreement dated 02.01.2006 and undertaking from owner submitted. -Whether located within Redevelopment Area : Certificates of the	Stack Monitoring Report dated 05.12.2016 from DPCC lab submitted. Stack attached to bag house of Pulverizing unit. 1. Stack Height (from ground level) : 13m Stack Height (from roof level) : 1.5 m 2. Particulate Matter : 69 (mg/Nm3) 3. Fuel used : LDO	14-12-2016 Recommended to issue a letter for obtaining certificates from Industries Department w.r.t. location of unit within the boundary and status of installation of online monitoring system. Also ask to give link of OLMS including username and password after installation of OLMS.	23-12-2016 Ask the unit to submit certificate from Industries Department w.r.t. location of unit within the boundary and status of installation of online monitoring system. Also ask to give link of OLMS including username and password after installation of OLMS.

									Industries Department Govt. of Delhi has not been submitted.			
25	KBT PLASTICS PVT. LTD.	Z-41, PHASE-2, OKHLA INDUSTRIAL AREA	07-12-2016	DPCC/EC/2/1/2016/16527	AUTOMOBILE SERVICING, REPAIRING, DENTING AND PAINTING WITH WASHING. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 12-05-2009 Authorisation Status Pending HWM Application No. 2 Application Date 04-12-2016 Authorisation Status Pending	Water Consumption- 2500 l/d. Source Of Water- Purchased Water(Bill Inclosed) Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (a) AR dated issued by submitted, (b) Effluent analysis report dated 07-09-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 16-11-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 06-09-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within prescribed limit. Status of Ground Water extraction : Nil Status of Inspection : 22.12.2016. Inspection of unit was carried out by the Representatives of DPCC on 22.12.2016 and	Effluent Analysis Report dated 07.09.2016, Stack monitoring Report of PaintBooth dated 16.11.2016 and Noise monitoring report of D.G. Set dated 06.09.2016 from DPCC Laboratory reveals that parameters are within the prescribed limits.	23-12-2016 Unit has applied for Consent to oerate and authorization under HWM Rules, 2016 on 04.12.2016.	23-12-2016 Consent to Operate and Authorization under HWM Rules granted.

									following observations were made:- -Unit found in operation & engaged in the activity of Automobile Servicing, Repairing, Denting and Painting with Washing. -Unit has installed an ETP and same found in operation. -Wet/Dry sludge observed at site. -As informed source of water is from tankers,Bills enclosed. -Unit is complying with the provisions of Hazardous Waste Management Rules,2016. -Unit has installed a D.G. Set (62.5 KVA) with acoustic enclosure with adequate stack height. -Logbook of ETP maintained. SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
26	THE GRACE (A UNIT OF M/S MALHOTRA RELATECH PVT. LTD.)	A-25, NARAINA INDUSTRIAL AREA, PHASE-II	07-12-2016	DPCC/EC/2/1/2016/16529	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of water:Corporation (copy of bill not enclosed) Water consumption:8000 litre/day Status of Pollution Control System (1)ETP -working (2)ECS - N/A (3)D.G.Set Noise Report : unit has 3 D.G. Set(s) of 250 KVA,250 KVA and 250 KVA. -A complaint received in this office on 02.11.2015. -Accordingly, an inspection was conducted by DPCC officials on 28.01.2016 and following observations were made: -Effluent treatment plant has been installed but the same was not operational since long. -Sludge drying bed of ETP found stored with utensils. -No log book with respect to operation of ETP shown.	Effluent analysis report (a) Effluent analysis report dated 29-11-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 3 D.G. Set(s) of 250 KVA,250 KVA and 250 KVA. Noise monitoring report dated 01-12-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	22-12-2016 -Direction revoke and consent to operate may be granted.	23-12-2016 Directions for closure be revoked. Consent to Operate granted.

									-Stack height of DG Sets and stack height of hoods in kitchen area, found inadequate. -One borewell exist but no permission in this regard was shown. -Three party halls exist in the said premises on ground floor, first floor and second floor. -As decided, a show cause notice u/s 33(A) of Water Act, 1974 and u/s 31(A) of Air Act, 1981 was issued to the unit on 29.02.2016. -Unit submit its reply in response to our SCN and stated that all the deficiencies observed during inspection were rectified and also requested for one month time for submitting consent to establish application. -Modified direction u/s 33(A) of Water Act, 1974 and u/s 31(A) of Air Act, 1981 was issued to the unit on 08.06.2016 giving 45 days. -Unit has failed to submit any reply w.r.t modified direction. -As decided, a closure direction u/s 33(A) of Water Act, 1974 and u/s 31(A) of Air Act, 1981 issued to the unit on 11.08.2016. -Unit again submits its reply on 28.08.2016 and 13.10.2016 along with the copy of consent to establish application vide ID 16213 and requested for revocation of closure direction. -As decided by the Competent Authority, DPCC closure direction was revoked temporarily for 30 days date 25.10.2016 .			
27	KHANDELWAL SALES CORPORATION	M-19 NEW MANDOLI INDUSTRIAL AREA	07-12-2016	DPCC/EC/2/1/2016/16531	MFG. OF COPPER INGOTS BY CASTING. Casting of Ferrous/ Non Ferrous Metal	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Yes (Cyclone and wet Scrubber)	Stack Monitoring Report dated 22.11.2016 from DPCC lab submitted. Stack attached to hood over furnace	14-12-2016 Recommended to issue a letter for obtaining certificates from Industries Department w.r.t. location of unit within	23-12-2016 Ask the unit to submit certificate from Industries Department w.r.t. location of unit within the boundary and status of installation of online monitoring system. Also ask to

					(except cupola furnace Only)				(b) Stack monitoring report dated 21.11.2016 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 29-11-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : No. Source of water is Outside. -Online Monitoring System : No -Establish before 7/2/2007 : Income Tax return form dated 18.10.2004 -Whether located within Redevelopment Area : Certificates of the Industries Department Govt. of Delhi has not been submitted.	1. Stack Height (from ground level) : 15 m Stack Height (from roof level) : 6 m 2. Particulate Matter : 114 (mg/Nm3) 3. Fuel used : Diesel Noise Monitoring Report dated 29.11.2016 from DPCC lab submitted.Noise monitoring report within Limit - Yes	the boundary and status of installation of online monitoring system. Also ask to give link of OLMS including username and password after installation of OLMS.	give link of OLMS including username and password after installation of OLMS.
28	PITRASHISH PRIDE (A UNIT OF PITRASHISH AASHRAY PVT LTD)	98, BRIJWASAN ROAD, KAPASHERA,	08-12-2016	DPCC/EC/2/1/2016/16537	GUEST HOUSE WITH 44 ROOMS (NO OF BEDS 88). Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of water: Tanker (Bill Not enclosed) Water consumption: 20000 ltr/day STP: yes Effluent analysis report dated 11-11-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes ECS - N/A Stack analysis report dated - N/A D.G.Set Noise Report : 1 a)The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 04-11-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Inspection : SCN u/s 31(A)/33(A)/5 of EPA details :N/a Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	1) Effluent analysis report : Effluent analysis report dated 11-11-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2) Noise Monitoring report.)The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 04-11-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	23-12-2016 Unit has applied for CTO & CTE on 08.12.2016 and 07.11.2016 respectively for the activity of hotel(44 rooms). As per the Project Report submitted along with Consent application, unit has installed STP of 20 KLD capacity. Effluent Analysis Report and Noise monitoring report submitted by the unit are meeting the limits.	23-12-2016 Consent to Operate granted however to be issued after receiving details (size/dimensions & schematic diagram) of Effluent Treatment System in view of office order Dated 04.11.2016.
												23-12-2016

29	METRO MOTORS	22, KH NO.1144, JAGDAMBA MARKET,VILLAGE RITHALA,DELHI-85	08-12-2016	DPCC/EC/2/1/2016/16542	Automobile Servicing and Repair with washing Automobile Repair/Servicing with washing Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 08-12-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - N/A - submitted and parameters within limit / not satisfactory. (4)Status of Ground Water extraction : (5)Status of Inspection :The unit was inspected earlier inspection of a unit operating in the same preimises. (6)SCN u/s 31(A)/33(A)/5 of EPA details : Yes issued. (7)Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	Effluent test report submitted but noise monitoring report of DG sent is not submitted.	22-12-2016 We may sought noise monitoring report of the DG set alongwith documentary evidence for existance of the unit within the boundaries of redevelopment area. An inspection to verify the claim of the unit also be carried out.	----- Consent to Operate and Authorization under HWM Rules granted subject to submission of certificate, in original, from Industries Department, Govt. of NCT of Delhi regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate and also submit noise monitoring report of D.G. Set & measures taken for rectification of deficiencies observed during inspection on 03.11.2016. Consent to Operate and Authorization under HWM Rules shall be valid for five years, provided the fee for remaining four years period is deposited within 15 days otherwise issue consent for one year.
30	SHIV KUMAR (UNIT-1)	N1-112, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA	15-12-2016	DPCC/EC/2/1/2016/16573	Job work of Washing of Readymade Garments (With oil Fired Boiler) Readymade Garment (with Washing) with Boiler	Orange Operate	Non-SPI		Directions for Closure issued on 23.09.2016. Reply received on 14.10.2016 & 21.10.2016 wherein the unit has applied for CTO on 13.10.2016 and also submitted the Security Bond of Rs. 5 lakhs along with undertaking submitted. Hard copy of application for consent to operate not submitted. Common File is under submission with proposal for revocation of closure directions temporarily for 45 days for necessary testing/compliance & to apply for Consent to operate/authorisation.	-	03-11-2016 - Remarks/ATR on 23-12-2016 Letter issued on 15.11.2016 to the unit to submit hard copy of consent application. Unit vide its representation on 14.10.2016 & 21.10.2016 submitted the Security Bond of Rs. 5 lakhs along with the undertaking and photographs of ETP and oil fired boiler(converted) alongwith the ETP and stack monitoring report. As decided in common file, Closure Directions revoked	23-12-2016 Inspection be conducted.

											temporarily for 30 days on 22.11.2016 for necessary testing/compliances & to apply for Consent to operate/authorization etc. It was also decided that final revocation shall be considered only after inspection. Inspection is yet to be conducted.	
31	LOKESH FOOD PRIVATE LTD.	PLOT NO H-1293-94, NARELA INDUSTRIAL AREA	15-12-2016	DPCC/EC/2/1/2016/16581	Dal Mills Dal Mills	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- No 2. ECS- Yes 3. D.G. set- No Plot Area- 700sq.mt. commencement Date- 18.04.2016 Status of Ground Water Extraction-No 1. Water consumption- 200 L/day. a) Source of water- DSIIDC (copy of water bill submitted) Status of Inspection- No	Water(Effluent)-N/A Emission monitoring report - issued by DPCC submitted on 22.11.2016. Parameters are within prescribed limit. Noise Test Report-N/A	23-12-2016 .	23-12-2016 Consent to Operate granted.
32	WEDDING OPERA (A UNIT OF S G HOSPITALITY)	B 9 LAWRENCE ROAD INDL AREA	15-12-2016	DPCC/EC/2/1/2016/16585	BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP, Effluent analysis report dated 14-10-2016 issued by DPCC submitted. (2)ECS - N/A (3)D.G.Set: 90 kVA and 40 kVA both are in acoustic. A public complaint PGMS was earlier received against the unit and now the unit has installed ETP.Inspection of the unit conducted as approved in the file put up in response to a show cause notice issued to the unit. The unit was found in operation. ETP has also been installed and the same was found in operational status. unit has two DG sets of 90 and 40 kva both are with acoustic enclosure and with adequate stack height. Channelization system with kitchen is also provided by the unit above the roof level.	ETP, Effluent analysis report dated 14-10-2016 issued by DPCC submitted. However no test report wrt noise levels of DG sets are submitted by the unit.	16-12-2016 We may send a letter to the unit to submit noise monitoring reports of DG sets. Remarks/ATR on 22-12-2016 The unit had deposited fee to conduct noise monitoring with DPCC lab. Now DPCC has conducted noise monitoring of the DG sets installed in the premises and report shows the parameters are within limits.	23-12-2016 Consent to Operate granted.

										Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 04-11-2016				
										Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.				