

F. No. IA3-21-16-2021/IA.III

Government of India
Ministry of Environment, Forest and Climate Change
(IA.III Section)

Indira Paryavaran Bhawan,
Jor Bagh Road, New Delhi - 3

Date: 6th May, 2021

To,

Shri Bina Singh, President

M/s Rajasthan CGHS Ltd

Plot no 36, Sector 4,

New Delhi, Najafgarh,

South West, Delhi-110078

Email: eiarajasthancghshousing@gmail.com

Subject: **Expansion of Rajasthan Co-operative Group Housing Society at Plot No. 36, Sector 4, Dwarka, New Delhi by M/s. Rajasthan CGHS Ltd. - Environment Clearance- Regarding**

Sir,

This has reference to your Application/ Proposal No. IA/DL/MIS/197825/2021; received on 20th February, 2021 through Parivesh Portal for Expansion of Rajasthan Co-operative Group Housing Society at Plot No. 36, Sector 4, Dwarka, New Delhi by M/s. Rajasthan CGHS Ltd.

2. As per the provisions of the Environment Impact Assessment (EIA) Notification, 2006; as amended and notified under the Environment (Protection) Act, 1986 (29 of 1986), the above-mentioned project/activity is covered under category 'B' of item 8(a) 'Building and Construction projects' of the Schedule to the EIA Notification, 2006 and its subsequent amendments, and requires appraisal at State level. However, due to non-existence of SEIAA in Delhi, the proposal is appraised at central level by sectoral EAC.

3. Accordingly, the abovementioned proposal for expansion of Environmental Clearance has been examined by the Expert Appraisal Committee (Infra-2) in its 62nd meeting held during 1st March, 2021.

4. The details of the project, as per the Application and documents submitted by the project proponent, and also as informed during the above-mentioned meetings of EAC (Infra-2) are as under:

- The project is located at Plot no. 36, Sector 4, Dwarka, New Delhi with co-ordinates 28°36'08.40" N Latitude and 77°03'06.77" E longitude.
- The proposal is a case of 'Expansion'.

- iii. The Project site was leased out to Rajasthan Co-operative Group Housing Society (CGHS) by Delhi Development Authority (DDA) on 20/03/1996 for plot area 14000 sqm. The construction of the project was completed by 01.04.2004. The Occupancy Certificate of the project was obtained dated 15.05.2006 for built up area of 24,613.375sqm. As the construction of the project was completed before EIA Notification, 2006 and the amendment of 2004 to EIA Notification, 1994; the project was outside the purview of Environmental Clearance. As such, there is no previous / existing EC for the project. Accordingly, the application is submitted for fresh EC.
- iv. The current proposal is for the addition of one Room, one Bathroom and once Balcony in each flat and adding area in community block. This increase is due to increase in FAR. No additional tower/ will be constructed. Due to this expansion there would be no increase in population, water demand and waste generation.
- v. The total plot area is 14,000sqm, after proposed expansion, FSI area will be 28,005.39sqm and total Built-up area will be 33,435.155sqm. The project comprises of seven (07) Building blocks and one Community block. The total number of existing Dwelling Units (DUs) is 216 and population is 800. Maximum height of the building is 30 m. The details of Project Configuration are as follows:

Sl. No.	Description	Total Quantity
GENERAL		
1.	Gross Plot Area (sqm)	14,000
	Green Area (sqm)- 15% of Plot Area	2,100
	Dwelling Units (No.)	216
	Residential Blocks (No.)	7
	Floors (No.) Maximum	S+9
	Expected Population (No.)	800
AREAS (all values are in sqm)		
	Permissible Ground Coverage	4,666.2
	Existing Ground Coverage	3,498.56
	Addition in ground coverage due to expansion	469
	Total Ground Coverage after expansion	3,967.56
	Permissible FAR	28,000
	Existing FAR	24,387.39
	Addition in FAR due to expansion	3,618
	FAR after expansion	28,005.39
	Existing Non-FAR	226

	Addition in Non-FAR due to expansion	5,203.78
	Non-FAR after Expansion	5,429.78
	Existing Built-up Area	24,613.375
	Addition in Built-up Area due to expansion	8,821.78
	Built-up Area after expansion	33,435.155

S. No.	Buildings Blocks	Max. No. of Floors
1	Block-A	S+9
2	Block-B	S+9
3	Block-C	S+8
4	Block-D	S+7
5	Block-E	S+7
6	Block-F	S+7
7	Block-G	S+7

- vi. During construction phase, total water requirement is expected to be approx. 15KLD, which will be met from tanker supply. During the construction phase, soak pits and septic tanks will be provided for disposal of waste water. Temporary sanitary toilets will be provided during peak labour force.
- vii. During operational phase, total water demand of the project is expected to be 70-80KLD and shall be sourced from Delhi Jal Board (DJB). The sewage generated from the project during the operation phase is 56-64KLD which is being discharged in the public sewer with prior permission.
- viii. About 0.52TPD solid waste will be generated in the project. The biodegradable waste (0.31 TPD) will be processed in Organic Waste Converter (OWC) and the non- biodegradable waste generated (0.21 TPD) will be handed over to authorized local vendor.
- ix. The total power requirement during construction phase is 100 kVA and will be met from DG set and total power requirement during operation phase is 800 kW and will be met from BSES Rajdhani Power Limited.
- x. Five (05) Rain Water Harvesting structure with three recharge wells exist at site.
- xi. As on date, Car parking is provided on Surface, and Stilt for 389 ECS. Addition of 97 ECS is proposed during the expansion. Therefore, Parking facility for 486 ECS is proposed to be provided against the requirement of 402 ECS (according to local norms).
- xii. There exist 33 trees on the Project site. Tree cutting is not involved in the proposed expansion. Area of 2,100sqm (15% of total plot area) is earmarked for green belt development. The green landscape would be consisting of trees, shrubs, ground cover and potted plants. Most of the tree species will be local & indigenous.
- xiii. There would not be any additional generation of solid waste, Waste water due to expansion of the project.

- xiv. The project is not located in Critically Polluted area.
- xv. The project is not located within 10 km of Eco Sensitive areas. NBWL Clearance is not required.
- xvi. Forest Clearance is not required.
- xvii. No court case is pending against the project.
- xviii. Expected timeline for completion of the project - 31.12.2024
- xix. Investment/Cost of the expansion project is Rs. 15 Crores.
- xx. Employment potential: The project is leading to development of the area by providing employment of the local people during construction and operation phase
- xxi. Benefits of the project: The project will enable the present residents to have one additional room and balcony for better living.

5. The EAC, based on information and clarifications provided by the project proponent and detailed discussions held on the issues, has recommended granting environment clearance to the project. The aforesaid recommendation of EAC (Infra-2) is subject to certain specific and general conditions, as stipulated during its 62nd meeting held during 1st March, 2021.

6. Based on recommendations of EAC (Infra-2), the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the project for Expansion of Rajasthan Co-operative Group Housing Society at Plot No. 36, Sector 4, Dwarka, New Delhi by M/s. Rajasthan CGHS Ltd, under the provisions of the EIA Notification, 2006 and amendments/circulars issued thereon, and subject to the following specific and standard conditions:

A. Specific Conditions:

- i. Fresh water requirement shall not exceed 80 KLD during operational phase. Groundwater use shall not be permitted.
- ii. As proposed, about 64 KLD of wastewater generated shall be discharged in the public sewer with prior permission.
- iii. Flow meter with online monitoring system shall be installed for the measurement of the wastewater discharge into the sewer line, and the data shall be submitted to the concerned Integrated Regional Office of the Ministry in the six-monthly compliance report.
- iv. No Objection shall be obtained from the residents/owner of the dwelling unit before the proposed construction.
- v. Area for greenery shall be provided as per the details provided in the project document i.e., area under plantation/greenery will be 2,100 sqm. As proposed, at least 33 trees shall be maintained during the operation phase of the project. The landscape planning should include plantation of native species. A minimum of 01 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. Plantations to be ensured species (cut) to species (planted). The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
- vi. The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage

and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed, five Rainwater Harvesting (RWH) structures with three recharge wells shall be maintained for rain water harvesting after filtration.

- vii. The solid waste shall be duly segregated into biodegradable and non-biodegradable components and handled in separate area earmarked for segregation of solid waste as per the Solid Waste Management Rules, 2016. As committed, biodegradable waste shall be composted by use of OWC. Inert waste shall be dumped to authorized site. The recyclable waste shall be sold to resellers.
- viii. The PP shall provide sufficient number of electric charging points in the parking areas for e-vehicles.
- ix. The Environmental Clearance to the project is primarily under provisions of EIA Notification, 2006. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes as applicable to the project.

B. Standard Conditions:

I. Statutory compliance:

- i. The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- ii. The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightening etc.
- iii. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.
- iv. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- v. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
- vi. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
- vii. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- viii. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- ix. The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.

- x. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

II. Air quality monitoring and preservation:

- i. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- ii. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- iii. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM₁₀ and PM_{2.5}) covering upwind and downwind directions during the construction period.
- iv. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
- v. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vi. Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
- vii. Wet jet shall be provided for grinding and stone cutting.
- viii. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- ix. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.
- x. The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- xi. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.



- xii. For indoor air quality the ventilation provisions as per National Building Code of India.

III. Water quality monitoring and preservation:

- i. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
- ii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- iii. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
- iv. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
- v. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- vi. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built-up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
- vii. All recharge should be limited to shallow aquifer.
- viii. No ground water shall be used during construction phase of the project.
- ix. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- x. The quantity of fresh water usage, waste water discharge, rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.

IV. Noise monitoring and prevention:

- i. Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be

made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.

- ii. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- iii. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

V. Energy Conservation measures:

- i. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- ii. Outdoor and common area lighting shall be LED.
- iii. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- iv. Energy conservation measures like installation of LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- v. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- vi. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

VI. Waste Management:

- i. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- ii. Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- iii. Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
- iv. Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.

- v. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- vi. Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- vii. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- viii. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
- ix. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
- x. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

VII. Green Cover:

- i. No tree shall be felled/transplant. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted). Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
- ii. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

VIII. Transport

- i. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
 - a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - b. Traffic calming measures.
 - c. Proper design of entry and exit points.

- d. Parking norms as per local regulation.
- ii. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.

IX. Human health issues:

- i. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- ii. For indoor air quality the ventilation provisions as per National Building Code of India.
- iii. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- iv. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- v. Occupational health surveillance of the workers shall be done on a regular basis.
- vi. A First Aid Room shall be provided in the project both during construction and operations of the project.

X. Miscellaneous:

- i. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The

- company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- vi. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
 - vii. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report
 - viii. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
 - ix. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
 - x. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
 - xi. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
 - xii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
 - xiii. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
 - xiv. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
 - xv. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
 - xvi. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
 - xvii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and

Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

- i. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

7. The Environmental Clearance is being granted to M/s. Rajasthan CGHS Ltd for expansion of Rajasthan Co-operative Group Housing Society at Plot No. 36, Sector 4, Dwarka, New Delhi.

8. This issue with the approval of the Competent Authority.



(Dr. Dharmendra Kumar Gupta)
Director (S)

Copy to:

1. Principal Secretary (Environment and Forest) cum Chairperson (DPCC), Department of Environment, Government of NCT of Delhi, 6th Floor, C- Wing, Delhi Secretariat, I. P. Estate, Delhi-110002
2. Regional Officer, Ministry of Environment, Forest and Climate Change, Integrated Regional Office, Jaipur, Camp Office, 5th Floor, Sector "H" Aliganj, Lucknow - 226020
3. Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
4. Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, New Delhi.
5. Guard File/ Record File/ Notice Board/MoEF&CC website.