



CONSENT MANAGEMENT

Agenda No. 1 - Annexure I - 20 Cases of Consent to Establish under orange category of the period 28.02.2011 to 01.12.2010 in reverse chronology (excluding the cases of Redevelopment areas)recommended by Screening Committee as (2b category) in its meeting on 10.10.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	35865 07-12-2010	SHIVEX ELECTRICALS PLOT NO 137,POCKET-M,SECTOR-1,DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	Manufacturing of Plastic and PVC Products. Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	- Date of commissioning of project ---- 01-01-2009 - Built Up Area ---- 80 (in sq. meter) - Water Consumption ---- 600 liters/day - Ground Water ---- 300 liters/day - Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		05-10-2012 ETP: N/A ECS: N/A DG SET: NIL EARLIER DECISION ON 16.03.2011: ask the unit to clarify the contradiction in the manufacturing process and the product mentioned in affidavit. A letter was issued to the unit on 17.04.2011 to clarify the contradiction in the manufacturing process and the product mentioned in affidavit. Till date no reply received from the unit.	10-10-2012 File be put up administratively.
2	35915 10-12-2010	WALKY FOOTWEARS I-2134,IST FLOOR,DISDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Establish	MFG. OF PVC FOOTWEAR AND EVA FOOTWEAR. Eva Footwear and Eva Compound PVC Footwear (Using Fresh Raw Material)	- Date of commissioning of project ---- 01-01-2000 - Built Up Area ---- 200.07 (in sq. meter) - Water Consumption ---- 125 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		09-10-2012 Earlier CMC Decision: Competent authority 20.12.2010 issue closure direction u/s 33(A) of the water act, u/s 31(A) of the air act. A reply received on 04.01.2011 requesting for revocation of closure direction. Several letters issued to the unit for submission of Bank Guarantee and confirming the installation of ECS. No reply received from the unit till date. CTE ---- CTE applied on 10.12.2010 with Id. No. 35915. Water Consumption ---- 125 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 200.07 (in sq. meter) CETP Membership ---- Not Applicable Date of commissioning of project ---- 01-07-2010 Waste Water generation Domestic Effluent ---- 60 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A	10-10-2012 File be put up administratively.

3	35922	TWO BROTHERS PVT. LTD. A-51/3, NARAINA INDUSTRIAL AREA PHASE - I	Nangloi Industrial Area	Orange Establish	PVC FOOTWEAR AND BINDING OF STATIONARY PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 282 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		08-10-2012 CTE: Applied on 13.12.2010 vide ID no. 35922 Water Consumption ---- 100 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 282 (in sq. meter) CETP Membership ---- Not Applicable Date of commissioning of project ---- Waste Water generation Domestic Effluent ---- 50 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A ATR/Remarks Earlier CTO issued under Green category valid upto 13.06.2007 CTO_R issued valid upto 30.04.2006 under orange category. Applied for CTO_R on 04.01.2010 vide ID no. 32329 Inspection conducted on 24.11.2010 during the inspection following were observed: 1.) Unit found operational and engaged in the activity of PVC footwear & binding of stationary items. 2.) One D.G. set of 125 KVA found uninstalled without acoustic enclosure. Earlier CMC Decision Decision on 23.03.2010. Ask the unit to apply for Consent to Establish. decision on 07.02.2011 issue SCN for refusal of consent and SCN u/s 31 (A) of Air Act for closure of the unit. unit submitted its reply on 05.08.2011 alongwith NMR of D.G. set and bank guarantee of Rs 50,000 under Air Act . decision on 16.03.2011 issue SCN for refusal of consent in view of concealment of D.G. set.	10-10-2012 Consent to Establish granted.
4	35931	PASUPATY SPRINGS PVT LTD PLOT NO 45,POCKET-A,SECTOR-2,DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	Mfg. of Springs Items Expanded Metal with Hot Process	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		05-10-2012 ETP / STP ---- N/A ECS: N/A DG Set: nil SCN for refusal of consent was issued on 12.11.2010. Earlier CMC Decision held on 16.03.2011: Ask the unit to submit the bank guarantee of Rs. 50000 under Air Act valid for 1 year. if unit submits the same, consent to establish be granted and In compliance of the decision taken letter issued to the unit on 13.04.2011.	10-10-2012 File be put up administrativley.
5	35977	VIKAS POLYMERS	Moti Nagar DLF	Orange Establish	MFG OF RUBBER GOODS			08-10-2012 (1)ETP ---- N/A	10-10-2012

	20-12-2010	27,DLF MOTI NGAR INDUSTRIAL AREA	Industrial Area		Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no decision on 16.03.2011 ask the unit to submit the fresh project report with proper details w.r.t source of heating/steam generation and detail of proposed pollution. unit submitted its reply on 06.07.2011 along with the project report.	Consent to Establish granted.
6	35983 20-12-2010	SHAMA INTERNATIONAL PVT. LTD C-27, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Establish	MANUFACTURING OF READYMADE GARMENTS (WITHOUT WASHING). MANUFACTURING OF READYMADE GARMENTS (WITHOUT WASHING).	• Date of commissioning of project ---- • Built Up Area ---- 276.38 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 2000 liters/day	Recommendations of Scrutinizing Committee on 11-02-2011 Inspection be conducted in view of CTE already granted under Green category. Issue letter to the unit for removal of discrepancies in consent application. Decision of Consent Management Committee on 16-03-2011 Inspection be conducted in view of CTE already granted under Green category. Issue letter to the unit for removal of discrepancies in consent application	28-12-2010 RAMARKS Water Consumption : 3000 Lt/d Waste Water generation : (a) Domestic effluent: 1000 Lt/d (b) Trade effluent: 2000 Lt/d Date of Commissioning: 10.09.2010 ETP : Shall be constructed D.G.Set : 125 KVA and NMR submitted dated 15.12.2009. CTE(Green) issued on 19.05.2009 with CNO 20450 Recommendation / Action Taken Details (EE/AEE) on 08-10-2012 As decided by the CMC (O) in its meeting held on 16.03.11, letter to the unit for removal of discrepancies in consent application was issued on 21.04.11. An inspection was carried out by DPCC officials on 11.05.11& following observations were made: 1. The unit is found operational & engaged in the activity of Mfg. of Readymade garment with trade effluent. 2. Washing is done at the premises. 3. No ETP has been installed for treating trade effluent generated from washing 4. One diesel fired boiler exist with inadequate stack hight. As decided by the CMC (O) in its meeting held on 02.09.11, SCN u/s 33 (A) & 31 (A) was issued on 03.10.11. Unit has submitted its reply on 12.10.11 along with an affidavit stating that they have dismentle & removed the washing facility from the premises and provided 2 mts stack height roof level with the diesel fired boiler. As decided by the competent authority in DPCC, letter was issued on 12.12.11 for submission of Bank Guarantee of Rs. 50,000/- each under water Act & Air act valid for one year &	10-10-2012 Inspection be conducted.

							apply for CTO immediately. Unit has submitted Bank Guarantee on 08.02.12. However, the submitted Bank Guarantee was not in proper format. As decided, letter was issued on 06.03.12 for submission of corrected Bank Guarantee in prescribed format. The unit has also not informed regarding installation of adequate satch height with the boiler. The unit has not applied for CTO application. EARLIER CMC DECISION 02.09.11 Issue SCN u/s 31(A) of the Air Act and u/s 33(A) of the Water Act.	
7	35995 21-12-2010	SUNRISE ENTERPRISES 18,DLF MOTI NAGAR INDUTRIAL AREA	Moti Nagar DLF Industrial Area	Orange Establish	MFG OF PLASTIC PRODUSTS Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 70 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 CTE ---- Applied on 21.12.2010 vide ID on 35995. Water Consumption ---- 150 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 70 (in sq. meter) CETP Membership ---- Not Applicable Date of commissioning of project ---- Jan,2011. Waste Water generation Domestic Effluent ---- 100 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A decision on 16.03.2011 ask the unit to submit the fresh project report with proper detail of process involved. unit submitted its project report on 03.05.2011 and also requested for issuance of CTE.	10-10-2012 Consent to Establish granted without using plastic scrap as a raw material.
8	35996 21-12-2010	COSWEL PRODUCTS PLOT NO.B-11, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Establish	MFG. AND PACKING OF COSMETICS. MFG. AND PACKING OF COSMETICS.	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 ETP / STP ---- N/A ECS ---- N/A DG Set: nil Earlier CMC Decisio on 16.03.2011 Case be deferred till next CMC. A committee comprising of Sh. B. Kumar, SEE, Sh. M.Dwarkanath, SSO & Sh. P.S. Pankaj, AEE, Enquiry Counter and Sr. Accounts Officer, DPCC to give report within a week on the issue of inclusion of the cost of land & building in the capital investment for the purpose of consent fee.	10-10-2012 File be put up administrativley.
9	36016 21-12-2010	KAMAL STEEL FURNITURE INDUSTRIES B-19/2, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Establish	MFG. OF WOODEN FURNITURE WITH PAINTING. MFG. OF WOODEN FURNITURE	• Date of commissioning of project ---- • Built Up Area ---- 167 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 1) ETP / STP ---- N/A 2) ECS: N/A 3) D.G. set: nil A letter issued to the unit on 10.05.2011to comply withthe provisions of Hazardous Wastes(Management, Handling and Transboundry Movemnet) Rules, 2008	10-10-2012 File be put up administrativley.

					WITH PAINTING.				
10	36018	HIRA ENTERPRISES B-19/2, WAZIRPUR INDUSTRIAL AREA 21-12-2010	Wazirpur Industrial Area	Orange Establish	MFG. OF FABRICATION OF STEEL AND WOODEN FURNITURE WITH PAINTING. MFG. OF FABRICATION OF STEEL AND WOODEN FURNITURE WITH PAINTING.	- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		08-10-2012 ETP:N/A ECS:N/A DG SET:NIL EARLIER CMC DECISION ON 16.03.2011: Ask the unit to comply with the provisions of Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 within 15 days, failing which closure directions will be confirmed. Accordingly a letter was issued to the unit on 21.04.2011. Till date no reply has been received from the unit.	10-10-2012 File be put up administratively.
11	36025	RAINBOW VSK WIRES (I) PVT.LTD. P-13.SECTOR-5,DSIDC BAWANA INDUSTRIAL AREA 21-12-2010	Bawana Industrial Area	Orange Establish	Mfg. of Copper Rods. Copper Wire Drawing With Super Enamelling (Dry Process)	- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		05-10-2012 ETP / STP ---- N/A ECS: N/A DG Set: nil Earlier Decision dated: 16.03.2011 Inspection be conducted. accordingly inspection of the unit was conducted on 21.07.2011 and it was observed that unit is yet to be established.	10-10-2012 Inspection be conducted to ascertain the type of furnace.
12	36043	GERA PAINT INDUSTRIES PLOT NO 8,POCKET-H,SECTOR-1,DSIDC BAWANA INDUSTRIAL AREA 23-12-2010	Bawana Industrial Area	Orange Establish	Mfg. of Synthetic Enamel Paint. Enamel Paints	- Date of commissioning of project ---- - Built Up Area ---- 250 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		05-10-2012 ETP:N/A ECS: N/A DG SET: NIL earlier decision on 16.03.2011: Issue SCN for refusal of consent in view of use of alkid resin. Accordingly a SCN was issued to the unit on 13.04.2011. A reply received from the unit on 04.05.2011 stating that they have adopted only mixing and grinding process. They do not make/use alkid resins.	10-10-2012 Consent to Establish granted (excluding Nitrocellulose and Alkd Resin Based Paints).
13	36044	CHAWLA PACKAGING PVT. LTD. 199, FIE, PATPARGANJ INDUSTRIAL AREA 23-12-2010	Patparganj Industrial Area	Orange Establish	Flexible Printed and Laminated Film. Flexible Printed and Laminated Film.	- Date of commissioning of project ---- - Built Up Area ---- 300 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		17-10-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ..TWO each 160 KVA with A/E (4) Inspection details:Conducted on13.05.2011: The unit was adviced/not to manufacture packing for guttka / tobacco products. (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO.	10-10-2012 Inspection be conducted.
14	36045	CHAWLA PACKAGING PVT LTD 200, FIE PATPARGANJ INDUSTRIAL AREA 23-12-2010	Patparganj Industrial Area	Orange Establish	Flexible Printed and laminated film Flexible Printed and laminated film	- Date of commissioning of project ---- - Built Up Area ---- 300 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		17-10-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ..no (4) Inspection details:Conducted on18.05.2011: Unit has been printing packaging in paper & BOPP / Multilayered material. Adviced to desist / not to mfg. BOPP / plastic layers for tobacco products.	10-10-2012 Inspection be conducted.

							(5) SCN u/s 31(A)/33(A)/5 of EPA details :NO. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO.	
15	36119 29-12-2010	VISHAL BANSAL & CO. PLOT NO.9, MPL-530, GALI NO.4, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	Friends Colony Industrial Area	Orange Establish	Copper Wire Drawing. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 67 (in sq. meter) • Water Consumption ---- 170 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	17-10-2011 (1)ETP ---- N/A (2)ECS - No ((3)D.G.Set: ...15 KVA..with A/E (a)Noise monitoring report not submitted. (4) Inspection details:Conducted on 07.04.2011: Unused S/E plant is existing in the premises.Copper wire drawing activity is under operation. No ground water extraction was observed. (5) SCN u/s 31(A) details :SCN for closure issued w.r.t..CTE...on 22.03.2010, for having extra stack. Reply also recieved on 05.04.2010...stating that unit has removed and submitted an affidavit . (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	10-10-2012 Consent to Establish granted without super enamelling. IT Cell be requested to correct the category of the activity of the unit.
16	36154 05-01-2011	HYDMARK APPLICON A-5/4 PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Establish	MFG OF HYDRAULIC EQUIPMENTS Manufacturing Of Metal Caps and Containers (With Printing)	• Date of commissioning of project ---- • Built Up Area ---- 168 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Decision on 31.03.2011 Inspection e conducted in view of the CMC (O) decision dated 16.03.2011	10-10-2012 Inspection be expedited as decided in CMC on 31.03.2011.
17	36212 12-01-2011	M.R. COOTAGE INDSUTRIES B-215 NARINA INDSUTRIAL AREA PH-I	Naraina Industrial Area Phase - I	Orange Establish	CUTTING AND SLITTING OF SHEETS Cutting, Sizing and Polishing of Marble Stones	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 25 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Earlier CMC Decision: Decision on 07.10.2010 Ask the unit to apply for consent to establish. Letter issued to the unit on 22.11.2010 Decision on 30.12.2010 Decision of DPCC Board meeting dated 22.12.2010 be placed in file and	10-10-2012 Inspection be expedited as decided in CMC meeting dated 31.03.2011.

							renewal of consent be issued. Decision on 31.03.2011 inspection to be conducted. ATR/Remarks: CTO Issued valid upto 28.07.2010 vide consent order no 16249 in the activity of Job Work (cutting & silting of sheets) under green category. CTO_R Issued valid upto 22.07.2020 vide consent order no 26571 under same activity and under green category.	
18	36241 14-01-2011	JAIN TRADERS & MANUFACTURERS PLOT NO 135. POCKET-E,SECTOR-I,DSDIC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	Mfg. of Auto Rubber Parts/ Products. Rubber Auto Parts Excluding Production Of Tyres And Tubes (Without Reclamation And Devulcanisation Of Rubber)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 CTE already granted vide consent no. 27314 on 05.05.2011 valid upto 04.05.2012 therefore record may be updated online.	10-10-2012 CTE already granted on 05.05.2011. File be sent to IT Cell for updation w.r.t. issuance of CTE.
19	36384 02-02-2011	SIKCO AUTOMOTIVE PRODUCTS B153, PHASE I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Establish	AUTOMOBILE AND TRACTOR PARTS Automobile and Coach Building (Small Scale)	• Date of commissioning of project ---- • Built Up Area ---- 108 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	09-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 21.04.2011 and following were observed: 1) unit engaged in the activity of manufacturingof automobiles and tractor parts. 2) scrap generated from the activity sold to the local dealer. (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Earlier CMC Decision Decision on 25.11.2010 Ask the unit to apply for consent to establish. Inspection be conducted. Letter issued to the unit on 11.01.2011.	10-10-2012 Consent to Establish granted.
20	36394 03-02-2011	ASIMA ENTERPRISES 2975,IST FLOOR,SECTOR-J,DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Establish	MFG. OF PVC AND RUBBER FOOTWEAR. Footwear (rubber)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 400 liters/day	08-10-2012 (1)ETP ---- No (2)ECS - N/A (3)D.G.Set: ...Nil...	10-10-2012 Consent to Establish granted for the activity of Mfg. of PVC Footwear without rubber.

