



CONSENT MANAGEMENT

Agenda No. 2 - Annexure I - 51 Cases of Consent to Operate and Consent to Operate(renewal)under orange category of the period 28.02.2011 to 01.12.2010 in reverse chronology (excluding the cases of Redevelopment areas) recommended by Screening Committee as (2b category) in its meeting on10.10.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	35795 01-12-2010	CHATMOLA FOOD PRODUCTS 308/5, SHAHZADA BAGH INDUSTRIAL AREA	Shahzada Bagh Industrial Area	Orange Operate	Confectionery item (sugar coated saunf). Bakery Products And Confectionery With Trade Effluent/Emission Discharge	- Date of commissioning of project ---- 01-01-2005 - Built Up Area ---- 110 (in sq. meter) - Water Consumption ---- 195 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 75 liters/day (b) Trade Effluent ---- 0 liters/day		05-10-2012 ETP:N/A ECS:N/A D.G.SET:NIL Earlier CMC decision on 16.03.2011 inspection be conducted to check the trade effluent discharge. inspection is to be carried out.	10-10-2012 Inspection be expedited.
2	35804 02-12-2010	RAJDHANI POLYMERS A-113,PHASE-II MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Operate	MFG. OF EVA COMPOUND. Eva Footwear and Eva Compound	- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 250 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		08-10-2012 ETP / STP ---- N/A ECS: N/A DG Set: nil Earlier Decision dated 14.02.2011: Ask the unit to submit Bank Guarantee of Rs. 50,000 under Air Act valid for one year. If unit submits the bank guarantee, consent to establish with the condition to provide hood & suction arrangement followed by a duct raised well above the roof levels (at least 2.0 meter above roof level) to channelize the process emissions be issued. accordingly a letter issued to the unit on 25.04.2011. CMC Meeting Decision dated 16.03.2011: Issue consent to operate if unit complies with the directions of CMC(Orange) dated 14.02.2011 in CTE application. no reply recieved from the unit till date.	10-10-2012 File be put up administratively.
3	35806 02-12-2010	SHRI SAAWARIYA PRODUCTS A-113.FIRST FLOOR,PHASE-II MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Operate	MFG. OF PVC FOOTWEAR. PVC Footwear (Using Fresh Raw Material)	- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 250 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		08-10-2012 CTE ---- CTE applied on 30.11.2010 with Id. No. 35782. Water Consumption ---- 250 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 200 (in sq. meter) CETP Membership ---- Mangolpuri Industrial Area Phase - I & II CETP Society / Membership No ---- 3796 Date of commissioning of project ---- 01.01.2010. Waste Water generation Domestic Effluent ---- 200 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A	10-10-2012 File be put up administratively.

							Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A Earlier CMC Decision on 16.03.2011 Issue consent to operate, with the condition to provide hood & suction arrangement followed by a duct raised well above the roof levels (at least 2.0 meter above roof level) to channelize the process emissions and submit an compliance report on an affidavit within 06 months, if unit complies with the directions of CMC(Orange) dated 14.02.2011 in CTE application. A letter was issued to the unit on 29.04.2011 for the submission of BG. Unit did not submitted Bank Guarantee till date.	
4	35808 02-12-2010	HYDMARK APPLICON A-5/4 PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG OF HYDRAULIC EQUIPMENTS Manufacturing Of Metal Caps and Containers (With Printing)	• Date of commissioning of project ---- • Built Up Area ---- 168 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 CTE: Applied on 05.01.2011 vide ID no 36154 Water Consumption ---- 200 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 168 (in sq. meter) CETP Membership ---- Mayapuri Industrial Area CETP Society / Membership No ---- 10891 Date of commissioning of project : 1989 Waste Water generation Domestic Effluent ---- 100 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A ATR/Remarks Earlier CTo was refused on 30.07.2004. CTo issued valid upto 07.09.2007 Applied for CTO_R on 07.09.07 vide ID no. 23428 decision on 16.03.2011 inspection be conducted in view of negative list as per MPD-2021.	10-10-2012 Inspection be expedited as decided in CMC on 31.03.2011.
5	35842 03-12-2010	SOHAL INDUSTRY PLOT NO.72, PKT-B,SEC-2, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Manufacturing of Wood Working saw blades, carpentry and masonry hand tools and plastic moulding job works. Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	• Date of commissioning of project ---- 01-01-2002 • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 135 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 55 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 ETP / STP ---- n/a ECS: N/A DG Set: nil Earlier CMC Decision dated 16.03.2011: inspection be conducted to ascertain the heat treatment process. Accordingly inspetion was conducted on 11.04.2011 and following were observed: 1) No heat treatment process being carried out in the unit. 2) Injection moulding process being carried out at the top floor. Exhaust fans are provied at ventilation level without hood and suction arrangement.	10-10-2012 File be put up administratively.

6	35854	REECHO CAPS D-44, GTK, S.M.A INDUSTRIAL AREA 06-12-2010	S.M.A Industrial Area	Orange Operate	CROWN CAPS AND OFFSET PRINTING. Manufacturing Of Metal Caps and Containers (With Printing)	• Date of commissioning of project ---- 01-01-1989 • Built Up Area ---- 480 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		09-10-2012 CTE, CTO and Authorization were already granted.	10-10-2012 Consent application dated 06.12.2010 be made infructuous since subsequent applications have been decided.
7	35875	KAMLESH KUMARI B-2472, DSIDC NARELA INDUSTRIAL AREA 08-12-2010	Narela Industrial Area	Orange Operate	MFG. OF PVC COMPOUND AND UPPERSHOE. PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- 01-01-2001 • Built Up Area ---- 100.0825 (in sq. meter) • Water Consumption ---- 185 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		05-10-2012 ETP:N/A ECS:N/A DG set:nil Earlier CMC Decision on 16.03.2011 Ask the unit to submit the fresh CA Certificate including the cost of land and building along with the balance consent fee as applicable on the basis of fresh CA Certificate. Enquiry Counter may be advised to be careful in future. Also inspection may be conducted. Accordingly, a letter was issued to unit on 29.04.2011. A reply received from the unit along with CA certificate on 16.05.2011. As decided in CMC meeting accordingly Inspection conducted on 31.10.2011. SCN u/s 31(A) and SCN for refusal of consent issued on 07.12.2011. A reply received from the unit on 27.12.2011 & 09.02.2012 along with an affidavit and photographs of channelization system and Stack monitoring report.	10-10-2012 Consent to operate granted. IT Cell be requested to correct the category of the activity of the unit.
8	35893	GARG TRADING CO. A-186,DSIDC NARELA INDUSTRIAL AREA 09-12-2010	Narela Industrial Area	Orange Operate	PRODUCTION OF CATTLE FEED / FODDER PROCESSING (WITHOUT TRADE EFFLUENT DISCHARGE). Cattle Feed	• Date of commissioning of project ---- • Built Up Area ---- 288 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		08-10-2012 ETP / STP ---- N/A ECS: N/A DG Set: nil Earlier CMC Decision dated 16.03.2011: inspection be conducted. accordingly inspection was conducted on 31.10.2011 and it was obserbved that channelization is provided at few machines, others are running without channelization with inadequate stack height. SCN u/s 31(A) was issued on 07.05.2012. unit did not submit any reply till date.	10-10-2012 File be put up administrativley.
9	35955	NATIONAL GLASS FACTORY WZ-3, DLF MOTI NAGAR INDUSRIAL AREA, BASAI DARA PUR ROAD 15-12-2010	Moti Nagar DLF Industrial Area	Orange Operate	MFG OF PVC CABLES AND WIRES Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 135 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		09-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : no (4) Inspection details:no	10-10-2012 File be put up administratively.

					With Washing Activity)			(5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Earlier CMC Decision on 30.07.2010 File be put up administratively. now case will refer to the PGRC legal cell.	
10	35956 15-12-2010	ADARSH CABLE INDUSTRIES WZ-3, DLF,MOTI NAGAR INDUSTRIAL AREA	Moti Nagar DLF Industrial Area	Orange Operate	MFG OF PVC CABLES AND WIRES Manufacturing Of Reprocessed PVC Granules and Other Injection Moulded Items (Using Scrap as Raw Material Without Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 130 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day		09-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-12-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Earlier CMC Decision on 30.07.2010 File be put up administratively. now case will refer to the PGRC legal cell.	10-10-2012 File be put up administratively.
11	35965 16-12-2010	SHRINIWAS TIN INDUSTRIES (P) LTD. C-122,NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Operate	MFG OF TIN CONTAINERS WITH PRINTING Manufacturing Of Metal Caps and Containers (With Printing)	• Date of commissioning of project ---- • Built Up Area ---- 1968 (in sq. meter) • Water Consumption ---- 1 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 0 liters/day		08-10-2012 CTE ---- issued valid upto 28.06.2011 vide consent order no 24533 Water Consumption ---- 1 kiloliters/day Ground Water ---- 0 liters/day Built Up Area ---- 1968 (in sq. meter) CETP Membership ---- Naraina Industrial Area CETP Society / Membership No ---- 1515 Date of commissioning of project ---- 1974 Waste Water generation Domestic Effluent ---- 1000 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- Yes Test Report(Air) within Limit ---- Yes NMR Sumitted ---- Yes (D.G. Set of 100 KVA) SMR submitted dated 22.11.2010. ATR/REMARKS Earlier CTO issued twice valid upto 09.01.2008 Applied for CTO_R on 16.11.2007 vide ID no 24221.	10-10-2012 File be put up administratively.

							decision on 16.03.2011 inspection be conducted. inspection conducted on 13.05.2011 and following were observed: - varnishing of tin plates, being acrried out in tin coating macines havig two ovens (PNG) with adequate stack height. - one D.G. set of 100 KVA found installed with acoustic enclosure with adequate stack height.	
12	35987 20-12-2010	WEMBLEY MANUFACTURING CO. B-16, PH-II, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Operate	PACKING OF ADHESIVE AND WIRE DRAWING. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 CTE ---- CTE issued on 13.10.2009 and valid upto 12.10.2010 Vide C.No. 21447. Water Consumption ---- 250 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 300 (in sq. meter) CETP Membership ---- Mangolpuri Industrial Area Phase - I & II CETP Society / Membership No ---- 3986 Date of commissioning of project ---- 01.01.2010. Waste Water generation Domestic Effluent ---- 150 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A	10-10-2012 File be put up administratively.
13	36003 21-12-2010	NAG BANSI RAMA RUBBER INDUSTRIES PLOT NO.129, POCKET-F, SECTOR-I, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Mfg. of Rubber auto parts and engg. works is not running in the factory. Mfg. of Rubber auto parts and engg. works is not running in the factory.	• Date of commissioning of project ---- 01-01-2006 • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 ETP: N/A ECS: N/A D.G SET: NIL earlier decision on 16.03.2011: Inspection be conducted inspection was carried out on 19.04.2011 and following was observed: 1. the unit was found in operation in the activity of rubber auto parts. 2. Spray painting by black automotive paints carried out at front. No emission control measures. 3. Rubber re-rolling facility exists at backside shed. No ECS provided over the rubber re rolling machines. 4. No process emission control measures taken on vulcanization machines. 5. One borewell exists.	10-10-2012 File be put up administratively.
14	36031 22-12-2010	SHRI GANESH WINDING WIRE 1/424/37,GALI NO IB FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Operate	Job work of Supper Enamel Paint on Aluminum Wire Unit. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 75 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated November, 2010 issued by GGSIU submitted. (b) Stack analysis report dated - 23.02.12 - issued by - DTU - submitted. (3)D.G.Set: ...N/A...	10-10-2012 File be put up administratively.

							(4) Inspection details: 09.10.2010.No ECS was found. (5)Closure directions u/s 31(A) details : issued on 20.10.2010 in view of CWG-XIX-2010. Bank Guarantee of Rs. One Lakh each under Air Act and HWM Rules submitted on 29.11.10. As decided by the CMC (O) in its meeting held on 02.11.11, letter was issued on 19.12.11 to concern authorities i.e., SDM & BSES. Unit has submitted its reply on 02.01.12 along with the affidavit & photocopy of BG. As approved, temporary revocation was issue don 03.02.12 for 45 days for submission of all monitoring reports under Air Act. Unit has submitted its reply on 13.03.12 along with SMR dated 23.02.12 & stating that they has rectified the deficiencies observed during inspection and requested to revoke the closure directions EARLIER CMC DECISION 14.02.11 Ask the unit submit an affidavit w.r.t the rectifications of the deficiencies regarding hazardous waste management & a BG of Rs.100000/- each under Air Act & HWM Rules valid for one year. If unit submits the above said documents, closure direction be revoked and CTE be issued. 16.03.2011 Implement decision of CTE. 02.11.11 Ask the compliance from discom & DJB and also ask the SDM for effective closure of the unit.	
15	36039 23-12-2010	BAKERS SHOP GI-15, GTK ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Operate	Bakery (pasty, cake etc) Food And Fruit Processing Industry -Bakery (Bread & Biscuit) / Blanco Cakes	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 CTE ---- CTE applied on 09.08.2010 Vide Id. No. 34785. Water Consumption ---- 350 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 100 (in sq. meter) CETP Membership ---- G.T. Karnal Road Industrial Estate CETP Society / Membership No ---- 360 Date of commissioning of project ---- 01.01.2010 Waste Water generation Domestic Effluent ---- 60 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A Earlier CMC Decision on 16.03.2011 Seek clarifictaion regarding change of name in CTE and CTO application.	10-10-2012 Inspection be conducted.
16	36099	SUBHASH	Narela	Orange	MFG. O F P.V.C.		08-10-2012	10-10-2012

	29-12-2010	PLASTICS I-2150, DSIDC, NARELA INDUSTRIAL AREA	Industrial Area	Operate	COMPOUND. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 70 liters/day (b) Trade Effluent ---- 0 liters/day		ETP / STP ---- N/A ECS: N/A DG Set: nil SCN for refusal of consent was issued on 10.05.2011 for not providing the control measures in plastic reprocessing to achieve the prescribed limits particulate matter and HCl. no reply recieved from the unit till date.	File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.
17	29-12-2010	LAXMI PLASTIC UDYOG E-21, SECTOR-5, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Mfg. of Plastic Products Viz tarpaulin. Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		05-10-2012 CTE ---- yes issued on 16.03.2010 Water Consumption ---- 200 liters/day Ground Water ---- 200 liters/day Built Up Area ---- 150 (in sq. meter) Cetp Membership ---- Not Applicable Date of commissioning of project ----2007 Waste Water generation Domestic Effluent ---- 150 liters/day Trade Effluent ---- 0 liters/day Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A Earlier CMC Decision on 16.03.2011 Inspection be conducted. Inform to DJB regarding ground water extraction. Accordingly, inspection conducted on 07.06.2011 and following were observed: a) The unit was found in operation tarpaulin sheet was being mfg. during the inspection at the ground floor. b) In the basement plastic granuls was being mfg. from the plastic fresh waste of tarpaulin. c) No emission control measure over the mixing and extruding process was found installed. Exhaust two fan at the vantilater were provided / installed at vantilater for the dispersion of process emissions.	10-10-2012 File be put up administratively.
18	29-12-2010	VISHAL BANSAL & CO. PLOT NO.9, MPL-530, GALI NO.4, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	Friends Colony Industrial Area	Orange Operate	Copper Wire Drawing. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 67 (in sq. meter) • Water Consumption ---- 170 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		03-02-2011 (1)ETP ---- N/A (2)ECS - No ((3)D.G.Set: ...15 KVA..with A/E (a)Noise monitoring report not submitted. (4) Inspection details:Conducted on 07.04.2011: Unused S/E plant is existing in the premises.Copper wire drawing activity is under operation. No ground water extraction was observed. (5) SCN u/s 31(A) details :SCN for closure issued w.r.t..CTE...on 22.03.2010, for having extra stack. Reply also recieved on 05.04.2010...stating that unit has removed and submitted an affidavit . (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	10-10-2012 Consent to Operate (without super enamelling) and authorization under HWM Rules granted. Earlier CTE application dated 30.04.2008 be made infructuous. IT Cell be requested to correct the category of the activity of the unit.
19	30-12-2010	SINDHU ART PRINTING PRESS A-36, NARAINA INDUSTRIAL AREA, PHASE-II	Naraina Industrial Area Phase - II	Orange Renewal	PRINTING Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		08-10-2012 (1)ETP ---- N/A (2)ECS - N/A . (3)D.G.Set: ...N/A...	10-10-2012 Inspection be expedited as decided in CMC on 16.03.2011.

								(4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Decison on 16.03.2011 Inspection be conducted.	
20	36180 07-01-2011	HUKAM CHAND AGGARWAL & SONS PLOT NO. 1535, DSIDC INDUSTRIAL COMPLEX, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MFG. OF PVC COMPOUND. Plastic Processed Goods	• Date of commissioning of project ---- 01-01-1994 • Built Up Area ---- 210 (in sq. meter) • Water Consumption ---- 135 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		05-10-2012 ETP: N/A ECS: N/A D.G SET: NIL Earlier CMC decision on 08.04.2011 ask the Unit to submit the proof of CETP membership. if unit submits the aforesaid document, consent to operate be issued. A letter was issued to the unit on 21.06.2011 to submit a proof of CETP membership. Till date no reply recieved.	10-10-2012 Issue SCN for refusal of consent.
21	36215 12-01-2011	BEE KAY WIRES PVT LTD G-950,DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	MFG. OF COPPER WINDING WIRE AND COPPER WIRE DRAWING. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 180 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		05-10-2012 ETP: N/A ECS: N/A DG SET: 1 DG SET OF 125KV INSTALLED. Earlier CMC Decision on 08.04.2011: Ask the unit to apply for authorization under HWM rules and to submit the proof of CETP membership. Inform to DJB regarding ground water extraction. Accordingly a letter was issued to the unit on 21.06.2011.	10-10-2012 Issue SCN for refusal of consent.
22	36216 12-01-2011	SANJEEV TRADING COMPANY PLOT NO.256, SEC-3, POCKET B, DSIDC BHAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Manufacturing of Offset and screen printing and Mfg. of Corrugated Boxes. Cardboard/ Paper Or Corrugated Box & Other Products (With Printing Activity Including Effluent Generation) from Card board as raw material	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		05-10-2012 ETP: N/A ECS: N/A DG SET: NIL EARLIER DECISION ON 08.04.2011: Ask the unit to apply for authorization under HWM rules. Inform to DJB regarding ground water extraction. accordingly a letter was issued to the unit.	10-10-2012 Issue SCN for refusal of consent.
23	36236 13-01-2011	SAGAR INDIA E-694, GROUND FLOOR, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MFG. OF PLASTIC DANA. Plastic Processed Goods			05-10-2012 ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- Yes NMR Sumitted ---- N/A Earlier CMC Decision on 08.04.2011	10-10-2012 Issue SCN for refusal of consent. IT Cell be requested to correct the category of the activity of the unit.

						• Date of commissioning of project ---- 01-01-2005 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 170 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 85 liters/day (b) Trade Effluent ---- 0 liters/day		Ask the unit to submit stack monitoring report with complete parameters from approved laboratory of DPCC and to submit the proof CETP membership. Accordingly, a letter issued to the unit on 17.06.2011. A reply received from the unit on 08.07.2011 along with copy of CETP membership.	
24	36237 13-01-2011	SHIV SHAKTI PLASTIC E-694, BASEMENT, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MFG. OF PLASTIC DANA. Plastic Processed Goods	• Date of commissioning of project ---- 01-01-2006 • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 170 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 85 liters/day (b) Trade Effluent ---- 0 liters/day		05-10-2012 CTE ---- CTE applied on 12.10.2010 Vide id.No. 35376. Water Consumption ---- 170 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 150 (in sq. meter) CETP Membership ---- Not Applicable Date of commissioning of project ---- 01-01-2010 Waste Water generation Domestic Effluent ---- 85 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- Yes NMR Sumitted ---- N/A Earlier CMC Decision on 08.04.2011 Ask the unit to submit stack monitoring report with complete parameters from approved laboratory of DPCC and to submit the proof of CETP membership. Accordingly, letter was issued to the unit on 17.06.2011. No reply received from the unit till date.	10-10-2012 Issue SCN for refusal of consent. IT Cell be requested to correct the category of the activity of the unit.
25	36258 17-01-2011	GUPTA ELECTRIC & MACHINERY & STORES 40, RAJASTHAN UDYOG NAGAR INDUSTRIAL AREA	Rajasthan Udyog Nagar Industrial Area	Orange Renewal	MFG. OF PVC CABLES. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 1200 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		09-10-2012 ETP: N/A ECS: N/A DG SET: 160 KVA Earlier CMC Decision on 08.04.2011 Ask the unit to reconfirm its plot area duly supported by the documentary evidences as the same is indicated as 2000 sqm in its consent application which is equal to the threshold limit for classification of the unit under the negative list of MPD-2021. Accordingly a letter sent on 10.06.2011 asking the unit to reconfirm the plot area duly supported by the documentary evidence. Reply received from the unit on 08.08.2011 along with requisite documents.	10-10-2012 Inspection be conducted.
26	36287 21-01-2011	HANSRAJ & CO. 69, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	MFG OF GRINDIGN OF RUBBER OF PVC Rubber moulded goods excluding production of tyres and tubes (without reclamation and	• Date of commissioning of project ---- • Built Up Area ---- 29.8 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		08-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No	10-10-2012 File be put up administratively.

					devulcanisation of rubber)		(5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO CMC (O) Meeting was held on 08.04.2011 as per meeting decision taken for inspection to be conducted. as per approval inspection was carried out by representative of DPCC and observed that 1. the unit is engaged in grinding of Rubber Hawai Chappal waste. 2. the unit has installed 2 exhaust fans followed by stacks 2m above roof level for chennalization.	
27	36299 21-01-2011	CELESTE A-12, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MFG. OF CONFECTIONARY AND CHOCOLATES (WITHOUT TRADE EFFLUENT) Food and Fruit Processing Industry - Confectioneries	• Date of commissioning of project ---- • Built Up Area ---- 110 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 ETP: N/A ECS: N/A D.G SET: NIL Earlier CMC Decision on 08.04.2011: Inspection be conducted. Inspection of the unit was carried out on 14.10.2011 and following was observed: 1. Unit was found operational and engaged in the activity of manufacturing of chocolate without trade effluent. 2. First floor is used for packaging of chocolates. 3. second floor is used for mfg of chocolates of different shapes by simply melting the chocolates and putting it in mold plates.	10-10-2012 Consent to Operate granted (without trade effluent discharge). IT Cell be requested to correct the category of the activity of the unit.
28	36307 24-01-2011	KHERA MOTORS H-1381, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MFG. OF PLASTIC DANA. Reprocessing of Waste Plastic/PVC (Without Washing Activity)	• Date of commissioning of project ---- 01-01-2001 • Built Up Area ---- 210 (in sq. meter) • Water Consumption ---- 60 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 Earlier CMC Decision: 23.03.2010 Issue renewal of consent. ATR Remarks: As per the decision taken up by Competent Authority Revocation of closure directions u/s 31 (A) of the Air Act was sent on 06.12.2010. CTE ---- CTE issued on 29.10.2002 and valid upto 07.10.2003 Vide C.No. 1621 Water Consumption ---- 60 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 210 (in sq. meter) CETP Membership ---- Not Applicable Date of commissioning of project ---- 01-01-2001 Waste Water generation Domestic Effluent ---- 30 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A Earlier CMC Decision on 08.04.2011 Ask the unit to submit stack monitoring report with complete	10-10-2012 Issue SCN for refusal of consent.

							parameters from approved laboratory of DPCC and to submit the proof of CETP membership.	
							Accordingly, a letter issued to the unit on 21.06.2011. No reply received from the unit till date.	
29	36318 25-01-2011	ELECTRO PRODUCTS (INDIA) PLOT NO.245,POCKET-M, SEC-5, DSIDC, INDUSTRIAL COMPLEX, BAWANA	Bawana Industrial Area	Orange Renewal	Mfg. of Copper Wire and Manufacturing of PVC Wire and Cables. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- 01-01-2004 • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 ETP: N/A ECS: N/A DG Set: nil Earlier CMC Decision: Ask the unit to apply for Authorization under HWM Rules and inform DJB regarding ground water extraction. accordingly letter issued to the unit on 16.06.2011. unit didnot applied for authorization till date.	10-10-2012 Issue SCN for refusal of consent. IT Cell be requested to correct the category of the activity of the unit.
30	36334 27-01-2011	DELHI SECURITY PRINTERS G-13, UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Renewal	OFFSET PRINTING WITHOUT TRADE EFFLUENT Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 278 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 06-01-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes decision dated: 08.04.2011 Inspection be conducted to ascertain the plate making activity. inspection conducted on 25.05.2012 during the inspection following were the observation: 1.) Two unit found operating namely Delhi securities Printers and Capital Business System and engaged in the activity of printing with film making. No clear boudries seen between of each unit. 2.) Waste water generated from the plate making work is being directly discharge intosewer without any treatment. 3.) unit has not complied with HWM Rules, No.Hazardous waste found stored. 4.) Three DG sets are installed in an acoustically treated room with stack height with stack height 2.5 above roof level each. the case was taken up on file and as approved SCN u/s 33 (A), 31 (A) and u/s 5 of EPA were issued on 19.06.2012, unit submitted its reply on 06.07.2012 and stated that the premises has been closed since 1st June,2012. As per the decision, unit was again inspected on 30.07.2012 and it was informed by the contacted person that the unit has been closed but no documentary proof available/ shown during the inspection. A reply was submitted by unit on 09.08.2012 and inform that the unit has closed since 01.06.2012 and also surrender their DVAT no. 1213000127584.	10-10-2012 Take action as decided on file.

31	36344	DINETTE HOME PRODUCTS A-48/1, PH-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	MFG OF STEEL AND PLSTIC KITCHENWARE ITEM Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 CTE : Issued valid upto 30.01.2007 vide consent order no 13707. Water Consumption ---- 200 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 150 (in sq.yards) CETP Membership ---- Mayapuri Industrial Area CETP Society / Membership No ---- 12025 Date of commissioning of project : 2006 Waste Water generation Domestic Effluent ---- 150 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A decision on 08.04.2011 inspection be conducted to ascertain the buffing activity.	10-10-2012 Inspection be expedited as decided in CMC on 08.04.2011.
32	36371	POOJA INDUSTREIS B-11, DSIDC COMPLEX, MANGOLPURI INDUSTRIAL AREA PH-I	Mangolpuri Industrial Area	Orange Renewal	PLASTIC MOULDED ITEMS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 ETP- N/A ECS-N/A D.G Set- Nil Inspection was conducted on 11.11.2010 & following were the observation:- 1. No measures taken to channelize the trade emissions generated from process emissions. 2. No CTE/ CTO obtained by the unit. Earlier CMC Decision:25.11.2010 Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act for operating without consent SCN for closure u/s 31 (A) of Air Act was sent on 08.03.2011 and you have not submitted any reply in response of this letter. Earlier CMC Decision on 08.04.2011 Decision taken on file regarding issuance of the SCN u/s 31(A) of the Air Act ratified. Further, the unit has not responded to the aforesaid notice, therefore, directions for closure confirmed. A letter be issued to the C.A for confirmation of the fact with a copy to unit so that further action as per law may be initiated Accordingly Direction for closure u/s 31 (A) of Air Act was issued on 24.06.2011 and alsc letter was issued to C.A for authenticity of C.A. certificate on 28.06.2011. Unit has submitted a reply on 30.06.2011 alongwith an affidavit & photograph.	10-10-2012 File be put up administrativley.

							A reply was received from C.A on 13.07.2011. Letter was issued to unit for submission of Bank Guarantee on 26.08.2011 Unit has submitted a Bank Guarantee on 07.10.2011 Revocation for closure direction u/s 31 (A) of Air Act issued on 25.11.2011	
33	36402 03-02-2011	KAY GEE PLASTIC. G-1089,DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MFG. OF PLASTIC DANA AND PLASTIC BAGS. Plastic Processed Goods	• Date of commissioning of project ---- 01-01-2010 • Built Up Area ---- 195 (in sq. meter) • Water Consumption ---- 175 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 75 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 ETP: N/A ECS:N/A DG set: nil Letter was sent on 21.06.2011 regarding submission of fresh CA certificate including the cost of land and building alongwith the balance consent fee as applicable on the basis of fresh CA certificate and also the proof of CETP membership. Reply has been received on 07.07.2011 alongwith the proof of CETP membership, CA certificate. Earlier CMC Decision on 14.09.2011 Put up in next CMC.	10-10-2012 Inspection be conducted, thereafter, file be put up administratively.
34	36403 03-02-2011	KRISHNA RANI T-5/239, PHASE-I, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	MFG. OF PVC FOOTWEAR AND REXENE MADE UPPERS. Footwear (rubber)	• Date of commissioning of project ---- 01-01-2002 • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 30 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 5 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 ETP:N/A ECS:N/A DG SET: NIL EARLIER DECISION ON 08.04.2011: Ask the unit to submit a fresh CA certificate including the cost of land and building along with the balance consent fee as applicable on the basis of fresh CA certificate. Accordingly a letter was issued to the unit on 21.06.2011. Till date no reply has been received from the unit.	10-10-2012 Issue SCN for refusal of consent. IT Cell be requested to correct the category of the activity of the unit to PVC Footwear (Using Fresh Raw Material).
35	36408 04-02-2011	AMRIK PLASTIC INDUSTRIES 244, SEC-1, PKT-H, DSIDC COMPLEX BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Manufacturing of Plastic Components with Injection Moulding and Spray Painting. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 50 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 ETP: N/A ECS: N/A DG Set: N/A Earlier CMC Decision: ask the unit apply for the Authorization under HWM Rules.Inform DJB about ground water extraction. a letter for submission of application for authorization was issued on 16.06.2011. unit didnt applied for authorization till date.	10-10-2012 Issue SCN for refusal of consent. IT Cell be requested to correct the category of the activity of the unit.
36	36433	M.S. ENGINEERING WORKS	Friends Colony Industrial Area	Orange Operate	Mfg. OF PLASTIC INJECTION MOULDING ITEMS.		05-10-2012 (1)ETP ---- N/A (2)ECS - N/A	10-10-2012 File be put up administratively.

	08-02-2011	PLOT NO 429/15-B, GALI NO 1, FRIENDS COLONY INDUSTRIAL AREA			Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 198 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...125 KVA... (a)Noise monitoring report not submitted. (4) Inspection details: conducted on 02.08.10 & following were observed: a) Lot of fugitive emissions generated in the premises due to powder & spray painting. b) No channelization / ECS has been provided by the unit. c) No measures for HW is taken. (5) SCN u/s 31(A) & 5 of EPA details : issued on 11.01.11. Unit has submitted its reply on 08.02.11 in response to the above mentioned SCN. As decided by the CMC (O) in its meeting held on 08.04.11, letter was issued on 13.06.11 for submission of BG of Rs. 50,000/- under Air Act & NMR of DG set. No reply has been received from the unit. EARLIER CMC DECISION 16.02.09 Ask the unit to provide acoustic enclosure with the DG sets. 17.06.09 Issue SCN for closure. Call on 19.08.2009. 07.05.10 Inspection be conducted. 25.11.10 Issue SCN u/s 31(A) of the Air Act for non installation of ECS and SCN u/s 5 of EPA. 08.04.11 Ask the unit to submit noise monitoring report from approved laboratory of DPCC and Bank Guarantee of Rs. 50,000 each under Air Act and HWM Rules valid for one year. If unit submits the aforesaid documents, consent to operate, consent to establish and authorization be issued.	
37	36413	SACHIN T-5/239 PH-I MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	MFG. OF PVC FOOTWEAR AND REXENE MADE UPPERS. Footwear (rubber)	• Date of commissioning of project ---- 01-01-2000 • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 25 liters/day (b) Trade Effluent ---- 0 liters/day		08-10-2012 ETP:N/A ECS:N/A DG SET: NIL EARLIER CMC DECISION ON 08.04.2011: Ask the unit to submit proper CA certificate and the balance consent fee if warranted in view of capital investment. Accordingly a letter was issued to the unit on 21.06.2011. Till now no reply has been received from the unit.	10-10-2012 Issue SCN for refusal of consent. IT Cell be requested to correct the category of activity of the unit to PVC Footwear (Using Fresh Raw Material).
38	36459	R.K CASTING WORKS. PLOT NO-171,SEC-5,POCKET-K,DSIDC	Bawana Industrial Area	Orange Operate	SMALL FOUNDRY PIT FURNACE C.I. Malleable Pipe Fittings (With Casting Only With Pit			14-09-2012 CTE ---- expired on 17.02.2011 Water Consumption ---- 350 liters/day Ground Water ----350 liters/day Built Up Area ---- 90 (in sq. meter) CETP Membership ---- Not Applicable Date of commissioning of project ---- December 2010	10-10-2012 Inspection be conducted to ascertain the type of furnace. Earlier CTE application dated 23.03.2007 be made infructuous.

		BAWANA INDUSTRIAL AREA			Furnace)	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	Waste Water generation Domestic Effluent ---- 250 liters/day Trade Effluent ---- 0 liters/day Stack monitoring report submitted on 03.02.2011 A letter issued to the unit on 13.07.2011 for submisison of bank guarantee. unit submitted bank guarantee on 02.08.2011.	
39	36462 11-02-2011	MITSUMI INDIA PVT. LTD. 27, PHASE-III, OKHLA INDUSTRIAL ESTATE	Okhla Industrial Estate	Orange Renewal	Mfg. of Dies and Moulds and Injection Molding of mixer Juicer, refrigerator, washing machine, Air conditioner, Energy meters etc parts. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 2300 liters/day • Ground Water ---- 2300 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 29.07.10 and it was found that part of the premises is being used by the unit for Mfg. of Dies & Mouldings along with M/s Sparton Sales Corporation, 27, Okhla Industrial Estate. Unit has applied with the name of M/s MITSUMI ELECTRONICS PVT. LTD., 27, Phase-III, Okhla Industrial Estate Delhi. As decided by the CMC (O) in its meeting held on 08.04.11, SCN for refusal was issued on 06.06.11 as the activity / unit exist at Plot No 252 as per earlier record. Unit has submitted its reply on 21.06.11 & stating that at the time of applying CTE they had wrongly mentioned address as 252, Okhla Industrial Estat. where as they had shifted their unit to 27, Okhla Industrial Estate. As such correct present address is 252, Okhla Industrial Estate & requested to grant CTO. EARLIER, unit has applied for CTR (orange) on 09.11.06 with the name of M/s MITSUMI INDIA PVT. LTD, 27, Okhla Industrial Estate. with the activity of Manufacturing of Dies, Moulds, Injection Mouding of Polymers. Then, unit has applied for fresh CTE (orange) on 22.07.09 with the name of M/s MITSUMI INDIA PVT. LTD, 27, Okhla Industrial Estate. with the activity of Manufacturing of Dies, Moulds, Injection Mouding of Polymers & the same was issued on 11.06.10. Now, unit has applied for CTO (orange) on 11.02.11 with the name of MITSUMI ELECTRONICS PVT. LTD, 27, Phase-III, Okhla Industrial Estate Delhi for the activity of Mfg. of Dies and Moulds and Injection Molding of mixer Juicer, refrigerator, washing machine, Air conditioner, Energy meters etc parts.	10-10-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

							EARLIER CMC DECISION 12.05..10 Issue consent to establish without trade effluent discharge. 08.04.11 Issue SCN for refusal of consent as the activity / unit exist at Plot No 252 as per earlier record.	
40	36466 11-02-2011	MITSUMI ELECTRONICS PVT. LTD. 252, PHASE-III, OKHLA INDUSTRIAL ESTATE	Okhla Industrial Estate	Orange Renewal	Manufacturing of Dies, Moulds, Injection Mouding of Polymers. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 1300 liters/day • Ground Water ---- 1300 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 29.07.10 and it was found that part of the premises is being used by the unit for Mfg. of Dies & Mouldings along with M/s R.S.N Industries, 252, Okhla Industrial Estate. Unit has applied with the name of M/s MITSUMI INDIA PVT. LTD, 252, Phase-III, Okhla Industrial Estate Delhi. As decided by the CMC (O) in its meeting held on 08.04.11, SCN for refusal was issued on 06.06.11 as the activity / unit exist at Plot No 27 as per earlier record. Unit has submitted its reply on 21.06.11 & stating that at the time of applying CTE they had wrongly mentioned address as 27, Okhla Industrial Estat. where as they had shifted their unit to 252, Okhla Industrial Estate. As such correct present address is 252, Okhla Industrial Estate & requested to grant CTO. EARLIER, unit has applied for CTR (orange) on 09.11.06 with the name of M/s MITSUMI ELECTRONICS PVT. LTD., 252, Okhla Industrial Estate. with the activity of Mfg. of dies & moulds & injection molding of mixer, juicder, refrigerattor, air conditioner. Then, unit has applied for fresh CTE (orange) on 22.07.09 with the name of M/s MITSUMI ELECTRONICS PVT. LTD.252, Okhla Industrial Estate. with the activity of Mfg. of dies & moulds & injection molding of mixer, juicder, refrigerattor, air conditioner, washing machine, energy meters etc parts & the same was issued on 11.06.10. Now, unit has applied for CTO (orange) on 11.02.11 with the name of MITSUMI INDIA PVT. LTD, 252, Phase-III, Okhla Industrial Estate Delhi for the activity of Manufacturing of Dies, Moulds, Injection Mouding of Polymers. EARLIER CMC DECISION 12.05..10 Issue consent to establish without trade effluent discharge. 08.04.11	10-10-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

							Issue SCN for refusal of consent as the activity / unit exist at Plot No 27 as per earlier record.	
41	36473 14-02-2011	SHYAM ENGINEERING CO. PLOT NO-3, POCKET-O, SECTOR-2, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	SHEET METAL WORKS. Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/day)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	09-10-2012 CTE ---- applied on 22.07.2010 Water Consumption ---- 300 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 150 (in sq. meter) CETP Membership ---- Not Applicable Date of commissioning of project ---- 2010 Waste Water generation Domestic Effluent ---- 50 liters/day Trade Effluent ---- 0 liters/day Adequacy report dated 07.02.2011 submitted. ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- Yes NMR Sumitted ---- N/A Earlier CMC Decision on 08.04.2011 File be put up administratively.	10-10-2012 Inspection be conducted, thereafter, file be put up administratively.
42	36494 17-02-2011	DYANA INTERNATIONAL BEAUTY PRODUCTS PLOT NO 265, SECTOR-2, POCKET-C, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MANUFACTURING OF PERFUMERY AND COSMETICS AND PLASTIC MOULDED ITEM WITH HOT STAMPING. Perfumes and Cosmetics Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 400 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 ETP / STP ---- N/A ECS---- N/A DG Set: nil earlier CMC Decision dated 08.04.2011: Ask the unit to submit the duly signed fresh affidavit and to apply for authorizxation under HWM rules in view of industrial use of colour and pigments. inform DJB regarding ground water extraction. accordingly a letter issued to the unit on 16.06.2011	10-10-2012 Issue SCN for refusal of consent.
43	36495 17-02-2011	DYNA INTERNATIONAL BEAUTY PRODUCTS B-46/4, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MANUFACTURING OF PERFUMERY AND COSMETICS AND PLASTIC MOULDED ITEM WITH HOT STAMPING. Perfumes and Cosmetics	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 400 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day	09-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil Earlier CMC Decision on 08.04.2011 Ask the unit to submit the duly signed fresh affidavit and to apply for authorization under HWM Rules in view of industrial use of colour and pigments. Inform DJB regarding ground water extraction. Accordingly, a letter issued to the unit on 16.06.2011.	10-10-2012 Issue SCN for refusal of consent.
44	36500	GURU HARKRISHAN MACHANICAL	Bawana Industrial Area	Orange Renewal	Manufacturing and Assembling of Door Closers.		09-10-2012 CTE ---- expired on 17.02.2011 Water Consumption ---- 300 liters/day	10-10-2012 Inspection be conducted, thereafter, file

	17-02-2011	WORKS PLOT NO 59, POCKET-K, SECTOR-2, DSIDC BAWANA INDUSTRIAL AREA			Spray Painting, Paint Baking, Paint Stripping	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		Ground Water ---- 0 liters/day Built Up Area ---- 60 (in sq. meter) CETP Membership ---- Not Applicable Date of commissioning of project ---- 2010 Waste Water generation Domestic Effluent ---- 150 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A Earlier CMC Decision on 08.04.2011 Inspection be conducted. Accordingly, inspection was conducted on 10.06.2011 and it was observed that permises was laying vacant.	be put up administratively.
45	36513 18-02-2011	RIAZUDDIN GHASUDDIN T-4/67, PHASE-I, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	Manufacturing of Raw LD Sheets. Footwear (rubber)	• Date of commissioning of project ---- 01-01-2007 • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 75 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		08-10-2012 unit applied for CTE and CTO for the changed activity on 16.12.2011 same were issued on 29.05.2012.	10-10-2012 Consent application dated 18.02.2011 be made infructuous.
46	36516 18-02-2011	R.K. GOEL (H.U.F.) G-1106, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	Manufacturing PVC Sole. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 210 (in sq. meter) • Water Consumption ---- 55 liters/day • Ground Water ---- 55 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day		08-10-2012 CTE ---- Not Applied Water Consumption ---- 55 liters/day Ground Water ---- 55 liters/day Built Up Area ---- 210 (in sq. meter) CETP Membership ---- Not Applicable Date of commissioning of project ---- 01.01.2002 Waste Water generation Domestic Effluent ---- 25 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A Earlier CMC Decision on 08.04.2011 Ask the unit to submit the proof of CETP membership. If unit submit the aforesaid document, renewal of consent be issued. Inform to DJB regarding ground water extraction. Accordingly, a letter was issued to the unit on 21.06.2011. No reply received from the unit till date.	10-10-2012 Issue SCN for refusal of consent.
47	36517 18-02-2011	SANGEETA GOYAL G-1106, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	Manufacturing of PVC Sole. Manufacturing of PVC Granules and Other Injection			08-10-2012 ETP: N/A ECS:N/A DG SET: NIL	10-10-2012 Issue SCN for refusal of consent.

					Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 01-01-1992 • Built Up Area ---- 210 (in sq. meter) • Water Consumption ---- 40 liters/day • Ground Water ---- 40 liters/day • Waste Water generation (a) Domestic Effluent ---- 15 liters/day (b) Trade Effluent ---- 0 liters/day		EARLIER CMC DECISION ON: 08.04.2011: Ask the unit to submit the proof of CETP membership. If unit submits the aforesaid document, renewal of consent be issued. Inform DJB regarding ground water extraction. Accordingly a letter was issued to the unit on 21.06.2011. Till date no reply has been received from the unit.	
48	36530 21-02-2011	SHRINK PACK LABELS PVT. LTD (UNIT-II) A-39, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	Mfg. of Laminated Bags and Sacks. Coated Cotton Fabrics (PVC Rexene Cloth)	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 300 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		08-10-2012 ETP:N/A ECS:N/A DG SET:NIL EARLIER CMC DECISION ON 08.04.2011: Ask the unit to submit a proof of CETP membership. If unit submits the aforesaid document, consent to operate be issued. Inform to DJB regrading ground water extraction. Accordingly a letter was issued to the unit on 21.06.2011. till date no reply has been received from the unit.	10-10-2012 Inspection be conducted.
49	36533 22-02-2011	KUND-KUND POLYMERS 70, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	Mfg. OF PVC COMPOUND AND MASTER BATCH. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 540 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 1100 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 0 liters/day		08-10-2012 CTE : Not Applied Water Consumption ---- 1100 liters/day Ground Water ---- 1100 liters/day Built Up Area ---- 540 (in sq. meter) CETP Membership ---- Kirti Nagar, DLF & Najafgarh Road Industrial Area CETP Society / Membership No ---- 365 Date of commissioning of project : 1989. Waste Water generation Domestic Effluent ---- 1000 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- Yes Test Report(Air) within Limit ---- Yes NMR Sumitted ---- Yes ATR/Remarks: Applied for CTO_R on 26.10.2006 vide ID no 19623. CTO Issued valid upto 31.05.2006 vide consent order no 12787. Earlier CMC Decision: Decision on 15.06.2009 Ask the unit to correct the deficiencies observed by SIT during inspection and for the organic pigment used by unit, chemical name should be given. Compliance be filed on affidavit. Call on 12.08.2009.	10-10-2012 Inspection be expedited as decided in CMC on 08.04.2011.

							decision on 08.04.2011 inspection be conducted. inform to DJB, regarding the Groundwater extraction.	
50	36539 23-02-2011	DELTA TRANSFORMERS PVT LTD 5/4, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	MANUFACTURING OF SMALL SIZE TRANSFORMERS AND VOLTAGE STABLIZERS. Transformer Assembly / Repairing	• Date of commissioning of project ---- • Built Up Area ---- 259 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO ATR/Remarks: CTO issued valid upto 16.01.2008 vide consent order no 13272. Applied for CTO_R on 16.01.2008 vide ID no 24757. CMC(O) meeting held on 08.04.2011 and decide for inspection be conducted to check haardous waste generation and activity falls under negative list as per MPD-2021.	10-10-2012 Inspection be expedited as decided in CMC on 08.04.2011.
51	36574 28-02-2011	VARUN ELECTRO HEAT G-956, DSIDC IND. COMPLEX, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	MANUFACTURING OF METAL CONTAINERS AND ELECTRICITY RESISTANCE WIRE. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot) Manufacturing Of Metal Caps and Containers (With Printing)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Earlier CMC decesion on 08.04.2011 Ask the unit to apply for authorization under HWM Rules in view of wire drawing activity as sludge containing copper residue will be genrated. Also ask the unit to submit the proof of CETP membership. Letter was issued to Unit on 21.06.2011	10-10-2012 File be put up administratively.