



CONSENT MANAGEMENT

Agenda No. 1 - Annexure II - 13 Cases of Consent to Establish under orange category of the period 28.02.2011 to 01.12.2010 in reverse chronology (excluding the cases of Redevelopment areas)recommended by Screening Committee as (2c category) in its meeting on 10.10.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	35826 03-12-2010	KRISHNA UDYOG A-5/11, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Establish	Mfg. of pressure cooker with buffing. Buffing On Metal	- Date of commissioning of project ---- - Built Up Area ---- 130 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		05-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 04.01.12 & it was observed that: a) Krishna udyog has vacated the premises (as informed by Shri. Ashok Aggrawal) since Diwali. b) Another three units ---- 1) M/s Aggarwal Insulation found operating in the premises. 2) M/s Star insulation (prop Sh. Inder Kant) found with activity of super enamelling. 3) M/s S.G. Enterprises found existing at the above mentioned address 4) M/s Manoj Wire with activity super enamelling found in the premises but it is not operating/ closed. (5) Closure directions u/s 31(A) details : issued on 20.10.10 in view of CWG 2010. Unit has submitted its reply on 03.12.10 along with a photocopy of affidavit & stating that the ECS has been provided and plant & device are in complete operational and in functional condition. EARLIER CMC DECISION 16.03.11 Ask the unit to provide technical adequacy report of ECS (in non operational condition of unit) in view of closure direction already issued. 02.11.11 Inspection be conducted. In case of deficiencies found, effective closure through SDM be done.	10-10-2012 Recommended for refusal of consent. Rest of the cases to be dealt separately.
2	35957	BEDI MOTORS KEMAL	NEW DELHI	Orange Establish	FILLING STATION CUM SERVICE			08-10-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 25.01.2011 issued by DTU submitted.	10-10-2012 File be put up administratively.

	15-12-2010	ATTATURK MARG (NEAR RACE COURSE) NEW DELHI			STATION OF CARS Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 297 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 3000 liters/day	(b) Effluent analysis report dated 25.01.2011 issued by DTU submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 23-02-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: an inspection was carried out by representative of DPCC on 02.12.2010 and as per inspectin following are the observation. - unit found operating and engaged in petrol pump cum service station (washing cars)- tata authorised. - ETP found installed by same in lying defunct. No dry or wet sludge found. waste water generated is being by passed or discharged with out any treatment. -bore well connection exist. DC set 50 KVa found with acoustic enclosure but stack height is inadequate. (5) SCN u/s 31(A)/33(A)/5 of EPA details : as per approval in CMC meeting held on 21.01.2011, SCN was issued on 25.05.2011 under water and air act. - in response of SCN a reply was submitted by unit on 06.06.2011 and inforced that the they have applied for HWM rule on 27.05.2011 and adequacy report of ETP and Noise monitoring report is submitted with application for consent to operate. -As per CMC meeting held on 28.09.2011 a letter was issued to the unit on 23.11.2011 for submission of bank guarantee of rs. 50,000 under each water and air act and HWM rule valid for one year and submit its reply on an affidavit. -unit has submit a letter on 27.02.2012 along with bank guarantee of Rs 50,000/- each under air and water act. again a letter was issued to the unit on 30.03.2012 regarding reply on affidavit for HWM. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No.	
3	36052 23-12-2010	PIONEER FARM (A UNIT OF PIONEER PUBLICITY PVT.LTD.) KH.NO 54/8(3-19),9(4-16),10 (4-6),PALLA BAKHATWARPUR ROAD G.T.K.	NORTH WEST	Orange Establish	HOSPITALITY. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- 01-01-2011 • Built Up Area ---- 135 (in sq. meter) • Water Consumption ---- 5000 liters/day • Ground Water ---- 5000 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 4000 liters/day	05-10-2012 ETP: proposed ECS: N/A D.G SEt of 62.05 KVA proposed. Directions for closure u/s 33(A) /31(A) were issued on 12.01.2011 unit submitted its reply on 01.03.2011 along with affidavit and copy of adequacy report of ETP. A letter was issued to the unit on 15.03.2011 for submission of	10-10-2012 Recommended for grant of Consent to Establish.

		ROAD					bank guarantee. Earlier CMC Decision on 16.03.2011: decision taken on file on 04.03.2011 ratified regarding submission of bank Guarantee of Rs. one lakh each under Air act and Water act valid for one year, if unit submits the bank guarantee, consent to establish be issued. again letter issued to the unit on 01.08.2011 for submission of bank guarantee. unit submitted bank guarantee on 28.07.2011. Revocation of closure directions was issued on 16.08.2011	
4	36055 24-12-2010	JAIN INDUSTRIAL LIGHTNING CORPORATION B-70/22 DSIDC LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Establish	ELECTRICAL LIGHT FITTINGS CFL LAMPS ELECTRICAL APPLIANCES AND ELECTRONIC GOODS. ELECTRICAL LIGHT FITTINGS CFL LAMPS ELECTRICAL APPLIANCES AND ELECTRONIC GOODS.	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 ETP / STP ---- N/A ECS: N/A DG Set: nil Earlier CMC Decision 16.03.2011:file be put up administratively. A letter issued to the unit on 23.11.2011 for submission of bank guarantee and unit submitted th same on 01.12.2011.	10-10-2012 Recommended for grant of Consent to Establish. IT Cell be requested to correct the category of the activity of the unit to Powder Coating.
5	36144 04-01-2011	MILLENIUM BUTTONS PVT.LTD. PLOT NO 154,BLOCK-A, SECTOR-2,DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	Manufacturing of Buttons. Spectacles and Optical Frames (Plastic Products)	• Date of commissioning of project ---- 01-01-2010 • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 500 liters/day	05-10-2012 ETP / STP ---- proposed ECS: proposed DG Set: nil Earlier CMC Decision: Ask the unit to submite the Bank Guarantee of Rs. 50,000 each under Air Act and Water Act valid for 1 year. and if unit submits the same consent to establish be issued. accordingly a letter issued to the unit 15.05.2011. unit submitted sinlgle bank guarantee under Water Act on 15.07.2011. again letter issued to the unit for submisson of bank guarantee under Air Act on 24.08.2011.	10-10-2012 Recommeded to inspect the unit.
6	36193 10-01-2011	MAHABIR DAL MILLS PLOT NO-150,SECTOR-2,POCKET-B,BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	Dall Mills. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 ETP / STP ---- N/A ECS: proposed DG Set: nil Earlier CMC Decision dated 31.03.2011: ask the unit to clarify the reason to apply for applying consent to establish twice.accoedingly a letter issued to the unit on 16.05.2011	10-10-2012 Recommended to grant Consent to Establish for the activity of Dal, Besan & flour Mill. IT Cell be requested to correct the activity and its categorization. Ask the unit to apply afresh for consent to operate.
7	36267	NORTHERN STEEL INDsutRIES (UNIT-II)	Wazirpur Industrial Area	Orange Establish	BUFFING ON S.S. UTENSILS. Manufacturing of		08-10-2012 1)ETP ---- N/A (2)ECS - yes	10-10-2012 File be put up administratively as decided on 03.10.2012.

	18-01-2011	A-53, GROUP WAZIRPUR INDUSTRIAL AREA			Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day	(a) AR dated 08.04.2011 issued by DTU submitted. (b) Stack monitoring report dated 08-04-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3) D.G. Set: ...NIL SCN u/s 31(A) was issued on 21.06.2011. Unit submitted its reply along with adequacy and test reports of ECS. Earlier CMC Decision on 28.09.2011 Issue SCN for refusal of consent for want of documentary evidence to establish that unit No-1 and unit-II are the separate entity. Accordingly, SCN for refusal of consent issued to the unit on 22.11.2011. No reply received from the unit.	
8	36349 31-01-2011	ASGAR PLASTIC WORKS I-2059, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Establish	MFG. OF PVC DANA (WITH WASHING SCRAP). Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 70 liters/day	05-10-2012 CTE ---- CTE applied on 31.01.2011 vide Id.No. 36349. Water Consumption ---- 300 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 150 (in sq. meter) CETP Membership ---- Not Applicable Date of commissioning of project ---- 01.02.2011 Waste Water generation Domestic Effluent ---- 100 liters/day Trade Effluent ---- 70 liters/day ETP / STP ---- Not installed. Test Report (Water) within Limit ---- N/A Test Report (Air) within Limit ---- N/A NMR Submitted ---- N/A Earlier CMC Decision on 31.03.2011 Inspection be Conducted Unit has submitted a reply on 21.09.2011 Inspection conducted on 20.12.2011 and following were observed: Unit found locked and as informed by neighbours no industrial activity was carried out in the premises it also reveals from the situation no activity was carried out.	10-10-2012 Recommended for grant of Consent to Establish. IT Cell be requested to correct the activity of the unit to Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity).
9	36469 11-02-2011	THE RETREAT MOTEL (RUN BY JINGAL BELL AMUSEMENT PARK PVT. LTD.) ALIPUR, MAIN G.T. KARNAL ROAD	NORTH WEST	Orange Establish	MOTEL AND RESORT ACTIVITY. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average	• Date of commissioning of project ---- • Built Up Area ---- 5058.57 (in sq. meter) • Water Consumption ---- 5290 liters/day • Ground Water ---- 5290 liters/day • Waste Water generation (a) Domestic Effluent ---- 1880 liters/day (b) Trade Effluent ---- 2350 liters/day	09-10-2012 (1) ETP ---- N/A (a) AR dated 18.01.2011 issued by DTU submitted. (b) Effluent analysis report dated 18-01-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes Effluent analysis report dated 18-01-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2) ECS - N/A (3) D.G. Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 08-03-2011 issued by DELHI COLLEGE OF	10-10-2012 Implement the earlier CMC decision dated 03.10.2012 regarding issuance of Show Cause Notice u/s 33(A) of the Water Act, u/s 31(A) of the Air Act and for refusal of consent. IT Cell be requested to correct the category of the unit to Hotel With Atleast 20 Bed Rooms.

					Production Of More Than 1tonne/Day)		ENGINEERING submitted. Noise monitoring report within Limit - No The unit has 1 D.G. Set(s) of 80 KVA. Noise monitoring report dated 01-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No Direction for closure u/s 33(A)/ 31(A) was issued on 10.01.2011. Revocation of closure direction was issued on 29.11.2011. unit submitted MCD and Delhi Police license. Inseption of the unit was conducted on 11.09.2012 and following observed that: 1) Unit found installed ETP but same found not in operation and waste ater direcvtly dischedged in to the drain. 2) Unit found installed hood and suction arrangement but same found not in operation.	
10	36543 23-02- 2011	SHREE GANESHA ENTERPRISES (CITY BANQUET) 40 B RAMA ROAD NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Establish	Banquet. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 249.12 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2000 liters/day	09-10-2012 (1)ETP --- Bio-logical (a) AR dated 23-03-2011 issued by DTU submitted. (b) Effluent analysis report dated 23-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 4 number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - Channalisation for kitchen emissions. (3)D.G.Set Noise Report : 2 (125KVA and 180 KVA) (a) Noise monitoring report dated 01-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:Inspection conducted on 25.01.2011. During the inspection following were observed: a) Waste water generated from the kitchen is discharged directly into the sewer without treatment. b) Effluent Treatment Plant is under installation and yet to be commissioned. c) The tandoor and bhatti installed at first floor are not provided with channelization system. d) D.G sets of 125 KVA & 150 KVA were found installed without adequate stack height. (5) SCN u/s 31(A)/33(A) issued on 11.02.2011 Modified direction u/s 31 (A) of the Air Act, 1981 & u/s 33 (A) of the Water Act issued on 11.03.2011. (6) Closure directions u/s 31(A)/33(A) issued on 05.05.2011. A letter has been issued for the submission of channelization system for kitchen emission on an affidavit, submit the bank guarantees Rs. One lakh each under Air Act and Water Act on 19.07.2011. Unit submitted the bank guarantee of Rs. one lakh each under air and water act on 21.07.2011 and the closure directions has	10-10-2012 File was put up administratively and as decided in file, inspection be conducted and also ask to submit valid MCD and Delhi Police license.

							been revoked on 21.07.2011. Unit submitted an affidavit and inform that MCD and Delhi Police License has been applied and will submit the same at the earliest.	
11	36547 24-02-2011	D.D. KNITWEARS C-153, MAYAPURI INDUSTRIAL AREA PH-II	Mayapuri Industrial Area	Orange Establish	MANUFACTURING OF HOSIERY GOODS WITH WASHING. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 700 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 450 liters/day	08-10-2012 CTE : Applied on 12.08.2010 vide ID no 34835 under Green category in the activity of Mfg. of hosiery goods w/o washing/bleaching w/o trade effluent. Water Consumption ---- 700 liters/day Ground Water ---- 700 liters/day Built Up Area ---- 250 (in sq. meter) CETP Membership ---- Mayapuri Industrial Area CETP Society / Membership No ---- NO Date of commissioning of project : April, 2011 Waste Water generation Domestic Effluent ---- 100 liters/day Trade Effluent ---- 450 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A Earlier CMC Decision: Decision on 05.10.2010 Inspection be conducted. Inspection was inspected on 22.11.2010 & 07.12.2010 but the concerned person did not allow us to inspect the premesis. Decision on 30.12.2010 Issue SCN for refusal of consent and SCN u/s 31(A) of the Air Act and u/s 33 (A) of the Water Act. Decision on 11.11.2011 Ask the compliance from dicom & DJB and also ask the SDM for effective closure of the unit. Refusal of consent under green category issued to the unit on 08.11.2011.	10-10-2012 File be put up administrativley considering the earlier decisions taken by CMC.
12	36568 28-02-2011	369 BANQUETS AND LOUNGE 33/33A, RAMA RAOD NAJAF GARH INDL AREA	Najafgarh Road Industrial Area	Orange Establish	BANQUETS AND LOUNGE. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- 01-10-2010 • Built Up Area ---- 1111 (in sq. meter) • Water Consumption ---- 2300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 2500 liters/day	08-10-2012 CTE : Applied on 18.10.2010 vide ID no 35415 in the same activity. Water Consumption ---- 2300 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 1111 (in sq. meter) CETP Membership ---- Kirti Nagar, DLF & Najafgarh Road Industrial Area CETP Society Date of commissioning of project ---- Nov,2010 Waste Water generation Domestic Effluent ---- 300 liters/day Trade Effluent ---- 2500 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit -----N/A	10-10-2012 Unit has submitted a letter on 20.05.2011 with reference to letter dated 12.05.2011 seeking reason for applying again for consent to establish. The unit has informed that they have applied for CTE by mistake. Recommended to make the application dated 28.02.2011 infructuous.

							NMR Submitted : not submitted D.G Set of 125,100 & 62.5 KVA	
13	36581 28-02-2011	S & S HOSPITALITY SERVICES INC PLOT NO 16,SHIVAJI MARG NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Establish	BANQUET HALL. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 10000 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2000 liters/day	09-10-2012 (1)ETP: Physiochemical (a) AR dated 30.05.2011 issued by DTU submitted. (b) Effluent analysis report dated 30.05.2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit, Yes. Four numbers of parameters analyzed which are within limit. (2)ECS: Channelization for Kitchen emissions. (3)D.G.Set Noise Report: 2 (320 KVA & 125 KVA) (a) Noise monitoring reports of both D.G sets dated 22-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: Conducted on 28.01.2011, during the inspection following were observed: a) Waste water generated from kitchen located at ground floor and first floor being discharged without treatment. An Oil & Grease Trap is installed & found filled with kitchen garbage. No Effluent Treatment Plant found installed. b) D.G. Sets of 325 KVA & 125 KVA found installed without adequate stack height. (5) SCN u/s 31(A)/33(A) issued on 11.02.2011. (6) Closure directions u/s 31(A)/33(A) issued on 11.03.2011. As decided in CMC A letter issued to the unit on 04.04.2011 for the submission of Bank Guarantee. Unit submitted the Bank Guarantee on 05.04.2011each under air and water act. Temporary revocation of closure direction issued on 07.04.211 with further directions to submit the adequacy report of ETP/STP and to apply for consent to operate. Unit applied for CTO with EAR dated 30-05-11 and and submit an affidavit regarding MCD and Police License. Earlier CMC Decision: Decision on 31.03.2011. Ask the unit to submit Bank Guarantee of Rs. One Lakh each under Air Act and Water Act valid for one year. If unit submits the bank guarantee, issue consent to establish and closure directions be revoked temporarily for a period of 45 days for submission of adequacy report of the ETP installed and to apply for consent to operate. Letter be issued without waiting for minutes.	10-10-2012 File was put up administratively and as decided in the file, inspection be conducted.