



CONSENT MANAGEMENT

Agenda No. 2 - Annexure II - 45 Cases of Consent to Operate and Consent to Operate(renewal)under orange category of the period 28.02.2011 to 01.12.2010 in reverse chronology (excluding the cases of Redevelopment areas) recommended by Screening Committee as (2c category) in its meeting on10.10.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activity / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	35798 01-12-2010	S.K. JAIN A-32, GROUP, TOP FLOOR, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	BUFFING ON UTENSILS JOB WORK BASIS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	- Date of commissioning of project ---- - Built Up Area ---- 100 (in sq. meter) - Water Consumption ---- 20 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day		05-10-2012 1) ETP / STP ---- N/A 2) ECS: yes Adequacy report dated 29.10.10 and stack monitoring report dated 29.10.10 issued by DTU submitted and all the parameters found within limits. 3) D.G. Set: nil Closure directions u/s 33(A)/ 31(A) was issued to the unit on 01.11.2010. a letter issued to the unit on 08.06.2011 regarding submission of bank guarantee. no reply recieved from the unit till date.	10-10-2012 File be put up administratively.
2	35799 01-12-2010	SHRI BALAJI MEATALISER B-35/5, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Operate	VACCUUM METALIZED ITEMS. Vacuum Metalising	- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 700 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 500 liters/day		08-10-2012 ETP: YES ECS: N/A DG SET: NIL EARLIER CMC DECISION ON 16.03.2011: Ask the unit to apply for authorization under HWM rules. Accordingly a letter was issued to the unit on 21.04.2011. Till date no reply has been received from the unit.	10-10-2012 Recommended to inspect the unit, thereafter, file be put up administratively.
3	35801 02-12-2010	VANDNA ELECTRICALS PLOT NO.-14, POCKET-G, SECTOR-3, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Manufacturing of Electrical Fans and Appliances. Electrical & Electronic Goods Manufacturing (With Electroplating)	- Date of commissioning of project ---- 01-01-2005 - Built Up Area ---- 150 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		05-10-2012 ETP: N/A ECS: N/A DG SET: NIL EARLIER DECISION ON 16.03.2011 : Inspection decided w.r.t CTE application be expedited.	10-10-2012 Recommended to inspect the unit, thereafter, file be put up administrativley.
4	35815 03-12-2010	T.R. SAWHNEY MOTORS PVT. LTD. B-5, KPHASE-I , BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	CAR WASHING CUM SERVICE STATION. Automobile Servicing And			05-10-2012 CTE ---- CTE issued on 08.08.2003 and valid upto 07.08.2004 Vide C.No. 7174. Water Consumption ---- 3500 liters/day Ground Water ---- 0 liters/day	10-10-2012 Recommended for grant of Consent to Operate and to check the application for authorization under HWM Rules.

					Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 780 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 3000 liters/day	Built Up Area ---- 780 (in sq. meter) CETP Membership ---- Badli Industrial Area CETP Society / Membership No -- -- 6403 Date of commissioning of project ---- 01.01.2003 Waste Water generation Domestic Effluent ---- 200 liters/day Trade Effluent ---- 3000 liters/day ETP / STP ---- No Test Report(Water) within Limit ---- No Test Report(Air) within Limit ---- Yes NMR Sumitted ---- Yes Earlier CMC Decision on 16.03.2011 Inspection be Conducted Accordingly Inspection conducted on 06.06.2011 and following were observed: a). Unit engaged in washing and sevicng of vehicles. b). ETP has been installed but the same was not found in operation condition of sludgefilter press reveals it was not operated for last 15 days. c). No tray below sludge filter press was seen. d). No chemical dosing tanks were observed. Accordingly, SCN u/s 33(A) of the Water Act and SCN u/s 5 of EPA and SCN for refusal of consent issued on 29.06.2011. A reply received from the unit on 05.07.2011 along with affidavit. A Letter for submission of bank gurantee issued on 29.08.2011 . A reply received from the unit on 07.09.2011 & 07.10.2011. An again Inspection conducted on 24.10.2011 and following were observed: a). Unit found operational engaged in the activity of car washing cum sevice station. b). ETP found installed same found in working condition. Reminder Letter for submission of bank gurantee issued on 22.12.2011 A reply received from the unit along with BG on 27.01.2012.	
5	35838 03-12-2010	KARAN WIRE INDUSTRIES 340/61, GALI NO. 1B, FRIENDS COLONY INDUSTRIAL AREA, G.T. ROAD, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	Copper Wire Drawing with Super Enamelling. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 108.68 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 (1)ETP ---- N/A (2)ECS - wet scrubber (a) Stack analysis report dated -25.06.12 - issued by - DTU - submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 12-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: : 24.09.2010: ECS not working. D.G set	10-10-2012 File be put up administratively.

							w/o A/E. (5) Closure directions u/s 31(A)/33(A)/5 of EPA details : closure direction on 20.10.10 as no ECS was not found in operation on 24.09.2010. As decided by the CMC (O) in its meeting held on 02.11.11, letter was issued on 19.12.11 to SDM for effective closure & copy was also sent to BSES. A representation was received from the unit on 22.02.12 stating that all the deficiencies has been rectified as observed by the DPCC officials during inspection including ECS and acoustic enclosure. Bank Guarantee of Rs one lakh under Air Act is also submitted by the unit. As approved by the competent authority in DPCC, temporary revocation was issued on 20.03.12 for 45 days for submission of SMR & NMR. Unit has submitted its reply on 27.06.12 along with NMR dated 12.06.12 issued by DPCC & SMR dated 25.06.12 issued by DTU. EARLIER CMC DECISION 16.03.2011 Ask the unit to submit the Bank Guarantee of Rs. 1 Lakh each under Air Act and HWM Rules valid for one year. If unit submits the Bank Guarantee, closure directions be revoked temporarily for 45 days to enable the unit the submission of the monitoring reports from approved laboratory of DPCC. 02.11.11 Ask the compliance from discom & DJB and also ask the SDM for effective closure of the unit.	
6	35885 08-12-2010	JAY GARUD GAS STATION B-1, COMMUNITY CENTER, JANAKPURI	WEST	Orange Operate	WASHING WITH SERVICE STATION Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 7000 liters/day	08-10-2012 (1)ETP - Physico-chemical (a) AR dated 28.09.2010 issued by GGSIP submitted. (b) Effluent analysis report dated 14-09-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - No. (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: Conducted on 03.01.2011 and follwiang were observed: 1) ETP found installed. no wet and dry sludge found. The wet sludge seen on road side for disposal. 2) DG set of 62.5 KVa found installed with accoustic enclosure at roof laevel. (5) SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 02.05.2011	10-10-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit to Automobile Fuel Outlet (With Automobile Servicing, Repairing And Painting).

								(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : ATR/Remarks: Decision on 25.11.2010 Inspection be conducted. Decision on 16.03.2010 Issue SCN u/s 5 of the EPA in view of deficiencies observed during inspection dated 03.01.2011. Decision on 16.03.2010 Decision taken on file ratified regarding submission of bank guarantee. If unit submits the bank guarantee, consent to establish be issued. unit submitted BG on 30.06.2011.	
7	35909 10-12-2010	JANEX X-2, PH-II,OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Mfg. AND EXPORT OF HANDICRAFT, JEWELLERIES ITEM WITH PLATING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 1300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 800 liters/day	Recommendations of Scrutinizing Committee on 28-02-2011 Ask the unit to submit an affidavit for rectification of the deficiencies along with the Bank Guarantee of Rs. 50,000 under HWM Rules valid for one year within 15 days, failing which, closure may be confirmed and authorization be cancelled. Decision of Consent Management Committee on 16-03-2011 Ask the unit to submit an affidavit for rectification of the deficiencies along with the Bank Guarantee of Rs. 50,000 under HWM Rules valid for one year within 15 days, failing which, closure may be confirmed and authorization be cancelled.	10-02-2011 Earlier Committee Decision 122nd Issue consent to operate and authorization under HWM Rules. Call on 26.08.09. Remarks / Action Taken / ATR CTE : valid upto 06.11.07 Water Consumption : 1300 Lt/d Waste Water generation : (a) Domestic effluent: 200 Lt/d (b) Trade effluent: 800 Lt/d Date of Commissioning: 2006 ETP : installed Test Report (Water) within limit : yes Test Report (Air) within limit : N/a NMR submitted : submitted DG set: 62.5 KVA and NMR submitted on 27.09.10 Adequacy report of ETP submitted dated August 2007 and test report submitted dated 01.10.10. CTE & CTO issued valid upto 06.11.07 & 25.09.10 respectively. A complaint has been received in this office on 14.12.10 and 16.12.10 n inspection was carried out by DPCC officials on 12.01.11 and following were the observations:- 1 Unit found in operation 2 Unit having an ETP (batch type) and found in operational. 3 Unit is not fully comply with the provisions of HWM Rules 4 As reported, source of water is through tanker. SCN u/s 5 of EPA under HWM Rule issued to the unit on 07.02.11 and letter to apply for fresh authorization under HWM Rules issued to the unit on 07.02.11 Recommendation / Action Taken Details (EE/AEE) on	10-10-2012 Recommended to seek effluent analysis report from empanelled laboratory of DPCC w.r.t new notification of MOEF dated 30.03.2012 for electroplating industries. Also ask the unit to apply for afresh authorization under HWM Rules.

							08-10-2012 As decided by the CMC (O) in its meeting held on 16.03.11, letter was issued on 05.04.11 for submission of affidavit for rectification of the deficiencies along with the Bank Guarantee of Rs. 50,000 under HWM Rules valid for one year within 15 days, failing which, closure may be confirmed and authorization be cancelled. Unit has submitted its reply on 21.04.11 along with the above said Bank Guarantee of Rs. 50,000 under HWM Rules valid for one year & affidavit.	
8	35917 10-12-2010	SMT.SHASHI ENTERTAINMENTS PRIVATE LIMITED KHASRA NO.34/11(4-6),12(0-14),35/15(0-12) VILLAGE NANGLI POONA DELHI-110036	NORTH WEST	Orange Operate	MOTEL/HOTEL. MOTEL/HOTEL.	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 29000 liters/day • Ground Water ---- 29000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 25000 liters/day	08-10-2012 ETP: YES ECS: N/A DG SET: 250 KV X 4 Earlier CMC Decision: 16.03.2011 Issue SCN for refusal of consent in view of non submission of stack monitoring report and in complete parameters in the effluent analysis report. Inform to DJB regarding ground water extraction. As per the decsion taken up by CMC (O) dated 16.03.2011 SCN for Refusal of Consent under water & Air Act was sent on 29.04.2011. Reply has been received on 21.07.2011 wherin they have enclosed the Report of Oil Fired Boiler.	10-10-2012 Recommended to inspect the unit, thereafter, file be put up administratively.
9	35948 14-12-2010	GURUDWARA HARGOBINDSAR SAHIB G.T. ROAD, KARNAL ROAD, NANGLI POONA	NORTH WEST	Orange Operate	A PARTY LAWN FOR SOCIAL FUNCTIONS. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 5200 liters/day • Ground Water ---- 5000 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 5000 liters/day	05-10-2012 CTE ---- CTE applied on 21.10.2010 Vide Id.No. 35450. Water Consumption ---- 5200 liters/day Ground Water ---- 5000 liters/day Built Up Area ---- 400 (in sq. meter) CETP Membership ---- N/A Date of commissioning of project ---- 01.05.2010. Waste Water generation Domestic Effluent ---- 200 liters/day Trade Effluent ---- 5000 liters/day ETP / STP ---- Yes Test Report(Water) within Limit ---- Yes Test Report(Air) within Limit ---- N/A NMR Sumitted ---- Yes NMR Sumitted---- Yes Inspection conducted on 09.06.2010. Direction u/s 33(A) and 31(A) issued to the unit on 15.09.2010. A reply received from the unit on 25.10.2010. Revocation of closure direction issued to the unit on 03.11.2010. Earlier CMC Decision on 21.01.2011 Ask the unit to clarify that applicability of consent to establish applied for party lawn for social function whereas Lt. Governor, Delhi has ordered for de-sealing of the premises in consideration that the premises will only be used for religious	10-10-2012 File be put up administratively.

								functions with Gurudwara. Accordingly, letter issued to the unit on 03.05.2011. A reply received from the unit on 18.05.2011. Decision on 16.03.2011 Implement the CMC(Orange) decison dated 21.01.2011 seeking clarification. Infrom to DJB regarding ground water extraction. A repersenation received from the unit reagrding release of BG on 08.11.2011 A remider issued to the MCD regarding usage of premises on 16.01.2012. A reply received from MCD on 02.02.2012.	
10	35973 16-12-2010	LAMBA STEEL & ALLOYS PVT LTD D-7/2, 3, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MANUFACTURING OF ALUMINUM INGOTS THROUGH MELTING FURNACE UNIT. MANUFACTURING OF ALUMINUM INGOTS THROUGH MELTING FURNACE UNIT.	• Date of commissioning of project ---- • Built Up Area ---- 850 (in sq. meter) • Water Consumption ---- 110 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 28-02-2011 Wait till DDA clarification. Decision of Consent Management Committee on 16-03-2011 Wait till DDA clarification.	31-01-2011 EARLIER CMC DECISION 21.12.2009 / 22.12.2009 Inspection be conducted to ascertain the type of furnace. 16.04.2010 Issue SCN for refusal of consent and SCN for closure of the unit due to findings of the inspection including the prohibition of the activity as per MPD-2021. 13.08.10 Consent refused and issue closure directions. 155th Ask the unit to submit adequacy report from empanelled consultant and Bank Guarantee of Rs One Lakh under the Air Act valid for one year. If the unit submits the aforesaid documents, closure directions be revoked. REAMRK CTE : applied on 18.11.10 Water Consumption :110 Lt/d on application form and 100 Lt/d on affidavit. Waste Water generation : (a) Domestic effluent: 100 Lt/d (b) Trade effluent: Nil Date of Commissioning: Dec 2010 ETP : N/a Test Report (Water) within limit : N/a Test Report (Air) within limit : not submitted NMR submitted:N/a DG set : nil Unit have One melting furnace and Adequacy report of ESC submitted November 2010 but SMR not submitted. Unit menstioned in application form that SMR wlil be submitted whenever closure direction revoke CTE refused on 29.09.10 vide refusal no 2028. CTE again applied on 18.11.10 vide ID 35663.	10-10-2012 File be put up administrativley.

							unit submitted Bank guarantee and copy of adequacy report of ECS on 20.01.11. Revocation of closure directions issued to the unit on 28.01.11. Recommendation / Action Taken Details (EE/AEE) on 08-10-2012 Complaint was received against the unit 10.03.11. Complaint was considered by the competent authority in DPCC & it was decided that Complainant be informed regarding action taken against the unit. Accordingly, action taken was sent to Complainant on 16.05.11 that the unit had already been initiated u/s 31 (A) of the Air Act. The unit has submitted SMR from approved laboratory and the technical adequacy report from approved consultant of DPCC which shows that the parameters are meeting the prescribed standards Recommendation / Action Taken Details (EE/AEE) on 08-10-2012 Complaint was received against the unit 10.03.11. Complaint was considered by the competent authority in DPCC & it was decided that Complainant be informed regarding action taken against the unit. Accordingly, action taken was sent to Complainant on 16.05.11 that the unit had already been initiated u/s 31 (A) of the Air Act. The unit has submitted SMR from approved laboratory and the technical adequacy report from approved consultant of DPCC which shows that the parameters are meeting the prescribed standards	
11	36005 21-12-2010	PEARL DRINKS LIMITED B-42, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	AREATED WATER AND READY TO SERVE FRUIT JUICE. AREATED WATER AND READY TO SERVE FRUIT JUICE.	• Date of commissioning of project ---- • Built Up Area ---- 4000 (in sq. meter) • Water Consumption ---- 530000 liters/day • Ground Water ---- 525000 liters/day • Waste Water generation (a) Domestic Effluent ---- 3000 liters/day (b) Trade Effluent ---- 342000 liters/day	05-10-2012 Earlier CMC Decision: 22.05.2009 Ask the unit to file permission from DJB for ground water extraction and to increase the stack height of the D.G. Set. Call on 18.07.2009. ATR Remarks: letter issued on 17.06.2009 Reply received on 01.07.2009. CTE ---- Not Applied. Water Consumption ---- 530000 liters/day Ground Water ---- 525000 liters/day Built Up Area ---- 4000 (in sq. meter) CETP Membership ---- Keshav Puram Industrial Area CETP Society Date of commissioning of project ---- 05.09.1985 Waste Water generation Domestic Effluent ---- 3000 liters/day Trade Effluent ---- 342000 liters/day ETP / STP ---- Yes Test Report(Water) within Limit ---- Yes Test Report(Air) within Limit ---- Yes NMR Sumitted ---- Yes Earlier CMC Decidion on 16.03.2011 Ask the unit to submit the methodology adopted for treatment	10-10-2012 Inspection be conducted, thereafter, file be put up administratively.

							of the ground water extracted before using in the process. In case, the RO is being used, ask the unit to submit its proposal for treatment / reuse of the reject water of RO. Unit be asked to clarify the discrepancies in the water consumption figure observed in comparison of its earlier consent application. Letter be issued to DJB to take action on priority in view of huge quatity of ground water being extracted which is used as a raw material for the product. Accordingly, a letter was issued to the unit on 21.04.2011 A reply received from the unit on 16.01.2012.	
12	36019 21-12-2010	NEW LIGHT INDUSTRIES A-19 JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	Assembling of electrical steet light, flourscent, sodium vapour light fittings, mercury metal lights, flood lights, street lights, fittings etc. Assembling of electrical steet light flourscent sodium vapour light fittings mercury metal lights flood lights street lights fittings etc.	• Date of commissioning of project ---- • Built Up Area ---- 600 (in sq. meter) • Water Consumption ---- 330 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	28-06-2011 (1)ETP ---No. (2)ECS - Yes. (a) AR dated..Nil..issued by ..Nil..submitted. (b) Stack monitoring report dated 16.12.2010 issued by ..DPCC.. submitted. Stack Test Report are within Limit - Yes.5- number of parameters analyzed which are within limit . (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set of 62.5 KVA. Noise monitoring report ..Yes..dated..25.10.2010.. issued by ...DPCC submitted. (4) Inspection details:Conducted on 07.04.2011, No trade effluent generated. No Ground water extraction. No HW is generated.Unit has powder coating facility with inbuilt cyclone system. (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No.	10-10-2012 Recommended for grant of Consent to Operate. IT Cell be requested to correct the category of the activity of the unit to Powder Coating.
13	36030 22-12-2010	DEV MATTEL INDUSTRIAL 1/424/63,GALI NO IB FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Operate	Job work of Supper Enamel Paint on Aluminum Wire Unit. Wire Drawing (Cold Process) And Bailing (With Metal Surface Treatment)	• Date of commissioning of project ---- • Built Up Area ---- 85 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 0 liters/day	09-10-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 30.11.2010 issued by GGSIPU submitted. (b) Stack analysis report dated - 02.11.11 - issued by - DPCC - submitted.. (3)D.G.Set: Two DG sets of 62.5 KVA without A/E were found. (a) Noise monitoring report of -82.5 & 82.5 - KVA dated - 20.12.11 - issued by - DPCC - submitted and noise levels are within limit. (4) Inspection details: : conducted on 09.10.10 & it was observed that unit is operating W/O consent. ECS not installed.Two DG sets of 62.5 KVA without A/E were found. (5) Closure directions u/s 31(A) details : closure direction were issued to the unit wrt CWG on 20.10.2010. Reply received on 29.11.10. As decided by the CMC (O) in its meeting held on 02.11.11, letter for seeking compliance were issued on 19.12.11 to concern authorities i.e., Dy. Commissioner, BSES. Unit has submitted its replies on 04.01.12 & 20.01.12 along	10-10-2012 Recommended to put up file administratively.

							with copy of sealing order, affidavit SMR dated 02.11.11, copy of Bank Guarantee & NMR dated 20.12.11 & requested to revoke the closure directions. As approved, temporarily revocation of closure direction was issued on 03.02.12 for 45 days for submission of fresh adequacy report of the installed ECS, all monitoring reports under Air Act & Noise Rules. Unit has submitted its reply on 12.03.12. EARLIER CMC DECISION 14.02.2011:& 16.03.2011 Ask the unit to submit an affidavit w.r.t. the rectification of the deficiencies regarding hazardous waste management and acosutic enclosure with two D.G. Sets and a Bank Guarantee of Rs. One Lakh each under Air Act and HWM Rules valid for one year. If unit submits the aforesaid documents, closure directions be revoked and consent to establish be issued 02.11.11 Ask the compliance from discom & DJB and also ask the SDM for effective closure of the unit.	
14	36048 23-12-2010	RELIABLE METAL INDUSTRIES PLOT NO.32-B, GALI NO.6, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	Copper Wire Drawing with super Enameling. Copper Wire Drawing with super Enameling.	• Date of commissioning of project ---- • Built Up Area ---- 146.3 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 (1)ETP ---- N/A (2)ECS - Scrubber (a) Stack monitoring report dated 30-09-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 110 KVA. Noise monitoring report dated 15-11-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 07.02.09 & following were observed: a) Unit is engaged in manufacturing of copper wire drawing with acid wash & is located at ground floor & Ist floor (in pat). b) The display board however indicates copper wire drawing with varnish coating. c) One generator without acoustic enclosure & kept in a room. d) Part of Ist floor has been rented. Parina International who is engaged in packing of nail enamel. e) Super enamelling plant lying defunct. wet scrubber also lying defunct at the site. (5) SCN u/s 31(A) details : issued on 07.10.08. As decided by the CMC (O) in its meeting held on 16.03.11, letter was issued on 21.04.11 for submission of Bank Guarantee of Rs. 50,000/- each under Air Act & HWM Rules & apply for fresh authorization under HWM Rules. SCN u/s 21/22 of the Air Act & 25/26 of the Water Act was also issued on 21.04.11 to Parina International. Unit has applied fresh authorization under HWM Rules on 01.02.12. However, unit has not submitted the above said BG.	10-10-2012 Recommended to put up file administratively.

							M/s Parina International has applied for CTE (Orange) on 08.06.11 & same was issued on 28.11.11. EARLIER CMC DECISION 19.09.08 Issue SCN to apply for CTE. Call on 20.10.08 05.11.08 SIT to inspect and reoprt. Call on 17.12.08 16.02.09 Ask the unit to apply for CTE. 17.06.09 Issue reminder. Call on 19.08.2009 07.05.10 Issue SCN for refusal of consent. 16.03.11 Ask the unit to submit bank guarantee of Rs. 50,000 each Air Act and HWM Rules valid for one year and ask to apply for fresh authorization uner HWM Rules. If unit submits the bank guarantee, renewal of cosnent be issued. Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act to M/s Parina International.	
15	36093 28-12-2010	JAI ENTERPRISES C-16, S. M. A. INDUSTRIAL AREA	S.M.A Industrial Area	Orange Operate	BUFFING ON STAINLESS STEEL UTENSILS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day	10-10-2012 Earlier CMC Decision: Competent authority 26.11.2010 SCN for closure u/s 31(A) of air act. ATR remarks: SCN issued on 15.12.2010 No reply received. CTE ---- CTE issued on 02.06.2010 and valid upto 01.06.2011 Vide C.No. 23879 Water Consumption ---- 50 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 200 (in sq. meter) CETP Membership ---- North West Industrial Federation CETP Society / Membership No ---- 6518 Date of commissioning of project ---- 01.04.2009 Waste Water generation Domestic Effluent ---- 10 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- Yes NMR Sumitted ---- N/A File in question is not tracable. but details of the file are mentioned in the Consent applications and so in the add checklist.	10-10-2012 Recommended to inspect the unit and create file after getting copies from the unit.
16	36112 29-12-2010	SAINI TEXTILES A-17, PHASEIII, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Operate	WASHING AND DYING WITH FABRIC. Dyeing, Bleaching (Cotton Textile) (Upto 100 Workers in All Shifts, 1 Acre Of	• Date of commissioning of project ---- • Built Up Area ---- 240 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 5500 liters/day • Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 5000 liters/day	08-10-2012 1) ETP / STP ---- Yes Test Report(Water) issued by DTU dated 22.12.2010 submitted and found within Limit 2) ECS: Stack monitoring Report(Air) issued by DTU dated 22.12.2010 submitted and found within Limit 3) DG Set: nil 4) inspection of the unit was conducted on 06.06.2011 and based on the deficiencies SCN u/s 33(A) & 31(A) and SCN for refusal of consent was issued on 27.06.2011	10-10-2012 Recommended to put up file administratively.

					Land, 100 Kld Water)			5) unit submitted its reply on 19.07.2011 along with an affidavit and test reports regarding rectification of deficiencies. 6) a letter issued to the Deptt. of Civil and Environment Engg.. regarding public hearing to discuss the discrepancies observed in the adequacy reports and test reports.	
17	36135 04-01-2011	SETHI ACHAR FACTORY B-45, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	MFG. OF ACHAR MURABA. Pickles, Chutney & Murabba	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 1200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 1000 liters/day		10-10-2012 CTE ---- CTE issued on 04.12.2009 and valid upto 04.12.2010 Vide C.No. 22179 Water Consumption ---- 1200 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 400 (in sq. meter) CETP Membership ---- North West Industrial Federation CETP Society Date of commissioning of project ---- 01.01.1980 Waste Water generation Domestic Effluent ---- 100 liters/day Trade Effluent ---- 1000 liters/day ETP / STP ---- Yes Test Report(Water) within Limit ---- Yes Test Report(Air) within Limit ---- N/A NMR Submitted ---- N/A Inspection conducted on 27.11.2010 and following were observed : a) ETP found installed but lying defunct and waste water is being discharged w/o any treatment. b) No wet and dry sludge seen and no chemical dosing tank exist and SDB found full of scrap. c) No channelization provided. d) Unit has not applied for CTO. SCN u/s 33(A) was issued on 16.03.2011	10-10-2012 Recommended to inspect the unit, thereafter, file be put up administratively.
18	36136 04-01-2011	VICTOR ELECTRODES LTD T-1-114,PHASE -I , MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Operate	WELDING ELECTRODES. Wire Drawing (Without Pickling/ Galvanizing)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		05-10-2012 1.) ETP / STP ---- Yes Test Report(Water) within Limit ---- Yes Test Report(Air) within Limit ---- N/A 2) ECS: N/A 3) D.G. set of 125 KVA installed and NMR Submitted. Show Cause Notice for refusal of consent was issued on 30.06.2011.	10-10-2012 Recommended to put up file administratively. IT Cell be requested to correct the category of the activity of the unit.
19	36137 04-01-2011	KAILASH FARM KH. NO. 237,238,239,240,241, VILLAGE MUKHMEL PUR, G.T. KARNAL ROAD	NORTH WEST	Orange Operate	A PARTY LAWN. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 3000 liters/day		05-10-2012 1.) ETP / STP ---- Yes Test Report(Water) within Limit ---- Yes Test Report(Air) within Limit ---- N/A 2) ECS: N/A 3) four DG Set of 125, 125 75, 100 KVA installed and NMR Submitted. unit submitted bank guarantee on 27.09.2010 decision dated 17.06.2011: ask the unit to submit the permission from MCD for doing	10-10-2012 Recommended to put up file administratively.

							commercial activity at farm house. unit submitted the same along with CTO application.	
20	36138 04-01-2011	JINDAL FARM HOUSE PALLA BAKHTAWARPUR ROAD, VILLAGE BAKOLI	NORTH WEST	Orange Operate	FARM HOUSE (A PARTY LAWN). Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- 01-01-2010 • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 5300 liters/day • Ground Water ---- 5300 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 5000 liters/day	10-10-2012 ETP : YES ECS: N/A D.G.Set : NIL Earlier CMC Decision: 14.02.2011 Ask the unit to confirm on an affidavit that use of borewell has been discontinued for disposal of waste water. Further, unit be asked to submit the detail information about the proposed waste water treatment plant with the detail of proposed disposal of treated effluent. As per the decision taken up by CMC (O) dated 04.05.2011 letter was sent to the unit on 04.05.2011 asking the unit to confirm on an affidavit that use of borewell has been discontinued for disposal of waste water. Further, unit be asked to submit the detail information about the proposed waste water treatment plant with the deatil of proposed disposal of treated effluent. Reply has been received on 25.05.2011 informing that: 1. The Bore well has been disconnected for disposal of waste water. 2. That the Effluent Treatment Plant (ETP) has been installed and functional. 3. That the Adequacy report of ETP enclosed.	10-10-2012 Recommended to inspect the unit.
21	36145 04-01-2011	TRIBHUVAN METAL INDUSTRIES C-59/1, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	Mfg. of Aluminium Sheets. Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 ETP / STP ---- N/A ECS: proposed DG Set: nil Earlier Decision dated 17.06.2011 : Decision deffered as confirmity issue w.r.t. MPD-2021 is under consideration.	10-10-2012 Recommended to inspect the unit.
22	36168 07-01-2011	BARBEQUE NATION B-1/623, OLD RAMESHWARM BUILDING, NEAR DISTRICT CENTER, JANAKPURI	WEST	Orange Operate	BAR CUM RESTAURENT Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 10500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1550 liters/day (b) Trade Effluent ---- 7000 liters/day	10-10-2012 CTE : Applied on 02.12.2008 vide ID no 28267. Water Consumption ---- 10500 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 1000 (in sq. meter) CETP Membership ---- N/A Date of commissioning of project ---- Waste Water generation Domestic Effluent ---- 1550 liters/day Trade Effluent ---- 7000 liters/day ETP : Yes Test Report(Water) within Limit ---- no Test Report(Air) within Limit ---- N/A NMR Sumitted ---- Yes ATR/Remarks: SCN issued on 17.07.2010 Unit submitted its reply on 04.10.2010 and stated that they	10-10-2012 File is under process. Follow up the decision decided in file.

								have applied for adequacy report, will submit it after 15.11.2010 18.12.08 The unit seeks 30 days time for compliance. Time allowed. Ask the unjt to submit ETP completetion report along with photograph and affidavit for completion of installation of ETP and adequacy report of ETP. 23.04.2009 Unit came for personal hearing and promissed to submit adequacy report within 20 days. Call on 19.05.2009. 22.05.2009 Call on 08.07.2009 05.08.2010 Issue SCN for refusal of consent. This case link with SCN cases. (1)ETP ---- yes (a) AR submitted. (b) Effluent analysis report submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 06-01-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: Conducted. (5) SCN u/s 31(A)/33(A)/5 of EPA details: issued. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details: Issued in September, 2012. Unit has submitted a representation informing that unit rectified all the deficiencies observed during the inspection and requested for revocation of directions. File has been submitted for temporary revocation of directions. 18.12.08 The unit seeks 30 days time for compliance. Time allowed. Ask the unit to Submit ETP competition report along with photograph and affidavit for Completion of installation of ETP and adequacy report of ETP. 23.04.2009 Unit came for personal hearing and promised to submit adequacy report Within 20 days. Call on 19.05.2009. 22.05.2009 Call on 08.07.2009
--	--	--	--	--	--	--	--	---

	36190	BAGGA LINK MOTORS LTD 389/395, FIE, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	Service Station of Cars Automobile Repair and Servicing (Without Washing)	• Date of commissioning of project ---- • Built Up Area ---- 605 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 3500 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 3000 liters/day	05-10-2012 (1)ETP ---- Physiochemical (a) AR dated16.12.10..... issued byDTU..... submitted. (b) Effluent analysis report dated 16-12-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set: ...75 KVA ... (a)Noise monitoring report of - 75 - KVA dated - 20-12-2010 - issued by - DPCC - submitted and noise levels are within limit. (4) Inspection details: conducted on 01.02.12 & following were observed: a) Unit found in operation. b) ETP has been installed and found in working condition. c) Fresh wet sludge was found at site. d) DG set was found with A/E and adequate stack height. e) Unit has complied with provisions of HWM Rules except began date of storage not indicated on each container. As decided by the CMC (O) in its meeting held on 08.04.11, letter was issued on 05.07.11 to DJB regading ground water extraction. EARLIER CMC DECISION 08.04.11 Inspection be conducted. Inform to DJB regading ground water extraction	10-10-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
24	36234	CAMBRIDGE PRINTING WORKS. B-85,NARAINA INDUSTRIAL AREA PHASE - II	Naraina Industrial Area Phase - II	Orange Renewal	PAPER PRINTING BY OFFSET MACHINE AND PLATE MAKING WITH TRADE EFFLUENT Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 334 (in sq. meter) • Water Consumption ---- 550 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 240 liters/day (b) Trade Effluent ---- 200 liters/day	08-10-2012 (1)ETP ---- ETP(Bio-logical) (a) AR dated .23.04.2010 issued by GGSIP submitted. (b) Effluent analysis report dated 06-07-2011 issued by DPCC submitted. Effluent Test Report within Limit - yse Effluent analysis report dated 28-12-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - No (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 24-12-2010 issued by IP COLLEGE submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-10-2012 Unit has submitted effluent analysis report on 11.07.2011 in view of letter dated 08.06.2011 and the parameters found within the prescribed limit. Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
25	36248	SWATI FABRICATORS PLOT NO.126, PKT-J,	Bawana Industrial Area	Orange Operate	Mfg. of Sheet Metal Works.		05-10-2012 ETP / STP ---- N/A ECS: N/A	10-10-2012 Recommended to put up file

	17-01-2011	SEC-5, BAWANA INDUSTRIAL AREA			Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day) • Date of commissioning of project ---- 01-01-2007 • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		D.G. Set- nil Earlier Decision dated 08.04.2011: inspectio be conductedsince activity of the unit appears to be falling under green category. Inform DJB regarding ground water extraction.Accordingly inspection of the unit was conducted on 07.06.2011 and 1) unit was found doing the sheet metal work with powder coating at basement & ground floor. which is having cyclone system as emission control measures 2) outlets cyclones flexible pipes were found installed for depressions of powder dust escaped from cyclone system. 3) unit is having stove in which LPG was being used as fuel & process emissions being disperssed through suction & stack arrangementmade right side extreme corner of the roof.	administratively.
26	36262 18-01-2011	ASHUTOSH METAL INDS. B-42, JHILMIL INDUSTRIAL AREA, SHAHDARA	Jhilmil Industrial Area	Orange Renewal	MANUFACTURING OF COPPER INGOTS BY MELTING OF CU SCRAP. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	18-10-2011 (1)ETP ---- N/A (2)ECS - Wet scrubber. (a) AR dated..October.2010... issued by....GGSIPU... submitted. (b) Stack analysis report dated - 20.10.2010 - issued by - GGSIPU...submitted. (3)D.G.Set: .125..KVA with A/E (a)Noise monitoring report of - 125 - KVA dated - 20.12.2010 - issued by - DPCC.....submitted and noise levels are within limit / beyond limit. (4) Inspection details:Conducted on 13.05.2011:- Unit has tilting furnace for casting purpose. The unit has taken pollution control measures and wet scrubber installed by the unit is in operation.Acoustic measures has been taken with the D.G Set. (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	10-10-2012 Recommended to put up file administratively.
27	36274 19-01-2011	AVAL FASHION HOUSE A-33, NARAINA INDUSTRIAL AREA PHASE - II	Naraina Industrial Area Phase - II	Orange Operate	MFG OF LADIES READYMADE GARMENTS WITH WASING AND SAMPLE DYEING Readymade Garment (With Washing/Dyeing)	• Date of commissioning of project ---- • Built Up Area ---- 766.33 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 (1)ETP ---- ETP- Physiochemical (a) AR dated 18.11.2010 issued by GGSIP submitted. (b) Effluent analysis report dated 28-10-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - No. (Parametes Missing) (2)ECS - Stack connected to Boiler (b) Stack monitoring report dated 20-10-2010 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes (3)D.G.Set: 2 X 82 KVA (a)Noise monitoring report of - 2X82- KVA dated - 19.06.2010 - issued by - Shri Ram Institute for Industrial Research submitted and noise levels are within limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No	10-10-2012 Recommneded to put up file administratively.

								(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No ATR/Remarks: Unit is also apply for authorization under HWM Rules on 19.01.2011 vide ID no 0633. Letter issued to the unit on 11.01.2011 Earlier CMC Decision Decision on 25.11.2010 Ask the unit to submit adequacy report and test report from approved consultant / laboratory of DPCC. Decision on 08.04.2011 Ask the unit to submit effluent analysis report with complete parameters from approved laboratory of DPCC. if unit submits the aforesaid documets, renewal of consent and authorization under HWM rules be issued.	
28	36277 19-01-2011	PARAMOUNT PRODUCTS PVT.LTD. A-57/1, PHASE-II OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MANUFACTURNG OF READYMADE GARMENTS WITH WASHING. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 850 (in sq. meter) • Water Consumption ---- 15000 liters/day • Ground Water ---- 15000 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 12000 liters/day	Recommendations of Scrutinizing Committee on 30-03-2011 Issue SCN as to why prosecution proceedings should not be initiated as the unit has operated / operating in violations of the closure directions for submission of adequacy report, monitoring reports etc. Inform to DJB regading ground water extraction. Decision of Consent Management Committee on 08-04-2011 Issue effective closure through SDM.	28-01-2011 Earlier CMC Decisions 140th Issue consent to establish. Subsequently, inspection be conducted. 27.08.10 Issue closure directions u/s 33 (A) of the Water Act. Remarks CTE ---- issued valid upto 03.06.11 Water Consumption ---- 15000 liters/day Ground Water ---- 15000 liters/day Built Up Area ---- 850 (in sq. meter) CETP Membership ---- Okhla Industrial Area CETP Society / Membership No ---- 2653 Date of commissioning of project ---- January 2007 Waste Water generation Domestic Effluent ---- 2000 liters/day Trade Effluent ---- 12000 liters/day ETP / STP ---- ETP Test Report(Water) within Limit ---- Yes Test Report(Air) within Limit ---- Not submitted NMR Sumitted ---- Yes DG set of 200 KVA and NMR submitted dated 05.01.11 Unit has 1(One) oil fired boiler but SMR not submitted. CTE(Green) issued valid upto 23.03.09 vide CNO 18468. CTE(Orange) issued valid upto 03.06.11 vide CNO 23977 Recommendation / Action Taken Details (EE/AEE) on 08-10-2012 As decided by the CMC (O) in its meeting held on 08.04.11, letter was issued to SDM on 14.06.11 for effective closure of the unit and copy sent to DJB, BSES & MCD. Unit has submitted a representation on 29.06.11 and request to revoke the closure directions.	10-10-2012 Recommended to expedite the inspection.

							As approved by competent authority in DPCC, letter was issued on 02.07.11 for submission of Bank Guarantee of Rs. 2 lakh under Water Act valid for one year. Unit has submitted above said BG on 05.08.11 along with affidavit. As approved by competent authority in DPCC, inspection was conducted by DPCC officials on 19.08.11 & following were observed: a) The unit was found in operation and engaged in the activity of Mfg. of readymade garments. b) ETP has been installed and same was found in working condition. c) As reported by the representative that washing activity was not been carried out since 3-4 months. d) The unit has one DG set of 200 KVA capacity with adequate stack height and acoustic enclosure. e) Source of water is outside tanker. As approved by competent authority in DPCC, revocation of closure directions u/s 33 (A) of the Water Act was issued on 01.09.11.	
29	36284 20-01-2011	ALKARMA 57, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	ENGINEERING WORK WITH ANODIZING AND PHOSPHATING Phosphating	• Date of commissioning of project ---- • Built Up Area ---- 1 (in sq. meter) • Water Consumption ---- 7000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 2000 liters/day	09-10-2012 (1)ETP ---- physiochemical (a) AR dated 13.06.2009 issued by GGSIPU submitted. (b) Effluent analysis report dated 14-12-2010 issued by DPCC submitted. Effluent Test Report within Limit - Yes . (2)ECS - stack attached to boiler. (a) Stack monitoring report dated 22-11-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes . (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 200 KVA and 50 KVA. Noise monitoring report dated 18-11-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes . (4) Inspection details: conducted on 18.09.2012 and following were observed: 1) ETP found installed and in operation. 2) DG sets of 200 KVA and 50 KVA found installed with acoustic enclosure and adequate stack height. 3) unit has complied with HWM rules. (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :	10-10-2012 Recommended to seek effluent analysis report from empanelled laboratory of DPCC w.r.t new notification of MOEF dated 30.03.2012 for anodizing industries. IT Cell be requested to correct the category of the activity of the unit.
30	36323 25-01-	PARADISE INDUSTRIES A-7, G.F. MAYAPURI INDL. AREA PH-II,	Mayapuri Industrial Area	Orange Operate	ELECTICL CONTANCT POINTS RIVETS Electrical &		09-10-2012 (1)ETP ---- ETP (Physiochemical) (a) AR dated .28.12.2010 issued by DTU submitted. (b) Effluent analysis report dated 28-12-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report	10-10-2012 Recommended to put up file administratively.

	2011				Electronic Goods Manufacturing (With Electroplating)	• Date of commissioning of project ---- • Built Up Area ---- 540 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 240 liters/day (b) Trade Effluent ---- 200 liters/day	within Limit - Yes . (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 28-12-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - yes. The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 28-12-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - yes. (4) Inspection details: conducted on 09.09.2010 and following were observed: 1) one DG set found with aoustic enclosure and proper stack height. 2) washing activity is carried out very rarely. ETP proposed, so that at the time of inspection washing activity is not carried out. (5) SCN u/s 31(A)/33(A)/5 of EPA details : issued on 15.12.2010 Unit submitted its reply on 23.12.2010 and stated that they will submit adequacy report of ETP and NMR of D.G. Set. Earlier CMC Decision Decision on 16.03.2010 Issue consent to establish. Subsequently, inspection be conducted for check the phosphating activity. Decision on 09.11.2010 Issue SCN u/s 31(A) of the Air Act for closure of the unit	
31	36351 31-01-2011	MODERN DAL MILL PLOT NO.3177,POCKET -J, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	DALL MILL. Dal Mills	• Date of commissioning of project ---- 01-01-2005 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 CTE ---- CTE issued on 27.09.2006 and valid upto 26.09.2007 Vide C.No.17093. Water Consumption ---- 200 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 250 (in sq. meter) CETP Membership ---- Not Applicable Date of commissioning of project ---- 01-01-2005 Waste Water generation Domestic Effluent ---- 160 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- Yes NMR Sumitted ---- N/A Earlier CMC Decision: 08.04.2011	10-10-2012 Recommended to put up file administratively.

								Ask the unit to submit proper CA certificate and the balance consent fee if warranted in view of capital investment. Also ask the unit to submit the proof of CETP membership. As per the decision taken up in CMC (O) dated 08.04.2011 in which you are directed to submit proper CA certificate and the balance consent fee if warranted in view of capital investment and the proof of CETP membership. Reply has been received on 14.07.2011 alongwith copy of CETP membership and CA certificate.	
32	36439 08-02-2011	BOUTIQUE GLOBAL D-80, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MFG. OF READYMADE GARMENT WITH WASHING WITHOUT DEYING. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 444.81 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 800 liters/day	Recommendations of Scrutinizing Committee on 30-03-2011 Consent to Establish be revoked and ask the unit to apply afresh for Consent to Establish as the earlier Consent to Establish was obtained without showing the boiler. Decision of Consent Management Committee on 08-04-2011 Consent to Establish revoked and ask the unit to apply afresh for Consent to Establish under orange category as the earlier Consent to Establish was obtained without showing the boiler.	15-03-2011 Earlier CMC Decisions Decision on 11.05.2009 Consent application of M/s Classic Fashion has already been refused as it has been closed . M/s Boutique Global is existing at the premises which has applied for CTE on 4.12.07. Classic fashion be delisted. Ask the unit M/s Boutique Global to submit affidavit regarding installation of ETP & source of water, adequacy report of ETP from empanelled consultant of DPCC and NMR of D.G Set from approved laboratory of DPCC. Decision on 24.06.2009 Issue final reminder. Recommendations of Scrutinizing Committee on 13.10.2009 & 14.10.2009 Recommended for grant of Consent to Establish. Subsequently, inspection by Trainee, CMC be conducted. 20.10.09 Issue Consent to Establish. Subsequently, inspection by Trainee, CMC be conducted. 12.02.10/ 15.02.10 Issue SCN for refusal of consent and SCN u/s 5 of the EPA based on finding of inspection 07.05.10 Earlier decision dated 12.02.2010/15.02.2010 reviewed. Issue SCN for revocation of consent and SCN u/s 31(A) of the Air Act and u/s 33(A) of the Water Act. Remarks CTE ---- issued on 18.11.09 Water Consumption ---- 1000 liters/day on application form and 1000Litres/year on affidavit Ground Water ---- 0 liters/day Built Up Area ---- 444.81 (in sq. meter) CETP Membership ---- Okhla Industrial Area CETP Society / Membership No ---- 1 Date of commissioning of project ---- 2008 Waste Water generation Domestic Effluent ---- 100 liters/day on application form and	10-10-2012 Recommended for grant of Consent to Operate.

							200Litres/year on affidavit Trade Effluent ---- 800 liters/day ETP / STP ---- ETP installed Test Report(Water) within Limit ---- Yes Test Report(Air) within Limit ---- Yes NMR Sumitted ---- Yes NMR Sumitted ---- Yes DG set : 110 KVA and 75 KVA on application form and Affidavit and NMR submitted of 2x 110 KVA and 30 KVA dated 09.11.10 Unit have 1 boiler and SMR submitted dated 13.12.10 Adequacy Report submitted dated January 2011 and test report submitted dated 10.11.10 CTE issued on 18.11.09 vd CNO 21906 SCN for revocation of consent and SCN u/s 31(A) of the Air Act and u/s 33 (A) of the Water Act issued on 05.07.10 unit submitted its replt on 22.07.10. Letter issued to submit bank garantee on 19.08.10 Unit submitted bank garantee on 13.09.10 Recommendation / Action Taken Details (EE/AEE) on 08-10-2012 As decided by the CMC (O) in ts meeting held on 08.04.11, CTE dated 04.12.07 revoked on 10.06.11 & letter was issued also issued on 10.06.11 to apply afresh for CTE under orange category as the earlier CTE was obtained without showing the boiler. Unit has submitted its reply on 15.07.11 & stating that it is only a clerical mistake that boiler has not shown is earlier CTE file. Unit has applied fresh CTE on 25.08.11 & same was granted on 16.01.12. EARLIER CMC DECISION 29-12-2011 (fresh CTE file) Issue consent to establish.	
33	36440 09-02-2011	S. S. FOOD INDUSTRIES B-44,LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	Dall Milling. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 Renewal of consent has already been granted on 24.06.2011 vide consent order No.DPCC/CMC/2011/27518. IT cell is requested to update the status of the consent.	10-10-2012 Consent already granted on 24.06.2011. IT Cell be requested to update the status of the unit.
34	36441 09-02-2011	TAJ SATS AIR CATERING LTD. IGI AIRPORT AUTHORITY COMPLEX	SOUTH WEST	Orange Renewal	FLIGHT CATERING. Restaurant/ Eating House/ Dhaba With		08-10-2012 (1)ETP ---- ETP(Bio-logical) (a) AR dated .28.12.2007 issued by GGSIP submitted. (b) Effluent analysis report dated 11-01-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes.	10-10-2012 Recommended for grant of Renewal of Consent to Operate.

						Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day) • Date of commissioning of project ---- • Built Up Area ---- 10697 (in sq. meter) • Water Consumption ---- 4680000 liters/day • Ground Water ---- 4680000 liters/day • Waste Water generation (a) Domestic Effluent ---- 15000 liters/day (b) Trade Effluent ---- 180000 liters/day	(2)ECS - N/A (b) Stack monitoring report dated 30-12-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 3 (a) The unit has 4 D.G. Set(s) of 625 KVA, 625 KVA, 380 KVA and 500 KVA. Noise monitoring report dated 17-01-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 4 D.G. Set(s) of 625 KVA, 625 KVA, 380 KVA and 500 KVA. Noise monitoring report dated 17-01-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 4 D.G. Set(s) of 625 KVA, 625 KVA, 380 KVA and 500 KVA. Noise monitoring report dated 17-01-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 30.08.2012 and following were observed: ETP installed having capacity of 200 KLD found in working condition. 2) Treated Effluent is being utilized in gardening for cooling tower and flushing purpose. 3) 4 DG sets of 2X625 KVA , 500 KVA and 380 KVA are equipped with accoustic room and having adequate stack height and common scrubber provided to the stack of DG sets and boiler stack. 4) used oil covered under HW is being disposed of by selling it top registered recycler i.e. Bharat Oil Company. Earlier CMC Decision: Decision on 28.01.2009 The unit came for personal hearing today. It is drawing 460 KLD of water from ground without CGWA clearance. In South district, drawl of ground water is prohibited and unit must take CGWA clearance immediately. It must also install Rain Water Harvesting system properly which will be required for CGWA clearance. The unit is treating 200 KLD of waste water. The unit must use the treated waste water for the entire cooling requirement so that fresh water is conserved and treated waste water get optimally utilized. The unit must also install Solar Water Heating system and ensure use of CFL, BEE labeled equipments to conserve the energy. The unit may correct all these deficiencies by 31.03.2009. The unit should also submit the water mass balance chart. Call on 12.03.2009 for interim report. Issue the letter to the unit without waiting for the minutes. Decision on 12.03.2009 Ask the unit to ensure full compliance of CMC decisions to be done by
--	--	--	--	--	--	---	--

							22.04.2009 without fail. Call on 22.04.2009. Decision on 03.06.09 Unit should submit permission from DJB for ground water extraction as per new orders and compliance report for installation of Rain Water Harvesting System and Solar Water Heating System. Unit should finanlize and submit the full compliance report for all the points communicated to it. Call on 22.07.2009 DECision on 16.03.2010 Issue reminder Decision of Scrutinizing Committee dated 18.05.2010 Recommended for grant of renewal of consent. Decision of CMC decision dated 26.05.2010 Put up in next CMC. Decision on 16.06.2010 Issue consent to operate with a codnition to achieve 100 percentage recycling of the treated effluent within 1 year.	
35	36445 09-02-2011	KEE GAD BIOGEN PRIVATE LIMITED THIRD FLOOR, A-8, NARAINA INDUSTRIAL AREA PHASE-II	Naraina Industrial Area Phase - II	Orange Operate	MANUFACTURING REAGENTS AND DIAGNOSTICS KITS. Pharmaceuticlas Formulation With Washing Operation	• Date of commissioning of project ---- • Built Up Area ---- 652.74 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 550 liters/day (b) Trade Effluent ---- 10000 liters/day	08-10-2012 (1)ETP ---- ETP (Physiochemical) (a) AR dated 10.12.2010 issued by GGSIP submitted. (b) Effluent analysis report dated 07-03-2011 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 31-01-2011 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: Conducted on 20.04.2010, and follwing were observed: -process involves weighing, disloution, filtration, quality check and the filling and packing. - DG set of 20 KVA found installed at roof top with accoustic enclosure. - waste water generated by washing of utensils are flask, beakers etc and being dischrge without any tretment to sewer. (5) SCN u/s 31 (A) and 33 (A) issed on 02.06.2010 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Earlier CMC Decision: Decision on 21.12.2009 / 22.12.2009 Inspection be conducted to ascertain the mfg. process. 27.04.2010 Inspection done. Issue SCN for refusal of consent on the basis of deficiencies noted during the inspection. Decision on 13.08.2010	10-10-2012 Recommended to put up file administratively.

								Issue consent to establish. Ask the unit to apply for consent to operate and authorization under HWM Rules. This case link with SCN cases. Decision 08.04.2011 Ask the unit to submit effluent analysis report with complete parameters from approved laboratory of DPCC and to apply for authorization under HWM Rules.	
36	36453 10-02-2011	BOUTIQUE INTERNATIONAL D-5/1, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MFG. OF READYMADE GARMENTS. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 539.3 (in sq. meter) • Water Consumption ---- 650 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 600 liters/day	Recommendations of Scrutinizing Committee on 30-03-2011 Issue SCN for refusal of consent for not showing the boiler in consent application and non submission of stack monitoring report Decision of Consent Management Committee on 08-04-2011 Issue SCN for refusal of consent for not showing the boiler in consent application and non submission of stack monitoring report.	22-03-2011 EARLIER CMC DECISION In CTO application: 16.03.2009 Call on 20.03.2009 20.03.2009 Ask the unit to apply for Consent to Establish, noise monitoring report of D.G. Set from approved laboratoires of DPCC and affidavit about source of water supply. Call on 29.04.2009. 11.05.2009 Issue final reminder for full compliance of earlier CMC decision. Call on 24.06.2009 24.06.2009 Issue SCN for refusal of consent. Call on 26.08.2009. In earlier CTE application dated 29.05.09: 12.05.10 Issue consent to establish. Subsequently, inspection be conducted. In earlier CTE application dated 19.08.10 25.11.10 Decision of CMC(Orange) dated 09.11.2010 regarding making the application infructuous reviewed and consent to establish be issued. Implement the decision regarding issuance of SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act. Remarks CTE ---- issued on 17.01.2011 Water Consumption ---- 650 liters/day on application form and 6500 liters/year on affidavit Ground Water ---- 0 liters/day Built Up Area ---- 539.3 (in sq. meter) CETP Membership ---- Okhla Industrial Area CETP Society / Membership No - --- 1212 Date of commissioning of project ---- 01.07.10 Waste Water generation Domestic Effluent ---- 500 liters/day on application form and 500 liters/year on affidavit Trade Effluent ---- 600 liters/day on application form and 6000 liters/day on affidavit	10-10-2012 Recommended for grant of Consent to Operate. Subsequently, inspection be conducted.

							ETP / STP ---- ETP installed Test Report(Water) within Limit ---- Yes Test Report(Air) within Limit ---- N/A NMR Submitted ---- Yes DG set : 250 KVA and 125 KVA and NMR submitted dated 01.02.11 Adequacy Report submitted dated June 2006 and test report submitted dated 24.11.10. CTO applied on 21-06-2005 vd ID 14616. CTE issued on 11.06.10 vd CNO 24184. CTE issued on 17.01.2011 vd CNO 26479. Recommendation / Action Taken Details (EE/AEE) on 08-10-2012 As decided by the CMC (O) in its meeting held on 08.04.11, SCN for refusal was issued on 06.06.11 for not showing the boiler in consent application and non submission of stack monitoring report. Unit has submitted its reply on 29.08.11 along with the SMRs of two boilers dated 25.07.11 & stated that it was a clerical mistake that they has not showing detail of boilers.	
37	36470 11-02-2011	ANMOL WIRE COMPANY 458-466, SHAMBHU NATH COMPOUN, GALI NO 8, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	copper wire drawing with super enameling Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	18-10-2011 (1)ETP ---- No (2)ECS - Yes (a) AR --Not required. (b) Stack analysis report dated -15.11.2010 - issued by - DPCC - submitted. (3)D.G.Set: ...82.5 KVA.. (a)Noise monitoring report of - 82.5 - kVA not submitted. (4) Inspection details:Conducted on 16.06.2011:-Unit has provided wet scrubber with super enamelling plant. A D.G. Set of 82.5 KVA was also found in the premises without A/E. In CTO Application D.G Set not shown. (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	10-10-2012 File be put up administratively.
38	36481 15-02-2011	ADITYA KUMAR GUPTA PLOT NO-25, GALI NO-6, PART OF KH. NO-358/34-33 & 313 FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Operate	Manufacturing of Pressure Cookers. Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 91.54 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated December, 2010 issued by GGSIU submitted. (b) Stack monitoring report dated 22-11-2010 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... (4) Inspection details: Inspection conducted on 05.05.2010 and the observations were: 1. Unit found in operation. 2. Buffing activity was also observed at top floor. 3. No ECS/Channelisation with suction arrangement was provided. 4. One DG Set of 7.5 KVA without acoustic enclosure and having inadequate stack height was observed.	10-10-2012 Recommended to put up file administrativley.

							5. No water pollution was observed (5) SCN u/s 31(A) details : issued on 04.10.10. As decided by the CMC (O) in its meeting held on 08.04.11, letter was issued on 13.06.11 to submit its reply on an affidavit including removal of D.G. Set and Bank Guarantee of Rs. 50,000 under Air Act valid for one year. Unit has submitted the above said bank Guarantee on 08.07.11 Unit has submitted its reply on 12.10.10 in response to the above said SCN. EARLIER CMC DECISION 08.04.11 Ask the unit to submit its reply on an affidavit including removal of D.G. Set and Bank Guarantee of Rs. 50,000 under Air Act valid for one year. If unit submits the aforesaid documents, consent to operate be issued.	
39	36503 18-02-2011	MASTER PACKAGING A-9 & 10, NARAINA INDUSTRIAL AREA PHASE - II	Naraina Industrial Area Phase - II	Orange Renewal	Offset Printing of Duplex Board and Paper (with trade effluent discharge) Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 965 (in sq. meter) • Water Consumption ---- 650 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 250 liters/day	08-10-2012 1)ETP - ETP (Physiochemical) (a) AR dated 01.12.2007 issued by GGSIPU submitted. (b) Effluent analysis report dated 28-12-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - No . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 24-12-2010 issued by IP COLLEGE submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO CMC(O) meeting held on 08.04.2011 and decide to ask the unit to submit effluent analysis report with complete parameters from approved laboratory of DPCC. if unit submits the aforesaid documents, renewal of consent and authorization under HWM rules be issued.	10-10-2012 Recommended to issue reminder for submission of effluent analysis report with complete parameters from approved laboratory of DPCC. if unit submits the aforesaid documents, renewal of consent and authorization under HWM rules be issued.
40	36520 21-02-2011	J.M.D. ENTERPRISES 5/31, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Operate	Job Work of Electroplating. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 40 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 25 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 (1)ETP ---- ETP (Physiochemical) (a) AR dated .26.11.2010 issued by GGSIPU submitted. (b) Effluent analysis report dated 22-11-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - yes	10-10-2012 Recommended to seek effluent analysis report from empanelled laboratory of DPCC w.r.t new notification of MOEF dated 30.03.2012 for electroplating industries. Also issue reminder to apply for authorization under HWM Rules.

							(2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no decision on 08.04.2011 ask the unit to apply for authorization under HWM rules. letter issued to the unit on 02.06.2011	
41	36527 21-02-2011	ROYAL GARDEN KH. NO 210-21/8, G.T. KARNAL ROAD, MUKHMEL PUR	NORTH WEST	Orange Operate	A Party Lawn Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- 01-01-2000 • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 3000 liters/day	05-10-2012 Earlier CMC Decision: 06.09.2010 Issue consent to establish if the unit complies with the CMCs decision dated 13.08.2010 ATR Remarks: Letter was sent on 06.09.2010 and in response of this letter your reply was received on 29.10.2010. CTE ---- CTE applied on 13.07.2010 Vide Id.No. 34491 Water Consumption ---- 3500 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 200 (in sq. meter) CETP Membership ---- N/A Date of commissioning of project ---- 01-01-2010 Waste Water generation Domestic Effluent ---- 200 liters/day Trade Effluent ---- 3000 liters/day ETP / STP ---- Yes Test Report(Water) within Limit ---- Yes Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A	10-10-2012 Recommended to inspect the unit, thereafter, file be put up administratively.
42	36538 23-02-2011	RAPID COOL B-151, PH-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Fabrication and Machining for making steam boiler and hot water generator (engg. works) Spray Painting, Paint Baking, Paint Stripping	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 0 liters/day	09-10-2012 (1)ETP ---- N/A (2)ECS - paint booth connected to wet Scrubber (A) Stack monitoring report dated 03-02-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-02-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: as per the approval in CMC meeting held on 08.04.2011 an inspection was carried out on 19.07.2011 and aboserved that	10-10-2012 File be put up administratively.

							1. unit found operational and engaged in the activities of machining and fabrication of hot water generators. 2. one paint booth found installed with wet scrubber as ECS and providing stack height of about 2m above the roof level. 3. one DG set of 62.5 KVA found installed with acoustic enclosure and adequate stack height. unit generating hazardous waste in the form of cloth during painting activity. (5) SCN u/s 31(A)/5 of EPA details : SCN was issued to the unit on 26.09.2011 under Air Act. in response to SCN a letter submitted by the unit on 07.10.2011 along with affidavit and informed that they do not make or fabricate any types of steam boiler, actual activity is machining & fabrication of hot water generator and request to issue necessary consent to Establish and operate certificate as early as possible. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO	
43	36542 23-02-2011	RAHUL BEVERAGE A-17, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	Cold Drink and Mineral Water. Aerated Water And Fruit Beverage	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 15500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 1000 liters/day	08-10-2012 ETP / STP ---- Yes adequacy report dated 07.02.2011 issued by DTU and Test Report (Water) dated 07.02.2011 and parameter i.e. Total Dissolved Solids was not found within Limit. ECS: N/A DG Set: nil Decision dated 08.04.2011: inspection be conducted. accordingly inspection was conducted on 1.07.2011 and based on the deficiencies SCN u/s 33(A)/ 31 (A) was issued on 20.07.2011 unit submitted its reply on 03.08.2011 regarding rectification of the deficiencies. A letter issued to the unit on 26.08.2011 for submission of bank guarantee . unit submitted the same on 04.10.2011. again a letter issued to the unit on 12.10.2011 for submission of fresh Adequacy and test reports of ETP. unit have failed to submit the same.	10-10-2012 Recommended to put up file administratively.
44	36551 24-02-2011	HYVOLT ELECTRICALS B-36, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Renewal	MANUFACTURING AND SUPPLY OF COPPER CASTING WIRE DRAWING AND SUPER ENAMELLING. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 1049 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 750 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 (1)ETP ---- N/A (2)ECS - Scrubber (a) AR dated December 2010 issued by GGSIU submitted. (b) Stack monitoring report dated 13-12-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 KVA and 200 KVA. Noise monitoring report dated 08-11-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes . The unit has 1 D.G. Set(s) of 125 KVA and 200 KVA. Noise monitoring report dated 26-10-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	10-10-2012 Recommended to put up file administratively.

							(4) Inspection details:conducted on 14.06.2011& following were observed: a)Unit has tilting furnace for copper ingot casting. b)Diesel is used in the furnace. c) Wet scrubber is installed. d) A packaging/packing (wooden) unit was also found in the same premises in operation without consent. e) unit has complied with provisions of HWM Rules except date of storage is not indicated on each container. EARLIER CMC DECISION 08.04.11 Inspection be conducted to check the furnace	
45	36553 25-02-2011	NEWAGE INDUSTRIES B-66, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Mfg. of Steel And Wooden Furniture with Phosphating. Phosphating	• Date of commissioning of project ---- • Built Up Area ---- 1206 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 500 liters/day	08-10-2012 ATR/Remarks: Earlier CTO issued valid upto 31.08.2004 vide consent order no 316. Twice of CTO_R issued valid upto 26.02.2011 vide consent order no 20603. Grant of authorization under HWM Rules on 16.06.2009. (1)ETP ---- Physico-chemical (a) AR dated 11.02.2008 issued by DTU submitted. (b) Effluent analysis report dated 23-02-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes. (2)ECS - stack connected to baking oven (a) Stack monitoring report dated 23-02-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 23-02-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details:not conducted (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no decision on 22.05.2009 Issue renewal of consent and authorisation under HWM Rules.	10-10-2012 Inspection be expedited as decided in CMC on 08.04.2011.