



CONSENT MANAGEMENT

Agenda No. 2 - Annexure III - 8 Cases of Consent to Operate and Consent to Operate(renewal)under orange category of the period 28.02.2011 to 01.12.2010 in reverse chronology (excluding the cases of Redevelopment areas) recommended by Screening Committee as (2d category) in its meeting on10.10.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	35961 15-12-2010	JAKSONS DEVELOPERS PVT. LTD PLOT NO.- 3B1, DISTRICT CENTER, SECTOR-10, ROHINI	NORTH WEST	Orange Operate	HOTEL CUM COMMERCIAL COMPLEX. Hotel With Atleast 20 Bed Rooms	- Date of commissioning of project ---- 01-04-2008 - Built Up Area ---- 49975 (in sq. meter) - Water Consumption ---- 501000 liters/day - Ground Water ---- 290000 liters/day - Waste Water generation (a) Domestic Effluent ---- 181000 liters/day (b) Trade Effluent ---- 121000 liters/day		09-10-2012 Earlier CMC Decision: 05.08.2010 Issue reminder to take necessary action w.r.t. the proceedings of the meeting taken by MS, DPCC on 01.07.2010/02.07.2010 incorporating the decision of the Scrutinizing Committee. ATR Remarks: Letter issued on 21.09.2010. CTE ---- CTE issued on 18.12.2008 and valid upto 17.12.2009 Vide C.No. 19387. Water Consumption ---- 501000 liters/day Ground Water ---- 290000 liters/day Built Up Area ---- 49975 (in sq. meter) CETP Membership ---- N/A Date of commissioning of project ---- 01-04-2008 Waste Water generation Domestic Effluent ---- 181000 liters/day Trade Effluent ---- 121000 liters/day ETP / STP ---- Yes Test Report(Water) within Limit ---- Yes Test Report(Air) within Limit ---- N/A NMR Sumitted ---- Yes NMR Sumitted ---- Yes NMR Sumitted ---- Yes NMR Sumitted ---- Yes NMR Sumitted ---- Yes Earlier CMC Decision: 16.03.2011 Ask the unit to submit stack monitoring report for D.G. Set of more than 1000 KVA, water mass balance chart to substantiate the compliance of environmental clearance conditions no (i) in operational stage, effluent analysis report of treated waste water with complete parameters from approved laboratory of DPCC. Inform to DJB regarding ground water extraction. Letter for submission of Stack monitoring report for D.G. Set	10-10-2012 Case be referred to Committee as per 2 (d)

							of more than 1000 KVA, water mass balance chart to substantiate the compliance of environmental clearance conditions no (i) in operational stage and effluent analysis report of treated waste water with complete parameters from approved laboratory of DPCC was sent to the unit on 02.05.2011. Reply has been received on 21.09.2011 along with the Stack monitoring report of D.G. Set, water mass balance Chart and Effluent analysis report.	
2	35968 16-12-2010	RED FOX HOTEL (A UNIT OF ORIOLE DR. FRESH HOTELS PVT. LTD) PLOT NO-6, COMMUNITY CENTER, KONDLI	EAST	Orange Operate	Hospitality Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- • Built Up Area ---- 7200 (in sq. meter) • Water Consumption ---- 75000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2400 liters/day (b) Trade Effluent ---- 57600 liters/day	05-10-2012 (1)ETP ---- STP (a) AR dated20.09.10..... issued byDTU..... submitted. (b) Effluent analysis report dated 20-09-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No. phosphate has not been analysed by the unit Unit has submitted photocopy of test report dated 31.03.12. However, phosphate (as PO4) analysed by the unit exceeds the prescribed parameter. (2)ECS - N/A, N/A (a) Stack monitoring report dated 03-11-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 03-11-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 250 KVA and 250 KVA. Noise monitoring report dated 02-11-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes . The unit has 2 D.G. Set(s) of 250 KVA and 250 KVA. Noise monitoring report dated 02-11-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 16.03.11, letter was issued on 21.04.11 for submission of effluent analysis report with the complete parameters and itemwise compliance report of consent to establish on an affidavit. Unit has submitted its reply on 16.12.11 along with the above mentioned affidavit. Unit has again submitted its reply on 18.06.12 along with the photocopy of fresh effluent analysis report with complete parameter. However, phosphate (as PO4) analysed by the unit exceeds the prescribed parameter. EARLIER CMC DECISION 16.03.11 Ask the unit to submit the effluent analysis report with the	10-10-2012 Case be referred to Committee as per 2 (d)

							complete parameters and itemwise compliance report of consent to establish on an affidavit.	
3	36132 04-01-2011	RAMPS INDUSTRIES (INDIA) BT-1/83, PHASE-1, MANGOL PURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Operate	MFG. OF SANITARY GOODS WIH ELECTROPLATING. Sanitary Goods with Casting (With Pit Furnace) / Buffing / Electroplating	• Date of commissioning of project ---- • Built Up Area ---- 399 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 500 liters/day	05-10-2012 CTE ---- CTE issued on 18.06.2010 and valid upto 17.06.2011 Vide C.No. 24442 Water Consumption ---- 1000 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 399 (in sq. meter) CETP Membership ---- Mangolpuri Industrial Area Phase - I & II CETP Society / Membership No ---- 3374 Date of commissioning of project ---- 01.04.2009. Waste Water generation Domestic Effluent ---- 1000 liters/day Trade Effluent ---- 500 liters/day ETP / STP ---- Yes Test Report(Water) within Limit ---- Yes Test Report(Air) within Limit ---- N/A NMR Sumitted ---- Yes Earlier CMC Decision: 06.04.2010 Recommended for grant of consent to establish. Subsequently, inspection be conducted. Decision on 08.04.2011 Inspection be conducted to check the type of furnace w.r.t. negative/prohibited category of units as per MPD-2021. Accordingly, inspection conducted on 08.07.2011 and following were observed: a) ETP has been installed and it was in operation but no chemicals were observed in the chemical dosing tank. b) Grinding and polishing activity was going on at the basement of the premises, ECS has been provided with grinding and buffing section but the same was not operating properly as emission observed. c) Oil fired furnace exists and channelization provided but hood is not proper and adequate stack height not provided. d) HWM Rules are not complied with. SCN u/s 33(A) & 31(A) and SCN u/s 5 of EPA and SCN for refusal of consent were issued on 08.08.2011. A reply received from the unit on 23.08.2011 regarding rectification of deficiencies. A letter for the submission of BG and reply on affidavit and photographs of ETP & ECS/ HWM compliance issued to the unit on 27.09.2011. A reply received from the unit on 10.10.2011 along with aforsaid document.	10-10-2012 Case be referred to Committee as per 2 (d)
4	36263	REPUBLIC ENGINEERS B-3, JHILMIL	Jhilmil Industrial Area	Orange Renewal	Manufacturing of Aluminum Utencils.		05-10-2012 (1)ETP ---- ETP (Physiochemical) (a) AR datedOctober, 2010..... issued byGGSIU..... submitted.	10-10-2012 Case be referred to Committee as per 2 (d)

	18-01-2011	INDUSTRIAL AREA			Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 334.4 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 500 liters/day	(b) Effluent analysis report dated 22-10-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes. (2)ECS - Dust collector (a) AR dated October, 2010 issued by GGSIU submitted. (b) Stack monitoring report dated 20-10-2010 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 250 KVA and 62.5 KVA. Noise monitoring report dated 12-01-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 08.04.11, letter was issued on 13.06.11 for submission of application for authorization under HWM Rules. Unit has submitted its reply on 08.07.11 stating that they has applied for authorization under HWM Rules on 27.05.11. EARLIER CMC DECISION 08.04.11 Ask the unit to apply for authorization under HWM Rules	
5	36292 21-01-2011	ADDL. DIRECTOR OF EDUCATION (SPORTS) CHHATRASAL STADIUM, MODEL TOWN, MALL ROAD	NORTH	Orange Operate	Chhatrasal stadium, model town, mall road delhi. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- • Built Up Area ---- 14433.73 (in sq. meter) • Water Consumption ---- 295000 liters/day • Ground Water ---- 95000 liters/day • Waste Water generation (a) Domestic Effluent ---- 160000 liters/day (b) Trade Effluent ---- 0 liters/day	10-10-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 30.11.2010 issued by GGSIU submitted. (b) Effluent analysis report dated 22-11-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - No . effluent analysis report dated 18.07.2011 issued by DPCC submitted and parameter i.e. TSS, is not meeting the prescribed standards. (2)ECS - N/A (3) 2 D.G.Set of 750 KVA installed and NMR is not submitted. a letter issued to the unit on 15.06.2011 for submission of effluent analysis report with all the parameters and unit submitted the same on 09.08.2011.	10-10-2012 Case be referred to Committee as per 2 (d)
6	36293 21-01-2011	B.M. MOTORS A-45, PHASE-II, MANGOL PURI, INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Operate	MFG. OF ELECTRICAL GOODS(CELLING FANS, GYSIERS AND EXHAUST FANS) WITH PHOSPHATING AND POWDER COATING. Phosphating & Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	05-10-2012 1. ETP / STP ----Yes Test Report(Water) dated 24.10.2010 issued by GGSIU submitted and found within Limit 2. DG Set: 62 KVA DG set installed and NMR dated 12.10.2010 Sumitted found with in the limits. Earlier CMC Decision: 27.08.2010 Issue closure directions u/s 33(A)/ 31(A). unit submitted its reply on 06.09.2010 informing about the installation of ETP and acoustic enclosure. a letter issued to the unit for submission of bank guarantee on 15.11.2010.after that unit subitted letters on 11.02.2011 & 15.07.2011 informing about the closure of the unit.	10-10-2012 Case be referred to Committee as per 2 (d)

							again a letter issued to the unit on 16.08.2011 for submission of bank guarantee. inspection of the unit was conducted on 24.10.2011 and it was informed by the local pwaples that unit was closed from last few months.	
7	36421 07-02-2011	NAMAN BUILDCON LTD (PACIFIC MALL) KHAYALA	WEST	Orange Operate	COMMERCIAL CUM MULTIPLEX. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 18-05-2009 • Built Up Area ---- 33016 (in sq. meter) • Water Consumption ---- 675000 liters/day • Ground Water ---- 475000 liters/day • Waste Water generation (a) Domestic Effluent ---- 200000 liters/day (b) Trade Effluent ---- 224000 liters/day	09-10-2012 CTE : Applied on 24.05.2007 vide ID no 21488. EC obtained on 19-05-2008. Water Consumption ---- 675000 liters/day Ground Water ---- 475000 liters/day Built Up Area ---- 33016 (in sq. meter) CETP Membership ---- N/A Date of commissioning of project ---- 18-05-2009 Waste Water generation Domestic Effluent ---- 200000 liters/day Trade Effluent ---- 224000 liters/day ETP / STP ----Yes Test Report(Water) within Limit ---- Yes Test Report(Air) within Limit ---- Yes NMR Submitted ---- Yes Earlier CMC Decision: Decision on 24.11.08 An application was filed by one Sh. I.K. Thakur on behalf of DMRC seeking time from the committee. Unfortunately nobody from DMRC turned up. Since the unit is already under prosecution by the department, no further negotiation with the unit can take place. The unit was informed accordingly. Decision on 11.12.08 Nobody came for personal hearing from DMRC. Prosecution proceedings will be continued.Call on 14.01.09. Decision on 14.01.09 Call for personal hearing on 02.02.09 at 6.15 PM. Decision on 02.04.09 Call on 12.05.09. Decision on 12.06.09 SIT-II to inspect & report. Call on 05.08.09 Decision on 21.01.2010 Letter to the MOEF indicating the deficiencies found during inspection and quoting the letter for the monitoring from the regional office of MOEF. Further, comments regarding issuance of CTE may also be sought. Also	10-10-2012 Case be referred to Committee as per 2 (d)

							communicate the deficiencies to the unit for rectification. Deficiencies communicated on 25-02-2010. Reply received on 23-03-2010.	
8	36423 07-02-2011	HOTEL IMPERIAL JANPATH	NEW DELHI	Orange Renewal	HOTEL OPERATIONS. Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- 01-01-1931 • Built Up Area ---- 28948.29 (in sq. meter) • Water Consumption ---- 36000 liters/day • Ground Water ---- 10000 liters/day • Waste Water generation (a) Domestic Effluent ---- 10000 liters/day (b) Trade Effluent ---- 100000 liters/day	09-10-2012 (1)ETP ---- ETP(Bio-logical) (a) AR dated 14.01.2008 issued by DTU submitted. (b) Effluent analysis report dated 07.02.2011 issued by DPCC submitted. (2)ECS - Scrubber, Scrubber, Scrubber (b) Stack analysis report dated 28.01.2011 issued by Shriram Institute for industrial Research submitted. (3)D.G.Set: 1 (a)Noise monitoring report of 1250 KVA dated 03.02.2011 issued by DPCC submitted and noise levels are within limit. (b) Stack monitoring report dated - 28.01.2011- issued by - Shriram Institute for industrial Research- submitted and parameters within limit . (4)D.G.Set: 2 (a)Noise monitoring report of 2000KVA dated 28.01.2011 issued by DPCC submitted and noise levels are within limit. (b) Stack monitoring report dated - 28.01.2011 - issued by - Shriram Institute for industrial Research - submitted and parameters within limit . (5) Inspection details:NO (6) SCN u/s 31(A)/33(A)/5 of EPA details :NO (7) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Earlie CMC Decision: 13.01.2011 The unit must use the treated waste water for the entire cooling requirement so that fresh water is conserved and treated waste water gets optimally utilized. Ask the unit to submit a feasibility report for installation of Sewage Treatment Plant (STP) for treating the entire waste water and for installation of recycling system for reuse of treated waste water in the cooling tower, toilet flushing, horticulture etc. supported by a water mass balance chart. Unit is also required to submit a fresh effluent analysis report with complete parameters as per new notification from approved laboratory of DPCC. Also unit may be asked to install Solar Water Heating system and ensure use of CFL, BEE labeled equipments to conserve the energy. Ask the unit to submit compliance report of D.G Set of 2000 KVA in compliance of gazette notification of D.G. Set and also ask full compliance of earlier CMC decisions. Inspection may also be conducted. Inform to DJB regarding	10-10-2012 Case be referred to Committee as per 2 (d)

							ground water extraction. Letter was sent to the unit on 24.02.2011 directing the unit to: 1. Submit a feasibility report for installation of Sewage Treatment Plant (STP) for treating the entire waste water and for installation of recycling system for reuse of treated waste water in the cooling tower, toilet flushing, horticulture etc. supported by a water mass balance chart and unit must use the treated waste water for the entire cooling requirement so that fresh water is conserved and treated waste water get optimally utilized. 2. Unit is also required to submit a fresh effluent analysis report with complete parameters as per new notification from approved laboratory of DPCC. 3. Also unit may be asked to install Solar water Heating system and ensure use of CFL, BEE labeled equipments to conserve the energy and for submission of compliance report of D.G Set of 2000 KVA in compliance of gazette notification of D.G. set and also ask full compliance of earlier CMC decisions. Reply recieved along with an affidavit on 08.08.2011 whereby the unit submitted the analysis report for fresh effluent sample and stated that they have projected to complete the new Sewage Treatment Plant by March 2012. 08.04.2011 Ask the unit to take rectification measures for achieving the newly notified standards and submit the fresh effluent analysis report to substantiate the compliance from approved laboratory of DPCC. Also ask the unit to submit its time bound proposal for installation of waste water treatment plant for treating the entire waste water (sewage as well as trade effluent) generated and for reuse of the treated water in colling toilet flushing , horticulture etc. so that water is conserved. Inform to DJB regarding ground water extraction. Letter was sent to the unit on 13.06.2011 directing the unit to: 1. Take rectification measures for achieving the newly notified standard and submit the fresh effluent analysis report to substantiate the compliance from approved laboratory of DPCC. 2. Submit time bound proposal for installation of waste water treatment plant for treating the entire waste water (sewage as well as trade effluent) generated and reuse of the treated water in cooling, toilet flushing, horticulture etc. so that water is conserved. Reply has been received on 29.09.2011 whereby unit submits the Environmental Statement for the Financial Year ending 31.03.2011.
--	--	--	--	--	--	--	--