



CONSENT MANAGEMENT

Agenda No 2 - Annexure I - 41 Cases of Consent to Operate and Consent to Operate(Renewal)under orange category of the period 01.09.2012 to 30.09.2012(excluding the cases of redevelopment areas)recommended by Screening Committee as (2b category) on 15.10.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/2511 03-09-2012	MONGA BAKERY C-35/6, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	MANUFACTURING OF PVC MOULDED ITEMS. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	- Date of commissioning of project ---- 01-01-1970 - Built Up Area ---- 250 (in sq. meter) - Water Consumption ---- 50 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	15-10-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
2	DPCC/EC/2/1/2012/2512 03-09-2012	KOMPAC CABLES 44-B, S. S. I. INDUSTRIAL AREA	S.S.I Industrial Area	Orange Renewal	MFG. OF PVC WIRE AND CABLE. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	- Date of commissioning of project ---- - Built Up Area ---- 180 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: .nil	15-10-2012 Renewal of Consent to Operate granted.
3	DPCC/EC/2/1/2012/2525 03-09-2012	TAKKAR INDUSTRIES Z-31, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Manufacturing of PVC Compound (Dana) Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	- Date of commissioning of project ---- - Built Up Area ---- 341 (in sq. meter) - Water Consumption ---- 450 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		11-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 20-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 11.10.10, CTO was issued on 24.11.10 . EARLIER CMC DECISION 07.05.2010 Issue consent to establish. 11.10.2010 Issue consent to operate.	15-10-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
4	DPCC/EC/2/1/2012/2526 03-09-2012	TAKKAR INDUSTRIES A-95, DDA SHEDS, PHASE-II, OKHLA	Okhla Industrial Area	Orange Renewal	Manufacturing of PVC Compounds. Manufacturing of PVC Granules and Other			11-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	15-10-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

		INDUSTRIAL AREA			Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 450 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day			
5	DPCC/EC/2/1/2012/2527 03-09-2012	NAHATA PLASTICS SHED NO.29, 42-DLF KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	Mfg. of Plastic Dana (fresh Dana) Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 103 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	15-10-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
6	DPCC/EC/2/1/2012/2529 03-09-2012	STANDARD INDUSTRIAL CORPORATION T-4/7, MANGOL PUJR INDUSTRIAL AREA, PHASE-I,	Mangolpuri Industrial Area	Orange Renewal	Tractor Parts (Pressure Die Casting) Aluminium Pressure Die Casting	• Date of commissioning of project ---- • Built Up Area ---- 203.4 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 250 liters/day • Waste Water generation (a) Domestic Effluent ---- 95 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 14-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil	15-10-2012 Inspection be conducted.
7	DPCC/EC/2/1/2012/2533 03-09-2012	BHANSALI UDYOG PVT. LTD. A-42, PH-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Mfg. of Electric Wire and Cables. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 290.13 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 162 KVA. Noise monitoring report dated 20-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	15-10-2012 Renewal of Consent to Operate granted.
8	DPCC/EC/2/1/2012/2538	SAKSHI METAL PLOT NO 1/536/E-2, GALI NO 4, FRIENDS	Friends Colony Industrial Area	Orange Renewal	ALUMINIUM WIRE DRAWING. Wire Drawing (Without			12-10-2012 (1)ETP ---- N/A (2)ECS - N/A	15-10-2012 Inspection be conducted.

	04-09-2012	COLONY INDUSTRIAL AREA			Pickling/ Galvanizing)	• Date of commissioning of project ---- • Built Up Area ---- 64 (in sq. meter) • Water Consumption ---- 40 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	(3)D.G.Set: ...N/A... (4) Inspection details conducted by the officials of DPCC on 11.02.2009: a. Unit is engaged in manufacturing of Aluminum wire drawing & is located at ground & first floor. Second floor used for storage. b. One exhaust is installed. As decided by CMC(O) in its meeting held on 16.02.2009, a letter was issued to the unit on 22.04.2009 asking the unit to file affidavit regarding installation of pollution control device. Reply from the unit was received on 22.04.09. As decided by CMC(O) in its meeting held on 17.06.2009, a letter asking the unit to confirm its reply on an affidavit and SCN u/s 21 of the Air Act and u/s 25/26 for not obtaining consent to operate were issued on 24.07.09. As decided by CMC (O) in its meeting held on 07.10.09, CTE & CTO were issued on 26.10.2009. EARLIER CMC DECISION: 16.02.09 Ask the unit to file affidavit regarding installation of pollution control device. 17.06.2009 Ask asking the unit to confirm its reply on an affidavit. Also issue SCN u/s 21 of the Air Act and u/s 25/26 for not obtaining consent to operate. 07.10.09 Issue CTO & CTE.	
9	DPCC/EC/2/1/2012/2539 04-09-2012	METRO PLASTIC INDUSTRIES 458-466, GALI NO 8, SAMBHU NATH COMPOUND, FRIENDS COLONY INDUSTRIAL AREA (G.T. ROAD) SHAHDARA	Friends Colony Industrial Area	Orange Renewal	MFG. OF PVC GRANULES. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	15-10-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
10	DPCC/EC/2/1/2012/2541 04-09-2012	N.S. CABLE INDUSTRIES 308/1, SHAHZADA BAGH INDUSTRIAL AREA, OLD ROHTAK ROAD	Shahzada Bagh Industrial Area	Orange Renewal	MFG. OF PVC WIRE CABLE AND PVC COMPOUND. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot) Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing	• Date of commissioning of project ---- • Built Up Area ---- 35 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	11-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...nil	15-10-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

					Activity)				
11	DPCC/EC/2/1/2012/2545	SHUBHAM COLOUR SCON (P) LTD PLOT NO.454, F.I.E. PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	Computer Photo Setting and Graphic Designing. Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		15-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. Name of the unit was entered wrong. Correct name is M/s SHUBHAM COLOR SCAN (P) LTD As decided by the CMC (O) in its meeting held on 10.08.11, CTE was issued on 06.09.11 without trade effluent. EARLIER CMC DECISION 10.08.11 Issue consent to establish without trade effluent.	15-10-2012 Consent to Operate (without trade effluent discharge) and Authorization under HWM Rules granted.
12	DPCC/EC/2/1/2012/2547	GLOLITE INDUSTRIES B-237 SECTOR-1 DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF PLASTIC PRODUCT Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	15-10-2012 Consent to Operate granted without using plastic scrap as a raw material.
13	DPCC/EC/2/1/2012/2548	SHIV SHAKTI ENTERPRISES PLOT NO. 143, PKT-D, SEC-3, DSIIDC, BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	MFG. OF PVC COMPOUND AND PVC WIRE AND CABLES. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot) Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		11-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Consent to Establish has already been granted to the unit on 01.07.2010 vide consent order no. DPCC/CMC/2010/24582. Consent status of the unit must be updated online.	15-10-2012 Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to update the staus of the unit w.r.t issuance of CTE.
14	DPCC/EC/2/1/2012/2554	GAURAV INDUSTRIES G-242, SEC-3, DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	Mfg. of PVC Compound. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - N/A . (3)D.G.Set: ...nil	15-10-2012 Consent to Operate granted without using plastic scrap as a raw material.
15	DPCC/EC/2/1/2012/2556	ADARSH GUPTA 212 PHASE-II	Shahzada Bagh Industrial	Orange Operate	MFG. OF PLASTIC INJECTION MOULDED			12-10-2012 (1)ETP ---- N/A	15-10-2012 Consent to Operate granted without

	05-09-2012	SHAHZADA BAGH INDSUTRIAL AREA	Area		PRODUCTS AND ENGG. WORKS ON LATHE MACHINE. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (3)D.G.Set: nil	using plastic scrap as a raw material.
16	DPCC/EC/2/1/2012/2572 07-09-2012	PAUL MANUFACTURING COMPANY C-278, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Manufacturing of Baby Nipples and Feeding Bottles. Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	• Date of commissioning of project ---- • Built Up Area ---- 208 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 150 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 04-09-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	15-10-2012 Renewal of Consent to Operate granted with the condition that unit will also comply with the provisions of new notification for rubber industries.
17	DPCC/EC/2/1/2012/2576 10-09-2012	SHYN INDUSTRIES A-9, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	TRADING AND MFG OF HOME SANITATION PRODUCTS AND TEXTILE AUXILIA RIES SUCH AS DETERGENTS, SILICON, SOFTNER. Soap, Detergent Cake and Powder, Scouring Power and Bar (W/O Trade Effluent)	• Date of commissioning of project ---- 13-03-1974 • Built Up Area ---- 187 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 600 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 15 KVA. Noise monitoring report dated 27-07-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	15-10-2012 Renewal of Consent to Operate granted.
18	DPCC/EC/2/1/2012/2579 10-09-2012	ROTOFIL INDUSTRIES 11, MOTI NAGAR DLF INDUSTRIAL AREA	Moti Nagar DLF Industrial Area	Orange Renewal	MANUFACTURING OF PACKAGING MACHINE. Spray Painting, Paint Baking, Paint Stripping	• Date of commissioning of project ---- • Built Up Area ---- 720 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		15-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 20-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	15-10-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

19	DPCC/EC/2/1/2012/2581	ROTOPACK INDUSTRIES B-41, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MANUFACTURING OF PACKAGING MACHINE. Spray Painting, Paint Baking, Paint Stripping	• Date of commissioning of project ---- • Built Up Area ---- 645.6 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 20-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Earlier CMC Decisions: decision on 19.08.2010 ask the unit to submit affidavit stating that unit will not carry out buffing and painting activity. If unit submit the requisite affidavit issue renewal of consent without buffinga and painting. In this matter unit submitted reply on 03.11.2010 along with a required affidavit	15-10-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
20	DPCC/EC/2/1/2012/2583	JAGAT INDUSTRIES 42/14, DLF, 42, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	MANUFACTURING OF PACKAGING MACHINE Spray Painting, Paint Baking, Paint Stripping	• Date of commissioning of project ---- • Built Up Area ---- 826 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day	12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 20-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	15-10-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
21	DPCC/EC/2/1/2012/2592	JAI SHAKTI PAINT INDUSTRIES 340/38, GALI NO. 1-B, FRIENDS COLONY INDUSTRIAL AREA SHAHDARA	Friends Colony Industrial Area	Orange Renewal	MANUFACTURING OF DRY DISTEMPER BY GRINDING AND MIXING. Cement Paint Powder And Distemper	• Date of commissioning of project ---- • Built Up Area ---- 167.22 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	11-10-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 05-07-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 06.08.09 & it was observed that unit found operational & engaged in mfg. of dry	15-10-2012 Renewal of Consent to Operate granted.

							distemper with mixing & grinding & is located at basement & ground floor. As decided by the CMC (O) in its meeting held on 12.02.2010 / 15.02.201, CTE was issued on 26.03.10. Earlier CMC Decisions 16.02.2009 Letter for CTE to issued. 17.06.2009 SIT-II to inspect and report. Call on 19.08.2009 12.02.2010 / 15.02.2010 Issue Consent to Establish in view of findings of inspection.	
22	DPCC/EC/2/1/2012/2614	PRINT PACK (INDIA) 5/21,KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Operate	offset printing works (without washing). Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	15-10-2012 Consent to Operate (without trade effluent discharge) and Authorization under HWM Rules granted.
23	DPCC/EC/2/1/2012/2615	SAJBEN PLAST FILMS PVT. LTD. 5/28, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	manufacturing of plastic products. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 84 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	15-10-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
24	DPCC/EC/2/1/2012/2634	JUNEJA SOAP MILLS E-1, PH-III, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	MFG.OF PLASTIC MOULDED GOODS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 96 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	15-10-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
25	DPCC/EC/2/1/2012/2641	EUREKA POLY PRODUCTS PVT. LTD. B-41, PH-I, OKHLA	Okhla Industrial Area	Orange Renewal	MFG. OF PLASTIC PRODUCTS. Plastic Processed Goods		11-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1	15-10-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

		INDUSTRIAL AREA				• Date of commissioning of project ---- • Built Up Area ---- 8000 (in sq. meter) • Water Consumption ---- 225 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 0 liters/day	(a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 05-09-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 21.12.2009 / 22.12.2009, CTR was issued on 27.01.10 with the condition to comply the notification dated 07.01.2009. Earlier CMC Decisions 21.12.2009 / 22.12.2009 The consent granted on 03.10.2006 was for renewal of the consent. Therefore, CTE is not required and renewal of consent granted with the condition to comply the notification dated 07.01.2009.	
26	DPCC/EC/2/1/2012/2647 18-09-2012	R.G.C. INDUSTRIES LTD C-63/4, OKHLA INDUSTRIAL AREA PH-II	Okhla Industrial Area	Orange Operate	MFG. OF READYMADE GARMENTS WITHOUT WAHSING. Readymade Garment with oil fired boiler (Without Washing/Dyeng)	• Date of commissioning of project ---- • Built Up Area ---- 12000 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 0 liters/day	12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 09-08-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 09-08-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 22-08-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes As decided by the CMC (G) in its meetinh held on 20.03.06, CTR issued under green category on 10.10.06 vd CNO 17237. As decided by the screening committee in its meeting held on 02.04.12, CTE was issued on 04.05.11. EARLIER CMC DECISION 20.03.06 (In CTR under green category) Consent granted with condition that NMR of another DG set of 25 KVA shall be submitted within two months 02-04-2012 (2b) Issue consent to establish.	15-10-2012 Consent to Operate granted.
27	DPCC/EC/2/1/2012/2653 18-09-2012	BHARAT PLASTIC INDUSTRIES I-1, DSIIDC, PHASE-III, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	MFG.OF PLASTIC PRODUCTS (FURNITURE CANE SUTLI). Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day	11-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil CTO_R issued on 18.02.2010 valid upto 17.09.2012 but in online data this application showing pending.	15-10-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to update the status w.r.t. consent application dated 18.09.2009.
28	DPCC/EC/2/1/2012/2662 18-09-2012	M.M. TRADERS & MANUFACTURERS PLOT NO 1/429/10, GALI NO 1, FRIENDS	Friends Colony Industrial Area	Orange Renewal	PVC MOULDED BOBBINS AND ELECTRICAL GOODS. Plastic Processed Goods		12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring	15-10-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

					Goods	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day			
36	DPCC/EC/2/1/2012/2728 26-09-2012	MYSO CABLES (P) LTD. PLOT NO. 400, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	Mfg. of PVC Wire and Cable. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 170 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 70 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 21-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 10.07.03. As decided by the CMC (O) in its meeting held on 21.12.2009 / 22.12.2009, CTR was issued on 27.01.10, valid up to 29.09.12 Earlier CMC Decisions 21.12.2009 / 22.12.2009 Issue renewal of consent.	15-10-2012 Renewal of Consent to Operate granted.
37	DPCC/EC/2/1/2012/2729 26-09-2012	SILVER OCEAN EXPORTS PVT. LTD PLOT NO. E-45/9&10, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Mfg. of Readymade Garments without washing. Readymade Garment with oil fired boiler (Without Washing/Dyeng)	• Date of commissioning of project ---- • Built Up Area ---- 3000 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 0 liters/day		11-10-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 20-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 200, 250 KVA. Noise monitoring report dated 20-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. The unit has 1 D.G. Set(s) of 200, 250 KVA. Noise monitoring report dated 27-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details:conducted on 09.06.09 & following were observed: a) Unit was found operational and was engaged in the activity of garment manufacturing without washing. b) Washing is being done in the separate premises namely, silver ocean pvt. Ltd., Y-29, Okhla Industrial Area, Ph-II. Applied for CTE on 03.04.08. c) DG set of 200 KVA & 205 KVA was found and was acoustic enclosure and with adequate stack height of 3 mts. d) Two boilers and air compressor were found in the premises. As decided ny the CMC (O) in its meeting held on 21.12.09/22.12.09, CTE & CTO without washing were issued on 21.01.10.	15-10-2012 Renewal of Consent to Operate granted.

							Earlier CMC Decisions 20.03.2009 Trainee, CMC-III to inspect and report. Call on 29.04.2009 11.05.2009 Inspection be expedited by Trainee, CMC-III. Call on 24.06.2009 24.06.2009 Ask the unit to apply for consent to operate. Call on 26.08.2009 21.12.2009 / 22.12.2009 Issue Consent to Operate and Consent to Establish without washing.	
38	DPCC/EC/2/1/2012/2735 27-09-2012	BHARAT ADHESIVES 36-A, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Manufacturing Industrial Adhesives. Manufacturing of Synthetic Adhesive without Heating	• Date of commissioning of project ---- 01-01-1971 • Built Up Area ---- 369.16 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 22-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes . (4) Inspection details: conducted and following were observations: 1) process of mfg. involves mixing of adhesive chmeicals i.e. sysnthetic rubber, resins, natural rubber and toulene. 2) DG set of 30 KVA installed at ground floor with acoustic enclosure and adequate stack height. 3) unit has obtained NOC from Fire Deptt. 4) water harvesting it has been provided. (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	15-10-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
39	DPCC/EC/2/1/2012/2744 28-09-2012	PRINCE DIE CASTING 69/6A, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	ALUMINIUM DIE CASTING OF AUTO, ELECTRICAL AND HARDWARE PARTS. Aluminium Pressure Die Casting	• Date of commissioning of project ---- • Built Up Area ---- 180 (in sq. meter) • Water Consumption ---- 750 liters/day • Ground Water ---- 750 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 500 liters/day	12-10-2012 (1)ETP ---- N/A (2)ECS - STACK CONNECTED TO oil fired furnace (b) Stack monitoring report dated 11-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	15-10-2012 Inspection be conducted.
40	DPCC/EC/2/1/2012/2745	NEERU CABLES (INDIA) NEROLEX HOUSE	Narela Industrial Area	Orange Renewal	WELDING, PVC, AND XPLE WIRE AND CABLES Electrical Wire		15-10-2012 (1)ETP ---- N/A (2)ECS - N/A	15-10-2012 Inspection be conducted.

	28-09-2012	H-1202, DSIDC NARELA INDUSTRIAL AREA			And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- 01-01-1998 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 90 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...Nil old record is not tracable.	
41	DPCC/EC/2/1/2012/2758 28-09-2012	M.G. PLASTIC INDUSTRIES 55, RAJASTHAN UDYOG NAGAR INDUSTRIAL AREA, G.T. KARNAL ROAD	Rajasthan Udyog Nagar Industrial Area	Orange Renewal	MFG.OF PLASTIC MOULDED GOODS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 275 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		11-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...nil	15-10-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.