



CONSENT MANAGEMENT

Agenda No 1 - Annexure II - 20 Cases of Consent to Establish under orange category of the period 01.09.2012 to 30.09.2012(excluding the cases of redevelopment areas)recommended by Screening Committee as (2c category) on 15.10.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/2535 04-09-2012	SHUBHAM FOOD INDUSTRIES B-58, LAWRENCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Establish	DALL MILL AND FLOUR MILL Dal Mills Flour Mills	- Date of commissioning of project ---- - Built Up Area ---- 110 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		11-10-2012 (1)ETP ---- N/A (2)ECS - yes (a) AR dated 27.07.2012 issued by DTU is submitted. (b) Stack monitoring report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. (3)D.G.Set: ...Nil	15-10-2012 Recommended for grant of Consent to Establish and earlier consent to establish issue don 05.06.2012 be made infructuous.
2	DPCC/EC/2/1/2012/2537 04-09-2012	S.S. FOOD INDUSTRIES (UNIT-II) B-44, LAWRENCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Establish	processing and mfg.of atta and allied products. Flour Mills	- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 350 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		11-10-2012 (1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set: 125kv (proposed)	15-10-2012 Recommended for grant of Consent to Establish.
3	DPCC/EC/2/1/2012/2558 06-09-2012	B.S. PLASTICS K-31, SECTOR-3, DSIDC, BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	MFG. OF LD PLASTIC DANA (WITH TRADE EFFLUENT DISCHARGE). Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	- Date of commissioning of project ---- - Built Up Area ---- 300 (in sq. meter) - Water Consumption ---- 800 liters/day - Ground Water ---- 800 liters/day - Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 500 liters/day		11-10-2012 (1)ETP ---- Physicochemical treatment (a) AR dated 10.08.2012 issued by DTU submitted. (b) Effluent analysis report dated 18-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 18-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection conducted on 23.07.2012 during the inspection following were observed: a) No emission control measure was taken by the unit for emission generated from the extruding process, injection moulding machines. b) Waste water treatment plant was not found installed and thus entire untreated waste water was found dischagred into public drain. (5) SCN u/s 31(A)/33(A) issued on 25.05.2012. A reply received from the unit on 05.06.2012 and requesting for two months time.	15-10-2012 Recommended for grant of Consent to Establish.

		INDUSTRIAL AREA				• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day			
7	DPCC/EC/2/1/2012/2618 12-09-2012	JAGGI ART PRINTERS PLOT NO K-42, SECTOR-2, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	FLOUR MILL Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		11-10-2012 (1)ETP ---- N/A (2)ECS -Proposed (3)D.G.Set: ...Nil	15-10-2012 Recommended for grant of Consent to Establish.
8	DPCC/EC/2/1/2012/2631 13-09-2012	JMC- CHEC (JV) CBD GROUND, NEAR KARKARDOOMA COURT, SHAHDARA	EAST	Orange Establish	MIXING OF CONCRETE. Ready Mix Concrete Plants (without trade effluent discharge)	• Date of commissioning of project ---- • Built Up Area ---- 1500 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		09-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...6... 250KVA, 2x 125 KVA & 3x 62.5KVA	15-10-2012 Recommended for grant of Consent to Establish (without trade effluent discharge) with condition that unit shall take adequate measures for fugitive dust suppression / control to meet the prescribed standards and will also submit adequacy report of the plant to achieve the prescribed standards from empanelled consultant of DPCC while submitting application for consent to operate.
9	DPCC/EC/2/1/2012/2638 13-09-2012	K R F LIMITED B-22, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Establish	Manufacturing of plastic hangers, Rubber Buttons/patches, metal buttons/Badges and leather patches. Aluminium Pressure Die Casting Industry Or Process Involving Electroplating Operations Plastic Processed Goods Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	• Date of commissioning of project ---- • Built Up Area ---- 338.792 (in sq. meter) • Water Consumption ---- 1300 liters/day • Ground Water ---- 1000 liters/day • Waste Water generation (a) Domestic Effluent ---- 280 liters/day (b) Trade Effluent ---- 1000 liters/day		11-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	15-10-2012 Recommended to inspect the unit.
10	DPCC/EC/2/1/2012/2650	COMPETENT AUTOMOBILES CO.	Mayapuri Industrial	Orange Establish	SERVICING, REPAIRING AND			12-10-2012 (1)ETP ---- N/A	15-10-2012

	18-09-2012	LTD B-83, PH-I, MAYAPURI INDL. AREA	Area		WASHING OF CARS. Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 1500 (in sq. meter) • Water Consumption ---- 5000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 3500 liters/day		(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 21-08-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes . (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Recommended for grant of Consent to Establish.
11	DPCC/EC/2/1/2012/2668 19-09-2012	BOMBAY WIRE INDUSTRIES PLOT NO A-73, (NEW NO.421-D) GALI NO. 7, FRIENDS COLONY INDL. AREA	Friends Colony Industrial Area	Orange Establish	COPPER WIRE DEAWING AND SUPER ENAMELLED WIRE. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 110.27 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		10-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...140 KVA...	15-10-2012 Recommended for grant of Consent to Establish.
12	DPCC/EC/2/1/2012/2669 19-09-2012	PARACHEM PHARMACEUTICAL PVT. LTD. PLOT NO-3, SECTOR-5, POCKET-N, DSIDC, BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	REPACKING OF DURGS AND CHEMICALS AND MFG. OF EXTERENAL APPLICATION. Medicines / Pharmaceutical Formulation- Without Boiler	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 70 liters/day		11-10-2012 (1)ETP ---- trade effluent 50 LPD (Proposed) (2)ECS - N/A (3)D.G.Set: ...Nil	15-10-2012 Recommended for grant of Consent to Establish.
13	DPCC/EC/2/1/2012/2681 20-09-2012	ARAVALI PRINTERS AND PUBLISHERS PVT. LTD. A-129, PH-II, OKHLA INDL. AREA	Okhla Industrial Area	Orange Establish	OFFSET PRINTING INCLUDING WASHING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 20000 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 1000 liters/day		10-10-2012 (1)ETP ---- proposed. (2)ECS - N/A (3)D.G.Set: ...2... 125 KVA & 82.5 KVA	15-10-2012 Recommended for grant of Consent to Establish.
14	DPCC/EC/2/1/2012/2694 21-09-2012	JKG ENTERPRISES E-49/12, OKHLA, PH-II	Okhla Industrial Area	Orange Establish	SWEET SHOP AND RESTAURANT Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais	• Date of commissioning of project ---- 01-12-2001 • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 3000 liters/day (b) Trade Effluent ---- 0 liters/day		11-10-2012 (1)ETP ---- ETP (Physiochemical)----- installed (2)ECS - N/A (3)D.G.Set Noise Report : 82.5 KVA. (4) Inspection details: conducted on 08.06.12 w.r.t a public compliant & following were observed: a) During the inspection, unit was found functional without	15-10-2012 Recommended for grant of Consent to Establish.

					And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)		CTO & CTE. b) DG set of capacity 82.5 KVA installed in the premises in a anon acoustic room. c) ETP installed but found in defunct condition. d) No ETP sludge & hazard waste drum & site provided in the premises. (5) SCN u/s 33(A) details : issued on 02.07.12. Unit has submitted its representation on 09.07.12 & requested for 30 days time for rectification of deficiencies of ETP & acoustic canopy with DG set. As approved, modified directions issued on 29.08.12 for 30 days for submission of affidavit that they have rectified the deficiencies regarding ETP & acostic canopy with DG set & submission of fresh adequacy report along with monitoring report of ETP & NMR from empaneled consultancy of DPCC. Unit has applied for CTO on 21.09.12 with adequacy report dated 09.09.12 issued by DTU submitted & effluent analysis report dated 09-09-2012 issued by DTU submitted.	
15	DPCC/EC/2/1/2012/2708 24-09-2012	TEJ RAM DHARAM PAUL C-4, SECTOR-4, DSIDC INDL. AREA, BAWANA	Bawana Industrial Area	Orange Establish	MFG. OF SUPARI AND MOUTH FESHNER. Supari (Betelnut) and Pan Masala Grinding	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	11-10-2012 (1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS -Proposed (3)D.G.Set: ...nil	15-10-2012 Recommended to inspect the unit.
16	DPCC/EC/2/1/2012/2713 26-09-2012	UNI-PEX PHARMACEUTICALS PRIVATE LIMITED PLOT NO 542, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Establish	FORMULATION OF MEDICINES Medicines / Pharmaceutical Formulation- Without Boiler	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 100 liters/day	11-10-2012 (1)ETP ---- trade effluent: 100 LPD ETP (Proposed) (2)ECS - N/A (3)D.G.Set: ...Nil	15-10-2012 Recommended for grant of Consent to Establish.
17	DPCC/EC/2/1/2012/2722 26-09-2012	SU YASH TRAEXIM PVT. LTD. C-178E, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Establish	REPAIR AND SERVICING OF AUTOMOBILES (TWO WHEELERS ONLY. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 15.93 (in sq. meter) • Water Consumption ---- 5000 liters/day • Ground Water ---- 3800 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 3800 liters/day	12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :	15-10-2012 Recommended for grant of Consent to Establish.
18	DPCC/EC/2/1/2012/2724	BAJWAN FOOD PRODUCTS PLOT NO 140, POCKET-A,	Bawana Industrial Area	Orange Establish	FLOUR MILL Flour Mills		11-10-2012 (1)ETP ---- N/A (2)ECS - Proposed	15-10-2012 Recommended for grant of Consent to Establish.

	26-09-2012	SECTOR-2, DSIIDC INDL. AREA, BAWANA				• Date of commissioning of project ---- 01-01-2009 • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...nil	
19	DPCC/EC/2/1/2012/2733 26-09-2012	SINGLA FOODS PLOT NO-150, PKT-A, SEC-2, DSIIDC, BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	Flour Mills. Flour Mills	• Date of commissioning of project ---- 01-01-2009 • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		11-10-2012 (1)ETP ---- N/A (2)ECS - Proposed (3)D.G.Set: nil	15-10-2012 Recommended for grant of Consent to Establish.
20	DPCC/EC/2/1/2012/2740 27-09-2012	GIRDHARS INTERNATIONAL PVT. LTD. F-16, UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Establish	Mfg. of Candles. Mfg. of Candles having oil fired boiler with trade effluent discharge	• Date of commissioning of project ---- • Built Up Area ---- 979 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2400 liters/day (b) Trade Effluent ---- 0 liters/day		15-10-2012 (1)ETP ---- physiochemical (a) AR dated 22.02.2012 issued by .DTU submitted. (b) Effluent analysis report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes . (2)ECS - stack attached to boilers (a) Stack monitoring report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes . (b)Stack monitoring report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (b)The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details: 28.10.2009 (5) SCN u/s 31(A)/33(A)/5 of EPA details :18.10.2010.	15-10-2012 Recommended for grant of Consent to Establish.

							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : 21.08.2012. Inspection was conducted on 28.10.2009 and following deficiencies were observed:- 1) No channelization system provided to control emission generated during melting of wax. 2) Brine solution generated during back wash of softening plant is being discharge with out treatment. 3) In the submitted document, only one boiler is reported, however during the inspection two no. of thermic fluid heater and one no. of steam boiler with inadequate stack height are found in the premises. No stack monitoring report submitted to these heaters/ boiler. A letter for rectification of deficiencies was issued to the unit on 25.02.2010. However no reply has been received so far. SCN for refusal of consent and section 31 (A) of Air Act & u/s 33 (A) Water Act were issued to the unit on 18.10.2010. However no reply has been received so far. Refusal of Consent and confirmed closure direction were issued to the unit 02.06.2011. Unit submitted reply on 13.06.2011 along with an affidavit regarding rectification of deficiencies. Bank guarantees of Rs. One Lakh each under Air and Water Act were asked vide letter dated 22.07.2011. The unit has submitted the BG of Rs. One Lakh each under Air & Water Act on 29.09.2011. As decided in the CMC (Orange) dated 11.11.2011, a letter has been issued to the unit for the submission of technical adequacy report of waste water treatment system for regenerated waste water from softening plant on 07.12.2011. Unit submitted its reply on 29.02.012 along with the technical adequacy report and Temporary Revocation of closure directions issued to the unit on 26.03.2012 with the condition to submit a fresh application for Consent to Establish and consent to operate. Again Closure Directions u/s 31 (A) of the Air Act and 33 (A) of the Water Act issued to the unit on 21.08.2012. The unit has approached to National Green Tribunal and tribunal has following order. - if unit files an application within two weeks in proper format,enclosing all documents and fulfilling all requirements prescribed under law, the DPCC shall consider the same and take decision within three weeks from the date of receipt thereof, till a final decision is taken by the DPC on tth said application, no coercive action would be taken against the unit. The unit has now applied for CTE and CTO. The unit has submitted a letter on 08.10.2012 regarding increasing/ providing adequate stack height with DG sets and boilers.	
--	--	--	--	--	--	--	---	--