



CONSENT MANAGEMENT

Agenda No 2 - Annexure II - 46 Cases of Consent to Operate and Consent to Operate(Renewal)under orange category of the period 01.09.2012 to 30.09.2012(excluding the cases of redevelopment areas)recommended by Screening Committee as (2c category) on 15.10.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/2510 03-09-2012	GIRDHAR FOOD INDUSTRIES F-1768, DSIDC COMPLEX, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	DALL MILL Dal Mills	- Date of commissioning of project ---- 01-01-1999 - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 1000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 15.05.2008 issued by DCE submitted. (b) Stack analysis report dated 27.07.2012 issued by DTU. (3)D.G.Set:nil	15-10-2012 Recommended for grant of Renewal of Consent to Operate.
2	DPCC/EC/2/1/2012/2513 03-09-2012	TOSC INTERNATIONAL PVT. LTD. H-1429, H-1441, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	PHARMACEUTICAL FORMULATION. Pharmaceuticlas Formulation With Washing Operation	- Date of commissioning of project ---- - Built Up Area ---- 3158 (in sq. meter) - Water Consumption ---- 800 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 400 liters/day		11-10-2012 (1)ETP ---- yes (a) AR dated 28.06.2012 issued by DTU submitted. (b) Effluent analysis report dated 28-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No. parameter i.e. BOD is not meeeting the standards. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 15-03-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes	15-10-2012 Issue Show Cause Notice for refusal of consent and Show Cause Notice u/s 33 (A) of the Water Act since parameter BOD found exceeding the prescribed limits.
3	DPCC/EC/2/1/2012/2515 03-09-2012	SHRI MAHADEV CATTLE FEED INDUSTRIES PLOT O 174,POCKET-F,SECTOR-1,DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	DALL MILLS. Dal Mills	- Date of commissioning of project ---- - Built Up Area ---- 250 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 240 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 18.08.2012 issued by DTU submitted. (b) Stack monitoring report dated 18-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	15-10-2012 Recommended for grant of Consent to Operate.
4	DPCC/EC/2/1/2012/2516 03-09-2012	LAXMI FOOD PLOT NO. 20-21, SEC-3, PKT-F, DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	DALL MILL Dal Mills	- Date of commissioning of project ---- - Built Up Area ---- 500 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - Yes (a) AR dated 28.06.2012 issued by DTU submitted. (b) Stack monitoring report dated 28-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report	15-10-2012 Recommended for grant of Consent to Operate.

								within Limit - Yes	
								(3)D.G.Set: nil	
5	DPCC/EC/2/1/2012/2517	LALITA FOOD PRODUCTS PLOT NO 11, POCKET-O, SECTOR-1, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	DALL MILL Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		15-10-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 28.06.2012 issued by DTU submitted. (b) Stack monitoring report dated 28-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	15-10-2012 Recommended for grant of Consent to Operate.
6	DPCC/EC/2/1/2012/2518	SARASWATI FOOD INDUSTRIES PLOT NO 21, PKT-E, SEC-2, DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	Dall Mill. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		11-09-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 28.06.2012 issued by DTU submitted. (b) Stack monitoring report dated 28-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...nil	15-10-2012 Recommended for grant of Consent to Operate.
7	DPCC/EC/2/1/2012/2519	SINGHLA FOOD PRODUCTS PLOT NO.5, PKT-C, SEC-3, DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	DALL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 28.06.2012 issued by DTU submitted. (b) Stack monitoring report dated 28-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	15-10-2012 Recommended for grant of Consent to Operate.
8	DPCC/EC/2/1/2012/2520	PARTAP FOOD INDUSTRIES PLOT NO.121, PKT-A, SEC-4 DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	DALL MILL Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 28.06.2012 issued by DTU submitted. (b) Stack monitoring report dated 28-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	15-10-2012 Recommended for grant of Consent to Operate.
9	DPCC/EC/2/1/2012/2521	SWASTICK METAL PRESSING PLOT NO 22, SEC-2, PKT-E, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	DALL MILL Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 28.06.2012 issued by DTU is submitted. (b) Stack monitoring report dated 28-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit Yes (3)D.G.Set: ...Nil	15-10-2012 Recommended for grant of Consent to Operate.
10	DPCC/EC/2/1/2012/2522	SHRI HANUMAN	Bawana	Orange	DALL MILL			12-10-2012	15-10-2012

	03-09-2012	FOOD PRODUCT PLOT NO 32-35, POCKET-M, SECTOR-1, DSIDC, BAWANA INDUSTRIAL AREA	Industrial Area	Operate	Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	(1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 28.06.2012 issued by DTU submitted. (b) Stack monitoring report dated 28-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes . (3)D.G.Set: ...nil	Recommended for grant of Consent to Operate.
11	04-09-2012	SHUBHAM FOOD INDUSTRIES B-58, LAWRENCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Operate	DALL MILL AND FLOUR MILL Dal Mills Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	11-10-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 27.07.2012 issued by DTU is submitted. (b) Stack monitoring report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit-Yes (3)D.G.Set: ...Nil	15-10-2012 Recommended for grant of Consent to Operate.
12	04-09-2012	RANA MOTORS (P) LTD. C-47, PH-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	SERVICING REPAIRING AND MAINTENANCE OF CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 1900 (in sq. meter) • Water Consumption ---- 12800 liters/day • Ground Water ---- 12800 liters/day • Waste Water generation (a) Domestic Effluent ---- 700 liters/day (b) Trade Effluent ---- 12000 liters/day	11-10-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJuly,2012..... issued byDTU.... submitted. (b) Effluent analysis report dated 05-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 06-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 25.01.10, CTO was issued on 18.02.10. Earlier CMC Decisions 07.10.2009 Refer to DJB for ground water extraction. 25.01.2010 Issue consent to operate.	15-10-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
13	04-09-2012	DTC SAROJINI NAGAR SAROJINI NAGAR, DEPOT	NEW DELHI	Orange Renewal	Repair and Maintenance of CNG Buses. (low floor) Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 9761 (in sq. meter) • Water Consumption ---- 14000 liters/day • Ground Water ---- 12000 liters/day • Waste Water generation (a) Domestic Effluent ---- 12000 liters/day (b) Trade Effluent ---- 0 liters/day	12-10-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 28.08.2009 issued by GGSIP submitted. (b) Effluent analysis report dated 19-07-2012 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 28-08-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring	15-10-2012 Issue Show Cause Notice for refusal of consent and Show Cause Notice u/s 31 (A) of the Air Act since noise monitoring report in respect of one D.G. Set shows not meeting the prescribed limits.

	06-09-2012	B-91, PH-II, OKHLA INDUSTRIAL AREA			Ice-cream	• Date of commissioning of project ---- • Built Up Area ---- 464.51 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 2000 liters/day	Islamia..... submitted. (b) Effluent analysis report dated 18-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 20 KVA. Noise monitoring report dated 23-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 23-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 06.02.10 & following were observed: a) The unit is found in operation for the last two months. b) ETP/ biological has not been installed & commissioned yet. c) CTO is not yet applied. d) Two DG sets found installed of 62.5 KVA & 20 KVA with acoustic enclosure & adequate stack height. (5) SCN u/s 33(A) details : issued on 31.05.10. SCN for revocation of consent was also issued on 31.05.10. Unit has submitted its reply on 14.06.10 & informed that they have installed an ETP & applied for effluent analysis report. As approved, letter was issued on 30.07.10 for submission of Bank Guarantee of Rs. 50,000/- under Water Act valid for one year & also directed that unit shall not operate the unit till reports of the ETP. Unit has submitted the above said Bank Guarantee on 17.09.10. letter was received from ICICI Bank on 06.09.11 regarding the returned on original Bank Guarantee. EARLIER CMC DECISION 21.12.2009 / 22.12.2009 Issue Consent to Establish. Subsequently, inspection be conducted. 16.04.10 Issue SCN for revocation of consent and SCN for closure of the unit. 13.01.11 Decision taken on file ratified.	
18	DPCC/EC/2/1/2012/2566	SUPER FINE COATINGS E-147, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	ZINC ELECTROPLATING INDUSTRIES. Electroplating		12-10-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 16.08.2009 issued by GGSIP submitted. (b) Effluent analysis report dated 24-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report	15-10-2012 Recommended to seek effluent analysis report from empanelled laboratory of DPCC w.r.t new notification of MOEF

	07-09-2012	PH-II,			Industries	• Date of commissioning of project ---- • Built Up Area ---- 76 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 500 liters/day	within Limit -yes (2)ECS -stack connected to electoplatin bath (b) Stack monitoring report dated 24-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details:conduted on 05.01.2010 1)EAP found instaled and in workin as reported ETP is operational in twice a week only. 2) No provisions of HW is being provided. (5) SCN u/s 31(A)/33(A)/5 of EPA details :issued on22.02.2010 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no EARlier CMC decision: Decision on 25.01.2010 Recommended for issuance of SCN for refusal for non operation of ETP and SCN u/s 5 of EPA. Decision on 19.08.2010 Ask the unit to submit Bank Guarantee of Rs. 50,000 each under Water Act and HWM Rules valid for one year. Also ask the unit to apply for fresh authorization under HWM Rules. If unit submits Bank Guarantee, consent to operate be issued. unit submitted BG on25.01.2011	dated 30.03.2012 for electroplating industries.
19	DPCC/EC/2/1/2012/2570 07-09-2012	R.G. ENTERPRISES PLOT NO 122, PKT-J, SEC-2, DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	MFG. OF ELECTRICAL APPLIANCES (without buffing). Powder Coating without phosphating	• Date of commissioning of project ---- 01-11-2010 • Built Up Area ---- 420 (in sq. meter) • Water Consumption ---- 80 liters/day • Ground Water ---- 80 liters/day • Waste Water generation (a) Domestic Effluent ---- 40 liters/day (b) Trade Effluent ---- 0 liters/day	11-10-2012 (1)ETP ---- N/A (2)ECS - Cyclone (b) Stack monitoring report dated 19-07-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	15-10-2012 Recommended for grant of Consent to Operate.
20	DPCC/EC/2/1/2012/2586 10-09-2012	LAMBA ENTERPRISES PVT. LTD. 9, TILAK NAGAR INDL. AREA	Tilak Nagar Industrial Area	Orange Operate	Service Station of Bikes Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 108 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 1500 liters/day	12-10-2012 (1)ETP ---- physicochemical (a) AR dated 13.06.2012 issued by DTU submitted. (b) Effluent analysis report dated 13-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	15-10-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.
21	DPCC/EC/2/1/2012/2589	SAWHNEY GLOBAL	Okhla	Orange	MFG. OF		12-10-2012	15-10-2012

	10-09-2012	CREATIONS B-144, PHASE-I, OKHLA INDUSTRIAL AREA	Industrial Area	Operate	READYMADE GARMENT WITH WASHING. Readymade Garment (With Washing) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1500 (in sq. meter) • Water Consumption ---- 6300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 5000 liters/day	(1)ETP ---- ETP - Physiochemical (a) AR dated ...27.06.2012..... issued by ...DELHI COLLEGE OF ENGINEERING.. submitted. (b) Effluent analysis report dated 05-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report dated 13-08-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 110 KVA. Noise monitoring report dated 15-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 08.07.10 & following were observed: 1. The unit has installed an ETP which was found in operational condition. 2. Adequate stack height has not been provided with the both oil fired boilers. 3. One bore well exist. 4. DG set of 110 KVa capacity found installed with acoustic enclosure & adequate stack height. As decided by the CMC (O) in its meeting held on 27.08.10, letter was issued on 27.10.10 to increasae the stack height of boiler. SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act was also issued on 27.10.10. As decided by the CMC (O) in its meeting held on 27.07.10, letter was issued to DJB on 27.010.10 for regarding ground water extraction. EARLIER CMC DECISION 141nd Issue consent to establish. Subsequently, inspection be conducted. 27.08.10 Ask the unit to increasae the stack height of boiler. Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act for not applying consent to operate. Inform to DJB regarding ground water extraction.	Recommended for grant of Consent to Operate.
22	DPCC/EC/2/1/2012/2590 10-09-2012	BANSAL INSULATION PRODUCTS PVT. LTD. C-54/3, PHASE II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	MFG. OF ENAMELLED SUPER COPPER WIRE AND WIRE DRAWING. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 6000 (in sq. meter) • Water Consumption ---- 440 liters/day • Ground Water ---- 440 liters/day • Waste Water generation (a) Domestic Effluent ---- 320 liters/day (b) Trade Effluent ---- 0 liters/day	11-10-2012 (1)ETP ---- N/A (2)ECS - WET SCRUBBER (a) AR dated July, 2012 issued by DTU submitted. (b) Stack monitoring report dated 05-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 140 KVA and 140 KVA. Noise monitoring report dated 23-03-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	15-10-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

							As decided by the CMC (O) in its meeting held on 30.06.06, consent refused on 06.10.06 as unit has failed to submit SMR for heating furnace & NMR of DG set 140 KVA & 125 KVA. EARLIER CMC DECISION 24.04.06 Issue SCN for refusal. 30.06.06 Consent refused. Check for authorization under HWM Rules and act accordingly.	
23	DPCC/EC/2/1/2012/2595 10-09-2012	KRISHNA ELECTROPLATING WORKS (PROP. SURINDER KUMAR) C-81, MAYAPURI INDL. AREA, PHASE-II	Mayapuri Industrial Area	Orange Renewal	ELECTROPLATING JOB WORK Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 1800 liters/day • Ground Water ---- 1800 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 1400 liters/day	12-10-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 16.07.2009 issued byGGSIPsubmitted. (b) Effluent analysis report dated 24-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS - STACK ATTACHED ELECTOPLATIN BATH (b) Stack monitoring report dated 24-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	15-10-2012 Recommended to seek effluent analysis report from empanelled laboratory of DPCC w.r.t new notification of MOEF dated 30.03.2012 for electroplating industries.
24	DPCC/EC/2/1/2012/2599 10-09-2012	PEARL APPLIANCES (P) LT D. PLOT NO. A-84, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	MFG.OF HOME APPLIANCES. Powder Coating without phosphating	• Date of commissioning of project ---- • Built Up Area ---- 401 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 0 liters/day	10-10-2012 ((1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 09-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 09-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 09-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes A complaint received againts the unit on 23.05.2012. (4) Inspection conducted on 25.06.2012 during the inspection following were observed: a) Two DG set of 40 KVA & 85 KVA found installed with acoustic enclosure and inadequate stack height. b) No ECS found installed with buffing machine. c) Fugitive emissions/dust observed during buffing activity. (5) SCN u/s 31(A) was issued to the unit on 09.07.2012. Reply received from the unit on 20.07.2012 & 10.09.2012	15-10-2012 Inspection be conducted, thereafter, file be put up administratively.

							(4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
31	DPCC/EC/2/1/2012/2648 18-09-2012	DEEPAK MOTORS ROAD NO.-56, JHILMIL	NORTH EAST	Orange Operate	FILLING STATION CUM SERVICE STATION (TWO WHEELERS AND FOUR WHEELERS) Automobile Fuel Outlet (With Automobile Servicing, Repairing And Painting)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 2200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 2000 liters/day	12-10-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated June, 2012 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Effluent analysis report dated 25-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 25-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No. It is also mentioned in the online that D.G. Set monitored is meeting the permissible limit as per the G.S.R.371 (E) dated 17th May 2002 and amended till date. However Ambient Air Quality Standards in Respect of Noise as mentioned in Schedule III of the Environment (Protection) Rules, 1986 is not meeting. (4) Inspection details conducted by DPCC officials on 15.10.10 & following were observed: a.) ETP of the unit was found in defunct condition. b.) Collection tank for effluent storage was fully filled up with trade effluent, and overflowing condition. c.) Bypass arrangement was also found in the collection tank. d.) No measure for HW were taken by the unit. (5) SCN u/s 31(A), 33(A) & 5 of EPA were issued on 11.01.2011. (6) Closure directions u/s 31(A), 33(A) & 5 of EPA were issued on 06.01.2012. As decided by CMC (O) in its meeting held on 06.09.2010, CTE was issued on 07.10.2010. Reply received from the unit on 30.04.12 along with an affidavit and requested to withdraw closure directions. As approved, temporary revocation issued to the unit on 11.05.2012 for submission of CTO, Adequacy report of ETP and NMR. Unit has submitted for CTO with adequacy report of ETP and NMR of DG set (62.5 KVA) dated June, 2012 issued by DTU . EARLIER CMC DECISION 25.11.2010 Issue SCN u/s 33 (A) of the Water Act, u/s 31 (A) of the Air Act & u/s 5 of the EPA.	15-10-2012 File be put up administratively.
32	DPCC/EC/2/1/2012/2652	SHREE DURGA FLOUR MILLS	Bawana Industrial	Orange Operate	FLOUR MILLS.		12-10-2012 (1)ETP ---- N/A	15-10-2012

	18-09-2012	D-121, SEC-4 DSIDC BAWANA INDL. AREA	Area		Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 175 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 300 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	(2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 10.09.2012 issued by DTU submitted. (b) Stack monitoring report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	Recommended for grant of Consent to Operate.
33	18-09-2012	HARPREET MOTORS PVT. LTD. 68, SSI, G T KARNAL ROAD	S.S.I Industrial Area	Orange Operate	REPAIRING AND SERVICING OF CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- 01-03-2012 • Built Up Area ---- 920 (in sq. meter) • Water Consumption ---- 9000 liters/day • Ground Water ---- 8000 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 6400 liters/day	11-10-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 14.09.2012 issued by DCE submitted. (b) Effluent analysis report dated 24-08-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 22-08-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes	15-10-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.
34	18-09-2012	DHINGRA AUTOMOBILES K-54, UDYOG NAGAR INDUSTRIAL AREA, ROHTAK ROAD	Udyog Nagar Industrial area	Orange Renewal	REPAIRING SERVICING WITH WASHING OF TWO WHEELERS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 371.5 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 1500 liters/day	11-10-2012 (1)ETP ---- Physico-chemical (a) AR dated 18.06.2012 issued by DTU submitted. (b) Effluent analysis report dated 03-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 03-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	15-10-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
35	20-09-2012	TULI MOTORS RING ROAD, RAJA GARDEN	NEW DELHI	Orange Renewal	SERVICING, REPAIRING OF VARIOUS CARS. Automobile Fuel Outlet (With Automobile Servicing, Repairing And Painting)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 500 liters/day	11-10-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 23.10.2008 issued by .GGSIP submitted. (b) Effluent analysis report dated 27-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 27-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No	15-10-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

27-09-2012	F-16, UDYOG NAGAR INDUSTRIAL AREA	area	having oil fired boiler with trade effluent discharge	• Date of commissioning of project ---- • Built Up Area ---- 979 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2400 liters/day (b) Trade Effluent ---- 0 liters/day	(b) Effluent analysis report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes . (2)ECS - stack attached to boilers (a) Stack monitoring report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes . (b)Stack monitoring report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (b)The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details: yes (5) SCN u/s 31(A)/33(A)/5 of EPA details :yes (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : yes Inspection was conducted on 28.10.2009 and following deficiencies were observed:- 1) No channelization system provided to control emission generated during melting of wax. 2) Brine solution generated during back wash of softening plant is being discharge with out treatment. 3) In the submitted document, only one boiler is reported, however during the inspection two no. of thermic fluid heater and one no. of steam boiler with inadequate stack height are found in the premises. No stack monitoring report submitted to these heaters/ boiler. A letter for rectification of deficiencies was issued to the unit on 25.02.2010. However no reply has been received so far. SCN for refusal of consent and section 31 (A) of Air Act & u/s 33 (A) Water Act were issued to the unit on 18.10.2010.	Operate.
------------	-----------------------------------	------	---	--	--	----------

								EARLIER CMC DECISION 10.08.11 Inspection be conducted w.r.t. details of process. 03-10-2012 (2c) Consent to Establish granted. Subsequently, inspection be conducted.	
45	DPCC/EC/2/1/2012/2746 28-09-2012	SUPER REPROGRAPHICS PVT. LTD. C-411, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	MFG. OF SPICE GRINDING AND PACKING. Spice Grinding	• Date of commissioning of project ---- 01-01-1998 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 26-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	15-10-2012 Recommended for grant of Renewal of Consent to Operate.
46	DPCC/EC/2/1/2012/2747 28-09-2012	NATIONAL MASALA MILLS D-1523, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	GRINDING AND GRADING OF SPICES. Spice Grinding	• Date of commissioning of project ---- 01-01-1995 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 26-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	15-10-2012 Recommended for grant of Renewal of Consent to Operate.