



CONSENT MANAGEMENT

Agenda No 2 - Annexure III - 10 Cases of Consent to Operate and Consent to Operate(Renewal)under orange category of the period 01.09.2012 to 30.09.2012(excluding the cases of redevelopment areas)recommended by Screening Committee as (2d category) on 15.10.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/2568 07-09-2012	SECURITY SYSTEMS E-45/4, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Mfg. of Builders Hardware Items including Electroplating. Industry Or Process Involving Electroplating Operations Process Involving Buffing	- Date of commissioning of project ---- - Built Up Area ---- 418 (in sq. meter) - Water Consumption ---- 2700 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 1700 liters/day		12-10-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated20.08.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 20-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Pass except temperature. Temperature is given as 29 C as result for treated effluent. (2)ECS - Cyclone, , (a) AR dated 20.08.12 issued by DTU submitted. (b) Stack monitoring report dated 20-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 20-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 20-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 125, 125 KVA. Noise monitoring report dated 20-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 24.06.09, reminder letter was issued on 15.07.09 to confirm on affidavit that it is not drawing any ground water. Unit has submitted its reply on 24.06.09 along with an affidavit & stating that they are not consuming ground water EARLIER CMC DECISION 11.05.2009 Ask the unit to confirm on affidavit that it is not drawing any ground water. Call on 24.06.2009.	15-10-2012 Case be referred to Committee as per 2 (d)

							meeting dated 07.05.2010. in view of the above, case is being put up to review the earlier decision. As decided by the CMC (O) in its meeting held on 26.07.10, CTE was issued on 11.08.10. EARLIER CMC DECISION 17.06.09 Ask the unit to install flow measuring device and submit an adequacy report of ECS from empanelled consultant of DPCC. Call on 19.08.2009 07.10.09 Ask the unit to file adequacy report of ECS from approved consultanants of DPCC. 25.01.2010 Issue final reminder. 07.05.2010 Issue SCN for refusal of consent and SCN for closure of the unit 26.07.10 Issue consent to establish.	
4	DPCC/EC/2/1/2012/2600 10-09-2012	HINDUSTAN PETROLEUM CORPORATION LTD. TIKRIKALAN TERMINAL PROJECT SITE, ROHTAK ROAD	WEST	Orange Operate	RECEIPT STORAGE AND DISTRIBUTION OF PETROLEUM PRODUCTS (BS-IV MS, BS-IV HSD AND SKO) AND ETHANOL. Isolated storage of Petroleum Products	• Date of commissioning of project ---- 01-03-2013 • Built Up Area ---- 12950 (in sq. meter) • Water Consumption ---- 15000 liters/day • Ground Water ---- 10000 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 0 liters/day	15-10-2012 (1)ETP ---- Yes (a) AR dated 09-08-2912 issued by DTU submitted. (b) Effluent analysis report dated - 09-08-2912 - issued by - DTU - submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 3 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 21-05-2012 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit as per report. The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 21-05-2012 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit as per report. The unit has 1 D.G. Set(s) of 500 KVA. Noise monitoring report dated 21-05-2012 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit as per report. (b) Stack monitoring report (for more than 1000 KVA) dated 11-04 2012 issued by DTU submitted and parameters within limit as per report. (4) Inspection details: N/A (5) SCN u/s 31(A)/33(A)/5 of EPA details :N/A (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A	15-10-2012 Case be referred to Committee as per 2 (d)
5	DPCC/EC/2/1/2012/2616	AKSHAY ENTERPRISES 412, FIE	Patparganj Industrial Area	Orange Renewal	POWER COATING ON METAL AND ACID WASHING.		11-10-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedApril, 2008..... issued byGGSiPU..... submitted.	15-10-2012 Case be referred to Committee as per 2 (d)

	12-09-2012	PATPARGANJ INDUSTRIAL AREA			Phosphating & Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 420.32 (in sq. meter) • Water Consumption ---- 2100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 1400 liters/day		(b) Effluent analysis report dated 09-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes except Temperature. (2)ECS - N/A (3)D.G.Set: ...N/A...	
6	DPCC/EC/2/1/2012/2697 21-09-2012	THE PARK HOTEL 15, PARLIAMENT STREET	NEW DELHI	Orange Renewal	HOTEL Hotel with atleast 20 Bed Rooms with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 18683.58 (in sq. meter) • Water Consumption ---- 255000 liters/day • Ground Water ---- 255000 liters/day • Waste Water generation (a) Domestic Effluent ---- 65000 liters/day (b) Trade Effluent ---- 33000 liters/day		12-10-2012 (1)ETP ---- biological (a) AR dated 17.09.2012 issued by DTU submitted. (b) Effluent analysis report dated 17-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - Scrubber, Scrubber (b) Stack monitoring report dated 17-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes . Stack monitoring report dated 17-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes . (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 380 KVA. Noise monitoring report dated 17-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 380, 625 KVA. Noise monitoring report dated 17-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - yes . (4) Inspection details: cnducted on 16.03.2005 following were observed:- hotel was inspected to acess the performance of ETP. Later sample was collected from the outlet of ETP, comments on components of ETP are as under: 1) oil and grease chamber: 4 numbers require regular cleaning. 2) screen chambers not provided to remove the debris, coarse materials. 3) holding tank: ok 4) dosing tank: ferric, flocs developed, ok 5) clarifier no 1: scrapper not functional, require maintenance. 6) aeration tank: foaming may be due to excess detergents. 7) secondary clarifier: sludge without pump not workin efficiently, pump was later started by doing priming. 8) SDB: dried and wet sludge found. (5) SCN u/s 31(A)/33(A)/5 of EPA details : no	15-10-2012 Case be referred to Committee as per 2 (d)

							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
7	DPCC/EC/2/1/2012/2734 26-09-2012	C-DOT CAMPUS (CENTRE OF DEVELOPMENT OF TELEMATICS) MANDI GAON ROAD, CHATTAR PUR, MEHRAULI	SOUTH	Orange Renewal	RESEARCH AND DEVELOPMENT WORK FOR GOVERNMENT OF INDIA. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-02-1999 • Built Up Area ---- 65000 (in sq. meter) • Water Consumption ---- 125000 liters/day • Ground Water ---- 125000 liters/day • Waste Water generation (a) Domestic Effluent ---- 100000 liters/day (b) Trade Effluent ---- 0 liters/day	15-10-2012 (1)ETP ---- Other ETP Name : STP (a) AR datedSeptember, 2012..... issued byJamia Millia Islambia..... submitted. (b) Effluent analysis report dated 03-07-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 1500 KVA, 1500 KVA and 1500 KVA. Noise monitoring report dated 24-09-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 1500 KVA, 1500 KVA and 1500 KVA. Noise monitoring report dated 24-09-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 1500 KVA, 1500 KVA and 1500 KVA. Noise monitoring report dated 24-09-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (b) Stack monitoring report (1500 KVA) dated 14.08.12 issued by Shir ram Institute for industrial research submitted and parameters within limit.	15-10-2012 Case be referred to Committee as per 2 (d)
8	DPCC/EC/2/1/2012/2752 28-09-2012	SUNCITY PROJECTS PVT. LTD. PLOT NO F- 1,2,3, NETAJI SUBHASH PLACE, WAZIRPUR DISTRICT CENTRE NC-NW	NORTH WEST	Orange Operate	COMMERCIAL COMPLEX ? (NORTH SQUARE MALL) Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-04-2004 • Built Up Area ---- 10721.27 (in sq. meter) • Water Consumption ---- 18000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 14000 liters/day (b) Trade Effluent ---- 0 liters/day	12-10-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated 21.05.2012 issued by DTU submitted. (b) Effluent analysis report dated 05-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 4 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 05-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 500 KVA. Noise monitoring report dated 05-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit -yes The unit has 1 D.G. Set(s) of 500 KVA. Noise monitoring report dated 05-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - yes The unit has 1 D.G. Set(s) of 500 KVA. Noise monitoring report dated 05-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit -yes	15-10-2012 Case be referred to Committee as per 2 (d)
9	DPCC/EC/2/1/2012/2756	THE LALIT NEW DELHI (A UNIT OF BHARAT HOTEL LIMITED)	CENTRAL	Orange Renewal	Hotel Five Star. Hotel with atleast 20 Bed Rooms with Boiler		11-10-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 10.09.2012 issued by DTU submitted. (b) Effluent analysis report dated 11-09-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes	15-10-2012 Case be referred to Committee as per 2 (d)

	28-09-2012	BARAKHAMBA AVENUE, CONNAUGHT PLACE				• Date of commissioning of project ---- • Built Up Area ---- 13240 (in sq. meter) • Water Consumption ---- 500000 liters/day • Ground Water ---- 400000 liters/day • Waste Water generation (a) Domestic Effluent ---- 235000 liters/day (b) Trade Effluent ---- 215000 liters/day	(2)ECS - N/A (b) Stack monitoring report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 04-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 1250 KVA. Noise monitoring report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 4 D.G. Set(s) of 1000, 1000, 1000, 500 KVA. Noise monitoring report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit -Yes	
10	DPCC/EC/2/1/2012/2757 28-09-2012	ASHOK HOTEL 50-B, CHANAKYAPURI	NEW DELHI	Orange Renewal	Hotel. Hotel with atleast 20 Bed Rooms with Boiler	• Date of commissioning of project ---- 01-01-1956 • Built Up Area ---- 77911.2 (in sq. meter) • Water Consumption ---- 1425000 liters/day • Ground Water ---- 425000 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 990000 liters/day	12-10-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 18.07.2012 issued by DTUsubmitted. (b) Effluent analysis report dated 18-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - Scrubber, Scrubber (a) AR dated 18.07.2012 issued by DTU submitted. (b) Stack monitoring report dated 18-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 18-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 18-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 18-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 1250 KVA. Noise monitoring report dated 18-07-2012 issued by DELHI COLLEGE OF	15-10-2012 Case be referred to Committee as per 2 (d)

							ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 1500, 1500 KVA. Noise monitoring report dated 18-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No (b) Stack monitoring report (for more than 1000 KVA) dated 18.07.2012 issued by DTU submitted and parameters within limit / not satisfactory. (4) Inspection details:conducted on 23.02.2004 (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no CMC decision on 13.01.2011 The unit must use the treated waste water for the entire cooling requirement so that fresh water is conserved and treated waste water get optimally utilized. Ask the unit to submit a feasibility report for installation of Sewage Treatment Plant(STP) for treating the entire waste water and for installation of recycling system for reuse of treated waste water in the cooling tower, toilet flushing, horticulture etc. supported by a water mass balance chart. Unit is also required to submit the status of obtaining the ISO 14001 certification, a fresh effluent analysis report with complete parameters as per new notification from approved laboratory of DPCC. Also unit may be asked to install Solar Water Heating system and ensure use of CFL, BEE labeled equipments to conserve the energy and submit stack monitoring for the D.G. Set of more than 1000 KVA to substantiate the compliance of gazette notification dated 09.07.2002 from approved laboratory of DPCC. Inform to DJB regarding ground water extraction.
--	--	--	--	--	--	--	--