



DELHI POLLUTION CONTROL COMMITTEE
4th & 5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/ Committee II (b) /19th Meeting: / 2017/ 8796-800 Dated:02.03.2017

Subject: Minutes of the 19th Meeting of the Committee for II (b) Category Cases headed by Member Secretary, DPCC, held on 23.02.2017, in the Conference Room of DPCC at ISBT Building Kashmere Gate , Delhi -06.

Please find enclosed herewith the Minutes of the 19th Meeting of the aforementioned Committee, held on 23.02.2017, in the Conference Room of DPCC at ISBT Building Kashmere Gate , Delhi -06.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.

(D.K.Singh)
Sr. Env. Engineer (CDC)
Consent Management Cell- II

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC.

(D.K.Singh)
Sr. Env. Engineer (CDC)
Consent Management Cell- II

Minutes of the 19th Meeting of the Committee for II (b) Category cases, headed by Member Secretary, DPCC and constituted vide office order dated 12.04.2016, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous & Other Wastes / Plastic Waste Rules, held on 23.02.2017, in the conference room of DPCC, at 5th Floor, ISBT Building, Kashmere Gate, Delhi-06.

Attendance Sheet is enclosed as Annexure "A".

Following are the Minutes of the Meeting:-

Agenda Item No 1: Fresh Cases of Consent to Establish/Operate /Renewal of the period 16.01.2017 to 15.02.2017

Decisions were taken online in individual cases and list of 21 no. of units (Cases of Consent to Establish) including decisions taken in these cases are at Annexure I and list of 36 no. of units (Cases of Consent to Operate/Renewal) including decisions taken in these cases are at Annexure II.

Agenda Item No 2: 16 Pending cases of M/s Sagar Ratna Restaurants

Decisions were taken online in 05 cases of M/s Sagar Ratna Restaurants and list along with the decisions taken in these cases are at Annexure III.

In rest of the 11 cases which were not appearing in the Agenda generated online, decisions were taken offline after briefing the cases by the concerned engineers and decisions taken are given in the following table:-

Sl. No	CMC	Name & Address	ID No.	Date of Consent to Establish / Operate / Renewal Application	Activity of the Unit	Decisions taken by the Committee on 23.02.2017
1	I	M/s Sagar Ratna Restaurants Pvt. Ltd., A-1, Acharya Niketan, Pandav Nagar, Mayur Vihar, New Delhi-110091	15629 16415	01.08.2016 [Consent to Establish] 18.11.2016 [Consent to Operate]	Restaurant	Consent to Establish & Consent to Operate granted. Directions for closure issued on 05.08.2016 be revoked.
2	II	M/s Sagar Ratna Restaurants Pvt. Ltd., H-9/1, Mohan Co-operative Industrial Estate, Mathura Road, New Delhi-110044	12203 16414	23.10.2015 [Consent to Establish] 18.11.2016 [Consent to Operate]	Restaurant	Consent to Establish & Consent to Operate granted. Directions for closure issued on 05.08.2016 be revoked.
3	II	M/s Sagar Ratna Restaurant Pvt. Ltd., F-2, First Floor, Kalkaji, New Delhi-110019	16413	18.11.2016 [Consent to Operate]	Restaurant	Consent to Operate granted. Directions for closure issued on 05.08.2016 be revoked.

[Handwritten signatures and initials are present at the bottom of the page, including names like 'Sagar Ratna', 'M/s Sagar Ratna', and 'M/s Sagar Ratna'.]

4	II	M/s Sagar Ratna Restaurant Pvt. Ltd., Odean Plaza, Plot No 2, MLU Sector-6, Dwarka, New Delhi-110075	15703 16437	09.08.2016 [Consent to Establish] 23.11.2016 [Consent to Operate]	Restaurant	Consent to Establish & Consent to Operate granted. Directions for closure issued on 22.07.2016 be revoked.
5	II	M/s Sagar Ratna Restaurant Pvt. Ltd., C-32, Amar Colony, Main Market, Lajpat Nagar, New Delhi-110048	14700 16332	16.05.2016 [Consent to Establish] 25.10.2016 [Consent to Operate]	Restaurant	Consent to Establish & Consent to Operate granted. Directions for closure issued on 05.08.2016 be revoked.
6	II	M/s Sagar Ratna Restaurant Pvt. Ltd., Shop No 25, 26 & 27, Masjid Moth, Block-E, Greater Kailash-II, New Delhi-110048	14852 16333	27.05.2016 [Consent to Establish] 25.10.2016 [Consent to Operate]	Restaurant	Consent to Establish & Consent to Operate granted.
7	II	M/s Sagar Ratna Restaurant Pvt. Ltd., 24, Defence Colony, Delhi-110024	16114	09.09.2016 [Consent to Operate]	Restaurant	Consent to Operate granted. Directions for closure Dated 25.07.2016 be revoked. Earlier Consent to Operate Dated 19.02.2010 be made infructuous.
8	IV	M/s Sagar Ratna Hotels Pvt. Ltd., (Sagar Ratna), Central Market, Masoodpur, Vasant Kunj, Delhi-110070	16413	21.12.2015 [Consent to Operate(Renewal)]	Restaurant	Consent to Operate(Renewal) granted.
9	IV	M/s Sagar Ratna Restaurant Pvt. Ltd., 101, Ist Floor, Plot No 22, Bazar Marg,, Rajender Nagar, New Delhi-110060	16476 16476	08.05.2015 [Consent to Establish] 29.11.2016 [Consent to Operate]	Restaurant	Consent to Establish, Consent to Operate granted. Directions for closure issued on 04.08.2016 be revoked.
10	IV	M/s Sagar Ratna Restaurant Pvt. Ltd., 17, FF, L Block, Hari Nagar, Main Jail Road, New Delhi-110064	15638 16120	29.07.2016 [Consent to Establish] 09.09.2016 [Consent to Operate]	Restaurant	Consent to Establish & Consent to Operate granted. Directions for closure issued on 05.08.2016 be revoked.
11	V	M/s Sagar Ratna Restaurant Pvt. Ltd., 115A, Kamla Nagar, Shakti Nagar Chowk, New Delhi-110007	10882 16521	20.05.2015 [Consent to Establish] 06.12.2016 [Consent to Operate]	Restaurant	Consent to Establish & Consent to Operate granted. Directions for closure issued on 04.08.2016 be revoked.

Pending Cases of Consent to Establish / Operate/Renewal of the period 01.11.2015 to 31.01.2016 were also to be taken up by the Committee however due to paucity of time, the Committee could not take up these cases and decided to take up these cases in next meetings of the Committee.

Following Table Agenda Items were taken by the Committee with the permission of Chair:-

Table Agenda Item No 1: 05 Cases of CMC-IV

Decisions were taken online in individual 05 cases of CMC-IV and list along with the decisions taken in these cases are at Annexure IV.

Table Agenda Item No 2: 05 Cases of CMC-V

Decisions were taken offline after briefing the cases by the concerned engineers and decisions taken are given in the following table:-

Sl. No	CMC	Name & Address	ID No.	Date of Consent Application	Activity of the Unit	Decisions taken by the Committee on 23.02.2017
1	V	M/s R.N. Polymers, E-919, DSIDC, Narela Industrial Area, Delhi-40	12073	12.10.2015 [Consent to Operate(Renewal)]	Manufacturing of Dana with (Reprocessing with Washing)	Inspection conducted on 10.02.2017. Consent to Operate(Renewal) granted subject to condition that unit shall submit fresh Effluent Analysis Report of ETP with complete parameters and also apply for Registration under Plastic Waste Management Rules, 2016 along with certificate from Industries Department, Govt. of NCT of Delhi.
2	V	M/s S.A.S. Colour Impact, B-108, Sector-2, DSIIDC, Bawana Industrial Area, Delhi-39	16194 16197	21.09.2016 [Consent to Establish] 21.09.2016 [Consent to Operate]	Readymade Jeans Washing	Inspection conducted on 10.02.2017. Consent to Establish and Consent to Operate granted. Directions for closure be revoked.
3	V	M/s Inossess Wash, N-141, Sector-5, Bawana Industrial Area, Delhi-39	16648	22.12.2016 [Consent to Establish] 21.09.2016 [Consent to Operate]	Readymade Jeans Washing	Inspection conducted on 09.02.2017. Consent to Establish, Consent to Operate & Authorization under HW Rules, 2016 granted. Directions for closure be revoked.

[Handwritten signatures and notes at the bottom of the page]

4	V	M/s Bharat Enterprises, E-760, DSIDC, Narela Industrial Area, Delhi-40	16640	21.12.2016 [Consent to Establish]	Job Work of Jeans Washing	Inspection conducted on 10.02.2017. Consent to Establish, Consent to Operate & Authorization under HW Rules, 2016 granted. Directions for closure be revoked. Earlier Consent to Establish Dated 13.10.2015 be made infructuos since unit has again applied for Consent to Establish for changed activity.
			16646	22.12.2016 [Consent to Operate]		
5	IV	M/s Fraternity Club, Freemansons Hall, Janpath, New Delhi- 110001	10922	28.05.2015 [Consent to Establish]	Club	Decisions taken in file w.r.t. grant of Consent to Establish & Consent to Operate ratified.
			11620	26.08.2015 [Consent to Operate]		


Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on such lists (**Annexure I, II, III & IV**). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.

In future, if any case is falling in the chronology of the period selected for meeting however not appearing in the agenda item generated through existing software, such cases be brought before the Committee for taking offline decision.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.


(S.M. Ali)
Member Secretary, DPCC



(D.K. Singh)
SEE, CMC-II



(M. Arif)
SEE, CMC-V



(P.S. Pankaj)
EE, CMC-IV



(B.L. Chawla)
SEE, CMC-I


(Satender Kumar)
SEE, CMC-III



(D.K. Srivastava)
EE, CMC-III



(Surender Singh)
EE, CMC-V


Shyam
(Sunder)
EE, CMC-I









Sanjay
(Sanjay Vatts)
EE, CMC-II


(K. Kumar)
EE, CMC-IV


(Amit Chaudhary)
EE, CMC-V


(Sunil Kumar)
EE, CMC-IV

Attendance Sheet for 19th Meeting of the Committee constituted vide office order Dated 12.04.2016 and headed by Member Secretary, DPCC, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes /Plastic Waste Rules of **the units under Category II (b)**, held on **23.02.2017** in the Conference Room of DPCC at ISBT Building, Kashmere Gate, Delhi.

S.No.	Name	Designation	Signature
1.	Sh. S. M. Ali	Member Secretary, DPCC	
2.	Sh. D.K. Singh	SEE(CDC)(CMC II), DPCC	
3.	Sh. M. Arif	SEE(CDC) (CMC III), DPCC	
4.	Sh. P. S. Pankaj	EE, Incharge CMC IV, DPCC	
5.	Sh. B. L. Chawla	SEE(CDC)(CMC I), DPCC	
6.	Sh. Satender Kumar	SEE(CDC) (CMC V), DPCC	
7.	Sh. D. K. Srivastava	EE(CDC) (CMC III), DPCC	
8.	Sh. M. S. Rawat	EE(CDC) (CMC V), DPCC	Busy with NAT Inspection.
9.	Sh. Sanjay Vatts	EE(CDC) (CMC II), DPCC	
10.	Sh. Surender Singh	EE(CDC) (CMC V), DPCC	
11.	Sh. Shyam Sunder	EE(CDC) (CMC I), DPCC	
12.	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	Busy with Sub Committee work
13.	Sh. Amit Chaudhary	EE(CDC) (CMC III), DPCC	
14.	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	
15.	Sh. K. Kumar	EE(CDC) (CMC IV), DPCC	



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 19th meeting on 23.02.2017 w.r.t. Agenda Item No 1 -- 21 Fresh Cases of Consent to Establish of the period 16.01.2017 to 15.02.2017 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	SHREE SHIV SHAKTI PULSES MILLS	H - 1171, DSIIDC, NARELA, INDL. AREA, DELHI - 110040	17-01-2017		Dal Mills Dal Mills	Orange Establish	Non-SPI		Hard Copy not submitted.		22-02-2017	23-02-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued.
2	PREM MOTORS PRIVATE LIMITED	GROUND FLOOR, PLOT NO. 173 B, K-804/2, NEAR MATA CHOWK MAHIPALPUR,	17-01-2017	DPCC/EC/2/1/2017/16819	Auto Car Auto Cycle Servicing and Repairing Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of water:outside (copy of bill provide) Water consumption:6000 Liters/Day Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... -An inspection was carried out by Officials of DPCC on 07.01.2017 during inspection following observations were made: 1.Unit fond operational and engaged in the activity of servicing and washing of Maruti Vehicles. 2. Consent not obtained from DPCC. 3. No ETP installed in the premises for waste water generated from the unit. 4. One paint booth installed in the premises. 5. D,G Sets of capacity 82,5 KVA each are installed in the premises in acoustic enclosure and without stack height.		23-02-2017	23-02-2017 Expedite inspection as decided in file.

									-As per approval in the file a show cause notice u/s 31 (A) of Air Act & 33 (A) of Water Act issued to the unit on 16.01.2017. -Unit has submitted a reply on 10.02,2017 wherein they informed that they have removed the activity of washing & painting.			
3	SHIVAM BETELNUT PVT. LTD.	PLOT NO-282-283, POCKET-F, SECTOR-3, DSIDC BAWANA INDUSTRIAL AREA	19-01-2017	DPCC/EC/2/1/2017/16849	MFG. OF PAN MASALA. Supari (Betelnut) and Pan Masala Grinding	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP-N,A. 2. ECS- Proposed 3. D,G, set- 250 KVA (Propsed) Plot Area- 200 plus 250 (500 sq.mt.) Establishment Date- 01.01.2014 Status of Ground Water Extraction-No 1. Water consumption- 300 L/day. a) Source of water- DSIIDC (copy of water bill submitted) Status of Inspection- Yes (10.02.2017) 1. Unit found in operation & engaged in Mfg. of Pan Masala, Gutka and its packing in pouches. 2. Significant processs emissions observed in the working hall and pulverisation section. 3. No ECS/ control measures adopted except fan with duct. 4. Back side road & green belt near Ganga Toli mandir found covered with fine dust of Katha etc. 5. Unit is using plastic coated sheet (inside) for making pouches in violation of Plastic Rules, 2016. 6. Sample of pouch sheet & sealed pouch taken during inspection from Director of the unit. 7. Borewell exist, No permission shown during inspection. Unit is operational without consent to operate and D.G, set found during inspection. However, not shown in CTE application form.	Water(Effluent) report- N,A. Emission monitoring report -N,A. Noise Test Report-N,A.	22-02-2017 File is under submission with proposal of closure directions in view of violation observed during inspection dated 10.02.2017.	23-02-2017 Consent to Establish granted.
4	SITARAM	NJ-	20-01-2017	DPCC/EC/2/1/2017/16855	MANUFACTURING	Orange	Non-SPI		Status of Pollution Control	Water(Effluent) report-	22-02-2017	23-02-2017

	PLASTIC	232,SECTOR-3,BAWANA INDUSTRIAL AREA,DELHI-39			OF PLASTIC DANA Reprocessing of Waste Plastic / PVC (with Washing Activity)	Establish			system/Devices- 1. ETP-N.A. 2. ECS- N.A. 3. D.G. set- No Plot Area- 100 sq.mt. Commencement Date- 01.02.2017 Status of Ground Water Extraction-No 1, Water consumption- 4400 L/day. a) Source of water- Outside (copy of water bill not submitted) Status of Inspection- No	N.A. Emission monitoring report -N.A. Noise Test Report-N.A.	.	Consent to Establish granted.
5	FORTUNE MARKETING PVT. LTD,	F-24/4, OKHLA INDUSTRIAL AREA, PHASE-II	23-01-2017	DPCC/EC/2/1/2017/16883	ASSEMBLY / MANUFACTURING OF USB FLASH DRIVE AND MANUFACTUING OF RFID / PVC CARD AND INLAY TAGS (WITH SCREEN PRINTING). Plastic Processed Goods Printing with Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 13-02-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- Yes (a) Effluent analysis report dated 08-02-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 06-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : No Water consumption - 1000 ltr/day (Outside tankers) Status of Inspection : Yes on 05.10.2016 SCN u/s 31(A)/33(A)/5 of EPA details : 27,01,2017 As decided, inspection of the unit was carried out by the Representatives of DPCC on 05.10.2016 and following were observed- -Unit found in operation and engaged in the activity of Mfg./ Assembling of USB Flash Drive and Mfg. of RFID/ PVC Cord, Inloy Sheet Cutting. - Unit has installed Screen printing machine with screen mould washing basin and under trial run. Waste water to be	Effluent analysis report dated 08-02-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 06-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	23-02-2017 Unit has applied for CTE on 23,01,2017, Consent to operate and and Authorization under HWM Rules on 13,02,2017.	23-02-2017 Inspection be conducted.

generated from this activity but Effluent Treatment Plant for treating the waste water generated from this activity has not been installed.

- Hazardous waste generates from the screen printing process for which Authorization is required under the Hazardous and other waste (Management and Transboundry movement) Rules, 2016 however the unit has not applied for Authorization so far and measures to comply w.r.t said Rules have not been taken by the unit.

- Unit has installed D.G. set of 125 KVA with acoustic enclosure however adequate stack height has not been provided for D.G. set (Stack height found below roof level. It must be 2.5 meters above the building where D.G. set has been installed).

The activity of the Addressee unit falls under Orange category whereas it has applied under Green category.

The case of the Addressee unit was taken up by the Cell Incharge, DPCC, on 07.12.2016 and it was decided to Issue Show Cause Notice for Refusal of Consent.

As decided , Show Cause Notice for Refusal of Consent and Show Cause Notice u/s 33(A) of the water Act, u/s 31(A) of the Air Act and u/s 5 of EP Act issued to the unit on 27.01.2017

Unit ha submitted reply on 06.02,2017 w.r.t, show cause Notice and informed that they have installed ETP, increased the stack height of DG Set, applied for Consent under orange category, applied for testing and in process to apply Consent to operate and and Authorization

									under HWM Rules. Unit has applied for CTE on 23.01.2017, Consent to operate and and Authorization under HWM Rules on 13.02.2017			
6	DJ INFRASTRUCTURE DEVELOPERS PRIVATE LIMITED	PLOT NO.-1, COMMUNITY CENTRE, MOTIA KHAN, NEW DELHI	25-01-2017	DPCC/EC/2/1/2017/16911	Proposed Hotel Hotel (3 Star and Above) - connected to / Discharging Effluent into Public/ Municipal/ DJB Sewer having Kitchen and / or Laundry without boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes (Stack attached to boiler) 3. D.G. set- Yes (1 x 500 KVA, 1x1010 KVA) Plot Area- 3992 sq.mt, Built up area- 21820.094 sq.mt. Commencement Date of construction - 25.03.2017 Date of completion/proposed date of completion of construction/ commencement of production - 25.03.2019 Status of Ground Water Extraction-No 1. Water consumption- 137 KL/day. a) Source of water- Outside (copy of Pvt water supplier bill submitted) Status of Inspection- No NOC for height clearance issued from AAI dated 03.08.15 (valid for 5 years).	Water(Effluent) report- N.A. Emission monitoring report -N.A. Noise Test Report-N.A.	22-02-2017	23-02-2017 File be put up administratively w.r.t. notification of MoE&F regarding construction project and requirement of environmental clearance.
7	RITU GUPTA	S-50, BADLI INDL. AREA, PHASE-1, DELHI	28-01-2017		POLISHING OF AUTOMOBILE RIM BY BUFFING PROCESS Buffing on Metal	Orange Establish	Non-SPI		1. ETP-N,A 2. ECS- Proposed 3. D,G. set- No Plot Area- 240 sq.mt. Commencement Date- 01.05.2016 Status of Ground Water Extraction-No 1. Water consumption- 100 L/day. a) Source of water- Outside (copy of water bill not submitted) Inspection was conducted on 16.01.2017 during inspection of K,D,R. Industries of same premises. Following are the observations: 1,Unit found in operation and engaged in the activity of buffing owned by M/s. Ritu Gupta. 2, No ECS installed. 3, Unit is operating without consent from DPCC.	Water(Effluent) report-N,A Emission monitoring report -N,A Noise Test Report-N.A.	22-02-2017	23-02-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued. Issue Show Cause Notice u/s 31(A) of Air Act be issued.

8	POLYGAMMA RECYCLING LLP	C-15, DSIIDC, INDUSTRIAL COMPLEX, ROHTAK ROAD, NANGLOI, NEW DELHI- 110041	30-01-2017		Plastic Waste Recycling Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Establish	Non-SPI		Source of water: DJB, Categoy-II (copy of bill enclosed) Water Consumption: 5500 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System 1)ETP ---- N/A 2)ECS - Scrubber 3)D.G.Set:N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	22-02-2017 -Consent to Establsih may be granted.	23-02-2017 Consent to Establish granted.
9	ANTONY ROAD TPT SOLUTION PVT LTD	RAJGHAT DEPOTT-II	31-01-2017	DPCC/EC/2/1/2017/16947	SERVICING, REPAIRING AND WASHING OF CLUSTER BUSES. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 07-02- 2017 Authorisation Status Pending	Hard Copy not submitted.	22-02-2017	23-02-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued. Subsequently, inspection be conducted.
10	ARYAVEER MOTORS PVT LTD	62, RAMA ROAD, INDUSTRIAL AREA, NAJAFGARH ROAD	03-02-2017	DPCC/EC/2/1/2017/16960	Service Station of Skoda cars Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Source of water: outside (copy of bill not enclosed) Water Consumption: 5800 itre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: ...N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	22-02-2017 -Consent to Establish may be granted.	23-02-2017 Consent to Establish granted.
11	AKSARA AUTOS PVT. LTD.	A-1, MAYAPURI INDUSTRIAL AREA, PHASE-I	03-02-2017	DPCC/EC/2/1/2017/16961	AUTO SERVICE CENTER, Automobile Servicing and	Orange Establish	Non-SPI		Source of water: Outside (copy of bill not enclosed) Water Consumption: 10000 litre/day Status of Ground Water	22-02-2017 -Consent to Establish may be garnted.	23-02-2017 Consent to Establish granted.

					Repair Station with Washing Activity				extraction :Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D,G,Set: ...N/A... Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
12	SYNDICATE POLYMERS	D-1655, DSIDC NARELA INDUSTRIAL AREA	06-02-2017	DPCC/EC/2/1/2017/16970	Man. of Dana Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP-Yes 2. ECS- Yes 3. D.G. set- No Plot Area- 350 sq.mt. Establishment Date- 01.07.2008 Status of Ground Water Extraction-No 1. Water consumption- 4000 L/day. a) Source of water- Outside (copy of water bill not submitted) Status of Inspection- Yes Show cause notice for closure u/s 33 (A) of the Water Act and u/s 31(A) of the Air Actissued on 03.08.2016. Direction for closure u/s 33 (A) of the Water Act, 1974 and u/s 31(A) of the Air Act, 1981 issued on 03.02.2017. Temporary revocation of closure direction for 21 days issued on 21.02.2017 to the unit. Plastic Registration under Form-II submitted. Inspection conducted on 10.02.2017 Inspection findings are- 1. Unit found operating, engaged in the activity of Plastic reprocessing with washing. 2. ETP found installed and working. 3. ECS channelization with hood & ducting found installed and working. 4. One borewell connection exist without permission.	Water(Effluent) report- Yes, Issued on 19.09,2016 , by DPCC Lb. Parameters are within prescribed limit. Result of one Parameter Total metal is not submitted. Emission monitoring report -Yes, Issued on 22.12.2016 by DPCC Lab. Parameters are within prescribed limit. Noise Test Report-N.A.	22-02-2017	23-02-2017 Consent to Establish granted.
												23-02-2017

13	MY BAR SQUARE (A UNIT OF SACHI HOSPITALITY PVT. LTD.)	E-34 AND 35, FIRST FLOOR, CONNAUGHT PLACE INNER CIRCLE	07-02-2017	DPCC/EC/2/1/2017/16973	RESTAURANT CUM BAR. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of water:DJB, Category-II Water consumption:10000 litre/day Status of Ground Water extraction : Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A -A complaint was received 14,09,2016 from Iabal, 913/78, Jamia Nagar,Delhi regarding Illegal operations of Restaurant/ Hotels/ Bars operating in Connaught Place. -As per approval, an inspection was carried out by DPCC, Officails on 07.10.2016. During inspection following observations were made: 1, Unit found operational and engged in the activity of Restaurant and bar with seating capacity of 160 seats., 2.1 No of D. G. set 1X140 KVA installed with acoustic enclosure and adequate stack height 3, ETP Plant installed but not in operational conditions. 4.Hood and suction system provided in the kitchen with adequate stack height of chimney. 5, ETP log book not maintained. -A show cause notice was issued to the unit on 09.12.2016. -A modified directions us 33 (A) of water act & u/s 31 (A) of air act was issued to the unit 02,02,2017.	22-02-2017 -Consent to Establish may be granted.	----- Consent to Establish granted.
14	R K	HPCL FUEL STATION, DELHI- MATHURA CROSSING, NEAR ASHRAM CHOWK, RING ROAD,	07-02-2017	DPCC/EC/2/1/2017/16977	Two Wheeler Servicing and Washing Center Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: ...N/A...	23-02-2017 Unit has not submitted hard copies of the application along with documents.	23-02-2017 Ask the unit to submit hard copy of Consent to Establish application along with required documents within 15 days.

		MAHARANI BAGH							Status of Ground Water extraction : Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A Unit has not submitted hard copies of the application along with documents.		
15	MOSAIC BANQUET	A-2, WAZIRPUR INDUSTRIAL AREA, DELHI	08-02-2017	DPCC/EC/2/1/2017/16992	Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Physio-chemical (2)ECS - N/A (3)D,G,Set: 320 KVA (2 Nos.) (In the consent application form at point no. 20 unit has mentioned the status of D,G set as N/A) Unit was inspected on 06.10.2016 w.r.t public complaint and based on the deficiencies, SCN u/s 33(A) of Water Act & 31(A) of Air Act was issued vide letter dated 24.10.2016. Unit has submitted a reply in response to said Show Cause Notice on 09.02.2017 along with the copy of receipt of CTE application dated 07.02.2017, copy of receipts of application for Noise Monitoring of DG Set and Effluent Analysis Report of ETP from DPCC Laboratory, photographs of Channelization system in kitchen area and ETP installed in the premises. The brief of the reply are as follows: -That unit have installed ETP and applied for Noise monitoring of DG Set and Effluent analysis of ETP from DPCC Laboratory. -That unit have provided channelization system in the kitchen area over all the burners and increased stack height 2 meters	22-02-2017	23-02-2017 Consent to Establish granted. As requested by the unit, 30 days time be granted through Modified Directions.

									above roof level. Unit has also requested for grant of two months time for testing of effluent analysis of water and noise monitoring of D.G Sets and submission of application for Consent to Operate with all requisite documents.			
16	MUNSHI LAL FOOD CO,	PLOT NO-2433, SECTOR-B, DSIDC, NARELA INDUSTRIAL AREA, DELHI-110040	13-02-2017	DPCC/EC/2/1/2017/17021	PROCESSING OF PULSES (DAL MILL) Dal Mills	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N.A. 2. ECS- Proposed 3. D.G. set- No Plot Area- 250 sq.mt. Commencement Date- 15.02.2017 Status of Ground Water Extraction-No 1. Water consumption- 300 L/day. a) Source of water- Outside (copy of water bill not submitted) Status of Inspection- No	Water(Effluent) report- N.A. Emission monitoring report -N.A. Noise Test Report-N.A.	22-02-2017	23-02-2017 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
17	LORD OF THE DRINKS (A UNIT OF RSVK RESTAURANT PVT. LTD.)	G-72, FIRST FLOOR, CONNAUGHT PLACE	13-02-2017	DPCC/EC/2/1/2017/17022	RESTAURANT CUM BAR (195 SEATS). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of water : NDMC Connection Water Consumption: 55000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: . - A complaint was received in DPCC on 14.09.2016 from Iabal 913/73, Jamia Nagar, Delhi, Regarding illegal operations of restaurant/hotels/bars operating in Cannought Place. - As per approval an inspection was carried out by DPCC officials on 10.10.2016. During inspection following observations were made: 1. Unit found operational & engaged in the activity of bar & restaurant with seating capacity of 190 seats, 2. One D.G Set installed with capacity 200 KVA with acoustic enclosure	.	22-02-2017 - Consent to Establish may be granted.	23-02-2017 Consent to Establish granted.

									but with inadequate stack height. 3. ETP is installed & same found operational. 4. No ETP log book shown during inspection. 5. Proper channelization with adeauate stack height provided in the kitchen. 6. NDMC & Delhi Police license valid up to 2019. - A Show cause Notice u/s 31(A) & 33(A) was issued to the unit on 9,12,2016			
18	OPEN HOUSE BAR KITCHEN (A UNIT OF JV CAFE PVT. LTD.)	C-37, FIRST FLOOR, ATMA RAM HOUSE, CONNAUGHT PLACE	13-02-2017	DPCC/EC/2/1/2017/17023	RESTAURANT CUM BAR (146 SEATS). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of water: NDMC connection Water consumption:5000 Liters/Day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D,G,Set: -A complain was received in this office on 14,09,2016 from Mr. Iabal, 913/78, Jamia Nagar, Delhi regarding illegal operations of restaurant/ hotels,bars operating in Conn aught Place. -An inspection was carried out by the representatives of DPCC on 06.10.2016 & during inspection following observations were made: 1. Unit found operational and engaged in the activity of Restaurant and bar with seating capacity of 140 seats. 2,1 No of D. G. set installed 1X160 KVA with acoustic enclosure and adequate stack height 3. No ETP Plant was installed in the premises for the treatment of waste water. 4.Hood and suction system provided in the kitchen with inadequate stack height of chimney -Accordingly, show cause	22-02-2017 -Consent to Establish may be granted.	23-02-2017 Consent to Establish granted.	

									notice u/s 31 (A) of Air Act & u/s 33 (A) Water Act was issued to the unit on 09.12.2016.			
19	MARINE DRIVE (A UNIT OF JAYANT HOSPITALITY PRIVATE LIMITED)	A-2, VISHAL ENCLAVE RAJOURI GARDEN NEW DELHI	13-02-2017	DPCC/EC/2/1/2017/17031	Restaurant 170 seats Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of water: DJB, Category-II (coy of bill provided) Water consumption:4000 litre/day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - ETP - Physiochemical,Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	.	22-02-2017 -Consent to Establish may be granted.	23-02-2017 Consent to Establish granted.
20	KBB NUTS PVT. LTD,	B-57, LAWRENCE ROAD INDUSTRIAL AREA	14-02-2017	DPCC/EC/2/1/2017/17041	PROCESSING AND PACKING OF DRY FRUITS WITH WASHING. Processing of dry fruits with washing Use of Furnace (excluding Cupola / Arc/Induction Furnace)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Status of Ground Water extraction :N/A Source of water: 2.5 KLD from DJB.	N/A	23-02-2017 Earlier Consent to Establish was granted for the activity of Packaging of dry fruits with washing which was valid upto 09.06.2014. Now unit has applied again for CTE for the activity of processing and packaging of dry fruits with washing.	23-02-2017 Consent to Establish granted.
21	TOWN HOUSE CAFE (A UNIT OF M/S J.V. RESTAURANT PVT. LTD.)	N-63, 64 AN D64B, MUNSHI LAL BUILDING, FIRST FLOOR, OUTER CIRCLE, CONNAUGHT PLACE	15-02-2017	DPCC/EC/2/1/2017/17046	RESTAURANT (184 SEATS). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet	Orange Establish	Non-SPI		Source of water:NDMC connection Water consumption:4500 Liters/Day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A	.	22-02-2017 -Consent to Establish may be granted.	23-02-2017 Consent to Establish granted.

					Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(3)D.G.Set: -A complain was received in this office on 14.09.2016 from Mr. Iabal, 913/78, Jamia Nagar, Delhi regarding illegal operations of restaurant/ hotels,bars operating in Conn aught Place. -An inspection was carried out by the representatives of DPCC on 21.10.2016 & during inspection it was observed that the ETP installed and same found in non operational conditions (ETP is combined with M/S Barbeequeue nations Bar). -Accordingly, show cause notice u/s 31 (A) of Air Act & u/s 33 (A) Water Act was issued to the unit on 09.12.2016.			
--	--	--	--	--	---	--	--	--	--	--	--	--



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 19th meeting on 23.02.2017 w.r.t. Agenda Item No 1 -- 36 Fresh Cases of Consent to Operate / Renewal of the period 16.01.2017 to 15.02.2017 (Annexure II).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	INDRAPRASTHA AUTOMOBILES PVT. LTD.	B-72/3, WAZIRPUR INDUSTRIAL AREA	16-01-2017	DPCC/EC/2/1/2017/16798	Servicing (Repair, Maintenance and Washing) of Vehicles. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 13-01-2017 Authorisation Status Pending	(1)ETP:Installed (Physio chemical type) (2)ECS: N/A (3)D.G.Set:1(70 KVA) (4)Source of water supply: 5.8 KLD from outside (5)Status of Ground Water Extraction: Nil	Effluent Analysis Report of ETP dated 18.07.2016 issued by FICCI Research & Analysis Centre is submitted and is within limits. Noise monitoring report of D.G. Set dated 17.10.2016 issued by DPCC Laboratory is submitted and is within limits.	22-02-2017	23-02-2017 Inspection be conducted.
2	LUBANA OVERSEAS	PLOT NO.-70, RAMA ROAD, NAJAFGARH INDUSTRIAL AREA	17-01-2017	DPCC/EC/2/1/2017/16806	READYMADE GARMENTS WITH WASHING. Readymade Garment (with Washing)	Orange Operate	Non-SPI		Source of water:copy of bill not enclosed Water consumption:2500 litre/day Status of Ground Water extraction : nil Status of Pollution Control System (1)ETP --Installed (2)ECS -Stack attached to boiler (3)D.G.Set Noise Report : 1 D.G Set of capacity 45 KVA installed. -Inspection details:Inspection was conducted on 05.04.2013 and following observations were made: 1.unit found operational and engaged in mfg of ready made garment with boiler. 2.one boiler found installed. 3. unit having one D.G. Set and washing Equipment at the roof top. 4. unit shown MCD Licence valid up to 31.03.2013	1. Effluent analysis report: (a) Effluent analysis report dated 03-01-2017 issued by DPCC submitted, Effluent Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 30-12-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes 3. Stack Monitoring Report: (a) (b) Stack analysis report dated - 24.01,2014 - issued by DPCC submitted, stack monitoring report within Limit - Yes	22-02-2017 -Inspection may be carried out beacause the unit has applied for Consent to Operate with the cahnged activity.	23-02-2017 Consent to Operate granted. Inspection be conducted within 30 days.

									-SCN u/s 31(A)/33(A) : yes issued on 19.06.2013 -Closure directions u/s 31(A)/33(A) : issued on 02.09.2013. -Temporary Revocation issued on 13.12.2013 with the condition that unit has submitted application for consent to operate under orange category. Stack monitoring report for oil fired Boiler and Noise monitoring report for D.G. set, from impaneled laboratories of DPCC within 45 Days. -Again as per Consent Committee meeting decision an inspection of the unit was conducted on 18.12.2014 and following were observed: - unit found operational. -No washing observed. -No oil fire boiler observed. -only one electric fired boiler found installed. - Conset to Establish obtained. -Unit has submitted application of Consent to Operate on 17.01.2017 vide id no. 16806 with the changed activity i.e. Redymade garment with washing.			
3	PEARL GRAND EMPEROR (A UNIT OF UJJWAL PEARL HOSPITALITY)	B-5, GAZIPUR	17-01-2017	DPCC/EC/2/1/2017/16818	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or	Orange Operate	Non-SPI		ETP - Yes Physio-chemical 3 KLD D.G. Sets - 4 No. 03 of capacity of 250 KVA each and one of 500 KVA. -East Delhi Municipal Corporation License valid up to 31.03.2017. Closure Direction was issued to the unit on 26.10.2016 for deficiencies observed The unit submitted its reply along with Surety bond and Undertaking and requested for revocation. The direction was temporarily revoked for 15 days on 24.11.2016.	Effluent analysis report dated 13.12.2016 from DPCC lab submitted. 1 pH 7.4 2 Total Suspended Solids (TSS) (mg/l) 28 3 Bio-chemical oxygen demand [3days at 27oC] (mg/l) 22 4 Oil and Grease (mg/l) 1,6 Parameters are within the prescribed limit, Noise Monitoring Report dated 15.12.2016 from DPCC lab submitted. There exists 04 D.G set 03 of capacity 250 KVA each and one of Capacity 500 KVA. The noise level are within the prescribed limit.	06-02-2017 Recommended for inspection.	23-02-2017 Inspection be conducted.

					Laundry without Boiler							
4	KAMDHENU CEMENT	KH NO. 616/2,VILLAGE SABHAPUR,DELHI-110094	18-01-2017	DPCC/EC/2/1/2017/16826	Manufacturing of Ready Mix Concrete Ready Mix Concrete Plants (without trade effluent discharge)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - No (3)D.G.Set: As per undertaking submitted by the unit, the details of D.G set is mentioned as Nil. However during inspection conducted on 18.01.2017, two D.G Set with capacity of 125 KVA and 180 KVA respectively were found installed. Source of Water: Outside Tanker. Closure directions u/s 31(A)/33(A)/5 of EPA details : Closure direction was issued to the unit on 03.10.2016. Representation was received from the unit on 31.10.2016 and informed regarding the measures taken for rectification of deficiencies observed during inspection and requested for revocation of closure directions. Temporary Revocation of closure direction was issued on 02.12.2016. Status of Inspection: The inspection of the unit was conducted on 18.01.2017 and following were the observations: 1. During the inspection no batch mixing was going on. The plant was found opened for the repairing and maintenance purposes. 2. A new plant installation (conveyor type) work was found going on during the inspection as informed by the person contacted that the plant will be made operational soon. 3. For dust emission control the unit has installed sprinkling systems at suitable locations(8 fixed and 2 portable/movable). The	Ambient Air Monitoring report dated 29.12.2016 from ShriRam Lab has been submitted. Results are as follows: Suspended Particulate Matter:76 ug/m3	20-02-2017 Clarification regarding D.G Sets may be sought from the unit.	23-02-2017 During the inspection D.G. Se was found at site however unit has applied for consent to operate without mentioning D.G. Set. A letter be issued for obtaining the clarification of D.G. Set and also obtain the details of the projects for which RMC has been / being supplied etc.

									stocked area and peripheral road within the plant and approached road were found wetted. 4. Green hessian cloth around the peripheral boundary of about 10 ft. high as dust control preventing measures. 5. Two D. G Set of capacity of 125 KVA and 180 KVA were found.			
5	SUNNY GRAPHICS PVT LTD.	B-15/2, PH-II,OKHLA INDUSTRIAL AREA	19-01-2017	DPCC/EC/2/1/2017/16842	OFFSET PRINTING INCLUDING WASHING. Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No, 1 Application Date 15-01-2004 Authorisation Status Approved Authorisation Issue Date 16-07-2004 Authorisation Expiry Date 15-07-2006 HWM Application No, 2 Application Date 16-11-2006 Authorisation Status Pending HWM Application No, 3 Application Date 09-01-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 20-09-2016 issued by DPCC Laboratory submitted. Effluent Analysis report within limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 06-09-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption - 900 Liters/Day Source of Water - DJB Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A	Effluent analysis report dated 20-09-2016 issued by DPCC Laboratory submitted. Effluent Analysis report within limit - Yes. The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 06-09-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	23-02-2017	23-02-2017 Inspection be conducted.
6	NDCON CONSTRUCTIONS	KH NO. 427,VILLAGE SABHAPUR,DELHI-94	19-01-2017	DPCC/EC/2/1/2017/16845	Manufacturing of Ready Mix Concrete Ready Mix Concrete Plants (without trade effluent discharge)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: Nil as per undertaking. However during inspection one D.G set of capacity 125 KVA was found. Source of Water: Outside Tankers	Ambient Air Monitoring Report dated 29.12.2016 from Shriram Lab has been submitted. Results are as follows: Suspended Particulate Matter: 72 ug/m3 The unit has not submitted Noise Monitoring Report of D.G Set.	20-02-2017 Clarification regarding D.G Set may be sought from the unit.	23-02-2017 During the inspection D.G. Se was found at site however unit has applied for consent to operate without mentioning D.G. Set. A letter be issued for obtaining the clarification of D.G. Set and also obtain the details of the projects for which RMC has been / being supplied etc.

									Closure directions u/s 31(A)/33(A)/5 of EPA details : Closure direction was issued on 03.10.2016. Temporary Revocation of closure direction was issued on 02.12.2016. Status of Inspection : The inspection of the unit was conducted on 18.01.2017 and following were the observations: 1. The batch mixing plant although found in operative condition but the batch mixing was not going on during the inspection. 2. As seen on the site, dust emission control measures has been found taken on the conveyor type batching plant by making enclosure on hopper as well as at the outlet/ pouring bins at mixer by enclosing both portions through corrugated GIC sheets and wrapping of green hessian cloth. 3. The stone aggregate as well as coarse sand found stocked having covered with plastic sheets as well as portable/ movable sprinkling systems were also being used for wetting of sand stack. 4. It has been found that the sand being used by them is river sand which was found partially saturated. 5. Green hessian cloth was also found wrapped along the peripheral boundary and also around the stocking of material within the premises as dust collecting measures which were raised about 10 ft. high from ground.			
7	PETAL BANQUET (A UNIT OF SHIV SHAKTI HOTELS PVT. LTD.)	21/18, NARAINA INDUSTRIAL AREA, PHASE-II	19-01-2017	DPCC/EC/2/1/2017/16848	BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet	Orange Operate	Non-SPI		Source of water: DJB, Category-II (Copy of bill provided) water consumption:3500 litre/day Status of ground water:Nil MCD License valid up to 31.03.2017 Status of Pollution Control System (1)ETP -installed	1. Effluent analysis report: (a) Effluent analysis report dated 16-12-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: a) The unit has 2 D.G. Set(s) of 63 KVA and 125 KVA KVA. Noise monitoring report dated	23-02-2017	23-02-2017 Consent to Operate granted.

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

									3 nos. of D.G Set of 62.05 KVA & 125 KVA were installed with acoustic enclosure & adequate stack height. 4.2 nos. of kitchens were found with proper channelization & adequate stack height of chimney.			
8	KAVITA METAL	E-3,ARJUN GALI, NEW MANDOLI INDUSTRIAL AREA,DELHI	20-01-2017	DPCC/EC/2/1/2017/16854	casting of non ferrous metal Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - Cyclone and wet scrubber (3)D.G.Set: Nil Ground Water: Nil. Proof of possession before 07.02.2007: Unit has submitted Delhi Sales Tax, Assessment Order for the year 2004-2005 submitted. Poof of location within the redevelopment area: The unit has not submitted authenticate proof of location of the unit within the redevelopment area. OLMS: Unit has not provided information regarding installation of online Monitoring system.	Emission Monitoring report dated 16.01.2017 from DPCC Lab submitted. Results are as follows Particulate Matter (mg/ Nm3) : 65 Remarks: fugitive emission observed from furnace.	15-02-2017 Inspection of the unit may be conducted. Also unit may be asked to submit proof regarding location of the unit within the boundaries of redevelopment area and status of installation of OLMS.	23-02-2017 Inspection be conducted. Also unit be asked to submit proof of its location of the unit within the boundaries of redevelopment area, in original, from Industries Department and status of installation of OLMS. Also ask the unit to provide display board at the front of the unit.
9	R.S WASH	L-10,SECTOR-3,BAWANA INDUSTRIAL AREA,DELHI-110039	20-01-2017	DPCC/EC/2/1/2017/16856	JOB WORK JEANS WASHING Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No, 1 Application Date 17-01-2017 Authorisation Status Pending	Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes (Stack attached to boiler) 3. D.G. set- No Plot Area- 250 sq.mt. Establishment Date- 01.08.2015 Status of Ground Water Extraction-No 1. Water consumption- 4300 L/day. a) Source of water- Outside (copy of water bill not submitted) Status of Inspection- Yes (12.01.2016) Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent &	Water(Effluent) report- Yes, Report issued on 18.10.2016 by DPCC. Parameters are within prescribed limit. Emission monitoring report -Yes, Report issued on 22.12.2016 by DPCC. Parameters are within prescribed limit. Noise Test Report-N.A.	22-02-2017 .	23-02-2017 Consent to Establish, Consent to Operate and Authorization under HWM Rules granted. Directions for closure be revoked.

									authorization issued on 29.04.2016. Directions for Closure issued on 23.09.2016. Reply received on 26.10.2016 wherein the unit submitted the Security Bond of Rs. 5 lakhs along with the undertaking. Temporarily Directions for closure revoked issued on 22.11.2016 for 30 days for necessary testing/compliance & to apply for Consent to operate/authorization. Form-1 under HWM rules submitted. Inspection conducted on 10.02.2017. Inspection Findings are- 1. Unit found operating & engaged in the activity of Jeans spray work and Jeans washing. 2. ETP installed and operational. Dry and wet sludge seen. Spray booth channelized. 3. Oil fired boiler installed. 4. HWM rules are complied with.			
10	THE SETIA ENTERPRISES	N-151,SECTOR-5,BAWANA INDUSTRIAL AREA,DELHI-39	20-01-2017	DPCC/EC/2/1/2017/16858	Ready Made Jeans Washing Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No, 1 Application Date 17-01-2017 Authorisation Status Pending	Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes (Stack attached to boiler) 3. D.G. set- No Plot Area- 250 sq.mt. Establishment Date- 01.12.2015 Status of Ground Water Extraction-No 1. Water consumption- 4300 L/day. a) Source of water- Outside (copy of water bill not submitted) Status of Inspection- Yes (12.01.2016) Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to complywith the pollution control norms & to apply for consent & authorization issued on 29.04.2016. Directions for Closure issued on 23.09.2016. Reply received on 26.10.2016 wherein the	Water(Effluent) report- Yes, Report issued on 18.10.2016 by DPCC. Parameters are within prescribed limit. Emission monitoring report -Yes, Report issued on 02.12.2016 by DPCC. Parameters are within prescribed limit. Noise Test Report-N.A.	22-02-2017	23-02-2017 Consent to Establish, Consent to Operate and Authorization under HWM Rules granted. Directions for closure be revoked.

									unit submitted the Security Bond of Rs. 5 lakhs along with the undertaking. Temporarily Directions for closure revoked issued on 22.11.2016 for 30 days for necessary testing/compliance & to apply for Consent to operate/authorization. Form-1 under HWM rules submitted. Inspection conducted on 09.02.2017. Inspection Findings are- 1. Unit found in operation & engaged in washing of jeans with spary paint work. 2.ETP found installed and working (Batch Process). 3.PNG fired boiler is installed and functional. 4. HWM rules are complied with. 5. Channelization provided over spray booth.			
11	COLOR CREATION	O-17, SECTOR-2, DSIIDC, BAWANA INDUSTRIAL AREA	23-01-2017	DPCC/EC/2/1/2017/16874	Job work of Washing of Readymade Garments (With oil fried boiler) Readymade Garment (with Washing) with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes (Stack attached to boiler) 3. D.G. set- No Plot Area- 250 sq.mt. Commencement Date- 26.12.2015 Status of Ground Water Extraction-Yes 1. Water consumption- 11500 L/day. a) Source of water- Ground water Status of Inspection- Yes (12.01.2016) Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to complywith the pollution control norms & to apply for consent & authorization issued on 29.04.2016. Directions for Closure issued on 23.09.2016. Reply received on 07.11.2016 wherein the unit submitted the Security Bond of Rs. 5 lakhs along with the undertaking. Temporarily Directions for closure revoked issued on	Water(Effluent) report- Yes, Report issued on 17.09.2016 by FICCI. Parameters are within prescribed limit. Emission monitoring report -Yes, Report issued on 16.08.2016 by FICCI. Parameters are within prescribed limit. Noise Test Report-N.A.	22-02-2017	23-02-2017 Consent to Establish and Consent to Operate granted. Directions for closure be revoked.

									22.11.2016 for 30 days for necessary testing/compliances & to apply for Consent to operate/authorization. Inspection conducted on 15.02.2017 Inspection findings are- 1. Unit found operating, engaged in the activity of washing of jeans. 2. ETP found installed and working. Wet sludge seen. 3. Oil fired boiler found in use.			
12	SUPER WASH	J-218, SECTOR-2, DSIIDC BAWANA INDUSTRIAL AREA	23-01-2017	DPCC/EC/2/1/2017/16875	JOB WORK OF WASHING OF READYMADE GARMENTS (WITH OIL FRIED BOILER). Readymade Garment (with Washing) with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes (Stack attached to boiler) 3. D.G. set- No Plot Area- 150 sq.mt. Commencement Date- 11.08.2015 Status of Ground Water Extraction-No 1. Water consumption- 11000 L/day. a) Source of water- Outside (copy of water bill not submitted) Status of Inspection- Yes (21.09.2015) Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 19.10.2015. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to complywith the pollution control norms & to apply for consent & authorisation issued on 16.02.2016. Directions for Closure issued on 23.09.2016. Reply received on 26.10.2016 .2016 wherein the unit submitted the Security Bond of Rs. 5 lakhs along with the undertaking. Temporarily Directions for closure revoked issued on 22.11.2016 for 30 days for necessary testing/compliances & to apply for Consent to operate/authorization. Inspection conducted on 15.02.2017 Inspection findings are- 1. Unit found operating, engaged in the activity of	Water(Effluent) report- Yes, Report issued on 17.09.2016 by FICCI. Parameters are within prescribed limit. Emission monitoring report -Yes, Report issued on 16.08.2016 by FICCI. Parameters are within prescribed limit. Noise Test Report-N.A.	22-02-2017	23-02-2017 Consent to Establish granted. Ask the unit to submit fresh effluent analysis report of ETP & stack monitoring report of ECS from empanelled laboratory of DPCC.

									washing of jeans. 2. ETP found installed (Batch process)and working. Wet sludge seen. 3. Diesel fired boiler found in use. 4. One borewell connection exist without permission from CGWA/DJB.			
13	S.K. WESTEND ETERPRISES	PLOT NO 15 & 16 DISTRICT CENTRE JANAK PURI	23-01-2017	DPCC/EC/2/1/2017/16879	Serve to customer (Banquets Halls) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: copy of bill not enclosed Water Consumption: 15,000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (2)ECS - N/A (3)D.G.Set: 5 no. of D.G Set of 125 KVA and 1 D.G Set of 64 KVA installed -File was put-up regarding the operation of numerous party lawns/ restaurants/ banquets without consent of DPCC in West District of Delhi. -An inspection was carried out by DPCC officials on 15.02.2016 and lot of deficiencies were observed. -Show cause notice was issued to the unit on 11.03.2016 regrading above mentioned inspection. -Unit submitted a reply on 07.04.2016 and requested for some time for submitting the application for consent to operate along with all requisite documents. -Modified direction was issued to the unit on 26.05.2016 giving 30 days for submitting consent to Operate application. -Accordingly, unit has submitted Consent to Operate application along with all requisite documents.	1. Effluent analysis report: a) Effluent analysis report dated 11-11-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. (3)D.G.Set Noise Report : (a) The unit has 6 D.G. Set(s) of 50 KVA,125 KVA,125 KVA,125 KVA and 125 KVA. Noise monitoring report dated 28-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 6 D.G. Set(s) of 50 KVA,125 KVA,125 KVA,125 KVA and 125 KVA. Noise monitoring report dated 28-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes (c) The unit has 6 D.G. Set(s) of 50 KVA,125 KVA,125 KVA,125 KVA and 125 KVA. Noise monitoring report dated 28-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes (d) The unit has 6 D.G. Set(s) of 50 KVA,125 KVA,125 KVA,125 KVA and 125 KVA. Noise monitoring report dated 28-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes (e) The unit has 6 D.G. Set(s) of 50 KVA,125 KVA,125 KVA,125 KVA and 125 KVA. Noise monitoring	22-02-2017 -Consent to Operate may be granted.	23-02-2017 Consent to Operate granted.

										report dated 28-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
										(f) The unit has 6 D.G. Set(s) of 50 KVA, 125 KVA, 125 KVA, 125 KVA, and 125 KVA. Noise monitoring report dated 28-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
14	MEHAK BANQUETS (A UNIT OF AMOUR BANQUETS PVT. LTD.)	43/35, WEST PUNJABI BAGH, NEW ROHTAK ROAD	24-01-2017		BANQUET HALL SERVICES PROVIDERS Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of water: DJB, Category-II Water consumption: 5000 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3) D.G.Set : 4 D.G Sets of capacity 125 KVA (each) -An inspection was carried out by Official of DPCC on 16.02.2017 During inspection following observations were made: 1.Effluent treatment plant installed and was found operational. 2. D.G Sets have proper acoustic and adequate stack observed. 3. Proper channelization done in the kitchen and adequate stack provided for fumes. 4. Consent to Operate application applied in DPCC on 21.01.2017	1.Effluent analysis report: (a) Effluent analysis report dated 03-01-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G.Set Noise Report : 4 (a) The unit has 4 D.G. Set(s) of 125 KVA,125 KVA,125 KVA and 125 KVA. Noise monitoring report dated 12-01-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 4 D.G. Set(s) of 125 KVA,125 KVA,125 KVA and 125 KVA. Noise monitoring report dated 12-01-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (c) The unit has 4 D.G. Set(s) of 125 KVA,125 KVA,125 KVA and 125 KVA. Noise monitoring report dated 12-01-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (d) The unit has 4 D.G. Set(s) of 125 KVA,125 KVA,125 KVA and 125 KVA. Noise monitoring report dated 12-01-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	22-02-2017 Consent to Operate may be garnted.	23-02-2017 Consent to Operate granted.
15	ASHISH GARG	L-1/16/122, KHASRA NO. 79-80, NEW MANDOLI	24-01-2017	DPCC/EC/2/1/2017/16891	MANUFACTURING OF COPPER RE-ROLLING MILL	Orange Operate	Non-SPI		Status of Pollution Control System	Emission Monitoring report dated 16.01.2017 from DPCC Lab submitted.	15-02-2017 Inspection of the unit may be	23-02-2017 Inspection be conducted. Also unit

		INDUSTRIAL AREA,			(COPPER RODS). Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) with Capacity less than 25MT/Day				(1)ETP - N/A (2)ECS - Cyclone and wet scrubber (3)D.G.Set: Nil Ground Water: Nil. Proof of possession before 07.02.2007: Rent agreement dated 03.05.2005 and undertaking of the Landlord submitted. Poof of location within the redevelopment area: The unit has not submitted authenticate proof of location of the unit within the redevelopment area. OLMS: Unit has not provided information regarding installation of online Monitoring system.	Results are as follows Particulate Matter (mg/ Nm3) : 77 Remarks: fugitive emission observed from furnace.	conducted. Also unit may be asked to submit proof regarding location of the unit within the boundaries of redevelopment area and status of installation of OLMS	be asked to submit proof of its location of the unit within the boundaries of redevelopment area, in original, from Industries Department and status of installation of OLMS. Also ask the unit to provide display board at the front of the unit.
16	BAGGA LINK SERVICE LTD	G.F. 1141/2, RITHALA, DELHI	24-01-2017	DPCC/EC/2/1/2017/16898	SERVICE STATION OF BIKES. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 10-11-2014 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- Physiochemical,Oil and Grease Trap,Other ETP Name -- Filtration and Absorption (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Status of Ground Water extraction :Nil Source of Water: 2.5 KLD from DJB. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Nil	23-02-2017 As per decision of committee on the previous consent application dated 16.12.2015 vide ID no 12772 inspection was carried out on 13.10.2016 and the observations are as follows: - The unit is operating in Rithala which is a redevelopment industrial area. - Batch type ETP is installed and the same was found in operational status. - Used oil is stored and sold to registered recyclers. - ETP sludge is stored in hazardous waste room . - DG set is provided with acoustic enclosure and adequate stack height. A letter to submit certificate, in original, from Industries	23-02-2017 Issue show cause notice for refusal of consent.

											department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit may be issued as unit has not submitted the same.	
17	VINOD KUMAR(RMC PLANT)	KH NO. 434,VILLAGE SABHAPUR,DELHI-94	25-01-2017	DPCC/EC/2/1/2017/16910	Manufacturing of Ready Mix Concrete Ready Mix Concrete Plants (without trade effluent discharge)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Nil as per undertaking. However during inspection one D.G set of capacity 125 KVA was found. Closure directions u/s 31(A)/33(A)/5 of EPA details : Direction for closure issued on 03.10.2016 Revocation of direction for 15 days was issued on 02.12.2016. Status of Inspection : The inspection of the unit was conducted on 18.01.2017 by the officials of DPCC and following were observed: 1. The plant was found not operative due to the reason reported that due to want of order requirement by DMRC. 2. On the batch mixing plant (scrapper type) in material stocked area and fixed sprinkler as well as movable sprinkling system has been provided to control/ suppression of dust. 3. Green hessian cloth as well as GIC corrugated sheets were found erected provided around the stocked material and peripheral boundary of about 10 ft. high and above were provided.	Ambient Air Monitoring Report dated 29.12.2016 from Shriram Lab has been submitted. Results are as follows: Suspended Particulate Matter: 397 ug/m3 The unit has not submitted Noise Monitoring Report of D.G Set.	20-02-2017 Clarification regarding D,G Set may be sought from the unit.	23-02-2017 During the inspection D.G. Se was found at site however unit has applied for consent to operate without mentioning D.G. Set. A letter be issued for obtaining the clarification of D.G. Set and also obtain the details of the projects for which RMC has been / being supplied etc.
18	MANOCHA HOME PRODUCTS	C-7,PH-III,BADLI INDUSTRIAL ESTATE,DELHI-42	27-01-2017	DPCC/EC/2/1/2017/16915	Manufacturing of Namkeen Bakery Products	Orange Operate	Non-SPI		Hard copy not submitted.	.	22-02-2017 .	23-02-2017 Ask the unit to submit hard copy of Consent to Operate application

					and Confectionery with Trade Effluent/Emission Discharge							with requisite documents within 15 days. If unit submits the requisite documents and the same found satisfactory, Consent to Operate be issued.
19	FASHION FLARE INTERNATIONAL PRIVATE LIMITED	A-189, OKHLA INDUSTRIAL AREA, PHASE-I	27-01-2017	DPCC/EC/2/1/2017/16919	Manufacturing of Readymade Garments Readymade Garment (with Washing) with Boiler	Orange Operate	Non-SPI		tatus of Pollution Control System (1)ETP -Yes (a) Effluent analysis report dated 13-12-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report for stack attached to boiler dated 05-12-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set- Yes (a) The unit has 1 D.G. Set of 125 KVA . Noise monitoring report dated 20-12-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Yes Water consumption- 10000 liters/day, Source- Borewell CGWA/DJB Permission for Borewell - No Trade Effluent discharge - 8000 liters/day SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 13-12-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Stack monitoring report for stack attached to boiler dated 05-12-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes The unit has 1 D.G. Set of 125 KVA. Noise monitoring report dated 20-12-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	23-02-2017 Unit has not provided any copy of permission from CGWA/DJB for Borewell.	23-02-2017 Consent to Operate granted with the condition that unit shall not operate another D.G. Set of 125 KVA which was found not having acoustic enclosure and not operational during the monitoring.
20	KRISHNA INDUSTRIES	PLOT NO E-886, DSIIDC, NARELA INDUSTRIAL AREA	28-01-2017		DAL MILL Dal Mills	Orange Operate	Non-SPI		Hard Copy not submitted.	.	22-02-2017 .	23-02-2017 Ask the unit to submit hard copy of Consent to Operate application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Operate be issued.
21	GOYAL GLOBAL PULSES (PRIVATE) LIMITED	PLOT NO J-3134, DSIIDC, NARELA INDUSTRIAL AREA	30-01-2017	DPCC/EC/2/1/2017/16928	DAL MILLS Dal Mills	Orange Operate	Non-SPI		Hard Copy not submitted.	.	22-02-2017 .	23-02-2017 Ask the unit to submit hard copy of Consent to Operate application with requisite documents within 15 days. If unit submits the requisite documents and the same is found

												satisfactory, Consent to Operate be issued.
22	BEDI ENTERPRISES	F 100 PHASE II MAYAPURI INDUSTRIAL AREA	31-01-2017	DPCC/EC/2/1/2017/16938	C.I. CASTING THROUGH PIT FURNACE WITH MACHINING (LIGHT ENGINEERING WORKS). Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		Source of water: DJB (Copy of bill enclosed) Water Consumption: 100 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Stack attached to exhaust of pit furnace (3)D.G.Set: ...N/A... Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No -An inspection was carried out by representatives of DPCC on 21.02.2017 during inspection following observations were made: 1.Unit found operational and engaged in the activity of CT Casting through pit furnace with machning (light engg. works). 2. Unit is non water polluting as no ETP installed. 3. Hood & suction system provided on pit furnace with adequate stack height 3m above roof level. 4. One D.G set found installed within premises butwas non operational/ non-working since one year.	Stack monitoring report: a) Stack monitoring report of Stack attached to exhaust of pit furnace dated 10-01-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	22-02-2017 -consent to Operate may be granted.	23-02-2017 Consent to Operate granted.
23	DELUXE WASH	D-226,SECTOR- 5,BAWANA INDUSTRIAL AREA ,DELHI-39	01-02-2017	DPCC/EC/2/1/2017/16950	Jeans Washing Readymade Garment (with Washing)	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes 3. D.G. set- No Plot Area- 100 sq.mt. Commencement Date- 21.08.2015 Status of Ground Water Extraction-No 1. Water consumption- 3300 L/day. a) Source of water- Outside (copy of water bill not submitted)	Water(Effluent) report- Yes, Report issued on 12.01.2017 by DPCC. Parameters are within prescribed limit,(Hard copy not submitted) Emission moniotring report -No. However, same water test report entered in the column of emission monitoring report online. Noise Test Report-N.A.	22-02-2017 Inspection is yet to be conducted.	23-02-2017 Inspection be conducted.

									Status of Inspection- Yes (13.01.2016) Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to complywith the pollution control norms & to apply for consent & authorisation issued on 29.04.2016 Directions for Closure issued on 23.09.2016. Reply received on 07.11.2016 wherein the unit submitted Security Bond of Rs. 5 lakhs along with the undertaking. As per undertaking it is informed that security bond is submitted for dyeing activity but they are doing only washing			
24	TRIPLEX ELECTRONICS	PLOT NO.30, BADLI INDUSTRIAL ESTATE PH-II	01-02-2017	DPCC/EC/2/1/2017/16951	pvc dana manufacturing Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Operate	Non-SPI		Decision was taken in the meeting held on 18.01.2017 on CTE application to submit hardcopies. However, meantime the unit submit hardcopies of consent application on 24.01.2017. Status of Pollution Control system/Devices- 1. ETP-Yes 2. ECS- Yes (Stack attached to Extruder and mixture) 3. D.G. set- No Plot Area- 240 sq.mt. Establishment Date- 01.07.2007 Status of Ground Water Extraction-No 1. Water consumption- 4000 L/day. a) Source of water- Outside (copy of water bill not submitted) Status of Inspection- No Form 2 for registration under plastic rules submitted.	Water(Effluent) report- Yes, Issued on 19.09.2016 . by DPCC lab. Parameters are within prescribed limit. Result of one Parameter Total metal is not submitted. Emission monitoring report -Yes, Issued on 19.12.2016 by DPCC lab. Parameters are within prescribed limit. Noise Test Report-N.A.	22-02-2017	23-02-2017 Consent to Establish granted. Ask the unit to submit complete effluent analysis report of ETP and file be put up administratively w.r.t. Plastic Waste Rules, 2016.
25	KIRAN UDYOG	PLOT NO. 47, GALI NO. 6, RAILWAY LINE SIDE, ANAND PARBAT INDUSTRIAL AREA	06-02-2017	DPCC/EC/2/1/2017/16965	MFG. OF PRESSURE DIE CASTED ALUMINIUM AUTO PARTS (WITHOUT BUFFING). Aluminium Pressure Die Casting	Orange Renewal	Non-SPI		Source of water:DJB, Category-II(Copy of bill enclosed) water consumption:220 Liters/Day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- N/A	1. Stack monitoring report: (a) Stack monitoring report dated 16-12-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes (b) Stack monitoring report dated 16-12-2016 issued by DPCC submitted. Stack Test	22-02-2017 -Consent to Operate (Renewal) may be granted.	23-02-2017 Consent to Operate (Renewal) granted. IT Cell be asked to incorporate the information in respect of D.G. Sets in the online consent to operate application.

									(2)ECS - Scrubber, (3)D.G.Set Noise Report : 2 D.G. Sets of 125 KVA installed. -As decided in the Consent Committee Meeting held on 05.01.2015 headed by Worthy Chairman, DPCC a Letter was issued to the unit regarding submission of copy of valid MCD license and authentic map issued by Industries Department for redevelopment area indicating its location in the map along with an affidavit on 20.01.2015 . -The unit submitted its reply on 30.01.2015 along with Affidavit, MCD License & Renewal receipt, Redevelopment Boundary Map. But failed to submit valid MCD License. -Therefore a reminder letter was issued on 20.02.2015 to submit Valid MCD License. -The unit submitted its reply on 03.03.2015 and 18.03.2015 along with an affidavit stating that the unit is located within the boundary of APIA and provisional MCD license issued on 13.03.2015 (valid up to 01.06.2015).	Report within Limit - Yes (c) Stack monitoring report dated 16-12-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 24-11-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
26	SYNDICATE POLYMERS	D-1655, DSIDC NARELA INDUSTRIAL AREA	07-02-2017	DPCC/EC/2/1/2017/16975	Man. of Dana Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP-Yes 2. ECS- Yes 3. D.G. set- No Plot Area- 350 sq.mt. Establishment Date- 01,07,2008 Status of Ground Water Extraction-No 1. Water consumption- 4000 L/day. a) Source of water- Outside (copy of water bill not submitted) Status of Inspection- Yes Show cause notice for closure u/s 33 (A) of the Water Act and u/s 31(A) of the Air Actissued on 03.08.2016. Direction for closure u/s	Water(Effluent) report- Yes, Issued on 19.09.2016 . Emission moniotring report -Yes, Issued on 22.12,2016 by DPCC. Parameters are within prescribed limit, Noise Test Report-N.A.	22-02-2017	23-02-2017 File be put up administratively w.r.t. Plastic Waste Rules, 2016 and DPCC Lab be asked to clarify regarding non analysis of the Total Metal parameter.

									33 (A) of the Water Act, 1974 and u/s 31(A) of the Air Act, 1981 issued on 03.02.2017. Plastic Registration under Form-II submitted. Temporary revocation of closure direction for 21 days issued on 21.02.2017 to the unit. Inspection conducted on 10.02.2017 Inspection findings are- 1. Unit found operating, engaged in the activity of Plastic reprocessing with washing. 2. ETP found installed and working. 3. ECS channelization with hood & ducting found installed and working. 4. One borewell connection exist without permission.			
27	AKANSHA COATERS	487/86, NEAR SIDDH BABA MANDIR, PEERA GARHI VILLAGE	08-02-2017	DPCC/EC/2/1/2017/16991	POWDER COATING WITHOUT PHOSPHATING. Powder Coating without phosphating	Orange Operate	Non-SPI		source o water:outside (copy of bill provided) water consumption: 40 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS-installed (3)D.G.Set: ...N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	1. Stack monitoring report: (a) Stack monitoring report dated 25-01-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	23-02-2017 -It is a case of Redevelopment Area.	23-02-2017 Issue letter seeking required documents as per office order Dated 14.12.2016.
28	SIKKA MOTORS PRIVATE LIMITED	B 99 WAZIRPUR INDUSTRIAL AREA	09-02-2017	DPCC/EC/2/1/2017/16995	AUTOMOBILE SERVICING AND REPAIR STATION WITH WASHING ACTIVITY. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 07-02-2017 Authorisation Status Pending	(1)ETP: Physiochemical (2)ECS:N/A (3)D.G.Set:1 (capacity 320 KVA) (4)Source of water: 2.3 KLD from DJB (5)Ground water: Nil Status of Inspection :The premises was inspected on 20.09.2016 with reference to complaint received through PGMS vide I.D. 201686083 against M/s Himgiri Cars Pvt. Ltd. and following were observed: -The unit has installed an	-Two Noise monitoring reports of D.G.Sets dated 24.10.2016 and 28.12.2016 are showing in CTE application. Noise monitoring report of D.G. Set dated 28.12.2016 is meeting the prescribed standards however noise monitoring report of D.G. Set dated 24.10.2016 is not meeting the prescribed standards. -Effluent analysis report dated 15-11-2016 issued by DPCC submitted. Effluent Test Report is	22-02-2017 Details of D.G.Set has not been mentioned in the consent application at column No.20.However at point no.7 of enclosure list yes has been mentioned but the attached report is effluent analysis report dated 15.11.2016 instead of noise monitoring report.	23-02-2017 Consent to Establish granted. IT Cell be asked to incorporate the information in respect of D.G. Set in the online consent to operate application. Inspection be conducted as approved in file.

[illegible]

									Rules on 09.02.2017 through online. However, hard copies of the same are still to be submitted. M/s Himgiri Cars Pvt. Ltd. also informed vide its letter 13.02.2017 regarding shut down/stop of automobile sales /service and requested to delete the name in records. As approved, Temporary revocation of directions are being issued granting 30 days time for submitting hard copies of consent to operate and authorization under HWM Rules along with its enclosures. The unit is also to be inspected to verify the facts.			
29	ANTONY ROAD TPT SOLUTION PVT LTD	RAJGHAT DEPOTT-II	09-02-2017	DPCC/EC/2/1/2017/16999	SERVICING, REPAIRING AND WASHING OF CLUSTER BUSES. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application 07-02- Date 2017 Authorisation Status Pending	Hard Copy not submitted.	.	22-02-2017 .	23-02-2017 Ask the unit to submit hard copies of Consent to Establish, Consent to Operate and authorization under HWM Rules applications with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued. Subsequently, inspection be conducted.
30	SAGAR RATNA RESTAURANTS PVT. LTD.	18, DEFENCE COLONY	09-02-2017	DPCC/EC/2/1/2017/17001	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- Yes (b) Effluent analysis report dated 20-02-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 140 KVA and 62.5 KVA. Noise monitoring report dated 16-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Yes (having CGWA Registration) Status of Inspection : 03.02.2017	Effluent analysis report dated 20-02-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 2 D.G. Set(s) of 140 KVA and 62.5 KVA. Noise monitoring report dated 16-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	23-02-2017 Unit has applied for CTO on 09.02.2017. Unit vide its common letter dated 21.02.2017 has requested for permanent revocation of Directions dated 05.08.2016 & grant of Consent to Operate.	23-02-2017 Consent to Operate(Renewal) granted. Directions for closure be revoked.

SCN u/s 31(A)/33(A)/5 of EPA details :

Closure directions u/s 31(A)/33(A)/5 of EPA details : 25.07.2016

As decided on 27.05.2015, inspection of the unit is carried out by the Representatives of DPCC on 08.06.2015. Inspection Report is placed opposite for your kind perusal. Following observations were made during inspection:-

1. Unit found operational and engaged in the activity of Restaurant with seating capacity of 210 seats.

2. Unit has installed an ETP, but same was found non-functional & waste water has been discharged into sewer without any treatment.

3. No wet sludge observed in sludge drying bed and logbook of ETP has not been obtained.

4. Unit having three kitchen at ground floor, 1st floor & 2nd floor but adequate stack height not provided above roof level and also kitchen at 2nd floor not having channelization system.

5. Unit having two DG Set of capacity of 45 & 140 KVA with acoustic enclosure but adequate stack height not provided (i.e. 0.5 m each).

6. Unit having two borewell connections for extraction of Ground water and also have DJB water connection. No permission for borewell was shown.

7. Valid MCD License and Delhi Police License not shown at the time of inspection.

As decided, Show Cause Notice for refusal of Consent and u/s 33(A) of the Water Act was issued on 09.07.2015 w.r.t. deficiencies observed during inspection dated

08.06.2015. Unit has not submitted any reply w.r.t. SCN for Refusal of Consent. However, they have submitted a representation on 08.07.2015 w.r.t. inspection dated 08.06.2015 and informed only that they rectified all the deficiencies but not submitted any documentary proof/ photographs/ permission for ground water extraction.

As decided, inspection of the unit was carried out by the representation of DPCC on 07.06.2016 and following were observed:

- Unit found operating with 208 seats and activity of Restaurants.
- Previous ETP has been dismantled. New ETP being installed.
- Channelization inadequate in all kitchens (GF,FF,SF) stack height above roof level is adequate.
- 2 D.G. Sets one of 45 KVA and other of 140 KVA with acoustic enclosure and adequate stack height.
- Source of Water is DJB. Copy of DJB Bill not available.
- MCD and Delhi Police License not available.
- Effluent from unit being discharged into sewer directly without treatment.

Unit has submitted its reply on 14.06.2016 w.r.t. inspection carried on 07.06.2016 :

- Effluent treatment plant was under maintenance due to the old settler was leaking from bottom portion. The new settler has been installed with the same day and operational (photographs enclosed).
- The adequate stack height has been provided about 1.5 mtr from the Roof Level.
- The separate hood for other gas stoves, the order has been placed and it will be completed shortly.
- They have requested 15

days time to complete the work.

Letter was issued to unit on 20.07.2016 to install proper ETP to treat the trade effluent generated from the process to meet the prescribed standards and submit the details of ETP.

As decided, another inspection of the was carried out on 25.07.2016 and installed ETP was found not operational as Mixing Tank found filled with clear water, Sludge drying bed found dry and also no wet sludge observed. Logbook of ETP maintained not for all days of operation in the month of July.

As decided in common file of sagar ratna, Refusal of Consent to Operate (Renewal) and Directions for Closure u/s 33(A) of the Water Act to the unit on 05.08.2016.

Unit submitted representations dated 10.08.2016 & 23.08.2016 aw.r.t Closure directions dated 05.08.2016 along with copy of log book & photograph of Effluent Treatment Plant and informed that New Effluent treatment plant i& media filter has been installed, channelization system provided in the Kitchen with adequate stack height, log book of ETP maintained and wet/dry sludge is removed due to rainy season.

An inspection of the unit was carried by representatives of DPCC on 15.09.2016 and it was observed that -

- Unit found in operation inspite of Closure Directions dated 05.08.2016.
- Unit has installed an ETP and same found operational.
- Channelization system installed in Kitchen with adequate stack height.

-log book of ETP maintained.
-Unit having one borewell connection for groundwater extraction with CGWA Registration.
-Unit having valid Delhi Police licence and applied for renewal of MCD licence.

Unit submitted a Representation on 04.10.2016 along with undertaking and photographs of inlet & outlet meter and requested for revocation of Closure Directions dated 05.08.2016.

As per approval in common file of inspections of restaurants / hotels in Defence Colony w.r.t complaint from Shri Rajeev Suri/ Abhishek Dutt, Municipal Councillor (Andrews Ganj) regarding pollution / chocking / overflowing of sewer lines in Defence Colony Area, a letter was issued on 17.01.2017 to DJB, BSES and SDM (Defence colony) to take necessary action for disconnection of water supply & electric supply and effective closure of unit and send compliance / ATR w.r.t. closure direction u/s 33(A) of water act & u/s 31(A) of air act issued to the unit on 05.08.2016.

Unit has submitted representations on 23.01.2017, 24.01.2017 & 25.01.2017 and stating as under.

-That they have a Restaurant.
-That they stopped its operation after receiving the letter dated 17.01.2017.
-The Electricity department of BSES also disconnected our Electricity of our unit on 25.01.2017.
-That they are having a DJB Connection as well as 1 No. Borewell with valid permission from CGWA / DJB.
-That they are having a

valid Licenses for MCD, Delhi Police (Copy Enclosed).
-That the proper channelization of kitchen at Ground Floor has been provided with adequate stack height.
-That the unit has already installed an Effluent Treatment Plant of 10 KLD batch type followed by oil & Grease trap found operational during inspection. Flow meter at inlet and outlet of ETP also installed.
-2 Nos. of DG set 40 KVA & 62.5 KVA installed with acoustic enclosure and adequate stack height.

Unit has mentioned in its letter dated 25.01.2017 that they have rectified all the deficiencies observed during the inspection dated 28.12.2016 and requested to revoke the Closure Directions so that they can conduct testing of water & Noise monitoring report & submit the application for Consent to Operate.

Unit has submitted letter dated 31.01.2017 alongwith security bond of Rs 1,00,000 Lakhs to the effect that unit shall comply with the pollution control norms and undertaking giving details of electric connection with reading, having valid permission from Delhi Jal Board, having valid permission from CGWA for borewell, not using DG Set for any commercial use and also stopped the activities in their premises in compliance of closure Directions dated 17.01.2017.

As approved, an inspection of the unit was carried out by the Representatives of DPCC on 03.02.2017 and following were observed during inspection-

-The unit was not found in operation at the time of inspection.
-The electricity of the

Restaurant has been disconnected by BSES on 25.01.2017.

- Unit has installed an ETP of 10 KLD (batch type) followed by Oil & Grease Trap.
- Flow meter at inlet and outlet of ETP installed.
- Unit has provided proper channelization with kitchen at Ground Floor, 1st Floor & 2nd Floor with adequate stack height (2 meters above roof level). Photographs taken during inspection of Restaurant enclosed.
- Unit having valid MCD & Police License.
- 2 Nos. of DG Set of capacity 40 KVA & 62.5 KVA installed with acoustic enclosures with adequate stack height.
- Source of water supply from DJB and one borewell (As informed, unit having Registration of Borewell from CGWA).

Unit has not applied for Consent to Operate after Refusal of Consent application dated 13.10.2014 on 05.08.2016.

The Borewell of the unit is listed in the list of Env. Deptt which having CGWA permission in the the name of Sh. Jayaram Banan for premises No. 18, Defence Colony (printout of list placed opposite.

Compliance report w.r.t. Directions dated 05.08.2016 and letter dated 17.01.2017.2017 are yet to be received from concerned agencies i.e. DJB, BSES & SDM. However, copy of electricity disconnection letter of BSES provided during inspection of Restaurant.

Unit has submitted fresh application for Consent to Operate on 09.02.2017.

As approved, Temporary Revocation of Directions dated 05.08.2016 was issued to unit vide letter

									dated 10.02.2017 Unit submitted a letter on 14.02.2017 along with hard copy of application for Consent to Operate and required documents. Unit vide its common letter dated 17.02.2017 has requested for grant of Consent to Operate. Unit submitted another representation on 20.02.2017 along with Fresh Effluent Analysis report of ETP (Photographs & details of dimensions of ETP attached along with representation) & Noise monitoring Report of Both the D.G. Set(s) and requested for permanent revocation of aforementioned Closure Directions. Unit vide its another common letter dated 21.02.2017 has requested for permanent revocation of Directions dated 05.08.2016 & grant of Consent to Operate.			
31	LORD OF THE DRINKS (A UNIT OF M/S R. V. CAFE PVT. LTD.)	A-13, IST AND IIND FLOOR, VISHAL ENCLAVE	09-02-2017	DPCC/EC/2/1/2017/17005	RESTAURANT CUM BAR WITH 165 SEATS. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of water: DJB Water consumption:10000 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G Set of capacity 250 KVA -As per the order of honorable NGT inspections of the 11 units operating in rajouri garden have been carried out on 19.11.2016 regarding NGT case titled Hardeep Singh Vs SDMC in application no. 519 of 2016.. -During inspection of the above mentioned unit following observations were made:	1. Effluent analysis report: (a) Effluent analysis report dated 25-01-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 06-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	22-02-2017 -consent to Operate may be granted.	23-02-2017 Consent to Operate granted.

1. Unit found operational and engaged in the activity of restaurant cum bar with seating capacity of 165 seats.
2. No ETP installed in the premises.
3. Terrace was sealed so stack height of D.G set and kitchen could not be seen.

-On the basis of inspection findings a Show Cause Notice u/s 31 (A) & 33 (A) was issued to the unit on 29.11.2016.

-unit submitted its reply on 05.12.2016 w.r.t above mentioned show cause notice and informed that they are in process to install ETP and requesting to grant 15 days time to apply CTE/CTO application in DPCC.

-Again an inspection was carried out by DPCC, Officials on 03.01.2017 and following observations were made:
1) Unit found operational and engaged in the activity of restaurant cum bar with 165 seating capacity.
2) Effluent Treatment Plant was under installation.
3) One D.G. set of capacity 250 KVA found installed with acoustic enclosure and inadequate stack height.
4) Noise Monitoring done by DPCC officials in D.J operational & non-operational conditions.
5) Channelization provided in the kitchen with adequate stack height of the chimney.

-A decided in the Consent Committee Meeting held on 19.01.2017 a letter was issued to the unit on 25.01.2017 regarding submission of photographs & details (size./dimensions and schematic diagram) of Effluent Treatment system as mentioned in the office order dated 04.11.2016.

									-Unit has submitted a reply on 07.02.2017 along with photographs of effluent treatment plant & detail size 5 dimension of Effluent treatment plant & also requested to grant consent to establish.			
32	PRIME AUTOMATION	PLOT NO 28, FIE, PATPARGANJ INDUSTRIAL AREA	09-02-2017	DPCC/EC/2/1/2017/17006	Service Station of Bikes Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No, 1 Application Date 02-02-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- Yes. (2)ECS - No (3)D.G.Set: 01 (65KVA) (4) Status of Ground Water extraction : N/A (5) source of water: Municipal Authority. (6) Waste Effluent----- (a) Domestic---- 400 litres/day (b) Trade----- 1000 litres/day. (7) Mode of Disposal: Public Sewer.	N/A	20-02-2017 Recommended for Inspection in view of Hazardous Waste Remarks/ATR on 20-02-2017 Effluent Analysis Report dated 25.01.2017 from DPCC Lab submitted. Results are as follows: 1 pH 7.3 2 Total Suspended Solids (TSS) (mg/l) 60 3 Bio-chemical oxygen demand [3days at 27oC] (mg/l) 44 4 Oil and Grease (mg/l) 4.0 The unit has informed about D.G Set of 65 KVA in CTE application, However in CTO Application the unit has not claimed that there is no D.G Set.	23-02-2017 Inspection be conducted.
33	ORIENTAL AUTOMOBILE	Y-34, PHASE-II, OKHLA INDUSTRIAL AREA	10-02-2017		WASHING AND SERVICING OF CARS Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No, 1 Application Date 12-04-2010 Authorisation Status Pending	Unit has not submitted hard copies of Consent application form along with Documents / test reports.	.	23-02-2017 .	23-02-2017 Ask the unit to submit hard copy of Consent to Operate application with requisite documents within 15 days. Also inspection be conducted.
34	GOPISH PHARMA	H-1455, DSIDC, NARELA INDUSTRIAL AREA	10-02-2017	DPCC/EC/2/1/2017/17014	Mfg. of Pharmaceutical (Formulation) Pharmaceuticals Formulation With Washing Operation	Orange Renewal	Non-SPI	HWM Application No, 1 Application Date 07-07-2004 Authorisation Status Approved Authorisation Issue Date 03-08-2004	Status of Pollution Control system/Devices- 1. ETP-Yes 2. ECS- N.A. 3. D.G. set- No Plot Area- 350 sq.mt. Establishment Date- 01.01.1996 Status of Ground Water Extraction-No 1. Water consumption- 400 L/day.	Water(Effluent) report- Yes, Issued on 29.11.2016 . by DPCC. Also analysed by FICCI research lab. Parameters are within prescribed limit. Emission monitoring report -N.A. Noise Test Report-N.A.	22-02-2017	23-02-2017 File be put up administratively.

								Authorisation Expiry Date	02-08-2006	a) Source of water- DSIIDC (copy of water bill submitted) Status of Inspection- No. However, DPCC has visited the site for sampling purpose of ETP and during said visit ETP was non operational and test report of ETP bypass effluent shows exceeding parameters. Show cause notice for closure u/s 33 (A) of the Water Act and u/s 31(A) of the Air Act issued on 03.08.2016. Direction for closure u/s 33 (A) of the Water Act, 1974 and u/s 31(A) of the Air Act, 1981 issued on 03.02.2017.			
								HWM Application No.	2				
								Application Date	13-10-2006				
								Authorisation Status	Pending				
								HWM Application No.	3				
								Application Date	09-02-2017				
								Authorisation Status	Pending	Form-I applied under HWM rules. unit has requested for revocation of closure directions.			
35	FORTUNE MARKETING PVT. LTD.	F-24/4, OKHLA INDUSTRIAL AREA, PHASE-II	13-02-2017	DPCC/EC/2/1/2017/17032	ASSEMBLY / MANUFACTURING OF USB FLASH DRIVE AND MANUFACTURING OF RFID / PVC CARD AND INLAY TAGS (WITH SCREEN PRINTING). Plastic Processed Goods Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No.	1	Status of Pollution Control System (1)ETP ---- Yes (a) Effluent analysis report dated 08-02-2017 issued by DPCC submitted, Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 06-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : No Water consumption - 1000 ltr/day (Outside tankers) Status of Inspection : Yes on 05.10.2016 SCN u/s 31(A)/33(A)/5 of EPA details : 27.01.2017 As decided, inspection of the unit was carried out by the Representatives of DPCC on 05.10.2016 and following were observed-	Effluent analysis report dated 08-02-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 06-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	23-02-2017 Unit has applied for CTE on 23.01.2017, Consent to operate and and Authorization under HWM Rules on 13.02.2017.	23-02-2017 Inspection be conducted.

-Unit found in operation and engaged in the activity of Mfg./ Assembling of USB Flash Drive and Mfg. of RFID/ PVC Cord, Inloy Sheet Cutting.
- Unit has installed Screen printing machine with screen mould washing basin and under trial run. Waste water to be generated from this activity but Effluent Treatment Plant for treating the waste water generated from this activity has not been installed.
- Hazardous waste generates from the screen printing process for which Authorization is required under the Hazardous and other waste (Management and Transboundry movement) Rules, 2016 however the unit has not applied for Authorization so far and measures to comply w.r.t said Rules have not been taken by the unit.
- Unit has installed D.G. set of 125 KVA with acoustic enclosure however adequate stack height has not been provided for D.G. set (Stack height found below roof level. It must be 2.5 meters above the building where D.G. set has been installed).

The activity of the Addressee unit falls under Orange category whereas it has applied under Green category.

The case of the Addressee unit was taken up by the Cell Incharge, DPCC, on 07.12.2016 and it was decided to Issue Show Cause Notice for Refusal of Consent.

As decided , Show Cause Notice for Refusal of Consent and Show Cause Notice u/s 33(A) of the water Act, u/s 31(A) of the Air Act and u/s 5 of EP Act issued to the unit on 27.01.2017

									Unit ha submitted reply on 06.02.2017 w.r.t. show cause Notice and informed that they have installed ETP, increased the stack height of DG Set, applied for Consent under orange category, applied for testing and in process to apply Consent to operate and and Authorization under HWM Rules.			
									Unit has applied for CTE on 23.01.2017, Consent to operate and and Authorization under HWM Rules on 13.02.2017			
36	KBB NUTS PVT. LTD.	B-57, LAWRENCE ROAD INDUSTRIAL AREA	15-02-2017	DPCC/EC/2/1/2017/17050	PROCESSING AND PACKING OF DRY FRUITS WITH WASHING. Processing of dry fruits with washing Use of Furnace (excluding Cupola / Arc/Induction Furnace)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Status of Ground Water extraction :N/A Source of water: 2.5 KLD from DJB.	1. Effluent analysis report dated 15-11-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Stack monitoring report of oil fired furnace/oven Stack monitoring report dated 16-11-2016 issued by DPCC submitted. Stack Test Reports within Limit - Yes 3. Noise monitoring report of D.G. Set Noise monitoring report dated 28-11-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	23-02-2017	23-02-2017 Consent to Operate granted.



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 19th meeting on 23.02.2017 w.r.t. Agenda Item No 2 - 05 Pending cases of M/s Sagar Ratna Restaurants (Annexure III).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	SAGAR RATNA RESTAURANTS PVT. LTD	FD-2, GROUND FLOOR, PITAMPURA (NEAR METRO STATION)	26-11-2015	DPCC/EC/2/1/2015/12468	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP -Physico-chemical (batch type). (2)ECS - N/A, Channelization system provided. Status of Ground Water extraction : Nil Source of Water: 2,5 KLD from Outside source through tanker (as per undertaking) The name of the unit is not listed in the list of 26 cases of PGMS. However unit was inspected on 25.07.2016 and following were observed 1. Unit found operational and engaged in the activity of restaurant (90 seats). 2. ETP found installed and in operation. However, no proper treatment is being done as (poly) dosing tank is empty and clear water tank is having greyish waste water. No logbook of ETP is being maintained. 3. One borewell exists and permission for the same could not be shown. Also, DJB water connection exists within premises. 4. Channelization system provided in the kitchen but adequate stack height above roof level has not	a) Effluent analysis report dated 17-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Effluent Test Report within Limit - Yes b) The unit has 1 D,G, Set(s) of 62,5 KVA. Noise monitoring report dated 09-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Noise monitoring report within Limit - Yes.	21-09-2016 . Remarks / ATR on 22-02-2017 As decided, Inspection was conducted by DPCC representatives on 17.02.2017 and following were observed : -ETP found installed and operational. Chemicals dosing tanks found filled with chemicals and wet sludge observed. -ETP logbook found maintained. -Channelization system found installed in the kitchen to channelize the emission and having stack height approx.10 feet above roof level. -Valid MCD and Delhi Police Licence shown. -As reported, one borewell belongs to landlord and unit is using only DJB water supply through tankers.	23-02-2017 Consent to Establish granted.

									been provided. 5. One D,G set of 62,5KVA found existing and having a stack height of 12 ft above with acoustic enclosure provided. 6. MCD and Delhi Police licence not shown. Also, the copy of MCD license and Delhi Police submitted along with consent application have been issued for 48 seats only. Accordingly, Show Cause Notice for refusal of consent to establish and consent to operate and Show Cause Notice u/s 33(A) of Water Act and 31(A) of Air Act was issued on 11.08.2016 and a letter was also issued to MCD and Delhi Police regarding no. of seats being used by the unit. Unit has submitted its replies vide letters dated 31.08,2016 and 14.09,2016 alongwith copy of MCD and Delhi Police License, photo of stack of D,G set and informed that 1. Seats have been reduced and maintained as per MCD license i.e, 48 seats. 2. ETP (Batch Type) installed and is operational. Chemicals have been filled and dosing is being done properly. 3. The log book has been maintained. 4. Existing borewell belongs to landlord and only DJB water is being used. 5. Adequate stack height has been provided above roof level. Unit has not submitted any documentary proof of logbook and permission of existing borewell.	Remarks/ATR on 22-12-2016 As decided in CTO file Inspection is to be conducted.		
2	SAGAR RATNA RESTAURANTS PVT. LTD	FD-2, GROUND FLOOR, PITAMPURA (NEAR METRO STATION)	26-11-2015	DPCC/EC/2/1/2015/12471	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (a) AR not submitted. (b) Effluent analysis	1. Effluent analysis report dated 17-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes	01-07-2016 . Remarks/ATR on 22-02-2017 As decided,	23-02-2017 Consent to Operate granted.

					Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer					report dated 17-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A Channelization system provided. (3)D.G,Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62,5 KVA. Noise monitoring report dated 09-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Noise monitoring report within Limit - No Status of Ground Water extraction : Nil Source of Water: 2,5 KLD from Outside source through tanker (as per undertaking) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD Licence valid upto 31.03,2016 Delhi Police Licence valid upto 31.03,2016.	2. Noise monitoring report dated 09-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Noise monitoring report within Limit - No	Inspection was conducted by DPCC representatives on 17.02,2017 and following were observed : -ETP found installed and operational, Chemicals dosing tanks found filled with chemicals and wet sludge observed. -ETP logbook found maintained. -Channelization system found installed in the kitchen to channelize the emission and having stack height approx.10 feet above roof level. -Valid MCD and Delhi Police Licence shown. -As reported, one borewell belongs to landlord and unit is using only DJB water supply through tankers. Recommendation / Action Taken Details (EE/AEE) on 22-12-2016 Inspection yet to be conducted. Remarks/ATR on 20-09-2016 The name of the unit is not listed in the list of 26 cases of PGMS. However unit was inspected on 25,07,2016 and following were observed 1. Unit found operational and engaged in the activity of restaurant (90 seats). 2. ETP found installed and in operation. However, no proper treatment is being done as
--	--	--	--	--	---	--	--	--	--	--	---	---

(poly) dosing tank is empty and clear water tank is having greyish waste water. No logbook of ETP is being maintained. 3. One borewell exists and permission for the same could not be shown. Also, DJB water connection exists within premises. 4. Channelization system provided in the kitchen but adequate stack height above roof level has not been provided. 5. One D.G set of 62.5KVA found existing and having a stack height of 12 ft above with acoustic enclosure provided. 6. MCD and Delhi Police licence not shown. Also, the copy of MCD license and Delhi Police submitted along with consent application have been issued for 48 seats only.

Accordingly, Show Cause Notice for refusal of consent to establish and consent to operate and Show Cause Notice u/s 33(A) of Water Act and 31(A) of Air Act was issued on 11.08,2016 and a letter was also issued to MCD and Delhi Police regarding no. of seats being used by the unit. Unit has submitted its replies vide letters dated 31.08,2016 and 14.09,2016 alongwith copy of MCD and Delhi Police License,

											photo of stack of D.G set and informed that 1. Seats have been reduced and maintained as per MCD license i.e. 48 seats. 2. ETP (Batch Type) installed and is operational. Chemicals have been filled and dosing is being done properly. 3. The log book has been maintained. 4. Existing borewell belongs to landlord and only DJB water is being used. 5. Adequate stack height has been provided above roof level. Unit has not submitted any documentary proof of logbook and permission of existing borewell.	
3	SAGAR RATNA HOTELS PVT LTD (SAGAR RATNA)	C-1, NEW KRISHNA PARK VIKASH PURI	09-09-2016	DPCC/EC/2/1/2016/16118	RESTAURANT, Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System Source of Water: Municipal Authority Water Consumption: 2500 Litres/ Day Status of Ground Water extraction : No (1)ETP - Working (2)ECS - N/A (3)D.G.Set: ...N/A... -It is a matter of PGMS. -Directions for Closure u/s 31(A) of Air Act and u/s 33(A) of Water Act and Refusal of Consent to Operate (Renewal) issued on 08.08.2016. -Unit submit its reply on 12.08.2016 & 23.08.2016 with the information that deficiencies observed during inspection have been rectified and requested to revoke the closure direction.	Water Analysis Effluent analysis report dated 23-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Effluent Test Report within Limit - Yes	30-09-2016 . Remarks/ATR on 22-02-2017 . Recommendation / Action Taken Details (EE/AEE) on 23-12-2016 -As decided in the file,temporary revocation was issued to the unit on 13.10.2016 for a period of 45 days for submission of fresh effluent analysis test reports. -Unit has submitted a representation on 18.11.2016 08.12.2016 along with copy of Effluent analysis report and noise	23-02-2017 Consent to Operate granted. Directions for closure be revoked,

									-Unit was inspected on 19.09,2016 and found closed,		monitoring report dated 04,11,2016 & 17.11,2016 issued by Delhi Pollution Control Committee and all the parameters are found within the limit,	
4	SAGAR RATNA HOTELS PVT. LTD.	K-15, OUTER CIRCLE CONNAUGHT CIRCLE	09-09-2016	DPCC/EC/2/1/2016/16119	RESTAURANT, Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 02-08-2006 Authorisation Status Pending	Status of Pollution Control System Source of Water: Municipal Authority Water Consumption: 2500 Litres/ Day Status of Ground Water extraction : No (1)ETP --Working (2)ECS - N/A (3)D.G.Set: ...N/A -It is a matter of PGMS, -Directions for Closure u/s31(A) of Air Act and u/s 33(A) of Water Act and Refusal of Consent to Operate issued on 08,08,2016. -Unit submit its reply on 09,09,2016 for inspection. -Unit was inspected on 09,9,2016, Unit found closed, Unit has removed the bypassss system and has increased the stack height of kitchen channelization about 2.5 metre above the roof. Since, unit is complied with the direction it is proposed to revoke the closure direction for 45 days for submission of test reports.	Water Analysis: Effluent analysis report dated 02-07-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Effluent Test Report within Limit - Yes	30-09-2016 . Remarks/ATR on 22-02-2017 . Recommendation / Action Taken Details (EE/AEE) on 23-12-2016 -As decided in the file,temporary revocation was issued to the unit on 13,10,2016 for a period of 45 days for submission of fresh effluent analysis test reports. -Unit has submitted a representation on 18,11,2016 08,12,2016 along with copy of Effluent analysis report and noise monitoring report dated 3,11,2016 & 17,11,2016 respectively issued by Delhi Pollution Control Committee and all the parameters are found within the limit	23-02-2017 Consent to Operate granted, Earlier consent / authorization application be made infructuous after checking the records if not decided earlier, Directions for closure be revoked.
5	SAGAR RATNA RESTAURANTS PVT. LTD.	G-86, VIKAS MARG, PREET VIHAR	23-11-2016	DPCC/EC/2/1/2016/16436	Restaurant, Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with	Orange Renewal	Non-SPI		-ETP : No -ECS : No -D,G. Sets : One D,G. Set capacity of 82,5 KVA -MCD Health license valid up to : 31.03,2018 Temporary revocation of closure directions u/s 31(A) of the Air (Prevention & control of the Pollution) Act, 1981 and u/s 33 (A) of the water (Prevention & control of the Pollution)	-pH : 7.0 -Total Suspended Solids : 50 -Bio-chemical oxygen demand : 46 -Oil and Grease : 5,6	23-12-2016 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 23-02-2017 The inspection of the unit was conducted on 21.02.2017 and following were the observations:	23-02-2017 Consent to Operate (Renewal) granted, Directions for closure be revoked.

					Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Act, 1974 as amended to date was issued on 13.10.2016.		1. The restaurants was found in operation. 2. Washing activity was going in the kitchen. ETP found installed and in operative condition. 3. Kitchen emission have been channelized and dispersed about 25 ft from ground level. 4. Semi wet condition sludge was seen in the SDB (1 no.) . It has been reported due to space constrain they have only one SDB. 5. Chemical dozing tanks (alum, lime and poly electrolyte) were found placed over the reaction cum settling tank. Air blower was being used for mixing. 6. Settled effluent was found in the settling tank. 7. D.G. Set of 62.3 KVA is placed acoustically at roof top. 8. Log book found maintained. Recommendation: consent to operate may be granted.
--	--	--	--	--	--	--	--	--	--	--	--



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 19th meeting on 23.02.2017 w.r.t. Table Agenda Item No 1 -- 05 Cases of CMC-IV (Annexure IV).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	K,R, INDUSTRIES	K-92, UDYOG NAGAR INDUSTRIAL AREA	12-02-2014	DPCC/EC/2/1/2014/6892	MANUFACTURING OF FOOTWEARS. EVA Footwear and EVA Compound Footwear (rubber) Process Involving Buffing PVC Footwear (Using Fresh Raw Material)	Orange Operate	Non-SPI				26-03-2014 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 30.12.2013 issued by Delhi Technological University submitted, (b) Stack monitoring report dated 23-12-2013 issued by SPECTRO ANALYTICAL LABORATORIES submitted, Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 23-12-2013 issued by SPECTRO ANALYTICAL LABORATORIES submitted, Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D,G,Set: ...N/A... (4) Inspection	23-02-2017 Consent to Operate granted.

details:N/A

(5) SCN u/s
31(A)/33(A)/5 of
EPA details :N/A

(6) Closure
directions u/s
31(A)/33(A)/5 of
EPA details :N/A

**Recommendation
/ Action Taken
Details (EE/AEE)
on 22-02-2017**

-As decided, file
was put up
administratively
and it was decided
to send a final
reminder to submit
fresh stack
monitoring report.
-Accordingly, a
letter was sent to
the unit on
2.11.2016 to
submit updated
stack monitoring
report.
-Unit has
submitted reply on
23.11.2016 along
with emission
monitoring report
of the stack
attached to
exhaust of buffing
section & stack
attached to boiler.

**Remarks/ATR on
02-09-2016**

(1)ETP ---- N/A
(2)ECS - Cyclone
(a) AR dated
30.12.2013 issued
by Delhi
Technological
University
submitted.
(b) Stack
monitoring report
dated 23-12-2013
issued by
SPECTRO
ANALYTICAL
LABORATORIES
submitted. Stack
Test Report within
Limit - Yes
Stack monitoring
report dated 23-
12-2013 issued by

SPECTRO
ANALYTICAL
LABORATORIES
submitted. Stack
Test Report within
Limit - Yes
(3)D.G.Set:
...N/A...
(4) Inspection
details:N/A
(5) SCN u/s
31(A)/33(A)/5 of
EPA details :N/A
(6) Closure
directions u/s
31(A)/33(A)/5 of
EPA details :N/A
(7) Water
Consumption :
1200 Lt/day
(outside)
As decided, unit
was issued a
notice for refusal
of consent on
09.05.2014.
In view of fake
Effluent analysis
report submitted
by unit since same
was not a part of
Genuine list
provided by M/s
Spectro Anytical
Labs Limited.
Unit submitted a
reply on
28.05.2014 and
requested to 10
days more time to
submitted the test
report and M/s
Spetro has
submitted a letter
on 05.06.2014
stating that the
said report is
genuine.
Unit has submitted
stack monitoring
reports of buffing
section and
thermic fluid
heater dated
11.06.2014 issued
by SIMA on
17.06.2014 and
parameters found
within limit.
File was put up
administratively
and it was decided
to issue a letter to
the unit for
submisison of
report either DPCC
lab or any other

lab. Accordingly, a letter was issued to the unit on 17.03.2015 giving fresh monitoring report either by DPCC lab or other third party monitoring. No reply received. File yet to be put up administratively.

Recommendation / Action Taken Details (EE/AEE) on 17-03-2015
(1)ETP ---- N/A

(2)ECS - Cyclone
(a) AR dated 30.12.2013 issued by Delhi Technological University submitted.
(b) Stack monitoring report dated 23-12-2013 issued by SPECTRO ANALYTICAL LABORATORIES submitted, Stack Test Report within Limit - Yes

Stack monitoring report dated 23-12-2013 issued by SPECTRO ANALYTICAL LABORATORIES submitted, Stack Test Report within Limit - Yes

(3)D.G.Set: ...N/A...

(4) Inspection details:N/A

(5) SCN u/s 31(A)/33(A)/5 of EPA details :N/A

(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A

(7) Water

Consumption :
1200 Lt/day
(outside)

As decided, unit was issued a notice for refusal of consent on 09.05.2014. In view of fake Effluent analysis report submitted by unit since same was not a part of Genuine list provided by M/s Spectro Anytical Labs Limited.

Unit submitted a reply on 28.05.2014 and requested to 10 days more time to submitted the test report and M/s Spetro has submitted a letter on 05.06.2014 stating that the said report is genuine.

Unit has submitted stack monitoring reports of buffing section and thermic fluid heater dated 11.06.2014 issued by SIMA on 17.06.2014 and parameters found within limit.

File was put up administratively and it was decided to issue a letter to the unit for submisison of report either DPCC lab or any other lab. Accordingly, a letter was issued to the unit on 17.03.2015 giving an opportunity to the unit to avail any of the option.

Reply awaited.

Recommendation / Action Taken Details (EE/AEE) on 03-06-2014

												As decided, unit was issued a notice for refusal of consent on 09.05.2014. In view of fake Effluent analysis report submitted by unit since same was not a part of Genuine list provided by M/s Spectro Anytical Labs Limited. Unit submitted a reply on 28.09.2014 and requested to 10 days more time to submitted the test report.	
2	RED APPLE BANQUETS	21/19, PHASE-II, NARAINA INDUSTRIAL AREA	22-07-2015	DPCC/EC/2/1/2015/11357	FOOD ITEM CATERING. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI					02-03-2016 (1)ETP ---- ETP installed. (a) AR dated September, 2014 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 21-07-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D,G,Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 06-07-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption : 300 Lt/day (Corporation) (8) Seating Capacity : 150 Seats. (9) Copy of valid	23-02-2017 Consent to Operate granted.

MCD license submitted (valid upto 31.03,2016)
Unit has submitted an undertaking stating that it is a banquet hall for marriage parties and not a restaurant hence there is no need for the police certification.

Remarks/ATR on 22-02-2017
.

Recommendation / Action Taken Details (EE/AEE) on 21-09-2016
-As decided, a show cause notice for refusal of consent and show cause notice for closure of the unit u/s 33(A) of Water Act and u/s 31(A) of Air Act issued to the unit on 01.08.2016.

-Unit submit its reply on 10,08,2016 and informed that all the deficiencies has been removed.

-As approved, an inspection was carried out by DPCC officials on 09,09,2016 and following observations were made:
-ETP found installed in the premises but due to seasonal off it is non operational.
- Channelization in the kitchen for proper and having adequate stack height of chimney.
- Two D.G Sets found installed at roof top of the building with acoustic enclosure and adequate

											stack height.	
											Recommendation / Action Taken Details (EE/AEE) on 12-07-2016 -As approved an inspection was carried out by DPCC officials on 11.07.2016 and following observations were made: a). No function was being carried out in the Banquet Hall. b). Effluent Treatment Plant found installed at top roof of the building. c). Effluent Treatment Plant found in defunct condition. d). No log book with respect to operation of ETP found maintained. e). Acoustic enclosure found installed with the D,G Sets of 160 and 125 KVA placed on top roof of the building but stack height of both the DG Sets found inadequate. f) Hood and channelization has been provided in the kitchen area to channelize the emissions generated from kitchen but the stack height provided with hoods found inadequate.	
3	DEEP AUTOTEC PVT. LTD.	PLOT NO 1, ROAD NO 1, INDUSTRIAL AREA, MUNDKA UDYOG NAGAR (SOUTH SIDE)	02-02-2016	DPCC/EC/2/1/2016/13486	Servicing, Repairing of Four Wheeler Car, Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 02-02-2016 Authorisation Status Pending	Source of Water- DJB (Cat-II) name and address matched Water Consumption- 8000 Kitres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP -Working	Water- - Effluent analysis report dated 04-02-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Effluent Test Report within Limit - Yes Noise- The unit has 1 D,G. Set(s) of 125 KVA, Noise	11-07-2016 . Remarks / ATR on 22-02-2017 -Unit has submitted a reply 02.02.2017 w.r.t reminder letter which was issued on 04.11.2016	23-02-2017 Industries Department has confirmed the location of the unit within the boundary of the redevelopment area vide letter dated 31.01.2017, Consent to Operate & Authorization under HWM Rules granted.

(2)ECS - N/A	monitoring report dated 20-11-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes	confirmation letter issued by DSIIDC regarding location of the unit within boundary of the notified redevelopment Area with the name & address of the unit.
(3)D,G,Set Noise Report : 1 D.G, Set(s) of 125 KVA		
Status of Inspection : No		
SCN u/s 31(A)/33(A)/5 of EPA details : No		
Closure directions u/s 31(A)/33(A)/5 of EPA details : No		
		-Consent to Operate & Authorization under HWM rules may be issued to the unit.
		Recommendation / Action Taken Details (EE/AEE) on 23-12-2016
		-As per decision, show cause notice for refusal of consent & authorization, show cause notice u/s 31(A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EP Act and a letter to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit, was issued to the unit dated 05.10.2016.
		-Again a reminder letter was issued to the unit dated 04.11.2016 to submit the above mentioned documents.
		-Unit has submitted a

											representation on 16.11.2016 along with the requisite documents and also informed that they have rectified the deficiencies which were observed during inspection conducted on 16.09.2016	
											Recommendation / Action Taken Details (EE/AEE) on 19-09-2016 -As decided, an inspection was carried out by DPCC officials on 16.09.2016 and following observations were made: -3 D.G Sets found installed, out of which 2 D.G Sets are non-working but acoustically treated, One D.G Set of approx 25 KVA found without acoustic enclosure and inadequate stack height, -ETP found installed but same found in non-operational,Dosing tanks were found empty -No wet and dry sludge observed. -No ETP log book found maintained. -HWM rules not being complied. -Any documentary proof of saling of used oil to authorized dealer not provided.	
4	REGAL AUTOMOBILES (INDIA)	18/32 A, GALI NO 5 (RLY LINE SIDE), ANAND PARBAT INDUSTRIAL AREA	18-02-2016	DPCC/EC/2/1/2016/13726	Mfg. of Auto parts, Asbestos Based Products	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 11-02-2015 Authorisation Status Pending	Source of water:DJB, Category-II (Copy of bill enclosed) name and address matched, Water consumption:80 Litre/day Status of ground water extraction:nil Status of Pollution Control System (1)ETP ---- N/A	Air Emission: Stack monitoring report dated 05-02-2016 issued by SHRIRAM INSTITUTE submitted, Stack Test Report within Limit - Yes	11-07-2016 . Remarks/ATR on 22-02-2017 -Unit has submitted its reply on 16.02,2017 and informed that they have already submitted consent fee and HWM fee	23-02-2017 Consent to Operate (Renewal) & Authorization under HWM Rules granted.

	(2)ECS - working	for one year on 18.02.2016 which is valid up to 17.02.2017 and now they are submitted the consent fee and HWM fees for four more years as per the office order dated 14.12.2015 for Redevelopment Area Policy for Orange Category and Authorization under Hazardous and other wastes (Management and Trans boundary Movement) Rules, 2016.
	(3)D.G.Set: ...N/A...	-Consent to Operate (Renewal) may be garnted.
	Status of Inspection:No	Recommendation / Action Taken Details (EE/AEE) on 23-12-2016
	SCN u/s 31(A)/33(A)/5 of EPA details :No	As decided in the meeting of category II(b), headed by MS, DPCC held on 22.09.2016, an inspection of the unit was carried out by DPCC representatives on 22.12.2016 and following observations were made:-
	Closure directions u/s 31(A)/33(A)/5 of EPA details :No	1. Unit found operational and engaged in the activity of manufacturing of Auto parts (Asbestos based products). 2. ECS (Bag-house filter) installed in the unit and same found in operational condition, with adequate stack height. 3. No D. G. set installed in the unit. 4. Since, unit is non water polluting, hence, no ETP is installed.

											5. HWM guidelines being followed.	
											Recommendation / Action Taken Details (EE/AEE) on 22-09-2016 Consent to Operate be granted	
5	MG MAHARAJA PALACE BANQUETS	45/35,WEST PUNJABI BAGH	03-01-2017	DPCC/EC/2/1/2017/16718	Banquet Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		water consumption: 2500 litre/day (bill enclosed) Status of Pollution Control System 1)ETP --Working (2)ECS - N/A (3)D,G,Set Noise Report : 4 D,G Sets of capacity 125 KVA installed. Satus of Ground Water extraction :nil Status of Inspection :nil SCN u/s 31(A)/33(A)/5 of EPA details :nil Closure directions u/s 31(A)/33(A)/5 of EPA details :nil	Effluent analysis report: a) Effluent analysis report dated 22-11-2016 issued by DPCC submitted, Effluent Test Report within Limit - Yes Noise Monitoring report: (a) The unit has 4 D,G, Set(s) of 125 KVA,125 KVA,125 KVA and 125 KVA. Noise monitoring report dated 08-12-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes (b)The unit has 4 D,G, Set(s) of 125 KVA,125 KVA,125 KVA and 125 KVA. Noise monitoring report dated 08-12-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes (c) The unit has 4 D,G, Set(s) of 125 KVA,125 KVA,125 KVA and 125 KVA. Noise monitoring report dated 08-12-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes	18-01-2017 -Consent to Operate may be granted. Recommendation / Action Taken Details (EE/AEE) on 22-02-2017 -Unit has submitted hard copy of Consent to Operate application along with all requisite documents, -Consent to Operate may be granted.	23-02-2017 Consent to Operate granted,