

List of 23 units in Mahipalpur and adjoining area who have submitted Water Cess Receipt for using Ground Water (and having STP/ETP) for 1st meeting of Committee, headed by Chairman, DPCC for II (a) category on 06.05.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application (CTE/CTO/CTI)	Category of (SPL/Non SPL)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Reports	Decision taken in the meeting on 06.05.2016
1	Hotel Lohras	A-53, Mahipal Pur, N.H-8, Near I.G.I Airport	10593	05.03.2015	10592	20.04.2015	Hotel/ Restaurant	CTE & CTO	Non SPL	Not Applicable	Status of Pollution Control System / Devices: ETP installed, AR submitted D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided) Status of Ground water extraction: Nil (receipt of payment of water Cess to DIB for using of Ground water) Community borewell Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 30 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of ETP dated 27.07.2015 submitted and parameters are found within limit Another report on 13.04.2016 and parameters found within the limit Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters are found within limit.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water from CGWA/ DIB valid water connection bill from DIB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law
2	Hotel Venus	A-52 Mahipal Pur, N.H-8, Near I.G.I Airport	10595	09.03.2015	10595	20.04.2015	Hotel/ Restaurant	CTI & CTO	Non SPL	Not Applicable	Status of Pollution Control System / Devices: ETP installed, AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided) Status of Ground water extraction: Nil (receipt of payment of water Cess to DIB for using of Ground water) Community borewell Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 32 rooms (with kitchen) MCD license : Valid upto 31.12.2016 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of ETP dated 27.07.2015 submitted and parameters are found within limit. Another report on 13.04.2016 and parameters found within the limit Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters are found within limit	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water from CGWA/ DIB valid water connection bill from DIB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law
3	Hotel Alpura Tree	A-65, Mahipal Pur, N.H-8, Near I.G.I Airport	10595	09.03.2015	10597	20.04.2015	Hotel/ Restaurant	CTI & CTO	Non SPL	Not Applicable	Status of Pollution Control System / Devices: STP installed, AR submitted D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided) Status of Ground water extraction: Nil (receipt of payment of water Cess to DIB for using of Ground water) Community borewell Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted Number of Rooms : 21 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Another report on 13.04.2016 and parameters found within the limit Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters are found within limit.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water from CGWA/ DIB valid water connection bill from DIB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law

K.Kumar, EE

Satender Kumar, SEE

Kulanand Joshi, Member Secretary cum Chairman,

List of 23 units in Mahipalpur and adjoining area who have submitted Water Cess Receipt for using Ground Water (and having STP/ETP) for 1st meeting of Committee, headed by Chairman, DPCC for II (a) category on 06.05.2016

Annexure - III

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies) Products	Consent application [CTE/CTO/CT]	Category of (SPE/Non SPE)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Decision taken in the meeting on 06.05.2016
4	Hotel Seasons	A-53, Mahipal Pur, N.H-8, Near IGI Airport	10297	05.03.15	10569	20.04.2015	Hotel/ Restaurant	CTE & CTO	Non SPE	Not Applicable	Status of Pollution Control System / Devices: STP installed, AR submitted. D.G. Set : 200 KVA (acoustic enclosure & adequate stack height provided) Status of Ground water extraction: Nil (receipt of payment of water Cess to DIB for using of ground water) Community borewell Status of Inspection - Inspection was carried out on 22.06.2015 and found satisfactory Source of Water - (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 38 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Another report on 13.01.2016 and parameters found within the limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters are found within limit.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water form C/GWA/ DIB valid water connection bill from DIB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law
5	Hotel Hantawa	A-312 Mahipal Pur, N.H-8, Near IGI Airport	10613	21.04.2015	51386	29.06.2015	Hotel/ Restaurant	CTE & CTO	Non SPE	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted however photographs submitted D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided) Status of Ground water extraction: Nil (receipt of payment of water Cess to DIB for using of Ground water) Status of Inspection - Inspection was carried out on 11.08.2015 and found satisfactory Source of Water - (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted Number of Rooms : 15 rooms (with kitchen) MCD license : Applied Delhi Police license: Not Applied Provisional Consent issued on :- 25.08.2015	Test Reports - Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)- Noise monitoring report of D.G. Set not submitted	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water form C/GWA/ DIB valid water connection bill from DIB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law
6	Hotel Waves	A-272, Mahipal Pur, N.H-8, Near IGI Airport	10296	05.03.15	10593	20.04.2015	Hotel/ Restaurant	CTE & CTO	Non SPE	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided) Status of Ground water extraction: Nil (receipt of payment of water Cess to DIB for using of ground water) Community borewell Status of Inspection - Inspection was carried out on 22.06.2015 and found satisfactory Source of Water - (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 33 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Another report on 13.01.2016 and parameters found within the limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters are found within limit.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water form C/GWA/ DIB valid water connection bill from DIB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law

K.Kumar, EE

Satender Kumar, SEE

Kulanand Joshi, Member Secretary cum Chairman,

List of 23 units in Mahipalpur and adjoining area who have submitted Water Cess Receipt for using Ground Water (and having STP/ETP) for 1st meeting of Committee, headed by Chairman, DPCC for II (a) category on 06.05.2016

Annexure-III

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity/Products	Consent application (CTE/CTO/CT)	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Decision taken in the meeting on 06.05.2016
7	Hotel Star	A-288, Mahipal Pur, N.H-8, Near I.G.I Airport	10406	23.03.15	10629	22.04.15	Hotel & Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed, AR submitted. D.G. Set - 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil (receipt of payment of water Cess to DIB for using of Ground water) Status of Inspection: Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 34 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set) - Noise monitoring report of D.G. Set dated 16.07.2015 submitted and parameters are found within limit.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water form CGWA/ DIB valid water connection bill from DIB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law.
8	Hotel International INN	A-78, Mahipal Pur, N.H-8, Near I.G.I Airport	10434	26.03.2015	10627	22.04.15	Hotel & Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed, AR submitted. D.G. Set - 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil (receipt of payment of water Cess to DIB for using of Ground water) Status of Inspection: Inspection was carried out on 23.06.2015 and found satisfactory. Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 39 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set) - Noise monitoring report of D.G. Set dated 16.07.2015 submitted and parameters are found within limit.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water form CGWA/ DIB valid water connection bill from DIB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law.
9	Hotel Roshni Place	A-175 Mahipal Pur, N.H-8, Near I.G.I Airport	10455	30.03.2015	10668	28.4.2015	Hotel & Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed, AR submitted. D.G. Set - 200 KVA & 380 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil (receipt of payment of water Cess to DIB for using of Ground water) Status of Inspection: Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 34 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP dated 30.07.2015 submitted and parameters are found within limit. Noise (D.G. Set) - Noise monitoring report of D.G. Set dated 03.08.2015 submitted and parameters are found within limit.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water form CGWA/ DIB valid water connection bill from DIB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law.

K. Kumar, EE

Satender Kumar, SEE

Kulanand Joshi, Member Secretary cum Chairman,

**List of 23 units in Mahipalpur and adjoining area who have submitted Water Cess Receipt for using Ground Water (and having STP/ETP) for 1st meeting of
Committee, headed by Chairman, DPCC for II (a) category on 06.05.2016**

Annexure-III

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application (CTE/CTO/CT)	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Reports	Decision taken in the meeting on 06.05.2016
01	Hotel Delhi 37	A-147, Mahipal Pur, NH-8, Near IGI Airport	10405	23.03.15	10626	22.04.15	Hotel/Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil (receipt of payment of water Cess to DBB for using of Ground water) Status of Inspection : Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- (i) DBB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 22 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set) - Noise monitoring report of D.G. Set dated 16.07.2015 submitted and parameters are found within limit.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water from CGWA/ DBB valid water connection bill from DBB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law.
11	Barachi Restaurant	A-279/3 Mahipalpur Extn. Dm-37	10449	30.05.2015	10670	28.4.2015	Hotel/Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: ETP installed. AR submitted. D.G. Set: Nil Status of Ground water extraction: Nil (receipt of payment of water Cess to DBB for using of Ground water) Status of Inspection : Inspection was carried out on 19.07.2015 and found satisfactory. Source of Water :- (i) DBB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Seats : 48 Seats (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Valid upto 31.12.2015 Provisional Consent issued on :- 17.07.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of ETP dated 30.07.2015 submitted and parameters are found within limit. Noise (D.G. Set) - N/A	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water from CGWA/ DBB valid water connection bill from DBB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law.
12	Anand Lok Inn Hotel	A-89, Mahipalpur Extn. Dm-37	10656	27.4.15	10710	05.5.2015	Hotel/Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 82.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil (receipt of payment of water Cess to DBB for using of Ground water) Status of Inspection : Inspection was carried out on 12.06.2015 and found satisfactory. Source of Water :- (i) DBB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 23 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP dated 17.03.2015 submitted and parameters are found within limit. Noise (D.G. Set) - Noise monitoring report of D.G. Set dated 16.07.2015 submitted and parameters are found within limit.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water from CGWA/ DBB valid water connection bill from DBB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law.

List of 23 units in Mahipalpur and adjoining area who have submitted Water Cess Receipt for using Ground Water (and having STP/ETP) for 1st meeting of Committee, headed by Chairman, DPCC for II (a) category on 06.05.2016

Annexure III

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application (CTE/CTO/CT)	Category of (SP/ Non SP)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Reports	Decision taken in the meeting on 06.05.2016
13	Hotel Highway Crown	A-87, NH-08, Mahipalpur Extra, Delhi-37	10759	11.05.2015	10793	12.05.2015	Hotel/ Restaurant	CTE & CTO	Non SP	Not Applicable	Status of Pollution Control System / Devices: STP installed, AR submitted D.G. Set: 125 KVA (acoustic enclosure & adequate stack height provided) Status of Ground water extraction: Yes, Permission not submitted. (receipt of payment of water Cess to DDB for using of Ground water) Status of Inspection: Inspection was carried out on 22.06.2015 and found satisfactory Source of Water: Borewell, Permission not submitted. (Voluntary disclosure submitted) Number of Rooms: 22 rooms (with kitchen) MCD license: Valid upto 31.12.2015 Delhi Police license: Not Applied Provisional Consent issued on: 25.06.2015	Test Reports:- Air (Emissions): N/A. Water (Effluent): Effluent analysis report of STP dated 30.07.2015 submitted and parameters are found within limit. Noise (D.G. Set): Noise monitoring report of D.G. Set dated 21.08.2015 submitted and parameters are found within limit.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water form CGWA/ DDB valid water connection bill from DDB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law.
14	Hotel Era	A-96, NH-08, Mahipalpur Extra, Delhi-37	1040	23.03.2015	10630	27.04.15	Hotel/ Restaurant	CTE & CTO	Non SP	Not Applicable	Status of Pollution Control System / Devices: STP installed, AR submitted D.G. Set: 62.5 KVA (acoustic enclosure & adequate stack height provided) Status of Ground water extraction: Nil (receipt of payment of water Cess to DDB for using of Ground water) Status of Inspection: Inspection was carried out on 22.06.2015 and found satisfactory Source of Water: DDB Applied for connection & receipt submitted, no Tankers. Bills not submitted Number of Rooms: 21 rooms (with kitchen) MCD license: Valid upto 31.12.2015 Delhi Police license: Applied Provisional Consent issued on: 25.06.2015	Test Reports:- Air (Emissions): N/A. Water (Effluent): Effluent analysis report of STP dated 30.07.2015 submitted and parameters are found within limit. Noise (D.G. Set): Noise monitoring report of D.G. Set dated 16.07.2015 submitted and parameters are found within limit.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water form CGWA/ DDB valid water connection bill from DDB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law.
15	Hotel Daya Centre	A-6, Road No.-1, NH-8, Mahipalpur Extra, New Delhi-110037	10576	17.04.2015	10920	27.05.2015	Hotel/ Restaurant	CTE & CTO	Non SP	Not Applicable	Status of Pollution Control System / Devices: STP installed, AR not submitted, however, photographs submitted. D.G. Set: 125 KVA (acoustic enclosure & adequate stack height provided) Status of Ground water extraction: Nil (receipt of payment of water Cess to DDB for using of Ground water) Status of Inspection: Inspection was carried out on 11.08.2015 and found satisfactory Source of Water: Tankers, Bill enclosed Number of Rooms: 24 rooms (without kitchen) MCD license: Valid upto 31.12.2015 Delhi Police license: Not Applied Provisional Consent issued on: 02.09.2015	Test Reports:- Air (Emissions): N/A. Water (Effluent): Effluent analysis report of STP not submitted. Noise (D.G. Set): Noise Monitoring Report not submitted.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water form CGWA/ DDB valid water connection bill from DDB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law.

K.Kumar, EE

Satender Kumar, SEE

Kulanand Joshi, Member Secretary cum Chairman,

List of 23 units in Mahipalpur and adjoining area who have submitted Water Cess Receipt for using Ground Water (and having STP/ETP) for 1st meeting of Committee, headed by Chairman, DPCC for II (a) category on 06.05.2016

Annexure-III

Sno.	Name	Address	Application ID No. (CTI)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application (CTE/CTO/CTI)	Category of (NPI/Non-SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Decision taken in the meeting on 06.05.2016
16	Hotel Nandan Palace	A-27, Road No 1, NH-8, Mahipalpur Extn., New Delhi-110037	10082	29.4.2015	10726	06.5.2015	Hotel/ Restaurant	CTE & CTO	Non-SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set - 125 KVA acoustic enclosure & adequate stack height provided. Status of Ground water extraction: Nil (receipt of payment of water Cess to DJB for using of Ground water) Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- Tankers. Bill submitted. Number of Rooms : 22 rooms (with kitchen) MCD license : Valid upto 31.12.2016. Delhi Police license: Not Applied. Provisional Consent issued on : 25.06.2015	Test Reports:- Air (Emissions) - N/A. Water (Effluent) - Effluent analysis report of STP submitted dated 09.09.2015 and found within the parameters. Noise (D.G. Set)-Noise Monitoring Report submitted dated 23.07.2016	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water form CGWA / DJB valid water connection bill from DJB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law.
17	Hotel Green Palace	A-51, Road No 2, Near IGI Airport, Mahipalpur Extn., New Delhi-110037	10427	26.03.2015	10034	07.5.2015	Hotel/ Restaurant	CTE & CTO	Non-SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set - 67.5 KVA acoustic enclosure & adequate stack height provided. Status of Ground water extraction: Nil (receipt of payment of water Cess to DJB for using of Ground water) Status of Inspection - Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- Tankers. Bills submitted. Number of Rooms : 22 rooms (with kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on : 25.06.2015	Test Reports - Air (Emissions) - N/A. Water (Effluent) - Effluent analysis report of STP dated 19.08.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 23.07.2015 submitted and parameters are found within limit.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water form CGWA / DJB valid water connection bill from DJB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law.
18	Hotel Impress	A-25, Kt. No. 393, Vasant Kunj Road, NH-8, Mahipalpur Extn., New Delhi-110037	10081	19.03.2015	10094	20.04.2015	Hotel/ Restaurant	CTE & CTO	Non-SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set - 200 KVA acoustic enclosure & adequate stack height provided. Status of Ground water extraction: Nil (receipt of payment of water Cess to DJB for using of Ground water and water of community supply) Status of Inspection - Inspection was carried out on 25.06.2015 and found satisfactory. Source of Water :- (a) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 33 rooms (with kitchen) MCD license : Valid upto 31.01.2016 Delhi Police license: Applied. Provisional Consent issued on : 25.06.2015	Test Reports:- Air (Emissions) - N/A. Water (Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Another report on 13.04.2016 and parameters found within the limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters are found within limit.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water form CGWA / DJB valid water connection bill from DJB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law.

List of 23 units in Mahipalpur and adjoining area who have submitted Water Cess Receipt for using Ground Water (and having STP/ETP) for 1st meeting of Committee, headed by Chairman, DPCC for II (a) category on 06.05.2016

Annexure-III

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (Sest/Products)	Consent application (CTE/CTO/CT)	Category of (SP/Non SP)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Decision taken in the meeting on 06.05.2016
19	Hotel Taurus International Projects Pvt. Ltd.	KH. No A-383 and 384, NH-08, Mahipalpur Extn.	10413	20.01.15	10650	27.04.15	Hotel Restaurant	CTE & CTO	Non SP	Not Applicable	Status of Pollution Control System / Devices: STP installed. Technical AR submitted. D.G. Set: 320 KVA (7 nos) & 125 KVA acoustic enclosure & adequate stack height provided. Status of Ground water extraction: Nil (receipt of payment of water Cess to DJB for using of Ground water) Status of Inspection: Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water: Tankers. Bills submitted. Number of Rooms: 85 rooms (with kitchen) MCD license: Valid upto 31.03.2016 Delhi Police license: Not Applied Provisional Consent issued on: 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP dated 06.04.2015 & 19.08.2015 submitted and found satisfactory. Noise (D.G. Set): Noise monitoring report of D.G. Set dated 23.07.2015 submitted and parameters are found within limit.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water from CGWA/ DJB valid water connection bill from DJB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law.
20	Punjabi Nawab	RZ-A-63, KH No 383/2, 1, NH-8 Mahipalpur	10294	25.02.15	10687	30.4.2015	Hotel Restaurant	CTE & CTO	Non SP	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. (Common with Taurus Hotel). D.G. Set: Nil. Status of Ground water extraction: Nil (receipt of payment of water Cess to DJB for using of Ground water). Status of Inspection: Inspection was carried out on and found under renovation. Source of Water: No Information. Number of Rooms: 79 rooms. MCD license: Applied. Delhi Police license: Not Applied. Provisional Consent issued on: N.A.	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP submitted and parameters are found within limit. Noise (D.G. Set): N.A.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water from CGWA/ DJB valid water connection bill from DJB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law.
21	Hotel Transit	A-58, Road No 4, Mahipalpur Extn. NH-8	10425	25.03.15	10628	22.04.15	Hotel Restaurant	CTE & CTO	Non SP	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set: 175 KVA acoustic enclosure & adequate stack height provided. Status of Ground water extraction: Nil (receipt of payment of water Cess to DJB for using of Ground water). Status of Inspection: Inspection was carried out on 22.08.2015 and found satisfactory. Source of Water: (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms: 39 rooms (with kitchen) MCD license: Valid upto 31.03.2016 Delhi Police license: Applied. Provisional Consent issued on: 02.09.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP dated 06.09.2015 submitted and found satisfactory. Noise (D.G. Set): Noise monitoring report of D.G. Set dated 16.07.2015 submitted and parameters are found within limit.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water from CGWA/ DJB valid water connection bill from DJB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water/ authority source under the law.

K.Kumar, EE

Satender Kumar, SEE

Kulanand Joshi, Member Secretary cum Chairman,

List of 23 units in Mahipalpur and adjoining area who have submitted Water Cess Receipt for using Ground Water (and having STP/ETP) for 1st meeting of Committee, headed by Chairman, DPCC for II (a) category on 06.05.2016

Annexure III

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity/Products	Consent application (CTE/CTO/CT)	Category of (SPE/Non SPE)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Reports	Decision taken in the meeting on 06.05.2016
22	Hotel Lohmad	A-293, NH-68, Mahipalpur Extn. Delhi-37	10624	22.04.15	10727	06.05.2015	Hotel/Restaurant	CTE & CTO	Non SPE	Not Applicable	Status of Pollution Control System / Devices: STP installed, AR not submitted. D.G. Set - 175 KVA & 250 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. (receipt of payment of water Cess to DJB for using of Ground water). Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water - Tankers, Bills submitted. Number of Rooms : 67 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Not Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N/A. Water (Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)- Noise monitoring report of D.G. Set not submitted.	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water from C.G.W.A. DJB valid water connection bill from DJB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water authority source under the law.
23	Hotel Delhi Narmada Chak Olive & Bang	K-8060, K-2 Block, Mahipalpur New Delhi-110037	11122	23.06.2015	11287	13.07.2015	Hotel/Restaurant	CTE & CTO	Non SPE	Not Applicable	Status of Pollution Control System / Devices: STP installed, AR not submitted. D.G. Set - Nil. Status of Ground water extraction: Nil. (receipt of payment of water Cess to DJB for using of Ground water). Status of Inspection:- Inspection was carried out on 11.08.2015 and found satisfactory. Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 19 rooms (with kitchen) MCD license : Applied Delhi Police license: Not Applied. Provisional Consent issued on :- 02.09.2015	Test Reports:- Air (Emissions) - N/A. Water (Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)- N/A	Provisional Consent Granted for 06 with the condition that unit will submit either permission of extraction of Ground Water from C.G.W.A. DJB valid water connection bill from DJB. The unit shall ensure that it obtains water only from the source which has permission to extract ground water authority source under the law.

K.Kumar, EE

Satender Kumar, SEE

Kulanand Joshi, Member Secretary cum Chairman,