

List of 9 units in Mahipalpur and adjoining area who have not submitted required documents w.r.t extraction of water/DJB Bill, for 1st meeting of Committee headed by Chairman, DPCC for II (a) category on 06.05.2016


Sl. No	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Decision taken in the meeting on 06.05.2016
1	Hotel Swapnil International	A-13, Mahipalpur Ext. N.H.S. Near IGI Airport	10416	30.03.2015	11126	24.06.2015	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 67.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection: Inspection was carried out on 15.07.2015 and found satisfactory. Source of Water : (i) DIB (Letter submitted to DIB for connection) (ii) Tankers. Bills not submitted. Number of Rooms : 15 rooms (without kitchen) MCD license : Applied Delhi Police license: Not Applied Provisional Consent issued on : 24.07.2015	Test Reports:- Air (Emissions) - N/A Water (Effluent) - N/A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report not submitted.	After providing the personal hearing to the unit, no compliance submitted with respect to permission of ground water extraction/regular water connection from DIB. In view of this an other opportunity given to submit the required documents within 10 days from the date of issue of the letter with respect to permission of ground water extraction/regular water connection from DIB. In case unit did not submit any reply, closure directions u/s 31(A) of Air Act and u/s 33(A) of Water Act, be sent to the unit and CTE and CTO application may be refused.
2	Opera Hotel	A-122, Mahipalpur Extn. Delhi-27	10512	10.04.15	10769	11.05.2015	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 67.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection: Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water : Tankers. Bill submitted. Number of Rooms : 12 rooms (with kitchen) MCD license : Applied Delhi Police license: Not Applied Provisional Consent issued on : 25.06.2015	Test Reports - Air (Emissions) - N/A. Water (Effluent) - Effluent analysis report of STP dated 20.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.08.2015 submitted and parameters are found within limit.	After providing the personal hearing to the unit, no compliance submitted with respect to permission of ground water extraction/regular water connection from DIB. In view of this an other opportunity given to submit the required documents within 10 days from the date of issue of the letter with respect to permission of ground water extraction/regular water connection from DIB. In case unit did not submit any reply, closure directions u/s 31(A) of Air Act and u/s 33(A) of Water Act, be sent to the unit and CTE and CTO application may be refused.



Kumar, EE



Satender Kumar, SEE



Kulanand Joshi, Member Secretary cum Chairman,

List of 9 units in Mahipalpur and adjoining area who have not submitted required documents w.r.t extraction of water/DJB Bill, for 1st meeting of Committee headed by Chairman, DPCC for II (a) category on 06.05.2016

Sl. No	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Decision taken in the meeting on 06.05.2016
3	Casite Blue Hotel	A-109, Gali No. 5, Mahipalpur Extn. Delhi-37	10667	28.4.2015	10786	12.05.2015	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- Tankers. Bills not submitted. Number of Rooms : 29 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Not Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N/A. Water(Effluent) - Effluent analysis report of STP dated 30.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 17.08.2015 submitted and parameters are found within limit.	After providing the personal hearing to the unit, no compliance submitted with respect to permission of ground water extraction/regular water connection from DJB. In view of this an other opportunity given to submit the required documents within 10 days from the date of issue of the letter with respect to permission of ground water extraction/regular water connection from DJB. In case unit did not submit any reply, closure directions u/s 31(A) of Air Act and u/s 33(A) of Water Act be sent to the unit and CTE and CTO application may be refused.
4	Hotel Global Inn	A-184, Gali No. 1, NH-8 Mahipalpur Extn., New Delhi-110037	10657	27.04.15	10774	11.05.2015	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted. D.G. Set : 15 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- Tankers. Bill submitted. Number of Rooms : 36 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N/A. Water(Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)-Noise Monitoring Report of D.G. Set not submitted.	After providing the personal hearing to the unit, no compliance submitted with respect to permission of ground water extraction/regular water connection from DJB. In view of this an other opportunity given to submit the required documents within 10 days from the date of issue of the letter with respect to permission of ground water extraction/regular water connection from DJB. In case unit did not submit any reply, closure directions u/s 31(A) of Air Act and u/s 33(A) of Water Act be sent to the unit and CTE and CTO application may be refused.

Kumar, EE

Satender Kumar, SEE

Kulanand Joshi, Member Secretary cum Chairman,

List of 9 units in Mahipalpur and adjoining area who have not submitted required documents w.r.t extraction of water/DJB Bill, for 1st meeting of Committee

headed by Chairman, DPCC for II (a) category on 06.05.2016

Sl. No	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/ Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Decision taken in the meeting on 06.05.2016
5	Hotel Galaxy	A-184 Gali No. 1, NH-8, Mahipalpur Extn., New Delhi-110037	10674	29.4.2015	10797	12.05.2015	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 16 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Yes. CGWA permission submitted (name & address not matched) Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- (i) Ground Water. CGWA permission submitted (name & not matched). (ii) Tankers. Bills submitted. Number of Rooms : 14 rooms (without kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Not Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report not submitted.	After providing the personal hearing to the unit, no compliance submitted with respect to permission of ground water extraction/regular water connection from DJB. In view of this an other opportunity given to submit the required documents within 10 days from the date of issue of the letter with respect to permission of ground water extraction/regular water connection from DJB. In case unit did not submit any reply, elsonre directions u/s 31(A) of Air Act and u/s 33(A) of Water Act be sent to the unit and CTE and CTO application may be refused.
6	Hotel Parkshil Palace	A-15, Road No. 2, Mahipalpur Extn. Near IGI Airport, New Delhi-110037	10921	27.05.2015	11062	16.06.2015	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed and verified through inspection dated 22.06.2015. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- Tankers. Bill submitted. Number of Rooms : 15 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - N.A. Septic Tank installed and verified through inspection dated 22.06.2015. Noise (D.G. Set)- N.A.	After providing the personal hearing to the unit, no compliance submitted with respect to permission of ground water extraction/regular water connection from DJB. In view of this an other opportunity given to submit the required documents within 10 days from the date of issue of the letter with respect to permission of ground water extraction/regular water connection from DJB. In case unit did not submit any reply, elsonre directions u/s 31(A) of Air Act and u/s 33(A) of Water Act be sent to the unit and CTE and CTO application may be refused.

Kumar, EE

Satender Kumar, SEE

Kulanand Joshi, Member Secretary cum Chairman,

List of 9 units in Mahipalpur and adjoining area who have not submitted required documents w.r.t extraction of water/DJB Bill, for 1st meeting of Committee

headed by Chairman, DPCC for II (a) category on 06.05.2016

Sl. No	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/ Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Decision taken in the meeting on 06.05.2016
7	The Grace Hotel	59/43, Road No. 4, A-Block, Mahipalpur Extn. New Delhi-110037	11138	12.05.2015	11139	12.05.2015	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set: Nil. Status of Ground water extraction: Nil Status of Inspection: Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water: (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms: 15 rooms (without kitchen) MCD license: Valid upto 31.12.2015. Delhi Police license: Applied. Provisional Consent issued on: 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set) - N.A.	After providing the personal hearing to the unit, no compliance submitted with respect to permission of ground water extraction regular water connection from DJB. In view of this an other opportunity given to submit the required documents within 10 days from the date of issue of the letter with respect to permission of ground water extraction regular water connection from DJB. In case unit did not submit any reply, closure directions u/s 31(A) of Air Act and u/s 33(A) of Water Act, be sent to the unit and CTE and CTO application may be refused.
8	Shahimar Hotel	A Block, A-100, gali no. 4, Mahipalpur Extn. New Delhi-110037	11138	25.06.2015	11139	25.06.2015	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set: Nil. Status of Ground water extraction: Nil Status of Inspection: Inspection was carried out on 10.07.2015 and found satisfactory. Source of Water: Tankers. Bills not submitted. Number of Rooms: 15 rooms (without kitchen) MCD license: Applied. Delhi Police license: Not Applied. Provisional Consent issued on: 21.07.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set) - N.A.	After providing the personal hearing to the unit, no compliance submitted with respect to permission of ground water extraction regular water connection from DJB. In view of this an other opportunity given to submit the required documents within 10 days from the date of issue of the letter with respect to permission of ground water extraction regular water connection from DJB. In case unit did not submit any reply, closure directions u/s 31(A) of Air Act and u/s 33(A) of Water Act, be sent to the unit and CTE and CTO application may be refused.

List of 9 units in Mahipalpur and adjoining area who have not submitted required documents w.r.t extraction of water/DJB Bill, for 1st meeting of Committee headed by Chairman, DPCC for II (a) category on 06.05.2016

Sl. No	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/ Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Decision taken in the meeting on 06.05.2016
9	Hotel Suncity Int.	NH-8, Near Radisson Hotel, Near IGI Airport, New Delhi-110037	10553	16.4.2015	11155	26.06.2015	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed and verified through inspection dated 10.07.2015. D.G. Set: Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 10.07.2015 and found satisfactory. Source of Water :- Tankers. Bill submitted. Number of Rooms : 17 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on :-21.07.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - N.A. Septic Tank installed and verified through inspection dated 10.07.2015. Noise (D.G. Set)- N.A.	After providing the personal hearing to the unit, no compliance submitted with respect to permission of ground water extraction/regular water connection from DMB. In view of this an other opportunity given to submit the required documents within 10 days from the date of issue of the letter with respect to permission of ground water extraction/regular water connection from DJB. In case unit did not submit any reply, disoure directions u/s 31(A) of Air Act and u/s 32(A) of Water Act be sent to the unit and CTE and CTO application may be refused.

Kumar, EE

Satender Kumar, SEE

Kulanand Joshi, Member Secretary cum Chairman,