



(Annexure-~~IV~~) **XIV**

| S.No. | Name of Industry | Address                                                  | Date of Application | Application ID No. | Activity / Product                                                                              | Consent Application [CTE/CTO/CTO(R)] | Category (SPI/ Non SPI) | Authorization Status (Fresh/Renewal) | Brief of the Case                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Status of Test Report(s)                                                                                      | Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization) | Decision taken on 06.05.2016                                                                        |
|-------|------------------|----------------------------------------------------------|---------------------|--------------------|-------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| 1     | Hardware Centre  | B-1, S.M.A. Industrial Area, G.T. Karnal Road, Delhi -33 | 15.06.2015          | 11047              | Hinges and hardwares without phosphating, electroplating, pickling & buffing (light engg. Work) | Green/Renewal                        | Non SPI                 | N/A                                  | <b>Status of Pollution Control System/ Devices :</b><br>1. ETP- N/A<br>2. ECS- N/A<br>3. D.G. Set- Nil<br><b>Status of Ground Water Extraction :</b><br>1. Water Consumption- 30L/day<br>a) Source of Water- DJB (DJB Water Bill copy submitted)<br><b>Status of Inspection : No</b><br><b>Remarks :</b><br>1. Being SPI unit (Mfg. of Aluminium and Hardware Door and Window Fittings (including Anodizing)., Closure Directions were issued on 16.07.2015.<br>2. Unit has submitted request for revocation along with security bond of Rs. 5 lac & undertaking to abide by all pollution control norms.<br>3. Unit has changed the activity to Light Engg Work (Green category). | <b>Test Reports:-</b><br><br>Air (Emissions)- N/A<br><br>Water (Effluent)- N/A<br><br>Noise Test Reports- N/A | Yes                                                                                | Consent to operate be granted and closure direction be revoked. Subsequent inspection be conducted. |

  
 12.5.16  
 (Kulanand Joshi)  
 M.S. cum Chairman, DPCC

  
 (Mohd. Arif)  
 Sr. Env. Engineer

  
 (MS Rawat)  
 Env. Engineer

  
 (Amit Chaudhary)  
 Env. Engineer

(Annexure-~~III~~) **XIV**

| S.No. | Name of Industry                                       | Address                                                                   | Date of Application   | Application ID No. | Activity / Product                                              | Consent Application [CTE/CTO/CTO(R)] | Category (SPI/ Non SPI) | Authorization Status (Fresh/Renewal) | Brief of the Case                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Status of Test Report(s)                                                                                      | Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization) | Decision taken on 06.05.2016                                                                                      |
|-------|--------------------------------------------------------|---------------------------------------------------------------------------|-----------------------|--------------------|-----------------------------------------------------------------|--------------------------------------|-------------------------|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| 2     | Kukreja Agencies (Previous unit was Vijaya Safe Works) | Plot No.27, Sector-1, Pocket F, DSIDC, Bawana Industrial Area, Delhi - 39 | 19.10.15 & 08.12.2015 | 12147 & 12626      | Fabrication (like trusses and frames) (Light Engineering Works) | Green/ Establish & Green/ Operate    | Non SPI                 | N/A                                  | <b>Status of Pollution Control System/ Devices :</b><br>1. ETP- N/A<br>2.ECS- N/A<br>3.D.G. Set- Nil<br><b>Status of Ground Water Extraction :</b><br>1. Water Consumption- 250L/day<br>a) Source of Water- DSIDC (Water Bill copy submitted)<br><b>Status of Inspection : No</b><br><b>Remarks :</b><br>1. Being SPI unit (Mfg. of Steel Almirah, Racks with Phosphating and Powder Coating without Painting), Closure Directions were issued in name of Vijaya Safe Works on 16.07.2015.<br>2. Unit has submitted request for revocation along with security bond of Rs. 5 lac & undertaking to abide by all pollution control norms. It is also stated that Vijaya Safe Works had already been closed and now Kukreja Agencies exists.<br>3. Unit has changed the activity to Light Engg Work (Green category) | <b>Test Reports:-</b><br><br>Air (Emissions)- N/A<br><br>Water (Effluent)- N/A<br><br>Noise Test Reports- N/A | Yes                                                                                | Consent to Establish and operate be granted and closure direction be revoked. Subsequent inspection be conducted. |

  
12.5.16  
(Kulanand Joshi)  
M.S. cum Chairman, DPCC

  
(Mohd Arif)  
Sr. Env. Engineer

  
(MS Rawat)  
Env. Engineer

  
(Amit Chaudhary)  
Env. Engineer

| S.No. | Name of Industry                                          | Address                                                | Date of Application   | Application ID No. | Activity / Product                                                                                                  | Consent Application [CTE/CTO/CTO(R)] | Category (SPI/ Non SPI) | Authorization Status (Fresh/Renewal) | Brief of the Case                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Status of Test Report(s)                                                                                      | Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization) | Decision taken on 06.05.2016                                                                                                                                   |
|-------|-----------------------------------------------------------|--------------------------------------------------------|-----------------------|--------------------|---------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3     | Mangla Apparels (Previous unit was Jaquar & Company Ltd.) | C-21, SMA Industrial Area, G.T. Karnal Road, Delhi -33 | Applied on 21.04.2016 | 14391              | Sampling of Ready made garments (cutting, stitching) including office and warehouse (With Mini Boiler for Pressing) | Orange/CTE                           | Non SPI                 | N/A                                  | <b>Status of Pollution Control System/ Devices :</b><br>1. ETP- N/A<br>2. ECS- N/A<br>3. D.G. Set- Nil<br><b>Status of Ground Water Extraction :</b><br>1. Water Consumption- 200L/day<br>a) Source of Water- DJB( DJB water Bill copy submitted). Ground Water- Nil.<br><b>Status of Inspection : Yes</b><br>Premises was inspected on 07.04.2016 & found that Jaquar & Company Ltd. does not exits, however Mangla Apparel India Pvt. Ltd. found operating and found engaged in the activity of Ready made garments.<br><b>Remarks :</b><br>1. Plot Area- 1854 sq.mt.<br>2. Being SPI unit (Manufacturing of Bathroom Fittings (including Electroplating), Closure Directions were issued on 16.07.2015 to Jaquar & Company Ltd. | <b>Test Reports:-</b><br><br>Air (Emissions)- N/A<br><br>Water (Effluent)- N/A<br><br>Noise Test Reports- N/A | Yes                                                                                | Consent to Establish be granted and closure direction be revoked. Subsequent inspection be conducted. Ask unit to apply for consent to operate within 30 days. |

  
 12.5.16  
 (Kulanand Joshi)  
 M.S. cum Chairman, DPCC

  
 (Mohd. Arif)  
 Sr. Env. Engineer


  
 (MS Rawat)  
 Env. Engineer

  
 (Amit Chaudhary)  
 Env. Engineer

(Annexure-~~XIV~~ **XIV**)

| S.No. | Name of Industry                                     | Address                                                | Date of Application   | Application ID No. | Activity / Product                                                                                                | Consent Application [CTE/CTO/CTO(R)] | Category (SPI/ Non SPI) | Authorization Status (Fresh/Renewal) | Brief of the Case                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Status of Test Report(s)                                                                                      | Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization) | Decision taken on 06.05.2016                                                                                                                                    |
|-------|------------------------------------------------------|--------------------------------------------------------|-----------------------|--------------------|-------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4     | Print Offset (Previous unit was Deepikaj Industries) | D-23, SMA Industrial Area, G.T. Karnal Road, Delhi -33 | Applied on 18.04.2016 | 14344              | Mfg. of Card board and Corrugated Boxes with computer designing, printing and lamination (without trade effluent) | Orange/ CTE                          | Non SPI                 | N/A                                  | <b>Status of Pollution Control System/ Devices :</b><br>1. ETP- N/A<br>2. ECS- N/A<br>3. D.G. Set- Nil<br><b>Status of Ground Water Extraction :</b><br>1. Water Consumption- 2001 /day<br>a) Source of Water- Outside (Water Bill copy not submitted)<br><b>Status of Inspection : Yes</b><br>Premises was inspected on 07.04.2016. M/s Deepikaj Industries does not exits. M/s Print Offset found operating at the premises.<br><b>Remarks :</b><br>1. Plot Area- 199.79 sq.mt.<br>2. Being SPI unit (Pickling, Annealing & Cold Rolling of SS Sheets), Closure Directions were issued on 16.07.2015 to Deepikaj Industries. | <b>Test Reports:-</b><br><br>Air (Emissions)- N/A<br><br>Water (Effluent)- N/A<br><br>Noise Test Reports- N/A | Yes                                                                                | Consent to Establish be granted and closure direction be revoked. Subsequent inspection be conducted. Ask unit to apply for consent to operate with in 30 days. |

  
 12.5.16  
 (Kulanand Joshi)  
 M.S. cum Chairman, DPCC

  
 (Mond Arif)  
 Sr. Env. Engineer

  
 (MS Rawat)  
 Env. Engineer

  
 (Amit Chaudhary)  
 Env. Engineer

(Annexure- ~~III~~ **XIV**)

| S.No. | Name of Industry | Address                                               | Date of Application                | Application ID No. | Activity / Product             | Consent Application [CTE/CTO/CTO(R)] | Category (SPI/ Non SPI) | Authorization Status (Fresh/Renewal) | Brief of the Case                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Status of Test Report(s)                                                                                      | Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization) | Decision taken on 06.05.2016                                                                                      |
|-------|------------------|-------------------------------------------------------|------------------------------------|--------------------|--------------------------------|--------------------------------------|-------------------------|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| 5     | Subham Steel     | C-9, SMA Industrial Area, G.T. Karnal Road, Delhi -33 | Applied on 06.01.2016 & 06.01.2016 | 13149 & 13153      | Cold Re-Rolling of S.S. Sheets | Orange / CTE & CTO                   | Non SPI                 | N/A                                  | <b>Status of Pollution Control System/ Devices :</b><br>1. ETP- N/A<br>2. ECS- N/A<br>3. D.G. Set- Nil<br><b>Status of Ground Water Extraction :</b><br>1. Water Consumption- 20 L/day<br>a) Source of Water- Outside (Copy of drinking Water Bill submitted)<br><b>Status of Inspection :Yes</b><br>During inspection of unit on 07.01.2016, unit found closed/ sealed & Electricity supply found disconnected.<br><b>Remarks :</b><br>1. Being non- complaint & based on complaints, Pickling, Annealing & Re- Rolling of SS Sheets unit, Closure Directions were issued on 23.09.2015.<br>2. Unit has submitted request for revocation along with security bond, bank guarantee of Rs. 1 lac & undertaking to abide by all pollution control norms.<br>3. Unit has submitted that activity of pickling and annealing have been closed down. Only activity of Cold Re-rolling of S.S. Sheet without pickling will be carried out. | <b>Test Reports:-</b><br><br>Air (Emissions)- N/A<br><br>Water (Effluent)- N/A<br><br>Noise Test Reports- N/A | Yes                                                                                | Consent to Establish and operate be granted and closure direction be revoked. Subsequent inspection be conducted. |



12.5.16  
(Kulanand Joshi)  
M.S. cum Chairman, DPCC

  
(Mohd. Arif)  
Sr. Env. Engineer


  
(MS Rawat)  
Env. Engineer

  
(Amit Chaudhary)  
Env. Engineer

(Annexure-~~III~~ **XIV**)

| S.No. | Name of Industry          | Address                                                 | Date of Application | Application ID No. | Activity / Product                          | Consent Application [CTE/CTO/CTO(R)] | Category (SPI/ Non SPI) | Authorization Status (Fresh/Renewal) | Brief of the Case                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Status of Test Report(s)                                                                                             | Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization) | Decision taken on 06.05.2016                                                                        |
|-------|---------------------------|---------------------------------------------------------|---------------------|--------------------|---------------------------------------------|--------------------------------------|-------------------------|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| 6     | Standard Metal Industries | E-8, S.M.A Industrial Area, G.T. Karnal Road, Delhi -33 | 26.08.2015          | 11634              | Mfg. of Hardware fittings (Light Engg Work) | Green/ Renewal                       | Non SPI                 | N/A                                  | <p><b>Status of Pollution Control System/ Devices :</b></p> <p>1. ETP- N/A</p> <p>2. ECS- N/A</p> <p>3. D.G. Set- Nil</p> <p><b>Status of Ground Water Extraction :</b></p> <p>1. Water Consumption- 500 L/day</p> <p>a) Source of Water- DJB (DJB Water Bill copy submitted). Ground Water-N/A.</p> <p><b>Status of Inspection : No</b></p> <p><b>Remarks :</b></p> <p>1. Being SPI unit (Mfg. of Door Fitting including Plating and Buffing.), Closure Directions were issued on 16.07.2015.</p> <p>2. Unit has requested for revocation &amp; submitted security bond of Rs. 5 Lac &amp; undertaking to abide by all pollution control norms.</p> <p>3. Unit has changed the activity to Light Engg Work (Green category).</p> <p>4. Consent committee decision dated 10.01.2016 : "File be put up administratively for revocation of closure directions. Renewal of consent to operate granted after revocation of closure directions. Unit be directed to safely store the earlier generated HW as per HWM Rules".</p> | <p><b>Test Reports:-</b></p> <p>Air (Emissions)- N/A</p> <p>Water (Effluent)- N/A</p> <p>Noise Test Reports- N/A</p> | Yes                                                                                | Consent to operate be granted and closure direction be revoked. Subsequent inspection be conducted. |

  
12.5.16  
(Kulanand Joshi)  
M.S. cum Chairman, DPCC

  
(MS Rawat)  
Sr. Env. Engineer

(MS Rawat)  
Env. Engineer


  
(Amit Chaudhary)  
Env. Engineer

(Annexure ~~IV~~ XIV)

| S.No. | Name of Industry                                                 | Address                                      | Date of Application | Application ID No. | Activity / Product                              | Consent Application [CTE/CTO/CTO(R)] | Category (SPI/ Non SPI) | Authorization Status (Fresh/Renewal) | Brief of the Case                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Status of Test Report(s)                                                                                             | Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization) | Decision taken on 06.05.2016                                                                                                                                         |
|-------|------------------------------------------------------------------|----------------------------------------------|---------------------|--------------------|-------------------------------------------------|--------------------------------------|-------------------------|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 7     | Skylark Industries (previous unit name is M/s Kiran Metal Works) | H-158, Sec-4, DSIIDC, Bawana Industrial Area | 10.08.2015          | 11500              | Mfg. of Plastic Products (without reprocessing) | Orange/Establish                     | Non SPI                 | N/A                                  | <p><b>Status of Pollution Control System/ Devices :</b></p> <p>1. ETP- N/A</p> <p>2. ECS- N/A</p> <p>3. D.G. Set- Nil</p> <p><b>Status of Ground Water Extraction :</b></p> <p>1. Water Consumption- 150 L/day</p> <p>a) Source of Water- DSIIDC (DSIIDC Water Bill copy submitted). Ground Water-Nil.</p> <p><b>Status of Inspection : No</b></p> <p><b>Remarks :</b></p> <p>1. Being SPI unit (Mfg. of PVC sanitary fittings including Electroplating ), Closure Directions were issued on 16.07.2015 in the name of Kiran Metal Works.</p> <p>2. Representation was recieved requested for revocation stated that M/s Kiran Metal Works does not exist now.</p> <p>3. Unit has changed the activity to Mfg. of Plastic Products without reprocessing (non-water polluting)</p> <p>4. Consent committee decision dated 03.03.2016 : "consent to establish granted.</p> <p>5. Consent to establish already issued on 08.04.2016</p> | <p><b>Test Reports:-</b></p> <p>Air (Emissions)- N/A</p> <p>Water (Effluent)- N/A</p> <p>Noise Test Reports- N/A</p> |                                                                                    | As consent to establish already granted, Closure direction be revoked. Subsequent inspection be conducted. Ask unit to apply for consent to operate with in 30 days. |

  
 12.5.16  
 (Kulanand Joshi)  
 M.S. cum Chairman, DPCC

  
 (Mohd. Arif)  
 Sr. Env. Engineer


  
 (MS Rawat)  
 Env. Engineer

  
 (Amit Chaudhary)  
 Env. Engineer


(Annexure-~~IV~~ **XIV**)

| S.No. | Name of Industry                                                 | Address                                          | Date of Application | Application ID No. | Activity / Product                                                                               | Consent Application [CTE/CTO/CTO(R)] | Category (SPI/ Non SPI) | Authorization Status (Fresh/Renewal) | Brief of the Case                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Status of Test Report(s)                                                                                            | Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization) | Decision taken on 06.05.2016                                                                                                          |
|-------|------------------------------------------------------------------|--------------------------------------------------|---------------------|--------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| 8     | Mittal Electronics (Unit-II) (Previous unit name is Techno Fab ) | 38, SSI Industrial Area, G.T. Karnal, Delhi - 33 | 10.08.2015          | 5843               | Assembly of electrical appliances, Mainly Juicer Mixer Griender with Injection Moulding Machine. | Orange/Operate                       | Non SPI                 | N/A                                  | <p><b>Status of Pollution Control System/ Devices :</b></p> <p>1. ETP- N/A</p> <p>2. ECS- N/A</p> <p>3. D.G. Set- 1 (320KVA).</p> <p><b>Status of Ground Water Extraction :</b></p> <p>1. Water Consumption- 1500 L/day</p> <p>Ground Water-One borewell</p> <p><b>Status of Inspection : Yes</b></p> <p>Premises was inspected on 07.04.2016. M/s Techno Fab does not exit. M/s Mittal Electronics (Unit II) found operating and engaged in the non SPI activity.</p> <p><b>Remarks :</b></p> <p>1. Being SPI unit (Dyeing &amp; Bleaching of fabric.), Closure Directions were issued on 16.07.2015 in the name of Techno Fab</p> <p>2. M/s Mittal Electronics (unit II) is already having valid consent to operate under orange category.</p> | <p><b>Test Reports:-</b></p> <p>Air (Emissions)- N/A</p> <p>Water (Effluent)- N/A</p> <p>Noise Test Reports-Yes</p> |                                                                                    | As consent to operate already granted, Closure direction be revoked as unit does not exit. Letter be issued to DC regarding borewell. |

  
12.5.16  
(Kulanand Joshi)  
M.S. cum Chairman, DPCC

  
(Mohd. Arif)  
Sr. Env. Engineer

  
(MS Rawat)  
Env. Engineer

  
(Amit Chaudhary)  
Env. Engineer