

(Annexure-~~XX~~)

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/ Product	Consent Application (CTE/CTO/CTOR)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
1	JK PACKING POINT	sec-I, pkt-B, plot no-223, bawana industrial Area,	CTE applied on 21.09.2015. CTO applied on 24.09.2015	CTE 11845 CTO 11885	PVC Dana without reprocessing	CTE and CTO applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 50 L/day. a) Source of water:DSIIDC (copy of DSIIDC water bill submitted) Status of Inspection: NO Remarks: 1.As per DSIIDC list, Unit was not connected with CETP. Closure directions issued on 24.07.2015. Replied on 28.09.2015 & 18.09.2015 stated that connected to sewer line. applied for CTE & requestd for permanent revocation. 2.Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish and Operate granted. Closure directions be revoked
2	UNIVERSAL GARMENTS	sec-I, pkt-B, plot no-216, bawana industrial Area.	CTE applied on 22.09.2015	11850	Button making & fixing	CTE applied in name of Vastra Shilpa under Green category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 20 L/day. a) Source of water:MCD Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 13.08.2015, 28.09.2015, 29.09.2015 & 14.10.2015 stated that connected to CETP, applied for CTE & requestd for permanent revocation. It is also stated in consent application that earlier CTE obtained in name of Universal Garments but could not start the unit. In consent committee meeting (green) dated 18.01.2016. CTE decided to grant subject to submission of balance consent fee. Letter for proof of commencement and fee issued on 11.04.2016. Reply not recieved. 2.Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc

(Kulanand Joshi)

Member Secretary

(Mohd. Arif)

Sr. Env. Engineer

(M.S. Rawat)

Env. Engineer

(Annexure-~~VI~~ XVI)

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/Product	Consent Application (CTE/CTO/CTOR)	Category (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
3	PANCY WOOD CRAFT	sec-I, pkt-B, plot no-72, Bawana Industrial Area,	CTE applied on 29.09.2015	11896	Mfg. of PVC Dana & other injection moulded goods without reprocessing	CTE applied in the name of Sindh Shoe Laces under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 25 L/day. a) Source of water: DSHDC (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied by Sindh Shoe Laces only on 13.10.2015 stated that connected to sewer line. applied for CTE and requested for revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
4	PREMIER BATTERY CORPORATION	sec-I, pkt-C, plot no-15, Bawana Industrial Area,	CTE applied on 23.09.2015	11877	Mfg. of PVC Dana (fresh)	CTE applied in the name of Shri Krishna Industries under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 50 L/day. a) Source of water: outside (copy of water bill submitted) Status of Inspection: NO Remarks: 1. As per DSHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 09.10.2015 stated that connected to CETP, applied for CTE & requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc

(Kulanand Joshi)

Member Secretary

(Mohd. Arif)

Sr. Env. Engineer

(M.S. Rawat)

Env. Engineer

(Annexure-4) XVI


S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/ Product	Consent Application (CTE/CTO/CTOR)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
5	KAUSHIK PRINTER S	sec-1, pkt-C, plot no-197, bawana industrial Area,	CTE applied on 29.09.2015	11904	Mfg. of PVC Dana (fresh)	CTE applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 70 L/day. a) Source of water: outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 01.10.2015 stated that connected to CETP, applied for CTE & requested for revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
6	HINDUSTAN PLASTIC UDYOG	sec-1, pkt-E, plot no-39, bawana industrial Area,	CTO applied on 22.09.2015	11862	Mfg. of plastic dana and plastic products (without mfg. of bag & containers)	CTO applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 20 L/day. a) Source of water: DSHDC (copy of DSHDC water bill submitted) Status of Inspection: NO Remarks: 1. As per DSHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 09.10.2015 stated that connected to CETP 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Operate granted. Closure directions he revoked


 2/5/16
 (Kulanand Joshi)

Member Secretary


 (Mohd. Arif)

Sr. Env. Engineer


 (M.S. Rawat)
 Env. Engineer

(Annexure-~~B~~) XVI

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/Product	Consent Application (CTE/CTO/CTOR)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
7	SHIVANK ENTERPRISES	sec-1, pkt-1, plot no-158, bawana industrial Area,	CTO applied on 06.10.2015	12017	Plastic moulded goods(fresh)	CTO applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 30 L/day. a) Source of water:DSIIDC (copy of DSIIDC water bill submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 09.10.2015 & 31.07.2015 stated that connected to sewer line, applied for CTO and requested for revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Operate granted. Closure directions be revoked
8	SUPER SYSTEM	sec-1, pkt-1, G.plot no-117, bawana industrial Area,	CTE applied on 29.09.2015	11898	Plastic moulded goods(fresh)	CTE applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Ground Water Extraction: 3. Water consumption: 20 L/day. a) Source of water:outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 13.10.2015 stated that connected to sewer line, applied for CTE and requested for revocation. 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc

(Kulanand Joshi)

Member Secretary

(Mohd. Arif)


Sr. Env. Engineer

(M.S. Rawat)

Env. Engineer


(Annexure-~~III~~ XVI)

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/ Product	Consent Application (CTE/CTO/CTO-R)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
9	NIDHAN ENTERPRISES	sec-1, pkt-G, plot no-9, bawana industrial Area,	CTO applied on 21.09.2015	CTO 11846	Plastic goods & PVC Dana	CTO applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 50 L/day. a) Source of water: DSIHDC (copy of DSIHDC water bill submitted) Status of Inspection: NO Remarks: 1. As per DSIHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 12.10.2015, 28.09.2015 stated that connected to CETP, applied for CTO & requested for revocation. 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Operate granted. Closure directions be revoked
10	MAN MOHAN MEHTA INDUSTRIES	sec-1, pkt-G, plot no-100, bawana industrial Area,	CTE applied on 08.10.2015	12034	PVC Dana without reprocessing	CTE applied in name of R.K Plastic under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 50 L/day. a) Source of water: outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 22.09.2015 stated that connected to CETP, applied for CTE & requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc



12/5/16

(Kulanand Joshi)


Member Secretary


(Mohd Arif)

Sr. Env. Engineer


(M.S. Rawat)
Env. Engineer

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/Product	Consent Application (CTE/CTO/CTOR)	Category (SPL/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
11	SANJAY PLASTICS	sec-1, pkt-H, plot no-239, Bawana Industrial Area,	CTO applied on 29.09.2015	CTO 11903	PVC Dana & Injection moulded goods without reprocessing	CTO applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 50 L/day. a) Source of water: DSIHDC (copy of DSIHDC water bill submitted) Status of Inspection: NO Remarks: 1. As per DSIHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 01.10.2015 stated that connected to sewer line, applied for CTO and requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Operate granted. Closure directions be revoked
12	ASHA PRODUCTS	sec-1, pkt-H, plot no-113, Bawana Industrial Area,	CTE applied on 30.09.2015	11954	PVC Dana & Injection moulded goods without reprocessing	CTE applied in name of Atul Plastic under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 20 L/day. a) Source of water: DSIHDC (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 13.10.2015 stated that connected to sewer line, applied for CTE and requested for revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc


12/5/16

(Kulanand Joshi)

Member Secretary



(Mohd. Arif)

Sr. Env. Engineer



(M.S. Rawat)

Env. Engineer

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/ Product	Consent Application (CTE/CTO/CTO-R)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
13	SANJAY TAR UDYOG	sec-1, pkt-H, plot no-29, Bawana Industrial Area.	CTE applied on 06.10.2015	12018	PVC granules & injection moulded items without reprocessing	CTE applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 20 L/day. a) Source of water: outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 10.08.2015 & 09.10.2015 stated that connected to CETP, applied for CTE and requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
14	MUKESH PLASTIC & ENGG INDUSTRIES	sec-1, pkt-J, plot no-219, Bawana Industrial Area.	CTO applied on 21.09.2015	11843	Mfg. of Plastic Dana and Injection moulded goods	CTO applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 30 L/day. a) Source of water: DSIIDC (copy of DSIIDC water bill submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 12.10.2015, 28.09.2015 & 30.09.2015 stated that connected to CETP, applied for CTO and requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Operate granted. Closure directions be revoked

(Kulanand Joshi)

Member Secretary

(Moin Arif)

Sr. Env. Engineer

(M.S. Rawat)

Env. Engineer

(Annexure-~~IX~~ XVI)

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/Product	Consent Application (CTE/CTO/CTO R)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
15	R K PLASTIC	sec-I, pkt-J, plot no-240, Bawana industrial Area,	CTE applied on 22.09.2015	11865	Mfg. of PVC Dura and Injection moulded goods	CTE applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 20 L/day. a) Source of water: DSIIDC (copy of water bill submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 28.09.2015 & 18.09.2015 stated that connected to sewer line, applied for CTE and requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
16	SHRI RENU INDUSTRIES	sec-I, pkt-M, plot no-60, Bawana industrial Area,	CTE applied on 09.11.2015, CTO applied on 09.11.2015	CTE 12357 CTO 12360	Wire drawing coating & electric cable	CTE and CTO applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 200 L/day. a) Source of water: DSIIDC (copy of DSIIDC water bill submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 07.10.2015, 06.10.2015 stated that connected to CETP 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish and Operate granted. Closure directions be revoked

(Kulanand Joshi)

Member Secretary


(Mohd. Arif)

Sr. Env. Engineer

(M.S. Rawat)

Env. Engineer

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/Product	Consent Application (CTE/CTO/CTOR)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfils all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
17	BHAGWAT PERSHAD & SONS	sec-1, pkt-O, plot no-286, bawana industrial Area,	CTE applied on 29.09.2015	11899	PVC granules and other injection moulding items (without reprocessing activity)	CTE applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Pollution Control system/Devices: 1. Water consumption: 25 L/day. a) Source of water: DSIIDC (copy of water bill submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 09.10.2015 & 18.09.2015 stated that connected to CETP. 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
18	METWIRE INDIA	sec-1, pkt-O, plot no-18, bawana industrial Area,	CTO applied on 05.10.2015	11984	Mfg. of Plastic Dana & beading without reprocessing	CTO applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Pollution Control system/Devices: 1. Water consumption: 25 L/day. a) Source of water: DSIIDC (copy of DSIIDC water bill submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 09.10.2015 & 18.09.2015 stated that connected to CETP, applied for CTO & requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Operate granted. Closure directions be revoked


12/5/16


(Kulanand Joshi)

Member Secretary



(Mohd. Arif)

Sr. Env. Engineer



(M.S. Rawat)

Env. Engineer

(Annexure-~~IV~~ **XV**)

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/Product	Consent Application (CTE/CTO/CTO-R)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
19	AMAN GAGAN INDUSTRIES	sec-I, pkt-O, plot no-283, bawana industrial Area,	CTE applied on 29.09.2015	11902	Mfg. of PVC Dana without reprocessing	CTE applied in the name of Balaji Enterprises under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Pollution Control system/Devices: 1. Water consumption: 50 L/day. a) Source of water:outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1.As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015.Replied on 12.10.2015, 01.10.2015, 13.08.2015 & 14.10.2015 stated that connected to CETP, applied for CTE & requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
20	HINDUSTAN STEEL FURNITURE	sec-I, pkt-O, plot no-71, bawana industrial Area,	CTE applied on 13.04.2016, CTO applied on 13.04.2016	CTE 14289 CTO 14290	Plastic dana (fresh)	CTO-Renewal applied under orange category (CTE/CTO applied by Khurana Enterprises at O-71, sec-I. directions issued to M/s Hindustan Steel Furniture O-71, sec-I instead OP-71)	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Pollution Control system/Devices: 1. Water consumption: 70 L/day. a) Source of water:DSIIDC Status of Inspection: NO Remarks: 1.As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015.Replied on 12.10.2015, 28.09.2015 stated that connected to CETP, applied for CTO & requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish and Operate granted. Closure directions be revoked

(Kulanand Joshi)

Member Secretary

(Mond Arif)

Sr. Env. Engineer

(M.S. Rawat)

Env. Engineer

(Annexure-V)

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/ Product	Consent Application (CTE/CTO/CTO-R)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
21	PAYAL AUTO (INDIA)	sec-3, pkt-C, plot no-113, bawana industrial Area,	CTE applied on 22.09.2015	11864	Mfg. of PVC Dana & other injection moulded items without reprocessing	CTE applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Pollution Control system/Devices: 1. Water consumption: 30 L/day. a) Source of water: DSIHDC (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 09.10.2015 stated that connected to CETP, applied for CTE & requested for revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
22	AGRA BUFF MANUFACTURING & CO	sec-3, pkt-C, plot no-135, bawana industrial Area,	CTE applied on 22.09.2015	11863	Mfg. of PVC Dana & other injection moulded items without reprocessing	CTE applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Pollution Control system/Devices: 1. Water consumption: 20 L/day. a) Source of water: outside (Copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 12.10.2015 stated that connected to CETP, applied for CTE & requested for revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc

(Kulanand Joshi)

Member Secretary

(Mona Arif)

Sr. Env. Engineer

(M.S. Rawat)

Env. Engineer

(Annexure-48 XV)

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/ Product	Consent Application (CTE/CTO/CTOR)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
23	A N APPARELS	sec-3, pkt-J, plot no-217, bawana industrial Area,	CTE applied on 05.10.2015 in the name of Mahavir Plastic	11996	Mfg. of PVC granules and other injection moulded items	CTE applied in the name of Mahavir Plastic under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Pollution Control system/Devices: 1. Water consumption: 50 L/day. a) Source of water: outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 14.10.2015 & 09.10.2015 stated that connected to CETP, applied for CTE & requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
24	ROOP METAL INDUSTRIES	sec-3, pkt-K, plot no-199, bawana industrial Area,	CTE applied on 29.09.2015	11918	Mfg. of PVC Dana & other injection moulded items without reprocessing	CTE applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Pollution Control system/Devices: 1. Water consumption: 20 L/day. a) Source of water: DSHDC (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 18.09.2015, 13.10.2015 stated that connected to sewer line, applied for CTE & requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc

(Kulanand Joshi)

Member Secretary

(Mohd. Arif)

Sr. Env. Engineer

(M.S. Rawat)

Env. Engineer

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/Product	Consent Application (CTE/CTO/CTOR)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfils all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
25	MANJU DEVI	sec-3, pkt-1, plot no-22, bawana industrial Area,	CTE applied on 22.09.2015	11866	Mfg. of PVC Dana & other injection moulded items without reprocessing	CTE applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Pollution Control system/Devices: 1. Water consumption: 25 L/day. a) Source of water: outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 09.10.2015 stated that connected to CETP, applied for CTE & requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
26	B K PLASTIC	sec-3, pkt-0, plot no-113, bawana industrial Area,	CTE applied on 29.09.2015	11916	Mfg. of plastic master batches (without using plastic scrap)	CTE applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-Stack attached to suction hood Status of Pollution Control system/Devices: 1. Water consumption: 1000 l/day. a) Source of water: outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 24.09.2015 stated that connected to conveyance system CETP 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc

(Kulanand Joshi)

Member Secretary


(Mohd. Arif)

Sr. Env. Engineer

(M.S. Rawat)

Env. Engineer

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/ Product	Consent Application (CTE/CTO/CTO-R)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
27	G R OVERSEAS PVT LTD	sec-4, pkt-B, plot no-20, Bawana industrial Area,	CTE applied on 29.09.2015 in name of Mukesh Bedi	11894	Plastic dana & plastic product without reprocessing	CTE applied in name of Mukesh Bedi under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Pollution Control system/Devices: 1. Water consumption: 80 L/day. a) Source of water: outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 01.10.2015 stated that applied for CETP, applied for CTE & requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
28	LIFELINE SOFTWARE LTD	sec-4, pkt-I, plot no-05, Bawana industrial Area,	CTE applied on 09.10.2015 in name of Airson Metals	12049	Wire netting	CTE applied in name of Airson Metals under green category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Pollution Control system/Devices: 1. Water consumption: 25 L/day. a) Source of water: DSHDC Status of Inspection: NO Remarks: 1. CTE valid upto 08.10.2016 under green category. As per DSHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 13.10.2015 stated that connected to conveyance system of CETP, applied for CTE & requested for revocation. CTE was decided and granted. 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc


12.5.16


(Kulanand Joshi)

Member Secretary



(Mohd. Arif)

Sr. Env. Engineer



(M.S. Rawat)

Env. Engineer

(Annexure-VI)

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/ Product	Consent Application (CTE/CTO/CTO-R)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfils all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
29	LAXMI CABLE INDUSTRIES	sec-5, pkt-E, plot no-51, bawana industrial Area,	CTE applied on 29.09.2015	11897	Mfg. of PVC Dana & other injection moulded items without reprocessing	CTE applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Pollution Control system/Devices: 1. Water consumption: 20 L/day. a) Source of water: DSIIDC (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 13.10.2015 stated that connected to CETP, applied for CTE & requested for revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
30	VARDHIMAN ENTERPRISES	sec-5, pkt-E, plot no-54, bawana industrial Area,	CTE applied on 29.09.2015	11919	Mfg. of PVC Dana & other injection moulded items without reprocessing	CTE applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Pollution Control system/Devices: 1. Water consumption: 20 L/day. a) Source of water: DSIIDC (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 12.10.2015, 31.07.2015 stated that connected to CETP, applied for CTE & requested for revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc

(Kulanand Joshi)

Member Secretary

(Mohd. Arif)


Sr. Env. Engineer

(M.S. Rawat)

Env. Engineer

(Annexure-XV)

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/Product	Consent Application (CTE/CTO/CTOR)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
31	MAHAVIR PLASTIC PRODUCTION	sec-5, pkt-1, plot no-37, Bawana Industrial Area,	CTE applied on 29.09.2015 in the name of Shri Anil Kumar Goel	11920	PVC compound and plastic reprocessing	CTE applied in the name of Shri Anil Kumar Goel under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-Stack 3. Water consumption: 350 L/day. Status of Pollution Control system/Devices: a) Source of water: outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 13.10.2015 stated that connected to CETP and applied for CTE, requested for revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
32	DEEPAK PRINTING PRESS	sec-5, pkt-1, plot no-200, Bawana Industrial Area,	CTO applied on 30.09.2015	11953	Mfg. of PVC Dana without reprocessing	CTO applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Pollution Control system/Devices: 1. Water consumption: 30 L/day. a) Source of water: DSIHDC (copy of DSIHDC water bill submitted) Status of Inspection: NO Remarks: 1. As per DSIHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 01.10.2015 stated that connected to sewer line and applied for CTO, requested for revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Operate granted. Closure directions be revoked


12.5.16

(Kulanand Joshi)

Member Secretary



(Mohd. Arif)


Sr. Env. Engineer




(M.S. Rawat)

Env. Engineer


S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/Product	Consent Application (CTE/CTO/CTOR)	Category (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
33	SURAJ ENTERPRISES	sec-5, pkt-K, plot no-195, bawana industrial Area,	CTE applied on 21.09.2015	11844	PVC compound without reprocessing	CTE applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Pollution Control system/Devices: 1. Water consumption: 70 L/day. a) Source of water: outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 28.09.2015 stated that connected to sewer line and applied for CTE, requested for revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
34	S R & SONS	sec-5, pkt-L, plot no-26, bawana industrial Area,	CTE applied on 21.09.2015	11847	PVC Dana without reprocessing	CTE applied under orange category	Non SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Pollution Control system/Devices: 1. Water consumption: 50 L/day. a) Source of water: outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 09.10.2015 stated that connected to sewer line and applied for CTE, requested for revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc


 12.5.16
 (Kulanand Joshi)
 Member Secretary


 (Mohd. Arif)
 Sr. Env. Engineer


 (M.S. Rawat)
 Env. Engineer

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/ Product	Consent Application (CTE/CTO/CTO-R)	Category (SPU/Non SPU)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
35	MODERN PLASTIC S INDIA	sec-5, pkt-N, plot no-28, Bawana industrial Area.	CTO applied on 30.09.2015	11951	Mfg. of PVC Dana without reprocessing	CTO applied under orange category	Non SPU	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-N/A Status of Pollution Control system/Devices: 1. Water consumption: 30 L/day. a) Source of water: DSHDC (copy of DSHDC water bill submitted) Status of Inspection: NO Remarks: 1 As per DSHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 01.10.2015 stated that connected to sewer line and applied for CTO, requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Operate granted. Closure directions be revoked


12.5.16

(Kulanand Joshi)

Member Secretary



(Mohd. Arif)

Sr. Env. Engineer


(M.S. Rawat)
Env. Engineer

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/ Product	Consent Application (CTE/CTO/CTO-R)	Category (SP1/Non SP1)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
36	Dinesh Kapoor	189, Sec-A, DSIIIDC, Narela Industrial Area (Mahesh plastics & Pankaj Industries)	1. Mahesh plastics CTO (Renewal) applied on 13.10.2015 2. Pankaj Industries CTO (Renewal) applied on 13.10.2015	1. Mahesh plastics CTO (Renewal) 12094 2. Pankaj Industries CTO (Renewal) 12092	1. Activity of Mahesh Plastics is PVC Dana without reprocessing 2. Activity of Pankaj industry is Plastic goods (fresh dana)	CTO (Two applications) applied under orange category in the name of Mahesh Plastic & Pankaj Industries	Non-SP1	N/A	1. Mahesh Plastics : Status of Pollution Control system/Devices: i) ETP- N/A ii) ECS-N/A Status of Ground Water Extraction: i) Water consumption: 70 L/day. a) Source of water: Outside (copy of water bill submitted) 2. Pankaj Industries : Status of Pollution Control system/Devices: i) ETP- N/A ii) ECS-N/A Status of Ground Water Extraction: i) Water consumption: 70 L/day. a) Source of water: Outside (copy of water bill submitted) Status of Inspection: NO Remarks: 1. As per DSIIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 14.10.2015 & 07.08.2015 stated that connected to CETP, applied for CTO & and requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes.	Consent to Operate granted to Mahesh Plastics. Renewal of Consent to Operate granted to Pankaj Industry. Closure directions be revoked.


12.5.16

(Kulanand Joshi)

Member Secretary



(Mohd. Arif)

Sr. Env. Engineer



(M.S. Rawat)

Env. Engineer

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/ Product	Consent Application (CTE/CTO/CTO-R)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
37	SKAY TEECHNO FABRICS	2386, Sector-B, DSIDC, Narela Industrial Area	CTO (Renewal) applied on 14.10.2015	12103	Mfg of PVC dana & Plastic goods	CTO under orange category	Non-SPI	N/A	Status of Pollution Control system/Devices: 1. ETP-N/A 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 70 L/day. a) Source of water: DSIDC (copy of DSIDC water bill submitted) Status of Inspection: NO Remarks: 1. As per DSIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Reply received on 09.10.2015, 14.10.2015 stated that connected to Sewer Line and applied for CTO/CTO(R) 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Operate granted. Closure directions he revoked
38	Mukhtar Ali & Bros	2455, Sector-B, DSIDC, Narela Industrial Area	CTE applied on 26.10.2015	12210	PVC dana without reprocessing	CTE applied in name of BHAGWAN MAHAVIR PLASTIC	Non-SPI	N/A	Status of Pollution Control system/Devices: 1. ETP-N/A 2. ECS-N/A Status of Ground Water Extraction: 3. Water consumption: 70 L/day. a) Source of water: Outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 31.07.2015 stated that connected to sewer line 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc


 12.5.16
 (Kulanand Joshi)
 Member Secretary


 (M. S. Arif)
 Sr. Env. Engineer


 (M. S. Rawat)
 Env. Engineer

(Annexure-~~B~~ ~~XV~~)

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/Product	Consent Application (CTE/CTO/CTO-R)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
39	Allied Industries	2569, Sector-B, DSIDC, Narela Industrial Area	CTE applied on 14.10.2015	12104	Mfg of PVC compound without reprocessing	CTE in name of Shri Balaji Plastic under orange category	Non-SPI	N/A	Status of Pollution Control system/Devices: 1. ETP-N/A 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 50 L/day. a) Source of water: Outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 31.07.2015 stated that connected to sewer line and applied for CTE and requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
40	G S Electronics	2592, Sector-B, DSIDC, Narela Industrial Area	CTO- Renewal applied on 18.09.2015	11826	Mfg of PVC compound & mould goods without reprocessing activity	CTO- Renewal applied under orange category	Non-SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 50 L/day. a) Source of water: Outside (copy of water bill submitted) Status of Inspection: NO Remarks: 1. As per DSIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 28.09.2015 & 31.07.2015 stated that connected to CETP, applied for consent and requested for revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Operate renewal granted. closure directions be revoked.

(Kulanand Joshi)

Member Secretary

(Mohd. Arif)


Sr. Env. Engineer

(M.S. Rawat)


Env. Engineer

(Annexure-IV)

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/ Product	Consent Application (CTE/CTO/CTOR)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
41	National Industrial Corpn	2627, Sector-B, DSIIDC, Narela Industrial Area	CTE applied on 15.10.2015	12109	Mfg of PVC dana with reprocessing and washing	CTE applied in name of Hemank Chawla on 15.10.2015	Non-SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A. 2. ECS-Stack on extruder 3. Plot Area: 250sq meter 4. D.G. Set : Nil. Status of Ground Water Extraction: 5. Water consumption: 1200 L/day a) Source of water: DSIIDC(copy of water bill not submitted) b) Ground water- Nil Status of Inspection: NO Remarks: As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 31.07.2015 stated that connected to sewer line. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
42	Prima Plastic	2672, Sector-B, DSIIDC, Narela Industrial Area	CTE applied on 29.09.2015 in the name of Sumit Polymers under orange category	11917	Mfg. of PVC granules and other injection moulded items	CTE applied on 29.09.2015 in the name of Sumit Polymers under orange category	Non-SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 70 L/day. a) Source of water: Outside(copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 14.10.2015, 01.10.2015 & 31.07.2015 stated that connected to CETP, applied for CTE & requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc



 12.5.16
 (Kulanand Joshi)
 Member Secretary


 (Mohd. Arif)
 Sr. Env. Engineer


 (M.S. Rawat)
 Env. Engineer


(Annexure-~~IV~~ **V**)

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/Product	Consent Application (CTE/CTO/CTOR)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
43	Paras Industries	407, Sec-c, DSHDC, Narela Industrial Area	CTE applied in name of ASHISH IMPEX on 23.10.2015	12194	Injection moulding goods	CTE applied in name of ASHISH IMPEX on 23.10.2015	Non-SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 20 L/day. a) Source of water:Outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
44	Rohit Enterprises	605, Sec-C, DSHDC, Narela Industrial Area	CTE applied on 19.10.2015, CTO applied on 02.05.2016 in name of SHREE SUMAN PLASTIC INDUSTRIES	CTE-12139 CTO-14533	Fresh plastic dana	CTE & CTO applied on 19.10.2015 & 02.05.2016 in name of SHREE SUMAN PLASTIC INDUSTRIES	Non-SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 20 L/day. a) Source of water:Outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish and Operate granted. Closure directions be revoked



12.5.16

(Kulanand Joshi)

Member Secretary


(Mohd. Arif)

Sr. Env. Engineer


(M.S. Rawat)
Env. Engineer


(Annexure-IV)

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/ Product	Consent Application (CTE/CTO/CTOR)	Category (SPI/Non SPI)	Authorization Status(Fresh/Reoewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
45	Vishal Sharma	1502, Sector-D, DSIIIDC, Narela Industrial Area	CTE applied on 16.10.2015 in name of BALAJI PLASTIC	12122	MANUFACTURING OF PVC GRANULES AND OTHER INJECTION MOULDING ITEMS (WITHOUT REPROCESSING ACTIVITY)	CTE applied on 16.10.2015 in name of BALAJI PLASTIC	Non-SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 20 L/day. a) Source of water:DSIIIDC (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 07.08.2015 stated that connected to sewer line 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc


12.5.16

(Kulanand Joshi)
Member Secretary


(Mohd. Arif)
Sr. Env. Engineer


(M.S. Rawat)
Env. Engineer

(Annexure-~~10~~ **XV**)

S. No.	Name of Industry	Address	Date of Application	Application No.	Activity/Product	Consent Application (CTE/CTO/CTO-R)	Category (SPL/Non-SPL)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
46	Singhal Earth Movers Ltd	691, Sec-E, DSIIDC, Narela Industrial Area	CTE applied on 08-03-2016 in name of REGAL PLASTICS and CTO applied on 10.03.2016	CTE 13900 CTO 13926	MANUFACTURING OF PVC DANA WITH WASHING AND PLSTIC BAGS AND NON WOVEN BAGS	CTE applied on 08-03-2016 in name of REGAL PLASTICS and CTO applied on 10.03.2016	Non-SPL	Applied for Registration in form-1 under plastic rules	Status of Pollution Control system/Devices: 1. ETP- yes. 2. ECS- Stack. 3. Plot Area: 350sq meter 4. D.G. Set : Nil. Status of Grnund Water Extraction: 1. Water consumption: 2500 L/day. a) Source of water: outside (copy of outside water bill submitted) b) Ground water- Nil Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Temporary revocation issued for 15 days on 13.04.2016. 2. Applied for Registration in form-1 under plastic rules.	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Extend revocation of closure directions for Three weeks. Case be put up administratively in view of new Notification of plastic rules 2016.
47	Dwarka Dass Gupta	753, Sec-E, DSIIDC, Narela Industrial Area	CTE applied on 01.09.2015, CTO applied on 03.11.2015 in the name of Sunil Kumar under orange category	CTE-11684 CTO-12307	Plastic goods	CTE & CTO applied on 01.09.2015 & 03.11.2015 respectively in the name of Sunil Kumar under orange category	Non-SPL	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS-N/A Status of Ground Water Extraction: 3. Water consumption: 40 L/day. a) Source of water:DSIIDC (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 13.10.2015 stated that connected to CETP, applied for CTE & requested for revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes	Consent to Establish granted. Consent to Operate granted with condition to submit the copy of DSIIDC water bill within one months. Closure directions be revoked

(Kulanand Joshi)

Member Secretary

(Mohd. Arif)


Sr. Env. Engineer

(M.S. Rawat)


Env. Engineer

(Annexure-V)

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/Product	Consent Application (CTE/CTO/CTO-R)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
48	Usha Rani	1485, Sector-F, DSIIDC, Narela Industrial Area	CTO (Renewal) applied on 24.09.2015 under orange category	11888	Plastic goods(fresh)	CTO (Renewal) applied on 24.09.2015 under orange category	Non-SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 70 L/day. a) Source of water:DSIIDC (copy of DSIIDC water bill submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 28.09.2015 & 31.07.2015 stated that connected to sewer line, applied for CTO and requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes.	Renewal of Consent to Operate granted. Closure directions be revoked
49	S. K. Rubber Industries	1842, Sec-F, DSIIDC, Narela Industrial Area	CTE applied on 22.09.2015 in the name of Ashok Plastic under orange category	11854	Mfg. of PVC Dana (fresh)	CTE applied on 22.09.2015 in the name of Ashok Plastic under orange category	Non-SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 50 L/day. a) Source of water:Outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 28.09.2015 & 31.07.2015 stated that connected to sewer line, applied for CTE and requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes.	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc


 12.5.16
 (Kulanand Joshi)
 Member Secretary


 (Mohd. Arif)
 Sr. Env. Engineer


 (M.S. Rawat)
 Env. Engineer

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/Product	Consent Application (CTE/CTO/CTO-R)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
50	Deepak Plastics	1895, Sec-E, DSHDC, Narela Industrial Area	CTE applied on 22.09.2015 in the name of AAY BEE Enterprises under orange category	11857	Mfg. of PVC compound(re processing) without washing	CTE applied on 22.09.2015 in the name of AAY BEE Enterprises under orange category	Non-SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 70 L/day. a) Source of water:Outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 28.09.2015 & 31.07.2015 stated that connected to sewer line, applied for CTE and requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes.	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
51	Midha Steel Industries	1398, Sector-II, DSHDC, Narela Industrial Area	CTO (Renewal) applied on 28.10.2015 in name of GARG PLASTIC	12233	MFG. OF PVC / PLASTIC PRODUCTS (FRESH GRANULES AND FOOTWEAR)	CTO (Renewal) applied on 28.10.2015 in name of GARG PLASTIC	Non-SPI	N/A	Status of Pollution Control system/Devices: 1. ETP-N/A. 2. ECS-N/A Status of Ground Water Extraction: 3. Water consumption: 350 L/day. a) Source of water:DSHDC (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSHDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes.	Renewal of Consent to Operate granted. Closure directions be revoked

(Kulanand Joshi)

Member Secretary

(Mohd. Arif)

Sr. Env. Engineer

(M.S. Rawat)

Env. Engineer

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/ Product	Consent Application (CTE/CTO/CTOR)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
52	Gulab Plastics	2098, Sector-I, DSIIDC, Narela Industrial Area	CTE applied on 19.10.2015 in name of NITIN PLASTIC	12141	PVC compound without washing	CTE applied on 19.10.2015 in name of NITIN PLASTIC	Non-SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 70 L/day. a) Source of water:Outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 31.07.2015 stated that connected to sewer line 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes.	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc
53	Rajesh Paper Products	2851, Sector-I, DSIIDC, Narela Industrial Area	CTE applied under orange category on 13.10.2015 in name of Shri Balaji Polymers	12095	PVC compound without reprocessing	CTE applied under orange category on 13.10.2015 in name of Shri Balaji Polymers	Non-SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 70 L/day. a) Source of water:Outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. Replied on 14.10.2015 & 31.07.2015 stated that connected to CETP, applied for CTE & requested for permanent revocation 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes.	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc

(Kulanand Joshi)

Member Secretary

(Mohd. Arif)

Sr. Env. Engineer

(M.S. Rawat)

Env. Engineer

(Annexure-4) X

S. No.	Name of Industry	Address	Date of Application	Application Id No.	Activity/Product	Consent Application (CTE/CTO/CTOR)	Category (SPI/Non SPI)	Authorization Status(Fresh/Renewal)	Brief of the case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)	Decision taken on 06.05.2016
54	K R plastics Manufacturers	3062, Sector-I, DSIIDC, Narela Industrial Area	CTE applied on 21.10.2015 in name of JAI HANUMAN PLASTIC	12174	Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	CTE applied on 21.10.2015 in name of JAI HANUMAN PLASTIC	Non-SPI	N/A	Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS-N/A Status of Ground Water Extraction: 1. Water consumption: 70 L/day, a) Source of water:Outside (copy of water bill not submitted) Status of Inspection: NO Remarks: 1. As per DSIIDC list, Unit was not connected with CETP. Closure issued on 24.07.2015. 2. Temporary revocation of closure directions for 15 days issued on 13.04.2016	Test Reports: Air (Emission)- N/A Water (Effluent)- N/A Noise Test Report- N/A	Yes.	Consent to Establish granted. Extend revocation of closure directions for Three weeks to apply for Consent to Operate etc


 12.5.16
 (Kulanand Joshi)
 Member Secretary


 (Mohd. Arif)
 Sr. Env. Engineer


 (M.S. Rawat)
 Env. Engineer