



CONSENT MANAGEMENT

Decisions taken by Member Secretary (DPCC) on 20.04.2012 in respect of 46 cases of Consent to Establish (Orange category 2c cases) (excluding the cases of re-development areas) w.e.f. 01.01.2012 to 15.03.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activity / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	DPCC/EC/2/1/2012/477 05-01-2012	SIKKA AUTOMOBILE PVT. LTD. PLOT NO 88 B/1, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Establish	Servicing of Automobiles. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project -- -- - Built Up Area ---- 501.67 (in sq. meter) - Water Consumption ---- 3500 liters/day - Ground Water ---- 3500 liters/day - Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 3000 liters/day		06-03-2012 (1)ETP ---- ETP - Physiochemical (Proposed) (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details :No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no ATR/Remarks : trade effluent: 3.0 KLD GW: Nil	02-04-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.
2	DPCC/EC/2/1/2012/486 06-01-2012	DAMYANTI ROLLAR AND GENERAL MILL PLOT NO 121, PKT-H, SEC-4 DSIDC INDL.COMPLEX, BAWANA	Bawana Industrial Area	Orange Establish	flour mills. Flour Mills	- Date of commissioning of project -- -- - Built Up Area ---- 130 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 200 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		27-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: NIL (4) Inspection details :NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	02-04-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.
3	DPCC/EC/2/1/2012/487 06-01-2012	ANJANA FOOD PRODUCTS PLOT NO 12, PKT-D, SEC-2 DSIDC INDL. COMPLEX BAWANA	Bawana Industrial Area	Orange Establish	FLOUR MILL. Flour Mills	- Date of commissioning of project -- -- - Built Up Area ---- 80 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 200 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		27-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: NIL (4) Inspection details :NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	02-04-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.
4	DPCC/EC/2/1/2012/497 06-01-2012	SHREE DURGA FLOUR MILLS D-121, SEC-4 DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	FLOUR MILLS. Flour Mills	- Date of commissioning of project -- -- - Built Up Area ---- 230 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 100 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		28-03-2012 (1)ETP ---- N/A (2)ECS - Proposed (3)D.G.Set: NIL (4) Inspection details :NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	02-04-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.
5	DPCC/EC/2/1/2012/499 06-01-2012	LAKSHYA THREAD MILLS A-66/3, GTK ROAD INDL. AREA	G.T. Karnal Road Industrial Area	Orange Establish	Thread Dying and Packing (Cotton) Dyeing, Bleaching (Cotton Textile) (Upto 100 Workers in All Shifts, 1 Acre Of Land, 100 Kld Water)	- Date of commissioning of project -- -- - Built Up Area ---- 250 (in sq. meter) - Water Consumption ---- 1600 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 75 liters/day (b) Trade Effluent ---- 900 liters/day		29-03-2012 (1)ETP ---- ETP - Physiochemical (proposed) (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A...	02-04-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.

6	DPCC/EC/2/1/2012/521	TARA CHAND SALUJA AND SONS LTD E-44/11, PHASE -II, OKHLA INDL. AREA	Okhla Industrial Area	Orange Establish	REPAIRING AND SERVICING OF MOTORCYCLE WITH WASHING. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project -- -- - Built Up Area ---- 182.27 (in sq. meter) - Water Consumption ---- 900 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 500 liters/day	28-03-2012 (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set: ...N/A...	02-04-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.
7	DPCC/EC/2/1/2012/538	GARKNIT ENTERPRISES PVT. LTD. A-42, MAYAPURI INDL. AREA, GATE-1, PH-II	Mayapuri Industrial Area	Orange Establish	Job Work of Washing and Dyeing of Readymade Garments. Readymade Garment (With Washing/Dyeing)	- Date of commissioning of project -- -- - Built Up Area ---- 376.25 (in sq. meter) - Water Consumption ---- 20000 liters/day - Ground Water ---- 10000 liters/day - Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 12000 liters/day	06-03-2012 (1)ETP ----No (2)ECS -No (3)D.G.Set: 82.5 KVA (Proposed) (4) Inspection details :No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Trade effluent: 12000 LPD Water Consumption: 20,000 LPD (Source MCD/GW)	02-04-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.
8	DPCC/EC/2/1/2012/540	AUTO KASHYAP INDIA PVT. LTD. 20, OKHLA INDUSTRIAL ESTATE, PHASE-III	Okhla Industrial Estate	Orange Establish	CAR WASHING AND SHOW ROOM. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project -- -- - Built Up Area ---- 545 (in sq. meter) - Water Consumption ---- 3000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 3000 liters/day	28-03-2012 (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set: ...40 KVA ...proposed	02-04-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.
9	DPCC/EC/2/1/2012/544	PRAGATI AGRO PROCESSORS H-1392, DSIDC NARELA INDL. AREA	Narela Industrial Area	Orange Establish	DAL MILL AND BESAN. Dal Mills	- Date of commissioning of project -- -- - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	29-03-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (3)D.G.Set: ...N/A...	02-04-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.
10	DPCC/EC/2/1/2012/567	WANG PHARMACEUTICALS AND CHEMICALS PLOT NO 41, SEC-2, PKT-C, DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	MFG. OF BASIC RAW MATERIAL FOR PHARMACEUTICAL FORMULATION USING BOILER. Pharmaceuticlas Formulation With Washing Operation	- Date of commissioning of project -- -- 01-08-2010 - Built Up Area ---- 270 (in sq. meter) - Water Consumption ---- 850 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 280 liters/day	28-03-2012 ((1)ETP ---- N/A (2)ECS - STACK ATTACHED TO DIESEL FIRED BURNER (PROPOSED) (3)D.G.Set: 40 KVA (4) Inspection details :NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	02-04-2012 Recommended for inspection to ascertain the exact nature of the process.	20-04-2012 Inspect the unit to ascertain the exact nature of the process.
11	DPCC/EC/2/1/2012/580	SHREE RAVI TRADING AND MANUFACTURING PVT. LTD. PLOT NO 62, PHASE-II, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Establish	CLEANING/CUTTING/ROASTING OF DRY FRUITS WITH BULK PACKAGING. Processing of Condiments, Spices, Groundnuts and Dal Etc	- Consent Application No. 1 - Application Date 04-04-2012 - Category Orange - Consent Apply For Operate - Consent Status Pending - Date of commissioning of project -- -- - Built Up Area ---- 627 (in sq. meter) - Water Consumption ---- 500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200	29-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	02-04-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.

						liters/day (b) Trade Effluent ---- 0 liters/day				
12	DPCC/EC/2/1/2012/638 20-01-2012	J.S.D ENTERPRISES KNOWN AS RICH RICH BANQUET 21, RAMA ROAD NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Establish	BANQUET HALL. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project -- -- • Built Up Area ---- 356.56 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 2000 liters/day		06-03-2012 Decision on 11.11.2011 Ask the compliance from DJB and also ask the SDM effective closure of the unit. Ask the unit to submit technical adequacy report of ETP from empanelled consultant of DPCC. Compliance of NDPL is only received. letters issued to SDM & DJB on 7.12.2011 & to the unit on 7.12.2011. ATR/Remarks (1)ETP ---- ETP - Bio-logical (a) AR dated 15.02.2012 issued by DTU submitted. (b) Effluent analysis report dated 15.02.2012 issued by DTU submitted. (2)ECS - N/A (3)D.G.Set: 62 & 125 KVA (4) Inspection conducted on 25.01.2011. (5) SCN u/s 31(A) & 33(A) issued on 21.03.2011 (6) Closure directions u/s 31(A) & 33(A) on 03.05.2011 Unit submitted a representation alongwith Adequacy report of ETP on 21.2.2012.As decided on file,Ttemporarily revocation of closure directions issued on 26.3.12 for 45 days to apply for CTO alongwith Noise Monitoring Report of DG Sets & photographs of channalization system.	02-04-2012 File be put up administratively for permanent revocation of closure direction. Recommended for consent to establish after revocation of closure directions .	20-04-2012 Consent to Establish granted. File be put up administratively for permanent revocation of closure directions.
13	DPCC/EC/2/1/2012/645 20-01-2012	ANKIT FLOUR MILLS PLOT NO 09, POCKET-N, SECTOR-3, DSIDC INDL. COMPLEX, BAWANA	Bawana Industrial Area	Orange Establish	flour mill. Flour Mills	• Date of commissioning of project -- -- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		28-03-2012 (1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	02-04-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.
14	DPCC/EC/2/1/2012/651 23-01-2012	MIRCHI RESTT. (A UNIT OF GULLUS BAR-B-QUE) 1ST FLOOR PLAZA CINEMA BUILDING CONNOUGHT PLACE	CENTRAL	Orange Establish	RESTAURANT CUM BAR FOR 80 SEATS. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	Consent Application No.1 Application Date23-01- 2012 CategoryOrange Consent Apply ForOperate Consent StatusPending • Date of commissioning of project -- -- • Built Up Area ---- 190 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 1000 liters/day	02-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 19.01.2012 issued by D.T.U submitted. (b) Effluent analysis report dated 19- 01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 6 number of parameters analyzed which are within limit prescribed limit. (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 19-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit prescribed limit. (3) Inspection details : was conducted on 19.08.2011. Observations: 1. The premises is being used as a restaurant. 2. Channelization has been provided to channelize the emissions generated during cooking process.	02-04-2012 File be put up administratively for permanent revocation of closure direction. Issue consent to establish after revocation of closure directions .	20-04-2012 Consent to Establish granted. File be put up administratively for permanent revocation of closure directions.	

								3. Oil and grease trap has been provided to treat the trade effluents generated from washing of utensils etc. 4. As per seating capacity, ETP should be provided by the restaurant but no ETP provided to treat the water effluents generated from the restaurant. 5. A acoustic enclosure has been provided with the DG set of 62 KVA placed on roof of the restaurant but the stack height was inadequate. (4) SCN u/s 31(A)/33(A) details : Was sent to the unit on 02.09.2011. (5) Reply has been received on 04.10.2011 shows their inability to install ETP. (6) Closure directions u/s 31(A)/33(A) details : Was sent to the unit on 23.11.2011. (7) Reply has been received along with an affidavit and requested for temporary revocation of closure direction for reconnection of electricity supply and water supply for installation of ETP. (8) As per the decision taken up by Competent Authority temporary revocation of closure direction for 30 days with the condition to submit the bank guarantee of Rs. 1 Lakh each under Air Act and Water Act was sent to the unit on 21.12.2011. (9) Reply has been received on 23.01.2012 stated the following: 1. They have completed installed adequate ETP in our premises, adequacy report of ETP enclosed. 2. They have only one DG Set having 62 KVA placed on the roof of the building which are kept in acoustic enclosure and adequate stack height (1.6 meter above the canopy) as per norms have already installed. Noise monitoring report of 62 KVA enclosed. 3. They have applied for consent to establish and consent to operate application at or department, receipt of the same enclosed. (10) Inspection details: was conducted on 19.02.2012. Observations: 1. The unit has installed an ETP at roof top and the same was found operational at the time of inspection. 2. The unit has provided proper channelization system with the kitchen. 3. DG Set of 62 KVA installed at roof top with acoustic enclosure and however exhaust window found in broken condition. (11) A letter regarding deficiency observed during inspection was sent to the unit on 14.02.2012. (12) Reply has been received on 05.03.2012 stated that they have repaired the acoustic enclosure of the DG Set.		
15	DPCC/EC/2/1/2012/655 23-01-2012	PAISLEY EXPORT PVT. LTD. C-141, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Establish	mfg. of readymade garments (with washing). Readymade Garment (With Washing)	Consent Application No. Application Date Category Consent Apply For	1 29-05-2007 Green Establish	06-03-2012 (1)ETP ---- Physico- chemical (a) AR dated 20.12.2011 issued by DTU submitted. (b) Effluent analysis report dated 20-12-2011 issued by DELHI COLLEGE	02-04-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.

						Consent Status Approved Consent Issue Date 14-09-2007 Consent Expiry Date 13-09-2008 Consent Application No. 2 Application Date 19-09-2008 Category Green Consent Apply For Operate Consent Status Approved Consent Issue Date 06-04-2009 Consent Expiry Date 18-09-2018 Consent Application No. 3 Application Date 23-01-2012 Category Orange Consent Apply For Operate Consent Status Pending - Date of commissioning of project -- - Built Up Area ---- 170 (in sq. meter) - Water Consumption ---- 1000 liters/day - Ground Water ---- 1000 liters/day - Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 20-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection conducted on 21.07.2011 during the inspection following were observed: a) Waste water generated from the washing activity was directly discharged into the sewer without any treatment. b) Three boilers found at site without adequate stack height. (5) Show cause notice for revocation of consent and SCN for closure u/s 33(A) of the Water Act, 1974 issued to the unit on 11.08.2011. A letter issued to the unit on 07.10.2011 for the submission of Bank Guarantee and apply for CTE & CTO along with adequacy report. Unit submitted its reply on 28.10.2011 along with Bank Guarantee and application for CTE and CTO under orange category. ATR/Remarks: Trade effluent: 0.4 KLD Water Consumption: 0.4 KLD (Source MCD/ GW)		
16	DPCC/EC/2/1/2012/660 23-01-2012	ANNUPURNA FOOD INDUSTRIES J-3181, DSIDC NARELA INDL. AREA	Narela Industrial Area	Orange Establish	Dall Mill. Dal Mills	- Date of commissioning of project -- 01-09-2005 - Built Up Area ---- 250 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 240 liters/day (b) Trade Effluent ---- 0 liters/day	29-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	02-04-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.
17	DPCC/EC/2/1/2012/684 27-01-2012	CHANDRA EXTRUSIONS E-797, DSIDC NARELA INDL. COMPLEX NARELA DELHI	Narela Industrial Area	Orange Establish	Aluminium Cans and Bottels Manufacturing. Pickling-Others (Except SS pickling)	- Date of commissioning of project -- - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 1520 liters/day - Ground Water ---- 1500 liters/day - Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 800 liters/day	02-04-2012 (1)ETP ---- ETP - Physiochemical (proposed) (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A...	02-04-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.
18	DPCC/EC/2/1/2012/688 27-01-2012	SUPREME IMPEX D-107-108, PH-I, OKHLA INDL. AREA	Okhla Industrial Area	Orange Establish	Mfg. of Readymade Garments (With washing) Readymade Garment With Electric/ Gas fired boiler (With Washing)	- Date of commissioning of project -- - Built Up Area ---- 464.51 (in sq. meter) - Water Consumption ---- 1700 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 1200 liters/day	28-03-2012 (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set: ...N/A...	02-04-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.
19	DPCC/EC/2/1/2012/693 27-01-2012	ADITYA STEEL CORPORATION A-55, WAZIRPUR INDL. AREA	Wazirpur Industrial Area	Orange Establish	MFG. OF S.S. UTENSILS WITH BUFFING. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	Consent Application No. 1 Application Date 27-01-2012 Category Orange	29-03-2012 (1)ECS - Cyclone (a) AR dated issued by submitted. (b) Stack monitoring report dated 20-	02-04-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.

						Category Consent Apply For Consent Status Orange Operate Pending • Date of commissioning of project -- -- • Built Up Area ---- 510.96 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.		
20	DPCC/EC/2/1/2012/721 31-01-2012	AMIT ELECTRICAL INDUSTRIES PLOT NO.-23, POCKET-C, SECTOR-2, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	MANUFACTURING OF ELECTRICAL AND ELECTRONICS ACCESSORIES, ELECTRICAL FITTING AND FIXTURE. Process Involving Buffing	Consent Application No. 1 Application Date 24-07-2007 Category Green Consent Apply For Establish Consent Status Infructuous Consent Infructuous Date 26-09-2008 Consent Application No. 2 Application Date 15-05-2008 Category Green Consent Apply For Establish Consent Status Infructuous Consent Infructuous Date 10-10-2008 Consent Application No. 3 Application Date 21-07-2009 Category Green Consent Apply For Operate Consent Status Rejected Consent Refused Date 13-11-2009 Consent Application No. 4 Application Date 28-10-2009 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 15-12-2009 Consent Expiry Date 14-12-2010 Consent Application No. 5 Application Date 31-01-2012 Category Orange Consent Apply For Operate Consent Status Pending • Date of commissioning of project -- -- • Built Up Area ---- 150 (in sq. meter)	28-03-2012 (1)ETP ---- N/A (2)ECS - YES(BAG FILTER HOUSE AND STACK ATTACHED TO BUFFING UNIT) (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	02-04-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.

						- Water Consumption ---- 260 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day				
21	DPCC/EC/2/1/2012/745 02-02-2012	VISHWANATH AND COMPANY N-32, SEC-3 DSIDC INDL. AREA BAWANA	Bawana Industrial Area	Orange Establish	MFG. OF NAMKEENS. Restaurants/ Eating Houses/ Dhaba (Having Seating Capacity Less Than 36)/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of Less Than 1 Tonne/Day)	Consent Application No. 1 Application Date 02-02-2012 Category Orange Consent Apply For Operate Consent Status Pending - Date of commissioning of project -- -- - Built Up Area ---- 550 (in sq. meter) - Water Consumption ---- 900 liters/day - Ground Water ---- 900 liters/day - Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 500 liters/day		21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: NIL (4) Inspection details :NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	28-03-2012 Recommended for consent to establish.	20-04-2012 Consent to Establish granted.
22	DPCC/EC/2/1/2012/771 07-02-2012	R.K. FOOD INDUSTRIES PLOT NO C-47/2, LAWRENCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Establish	MFG. OF DALL MILL AND BESAN GRINDING. Dal Mills	- Date of commissioning of project -- -- - Built Up Area ---- 381.22 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ..N/A...	28-03-2012 Recommended for consent to establish.	20-04-2012 Consent to Establish granted.
23	DPCC/EC/2/1/2012/772 08-02-2012	BHARATIYAM VILLAGE FOODS AND BEVERAGES PVT. LTD. KH. NO 46/16, 46/17, 46/24, 29, 49/4 VILLAGE BAKOLI PALLA BAKHTAWARPUR ROAD	NORTH WEST	Orange Establish	Farm House (A Party Lawn) Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	Consent Application No. 1 Application Date 14-02-2012 Category Orange Consent Apply For Operate Consent Status Pending - Date of commissioning of project -- -- - Built Up Area ---- 250 (in sq. meter) - Water Consumption ---- 5500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 5000 liters/day		22-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 03.02.2012 issued by Delhi Technological University submitted. (b) Effluent analysis report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 6 number of parameters analyzed which are within limit prescribed limit. (2) Inspection details: Was conducted on 12.01.2012. Observations: 1. Premises is having four rooms at ground floor & First Floor, one hall at basement. 2. No ETP installed in the premises. 3. Unit has made 5 pits (1 parking, 2 front lawn, 2 back lawn) for discharge of rain water in the ground water fitted with 4 inch pipe. 4. One collection tank is made near banquet hall for collection and discharge of waste water generated from kitchen in the ground water. 5. D.G. set found installed with acoustic enclosure. 6. As informed unit has started its operation about one year back. (3) Closure directions u/s 31(A)/33(A)/5 of EPA details : Was sent on 17.03.2010. (4) Reply has been received on 30.03.2010 requesting for 60 days time to install the desired ETP and stating that they will not use this facility until the installation of said ETP. (5) Reply has been received on 26.05.2010 along with an affidavit	28-03-2012 Recommended for consent to establish.	20-04-2012 Consent to Establish granted. Subsequently, inspection be conducted.

								informing that the application for CTE has been submitted (Id. No. 33993 dated 26.05.2010) and the ETP has been installed, fees for the adequacy and test report has been submitted in G.G.S.I.P.U. Further requested to revoke the closure direction and issue CTE. (6) As per the decision taken up CMC (O) dated 26.05.2012, letter was regarding submission of bank guarantee of Rs. 1 lakh under Air and Water Act along with adequacy report and effluent analysis report of ETP. (7) Reply has been received on 05.07.2010 stating that the effluent treatment plant has been installed. (8) Unit has submitted the requisite Bank Guarantee of Rs. 1,00,000 each under Air and Water Act, application for consent to establish and consent to operate on 14.02.2012.		
24	DPCC/EC/2/1/2012/777 08-02-2012	AMBEY INDUSTRIES B-32/2, (BACK SIDE) WAZIRPUR INDL. AREA	Wazirpur Industrial Area	Orange Establish	ANNEALING OF S.S. SHEET. Stainless steel rerolling and anealling (with capacity less than 25 MT/ day)	Consent Application No. 1 Application Date 10-04-2012 Category Orange Consent Apply For Operate Consent Status Pending • Date of commissioning of project -- -- • Built Up Area ---- 110 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	28-03-2012 Recommended for consent to establish.	20-04-2012 Consent to Establish granted.
25	DPCC/EC/2/1/2012/809 13-02-2012	K R F LIMITED B-113, PH-I, MAYAPURI INDL. AREA	Mayapuri Industrial Area	Orange Establish	Manufacturing of Printed Label, Woven Label, Paper Tag and Stickers. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project -- -- 01-10-2010 • Built Up Area ---- 1506.87 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 3400 liters/day • Waste Water generation (a) Domestic Effluent ---- 2500 liters/day (b) Trade Effluent ---- 800 liters/day		05-03-2012 (1)ETP ---- (Proposed) (2)ECS - N/A (3)D.G.Set: 250 KVA (Proposed) (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No (7) GW : 3400 LPD	28-03-2012 Recommended for consent to establish.	20-04-2012 Consent to Establish granted.
26	DPCC/EC/2/1/2012/812 13-02-2012	NEW SOUTH INDIAN CAFE A-5, SHIVSHAKTI MARKET MADANGIR	SOUTH	Orange Establish	RESTAURANT Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	Consent Application No. 1 Application Date 13-02-2012 Category Orange Consent Apply For Operate Consent Status Pending • Date of commissioning of project -- -- • Built Up Area ---- 33.44 (in sq. meter) • Water Consumption ---- 550 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 500 liters/day		22-03-2012 (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details : conducted by PGRC trainee Engr. on 10.08.11 w.r.t public complaint & following were observed: (a). The premises is used as resturant with 50 seat capacity at ground and first floor. (b). No ETP and oil& grease trap installed. (c). The waste water is directly discharge into sewer without any treatment. (d). The resturant has been working for last 35 years as informed by	28-03-2012 Recommended for consent to establish.	20-04-2012 Consent to Establish granted.

							owner. (e). MCD license shown valid upto 17.01.11 at the time od inspection. (f). 3 exhaust fan are there at the entrance only. (5) SCN u/s 31(A) & 33(A) details : issued on 29.08.11. Unit has submitted its reply on 12.09.11 along with an affidavit and copy of MCD license informing that they are having MCD license for 15 seats and by mistake it has been written as 50 persons. However, the unit is having 50 seats was confirmed by the inspecting officials (6) Closure directions u/s 31(A) & 33(A) details : issued on 08.11.11. The unit has submitted its reply on 18.11.11, 22.11.11 & 30.11.11 in response to the above mentioned closure directions stating that they have provided chennalisation system and also in the process to submit application for CTE. Unit has also provided photographs of installed ETP, copy of technical adequacy report and photocopy of receipt of MCD license dt. 01.10.11(valid upto 31.3.2012) for eating house above 20 & upto 50 seats alongwith its replies. As approved, a letter was issued on 07.12.11 to submit an affidavit that the unit will not be operated without commissioning of ETP and submit Bank Guarantee of Rs. One Lakh each under Water Act and Air Act valid for one year and apply for CTE & CTO . Unit has submitted its reply on 07.12.11 and 09.12.11 along with above mentioned affidavit & Bank Guarantee of Rs. One Lakh each under Water Act and Air Act and also informed that the unit has unable to submit CTE & CTO application as the software system is not accepting the CTO application without effluent analysis report. As approved, revocation of closure directions u/s 33 (A) of the Water Act & 31 (A) of the Air Act was issued on 15.12.11 with a condition that the unit shall submit application of CTE & CTO within 30 days. Unit has submitted its reply on 13.01.12 stating that thay have already applied for adequacy report and test report as soon as they get the reports they will submit it in the department.		
27	DPCC/EC/2/1/2012/865 22-02-2012	OSWAL MOTORS PVT. LTD. A-81, G.T.K. ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Establish	SERVICING OF TWO WHEELERS/BIKES. Automobile Servicing And Repair Station With Washing Activity	Consent Application No. 1 Application Date 22-02-2012 Category Orange Consent Apply For Operate Consent Status Pending HWM Application No. 1 Application Date 22-02-2012 Authorisation Status Pending • Date of commissioning of project --	22-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 07.02.2012 issued by D.T.U submitted. (b) Effluent analysis report dated 07-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 4 number of parameters analyzed which are within limit prescribed limit. (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 14-02-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of	28-03-2012 File is under submission. Decision on file be implemented.	20-04-2012 Consent to Establish granted. Inspection be conducted as decided in file.

DPCC : Administrative Area

						- Built Up Area ---- 334 (in sq. meter) - Water Consumption ---- 4100 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 3500 liters/day		Within Limit - Yes Number of parameters analyzed which are within limit prescribed limit.		
28	DPCC/EC/2/1/2012/897 24-02-2012	KONCEPT CARS INDIA PVT. LTD. D-18/3, PH-II, OKHLA INDL. AREA	Okhla Industrial Area	Orange Establish	CAR WASHING AND SERVICING. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project -- -- - Built Up Area ---- 928.28 (in sq. meter) - Water Consumption ---- 5000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 4000 liters/day		21-03-2012 (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set: ...40 kva...proposed	28-03-2012 Recommended for consent to establish.	20-04-2012 Consent to Establish granted.
29	DPCC/EC/2/1/2012/938 02-03-2012	PROMILA ROLLER FLOUR MILLS PVT LTD. PLOT NOS 231, 232, 233, POCKET-N, SECTOR-2, DSII DC INDL. COMPLEX BAWANA	Bawana Industrial Area	Orange Establish	FLOUR MILLS. Flour Mills	- Date of commissioning of project -- -- - Built Up Area ---- 630 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Nil (4) Inspection details: NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	28-03-2012 Recommended for consent to establish.	20-04-2012 Consent to Establish granted.
30	DPCC/EC/2/1/2012/939 02-03-2012	SAMARA INDIA PVT LTD. 7/20, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Establish	SERVICE STATION OF CARS. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project -- -- - Built Up Area ---- 1200 (in sq. meter) - Water Consumption ---- 5500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 5000 liters/day		21-03-2012 (1)ETP - proposed. (2)ECS - No (3)D.G.Set: Nil ATR/ Remarks GW: nil DG Set: nil Trade Effluent: 5 KLD Domestic effluent: 0.4 KLD	28-03-2012 Recommended for consent to establish.	20-04-2012 Consent to Establish granted.
31	DPCC/EC/2/1/2012/955 05-03-2012	K K AND SONS PLOT NO 458-466, GLAI NO 8, FRIENDS COLONY INDL. AREA	Friends Colony Industrial Area	Orange Establish	WIRE DRAWING WITH SUPER WNAMELLING. Copper Wire Drawing With Super Enamelling (Dry Process)	- Date of commissioning of project -- -- - Built Up Area ---- 130 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: 125 KVA (4) Inspection details: NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	28-03-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.
32	DPCC/EC/2/1/2012/1000 06-03-2012	SARAVANA BHAWAN (A UNIT OF THANIGAI MURUGAN RESTAURANT PVT LTD) P-13/90, CONNOUGHT PLACE	NEW DELHI	Orange Establish	SOUTH INDIAN VEGETARIAN RESTAURANTS. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	- Consent Application No. 1 - Application Date 06-03-2012 - Category Orange - Consent Apply For Operate - Consent Status Pending - Date of commissioning of project -- -- - Built Up Area ---- 594 (in sq. meter) - Water Consumption ---- 10500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 1800 liters/day (b) Trade Effluent ---- 8500 liters/day		22-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated .06.02.2012 issued by D.T.U submitted. (b) Effluent analysis report dated 06-02-2012 Issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 7 number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA . Noise monitoring report dated 23-01 -2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	26-03-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.
33	DPCC/EC/2/1/2012/965 06-03-2012	DAIJEX AUTO INDUSTRIES 191, SECTOR-2, POCKET-O, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	Auto Parts and Accessories. Process Involving Buffing	- Consent Application No. 1 - Application Date 18-04-2007 - Category Orange - Consent Apply For Establish	26-03-2012 File be put up for permanent revocation of closure directions. Recommended for grant of consent to establish after revocation of closure directions.	21-03-2012 (1)ETP -- N/A (2)ECS - Yes (OVER BUFFING MACHINE) (3)D.G.Set: Nil (4) Inspection details: NO	26-03-2012 File be put up for permanent revocation of closure directions. Recommended for grant of consent to establish after revocation of closure directions.	20-04-2012 Consent to Establish granted. File be put up administratively for permanent revocation of closure directions.

Consent Status Pending

Consent Application No. 2

Application Date 16-03-2009

Category Green

Consent Apply For Establish

Consent Status Approved

Consent Issue Date 24-04-2009

Consent Expiry Date 23-04-2010

Consent Application No. 3

Application Date 06-03-2012

Category Orange

Consent Apply For Operate

Consent Status Pending

- Date of commissioning of project --
- Built Up Area ---- 100 (in sq. meter)
- Water Consumption ---- 500 liters/day
- Ground Water ---- 0 liters/day
- Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 0 liters/day

(5) SCN u/s 31(A)/33(A)/5 of EPA details :NO
 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO

34

DPCC/EC/2/1/2012/970

KANIKA EXPORTS
 A-187, PH-I, OKHLA
 INDUSTRIAL AREA

Okhla Industrial Area

Orange Establish

MFG OF READYMADE GARMENT WITH WASHING.

Readymade Garment With Electric/Gas fired boiler (With Washing)

06-03-2012

Consent Application No. 1

Application Date 19-01-2005

Category Green

Consent Apply For Establish

Consent Status Approved

Consent Issue Date 08-02-2005

Consent Expiry Date 07-02-2006

Consent Application No. 2

Application Date 18-07-2005

Category Green

Consent Apply For Operate

Consent Status Approved

Consent Issue Date 27-07-2006

Consent Expiry Date 17-07-2010

Consent Application No. 3

Application Date 28-06-2011

Category Green

Consent Apply For Establish

Consent Status Rejected

Consent Refused Date 08-02-2012

Consent Application No. 4

21-03-2012

(1)ETP ---- proposed

(2)ECS - N/A

(3)D.G.Set Noise Report : 2
 (a) The unit has 2 D.G. Set(s) of 62.5 KVA and 125 KVA. Noise monitoring report dated 27-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.

The unit has 2 D.G. Set(s) of 62.5 KVA and 125 KVA. Noise monitoring report dated 27-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within prescribed limit.

(4) Inspection details : conducted on 24.08.11 & following were observed:

(a) Unit found operational and engaged in the activity of Mfg. of readymade garments without washing.

(b) Unit is having two DG sets of 125 KVA & 62.5 KVA without proper stack height & with partial acoustic enclosure

(c) Two electric boilers found, out of which one is not in use. Unit is also having 3 baby electric boiler.

(d) One more unit exist at basement, G.Floor & F. Floor i.e., M/s KANIKA WORLDWIDE Pvt. Ltd with an activity of Mfg. of readymade garments without washing.

As decided by the CMC (C) in its

26-03-2012

Recommended for grant of consent to Establish.

20-04-2012

Consent to Establish granted.

						Application Date 06-03-2012 Category Orange Consent Apply For Operate Consent Status Pending	As decided by the C.M.C (S) in its meeting held on 08.12.11, consent to establish under green category was refused on 23.02.12 and letter was issued on 30.01.12 to apply for consent to establish under orange category. EARLIER CMC DECISION 04.07.11 (Green/ CTE) Inspection be conducted 08.09.11 (Green/ CTE) Issue SCN for refusal of consent as unit falls under Orange category. 08.12.11. (Green/ CTE) Consent be refused . Ask the unit to apply for consent to establish under orange category within 30 days, failing which, closure directions will be issued.		
35	DPCC/EC/2/1/2012/972 06-03-2012	KAPCO ANTIVIBRATION (INDIA) PVT. LTD. D-1, S.M.A INDUSTRIAL AREA	S.M.A Industrial Area	Orange Establish	MFG.TEXTILE COATED FABRIC (REXENE CLOTH). Coated Cotton Fabrics (PVC REXENE Cloth)	Consent Application No. 1 Application Date 05-04-2004 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 15-04-2004 Consent Expiry Date 04-04-2005	21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	26-03-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.
36	DPCC/EC/2/1/2012/1012 07-03-2012	OM TYRE SAFE WH-26, PH-I, MAYAPURI INDL. AREA	Mayapuri Industrial Area	Orange Establish	Tyre Re Treading. Tyres Retreading (Without Boiler)	(b) Trade Effluent ---- 0 liters/day Date of commissioning of project -- -- Built Up Area ---- 1000 (in sq. meter) Water Consumption ---- 600 liters/day Ground Water ---- 600 liters/day Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	20-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No ATR/Remarks: GW: 200 LPD trade eff:nil Domestic eff: 100 LPD	26-03-2012 Recommended for grant of Consent to Establish.	20-04-2012 Consent to Establish granted.
37	DPCC/EC/2/1/2012/1013 07-03-2012	OM RUBBER INDUSTRIES C-202/1, PH-II, MAYAPURI INDL. AREA	Mayapuri Industrial Area	Orange Establish	Re treading rubber Tyre Retreading (With Boiler)	Date of commissioning of project -- -- Built Up Area ---- 125.59 (in sq. meter) Water Consumption ---- 400 liters/day Ground Water ---- 0 liters/day Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	20-03-2012 (1)ETP ---- N/A (2)ECS - No (Baby boiler) (3)D.G.Set: nil (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No ATR/Remarks: GW: nil Trade effluent: nil Domestic eff: 150 LPD.	26-03-2012 Recommended for grant of Consent to Establish.	20-04-2012 Consent to Establish granted.
38	DPCC/EC/2/1/2012/1015 07-03-2012	BENGALI SWEET CORNER 3, COMMUNITY CENTRE, NARAINA VIHAR	WEST	Orange Establish	HALWAI SHOP/RESTAURANT. Restaurants/ Eating Houses/ Dhaba (Having Seating Capacity Less Than 36)/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of Less Than	Consent Application No. 1 Application Date 07-03-2012 Category Orange Consent Apply For Operate Consent Status Pending	21-03-2012 (1) ETP ---- Oil and Grease Trap (2)ECS - No (channelization system through exhaust fan provided) (3)D.G Set: ...No	26-03-2012 The file be put up for permanent revocation of closure directions. Recommended for grant of Consent to Establish after revocation of closure directions.	20-04-2012 Consent to Establish granted. File be put up administratively for permanent revocation of closure directions.

					1 Tonne/Day)	- Date of commissioning of project -- -- - Built Up Area ---- 70 (in sq. meter) - Water Consumption ---- 250 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 120 liters/day	(4) Inspection details: Inspected on 12.10.2011 as a complaint has been received against the said unit for air and water pollution. (5) SCN u/s 31(A) and u/s 33 (A) issued to the unit on 19.10.2011 as during inspection effluent and emission being discharged without any treatment and unit was operating without obtaining consent from DPCC. (6) Closure directions u/s 31(A) and 33 (A) issued to the unit on 21.01.2012 as no reply has been received from the unit. (7) Direction for closure was temporary revoked for 45 days as unit was submitted a representation on 10/01/12 and 16.01.12 and B.G of Rs one lac each under air and water act.		
39	DPCC/EC/2/1/2012/1019 09-03-2012	SHYAM INDUSTRIES F-1489, DSII DC INDUSTRIAL COMPLEX NARELA	Narela Industrial Area	Orange Establish	Mfg. of Zip Fasteners. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	- Date of commissioning of project -- -- - Built Up Area ---- 437.5 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	26-03-2012 Ask the unit to clarify the type of furnace proposed to be used on an affidavit.	20-04-2012 Consent to Establish granted.
40	DPCC/EC/2/1/2012/1024 12-03-2012	BALAJI ENTERPRISES H 1423 DSIDC INDUSTRIAL AREA NARELA	Narela Industrial Area	Orange Establish	Mfg. of Reprocessing of HDPE Wax, Synthetic Rubber and Plastic Granules. Manufacturing Of Reprocessed PVC Granules and Other Injection Moulded Items (Using Scrap as Raw Material Without Washing Activity) Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	- Date of commissioning of project -- -- - Built Up Area ---- 210 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	26-03-2012 Issue SCN for refusal of consent to establish in view of reprocessing of synthetic rubber.	20-04-2012 Inspection be conducted for clarifying the admisibility of the proposed activity.
41	DPCC/EC/2/1/2012/1041 13-03-2012	SUN ORGANIC INDUSTRIES PVT. LTD. 818 DSIDC INDL. COMPLEX NARELA	Narela Industrial Area	Orange Establish	Fruits (dry Fruits and Fresh fruits) and Vegetables processing. Food And Fruit Processing Industry - Fruit and Vegetables	- Date of commissioning of project -- -- 01-04-2010 - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 300 liters/day	21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	26-03-2012 ETP is required to be installed. Recommended for grant of consent to establish with the condition to install ETP.	20-04-2012 Consent to establish granted with the condition to install ETP.
42	DPCC/EC/2/1/2012/1042 13-03-2012	K.L. GUPTA AND SONS PVT. LTD. 1521-D, DSIDC NARELA INDL. AREA	Narela Industrial Area	Orange Establish	Fruits (dry Fruits and Fresh fruits) and Vegetables processing. Food And Fruit Processing Industry - Fruit and Vegetables	- Date of commissioning of project -- -- 01-04-2010 - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 300 liters/day	21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	26-03-2012 ETP is required to be installed. Recommended for grant of consent to establish with the condition to install ETP.	20-04-2012 Consent to establish granted with the condition to install ETP.
43	DPCC/EC/2/1/2012/1060 13-03-2012	SINGH SERVICE CENTER F-C-8, LONI ROAD SHADHARA	NORTH EAST	Orange Establish	SERVICING OF AUTOMOBILES. Automobile Servicing And Repair Station With Washing Activity	Consent Application No. 1 Application Date 10-05-2007 Category Orange Consent Apply For Operate Consent Status Pending	21-03-2012 (1)ETP ---- YES (2)ECS - NO (3)D.G.Set: NIL (4) Inspection details: NO	26-03-2012 Perusal of file shows that the service station cum filling station has submitted the requisite documents. Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.

						Consent Application No. 2 Application Date 13-03-2012 Category Orange Consent Apply For Operate Consent Status Pending HWM Application No. 1 Application Date 13-03-2012 Authorisation Status Pending - Date of commissioning of project -- - Built Up Area ---- 800 (in sq. meter) - Water Consumption ---- 5500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 5000 liters/day	(5) SCN u/s 31(A)/33(A)/5 of EPA details :NO			
44	DPCC/EC/2/1/2012/1078 14-03-2012	SINGLA AUTOMOBILES C-3/9, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Establish	Servicing and Repairing centre of Motor Cycles. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project -- - Built Up Area ---- 334.45 (in sq. meter) - Water Consumption ---- 6000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 700 liters/day (b) Trade Effluent ---- 4500 liters/day	26-03-2012 Recommended for grant of consent to establish. 26-03-2012 Recommended for grant of consent to establish.	20-03-2012 (1)ETP ---- No (ProPosed) (2)ECS - N/A (3)D.G.Set: 25 KVA (Proposed) (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details : NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	26-03-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.
45	DPCC/EC/2/1/2012/1079 14-03-2012	B.K. ENTERPRISES A-98/3, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Establish	Casting of Ferrous and non Ferrous metals. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	- Date of commissioning of project -- - Built Up Area ---- 300 (in sq. meter) - Water Consumption ---- 70 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day	21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	26-03-2012 Ask the unit to clarify the type of furnace on an affidavit with a categorical statement whether it is a pit furnace or not.	20-04-2012 Inspection be conducted to ascertain the type of furnace and source and type of raw materials.	
46	DPCC/EC/2/1/2012/1083 14-03-2012	BALWAN SERVICE STATION P.S.P. INSTITUTIONAL AREA, SECTOR-16, ROHINI	NORTH WEST	Orange Establish	PETROL PUMP CUM SERVICE STATION FOR VEHICLES Automobile Servicing And Repair Station With Washing Activity	Consent Application No. 1 Application Date 14-03-2012 Category Orange Consent Apply For Operate Consent Status Pending HWM Application No. 1 Application Date 14-03-2012 Authorisation Status Pending - Date of commissioning of project -- - Built Up Area ---- 108 (in sq. meter) - Water Consumption ---- 1100 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 1000 liters/day	21-03-2012 (1)ETP ---- N/A (a) AR dated 15.12.2011 issued by Delhi Technological university submitted. (b) Effluent analysis report dated 15-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	26-03-2012 Recommended for grant of consent to establish.	20-04-2012 Consent to Establish granted.	