



CONSENT MANAGEMENT

Agenda II-Annexure I - Fresh Consent to Operate / Renewal cases under Orange category (2 b category) w.e.f. 06.03.2012 to 15.03.2012 excluding the cases of re-development areas decided by Screening Committee in its 1st meeting dated 26.03.2012 / 28.03.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activity / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/1002 06-03-2012	VIDYA ICE & COLD STORAGE (P) LTD. C-30 & 31, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	COLD STORAGE Chilling Plants and Cold Storages (Integrated) (Excluding meat/ food processing) without trade effluent	- Date of commissioning of project ---- - Built Up Area ---- 3500 (in sq. meter) - Water Consumption ---- 1500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 0 liters/day		21-03-2012 (1)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 125 KVA and 15 KVA. Noise monitoring report dated 03-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	26-03-2012 Issue renewal of consent to operate with the condition to follow the Manufacture, Storage, Import of Hazardous Chemical Rules 1989 w.r.t. use of ammonia.
2	DPCC/EC/2/1/2012/1006 06-03-2012	HINDUSTAN ICE & COLD STORAGE C-25, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	COLD STORAGE Chilling Plants and Cold Storages (Integrated) (Excluding meat/ food processing) without trade effluent	- Date of commissioning of project ---- - Built Up Area ---- 1764 (in sq. meter) - Water Consumption ---- 100 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		21-03-2012 (1)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	26-03-2012 Issue renewal of consent to operate with the condition to follow the Manufacture, Storage, Import of Hazardous Chemical Rules 1989 w.r.t. use of ammonia.
3	DPCC/EC/2/1/2012/973 06-03-2012	ACLA METAPLAST (INDIA) PVT. LTD. C-6, S.M.A INDUSTRIAL AREA	S.M.A Industrial Area	Orange Renewal	PLASTIC MOULDED GOODS. Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 600 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	26-03-2012 Issue renewal of consent to operate.
4	DPCC/EC/2/1/2012/977 06-03-2012	SMT. BEENA MITTAL PLOT NO 34, GALI NO. 8, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	MFG. OF WIRE AND CABLES. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	- Date of commissioning of project ---- - Built Up Area ---- 125.4 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Nil (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	26-03-2012 Issue renewal of consent to operate.
5	DPCC/EC/2/1/2012/978 06-03-2012	VADEHRA BUILDERS PVT.LTD D-177 & 178, OKHLA INDL. AREA, PH-I, DELHI	Okhla Industrial Area	Orange Operate	MFG. OF WOODEN FURNITURE. Spray Painting, Paint Baking, Paint Stripping			22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 13-12-2011 issued by DELHI COLLEGE OF	26-03-2012 Issue consent to operate and authorization under HWM Rules.

[illegible]

8	DPCC/EC/2/1/2012/1056 13-03-2012	RAJINDRA COSMETICS PLOT NO. 4, BLOCK-C, PH-III, DSIDC COMPLEX BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	MFG. OF PVC COMPOUND AND MOULDING. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 110 (in sq. meter) • Water Consumption ---- 170 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		report of DG sets on 24.02.2012 21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	26-03-2012 Issue renewal of consent to operate without use of plastic scrap.
9	DPCC/EC/2/1/2012/1063 14-03-2012	HINDUSTAN PETROLEUM CORPORATION LIMITED (HPCL) BAHADUGARH TIKRIKALAN PIPELINE PROJECT, TIKRIKALAN TERMINAL, ROHTAK ROAD, NH-10, TIKRIKALAN	NEW DELHI	Orange Operate	PIPELINE FOR PETROLEUM PRODUCTS (MUNDRA - DELHI PIPELINE PROJECT, 1.6 KM IN DELHI). Pipeline Transport for Petroleum Product Projects	• Date of commissioning of project ---- • Built Up Area ---- 1 (in sq. meter) • Water Consumption ---- 0 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day		26-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Consent status: Consent to Establish issued on 25.01.2005 which was valid upto 24.01.2006 has been extended on 01.03.2005, 06.05.2008 upto the period of three years i.e. 24.01.2011. ATR/Remarks: Environemmental clearance issued to the unit dated 20.06.2005 by MOEF.	26-03-2012 Ask the unit to submit the pointwise compliance of the consent to establish issued on 25.01.2005 and the environmental clearance.
10	DPCC/EC/2/1/2012/1097 15-03-2012	PRECISION PIPES AND PROFILES COMPANY LTD. 54-56, PHASE-III, OKHLA INDUSTRIAL ESTATE	Okhla Industrial Estate	Orange Renewal	PVC EXTRUDED PROFILES. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 830 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 700 liters/day (b) Trade Effluent ---- 0 liters/day		21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 110 KVA and 250 KVA. Noise monitoring report dated 14-03-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. The unit has 2 D.G. Set(s) of 110 KVA and 250 KVA. Noise monitoring report dated 14-03-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. As decided by the CMC (O) in its meeting held on 02.09.11, CTR issued to the unit on 21.09.11 vd CNO 27929. EARLIER CMC DECISION 02.09.11 (In CTR File) Issue renewal of consent	26-03-2012 Issue renewal of consent to operate without use of plastic scrap.
11	DPCC/EC/2/1/2012/1099 15-03-2012	BRAHM ART COTTAGE PLOT NO 342, FIE PATPARGANJ	Patparganj Industrial Area	Orange Operate	OFFSET PRINTING PRESS W/O TRADE EFFLUENT.			21-03-2012 (1)ETP ---- N/A (2)ECS - N/A	26-03-2012 Issue consent to operate and authorization under HWM Rules.

		INDL. AREA			Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 92.9 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set 40 KVA Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 02-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	
12	DPCC/EC/2/1/2012/1102 15-03-2012	GARG GIFT & NOVELTIES PVT. LTD. WH-115, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	PLASTIC PHOTO FRAME (PLASTIC MOULDED ITEMS). Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		20-03-2012 (1)ETP ---- N/A (2)ECS - No (3)D.G.Set: nil (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No ATR/Remarks: GW: Nil Trade effluent: Nil	26-03-2012 Issue renewal of consent to operate without use of plastic scrap.