



CONSENT MANAGEMENT

Agenda IV-Annexure I - Consent to Operate / Renewal cases under Orange category (2 b category) w.e.f. 05.03.2012 to 01.02.2012(in reverse chronology) excluding the cases of re-development areas decided by Screening Committee in its 1st meeting dated 26.03.2012 / 28.03.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activity / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/732 01-02-2012	JAI DIAL JAGDISH PRASHAD C-11/3, LAWRENCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Renewal	Mfg. of Plastic / PVC Granules. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	- Date of commissioning of project ---- - Built Up Area ---- 130 (in sq. meter) - Water Consumption ---- 100 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 21-11-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	28-03-2012 Issue renewal of consent to operate without use of plastic scrap.
2	DPCC/EC/2/1/2012/736 02-02-2012	SMART CABLES AND CORDS(P) LTD. 94, PHASE-II, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	Mfg. of PVC Compound, Wires and Cables, Mouldes Goods. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot) Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	- Date of commissioning of project ---- - Built Up Area ---- 288 (in sq. meter) - Water Consumption ---- 120 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	28-03-2012 Issue renewal of consent to operate without use of plastic scrap.
3	DPCC/EC/2/1/2012/739 02-02-2012	ORGANIC COATINGS LTD A-42, PH-II, MAYAPURI INDL. AREA	Mayapuri Industrial Area	Orange Operate	MIXING AND REPACKING OF WATER BASED PRINTING INK (WITHOUT TRADE EFFLUENT DISCHARGE). Ink and Printing Ink (Excluding Flexographic Ink)	- Date of commissioning of project ---- - Built Up Area ---- 446.1 (in sq. meter) - Water Consumption ---- 80 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No GW: Nil	28-03-2012 Issue consent to operate without flexographic ink, consent to establish without flexographic ink and authorization under HWM Rules.
4	DPCC/EC/2/1/2012/744 02-02-2012	BANSAL AMMONIA & PARTS SUPPLY COMPANY (UNIT COLD STORAGE) C-46/1, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	COLD STORAGE Chilling Plants and Cold Storages (Integrated) (Excluding meat/ food processing) without trade effluent	- Date of commissioning of project ---- - Built Up Area ---- 234 (in sq. meter) - Water Consumption ---- 1500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	28-03-2012 Issue renewal of consent to operate with the condition to comply with MSIHC Rules 1989 in respect of use of ammonia.
5	DPCC/EC/2/1/2012/748 03-02-2012	HARYANA PLASTIC AND ENGINEERING WORKS A-72, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	Plastic Components like body indicator, Box Type, Relay etc. Plastic Processed Goods	- Date of commissioning of project ---- - Built Up Area ---- 602 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (Not provided channelizaation system over injection moulding meachine) (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 31-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5	28-03-2012 Issue renewal of consent to operate without use of plastic scrap.

							of EPA details : No GW: nil	
6	DPCC/EC/2/1/2012/752 03-02-2012	PRECISION PIPES & PROFILES CO. LTD. B-II/29, MOHAN CO-OPERATIVE INDUSTRIAL AREA, BADARPUR	Mohan Co-operative Industrial Area	Orange Operate	Extruded Profiles, pipes, compound, Pellets, Moulded, Parts (thermoplastic material) Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 744.89 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 35 KVA and 200 KVA. Noise monitoring report dated 18-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 2 D.G. Set(s) of 35 KVA and 200 KVA. Noise monitoring report dated 18-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. As per Noise Monitoring report adequacte stack height has not been provided with the DG set of 200 KVA & 35 KVA As decided by the CMC (O) in its meeting held on 22.11.07, CTE issued on 15.02.08 vd CNO 18420. EARLIER CMC DECISION 22.11.07 (In CTE File) consent to establish granted.	28-03-2012 Ask the unit to provide adequate stack height with the D.G. Sets and confirm on an affidavit. If unit does so, consent to operate be issued.
7	DPCC/EC/2/1/2012/759 06-02-2012	PUNEET PLASTICS B-34, LAWRRANCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Operate	ALL TYPES OF PLASTIC MOULDED GOODS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 46.45 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	26-03-2012 (1) Inspection details: WAs conducted on 27.07.2010. Observations 1. Unit is engaged in mfg. of plastic products i.e. plastic toys with the help of five injections moulding machine. 2. Unit not applied for CTE/CTO. (2) SCN u/s 31(A)/33(A) details : was issued to the unit on 11.01.2011. (3) Reply has been not received. (4) Closure directions u/s 31(A)/33(A) details : Was issued to the unit on 16.01.2012. (5)Reply has been received on 27.01.2012 by landlord/owner of the premises stating that M/s Manju Plastic has already vacated the premises and other unit namely M/s Puneet Plastic is operating since 15.01.2012 which is enagaged in the activity of mfg. of plastic goods. (6) As per the decision taken up by Competent Authority a letter was issued to Sh. Harender Pal Singh (Land Lord of the premises) for submission of bank guarantee of Rs. 1,00,000/- (One Lakh) under Air Act valid for one year and an affidavit stating that you will not give the premises on rent for establishing industrial unit without prior permission of DPCC was sent to the unit on 13.02.2012. (7) Reply has been received on	28-03-2012 Issue consent to operate and consent to establish.

								16.01.2012 along with an affidavit, bank guarantee of Rs. 1,00,000/- under Air Act and CTE and CTO application in the name of M/s Puneet Plastic.	
8	DPCC/EC/2/1/2012/769 07-02-2012	N.K. KNITWEARS F-300,SECTOR-5,DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Mfg. of Plastic Products and PVC Compound. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 20-08-2005 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		23-03-2012 (1)ETP ---- N/A (2)ECS - NO (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	28-03-2012 Issue consent to operate without use of plastic scrap.
9	DPCC/EC/2/1/2012/781 08-02-2012	SHREE ALLOY INDUSTRIES (P) LTD B-11/96 MOHAN CO-OPERATIVE INDUSTRIAL AREA	Mohan Co-operative Industrial Area	Orange Operate	MFG. OF PLASTIC PRODUCTS WITHOUT EFFLUENT DISCHARGE. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC(O) in its meeting held on 06.09.10, CTE issued on 11.10.10 vd CNO 25776. EARLIER CMC DECISION 06.09.10 (In CTE File) Issue consent to establish	28-03-2012 Issue consent to operate.
10	DPCC/EC/2/1/2012/783 08-02-2012	ALLIED FAME ELECTRO TONE CO. A-48, PHASE I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	PLASTIC MOULDED ITEMS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 292.64 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO GW : Nil	28-03-2012 Issue renewal of consent to operate.
11	DPCC/EC/2/1/2012/784 08-02-2012	M.S. CHHABRA & CO A-48 & 49, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	PLASTIC MOULDED ITEMS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 1800 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 30-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Preious Consent status: CTO_R issued was valid upto 23.03.2009 vide consent order no. 16753.	28-03-2012 Issue renewal of consent to operate.
12	DPCC/EC/2/1/2012/786 08-02-2012	AGGARWAL WIRE INDUSTRIES PLOT NO. 10,GALI NO. 4, FRIENDS COLONY	Friends Colony Industrial Area	Orange Renewal	MFG. OF PVC WIRES AND CABLES. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)			22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA	28-03-2012 Issue renewal of consent to operate.

		INDUSTRIAL AREA				• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO CTR VALID FROM 22.06.2006-12.02.2009. CTR ALSO APPLIED ON 09.02.2009 (PENDING)	
13	DPCC/EC/2/1/2012/788 08-02-2012	VISHAL PLASTIC WORKS PLOT NO.10, GALI NO.4, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	PLASTIC BELTS/PRODUCTS. (BY USING FRESH RAW MATERIAL). Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Also applied for renewal on 09.02.2009 (pending)	28-03-2012 Issue renewal of consent to operate without use of plastic scrap.
14	DPCC/EC/2/1/2012/789 08-02-2012	DIMPLE PLASTIC UDYOG PLOT NO.9-10, GALI NO.-4, FRIENDS COLONY INDUSTRIAL AREA,G.T.ROAD, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	MFG. OF PVC COMPOUND/DANA. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Also applied for renewal on 09.02.2009 (pending)	28-03-2012 Issue renewal of consent to operate without use of plastic scrap.
15	DPCC/EC/2/1/2012/797 13-02-2012	SHAKTI ENTERPRISES PLOT NO.-84, SECTOR-1, POCKET-H, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF PLASTIC PRODUCTS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	28-03-2012 Issue consent to operate without use of plastic scrap.
16	DPCC/EC/2/1/2012/798 13-02-2012	PRINTECH (INDIA) B-62/6, NARAINA INDUSTRIAL AREA, PHASE-II	Naraina Industrial Area Phase - II	Orange Renewal	JOB WORK OF OFFSET PRINTING (WITHOUT TRADE EFFLUENT). Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 1500 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No 70GW Nil	28-03-2012 Issue renewal of consent to operate and authorization under HWM Rules.
17	DPCC/EC/2/1/2012/800 13-02-2012	SUNRISE OFFSET PRINTERS B-62/6 NARAINA INDUSTRIAL AREA PHASE - II	Naraina Industrial Area Phase - I	Orange Renewal	JOB WORK OF OFFSET PRINTING (WITHOUT TRADE EFFLUENT). Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 1300 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no (7) GW:nil	28-03-2012 Issue renewal of consent to operate and authorization under HWM Rules.
18	DPCC/EC/2/1/2012/806 13-02-2012	RAJEEV FOOTWEAR PVT. LTD H-21, ROHTAK ROAD, UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Renewal	MFG. OF FOOTWEAR. PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 550 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS -nothing mentioned about channelization system. (3)D.G.Set: nil (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	28-03-2012 Issue renewal of consent to operate. The present application be linked to the earlier applications filed in the old name of the unit i.e. M/s Raj Footwear Pvt. Ltd. in the software data.
19	DPCC/EC/2/1/2012/815 13-02-2012	P.K. ENTERPRISES 42/7A, DLF KIRTI	Kirti Nagar Industrial Area	Orange Renewal	Plastic Goods. Plastic Processed Goods			23-03-2012 (1)ETP ---- N/A (2)ECS - nothing mentioned about	28-03-2012 Issue renewal of consent to operate

	13-02-2012	NAGAR INDUSTRIAL AREA				• Date of commissioning of project ---- • Built Up Area ---- 105 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		channalization system (3)D.G.Set: nil (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	without use of plastic scrap.
20	DPCC/EC/2/1/2012/816 13-02-2012	SHIVA ENTERPRISES 42 SHED NO. 7, DLF, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	Plastic Cabinet and Moulding. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 105 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - No (Not provided channalization system over injection moulding) (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	28-03-2012 Issue renewal of consent to operate without use of plastic scrap.
21	DPCC/EC/2/1/2012/820 13-02-2012	MUKESH KUMAR GUPTA C-53, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF PLASTIC GOODS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 135 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 140 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - No (not provide channalization system over injection moulding) (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No GW: Nil	28-03-2012 Issue renewal of consent to operate without use of plastic scrap.
22	DPCC/EC/2/1/2012/822 14-02-2012	JAGDISH PARSHAD TRILOKI NATH & CO. (PROP INDRA COLD STORAGE) 42, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	Cold Storage Food Preservation. Chilling Plants and Cold Storages (Integrated) (Excluding meat/ food processing) without trade effluent	• Date of commissioning of project ---- 06-12-1959 • Built Up Area ---- 1200 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day		23-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 09-02-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:Yes on 26/05/2008 (5) SCN u/s 31(A)/33(A)/5 of EPA details :No,letter issued for rectification of deficiencies. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	28-03-2012 Issue renewal of consent to operate with the condition to comply with MSIHC Rules 1989 in respect of use of ammonia.
23	DPCC/EC/2/1/2012/825 14-02-2012	JAZZ RADIOS B-12/3, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	ASSEMBLY OF ELECTRONICS AND ELECTRICAL ITEMS, TRANSISTORS, TAPE RECORDERS, EPB, SPARE PARTS AND THEIR SERVICING/REPAIRING, PLASTICPRODUCTS AND READYMADE GARMENTS. Plastic Processed Goods Readymade Garment With Electric/ Gas fired boiler (Without Washing/Dyeing)	• Date of commissioning of project ---- 01-01-1985 • Built Up Area ---- 504 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 0 liters/day		23-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 20.10.11 & following were observed: 1. Unit found in operation & engaged in activity of assembling of electronic & electrical items at the basement. 2. E-waste sent to authorised dealer. 3. Two more units exist at site i.e. M/s OIKOS pvt lts at ground floor & engaged in activity of store house of paints & another unit also namely M/s JAZZ	28-03-2012 Issue consent to operate and consent to establish.

								RADIO at first floor with activity manufacturing of readymade garments without washing with baby boiler. (5) SCN u/s 31(A) details : issued on 30.01.12 As decided by the CMC(G) in its meeting held on 08.12.11, SCN for refusal of the consent and SCN for closure u/s 31 (A) of the Air Act were issued on 30.01.12. Unit has submitted its reply on 15.02.12 in response to SCN for refusal of consent along with photocopy of receipt of application for CTE & CTO submitted under orange category on 16-12-2011 and 14-02-2012 vd ID.. DPCC/EC/2/1/2011/331 & DPCC/EC/2/1/2012/825 respectively. The unit has requested to withdraw the SCN. However, no reply has been received in response to SCN for closure u/s 31 (A) issued on 30.01.12. EARLIER CMC DECISION 04.07.11 (In CTO under Green category) Inspection be conducted particularly w.r.t. handling of e-waste. 08.09.11 (In CTO under Green category) Inspection be expedited. 08.12.11 (In CTO under Green category) Issue SCN for refusal of consent and SCN for closure of the unit	
24	DPCC/EC/2/1/2012/826 15-02-2012	BULAKI COLD STORAGE PVT. LTD. 6, NEW SUBJI MANDI AZADPUR	NORTH WEST	Orange Renewal	Cold Storage. Chilling Plants and Cold Storages (Integrated) (Excluding meat/ food processing) without trade effluent	• Date of commissioning of project ---- 01-01-1976 • Built Up Area ---- 538.47 (in sq. meter) • Water Consumption ---- 900 liters/day • Ground Water ---- 450 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 0 liters/day		26-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	28-03-2012 Issue renewal of consent to operate with the condition to comply with MSIHC Rules 1989 in respect of use of ammonia.
25	DPCC/EC/2/1/2012/827 15-02-2012	JATAN SWAROOP GUPTA 1/536-F/9(OLD NO 1/536F)GALI NO 4 FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Operate	Mfg.of PVC wire and Cables Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- 01-01-1976 • Built Up Area ---- 87.79 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS --N/A (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	28-03-2012 Issue consent to operate.
26	DPCC/EC/2/1/2012/834 16-02-2012	INDRAPRASTHA ICE & COLD STORAGE LTD. PLOT NO.17 & 18, NEW SUBZI MANDI, AZADPUR	NORTH WEST	Orange Renewal	Cold Storage. Chilling Plants and Cold Storages (Integrated) (Excluding meat/ food processing) without trade effluent	• Date of commissioning of project ---- 01-01-1979 • Built Up Area ---- 3553.89 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 15-02-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	28-03-2012 Issue renewal of consent to operate with the condition to comply with MSIHC Rules 1989 in respect of use of ammonia.
27	DPCC/EC/2/1/2012/839 17-02-2012	OM PRAKASH B-52, (BASEMENT) LAWRENCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Operate	MFG. OF PVC FOOTWEAR STRAP. PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- 01-01-1979 • Built Up Area ---- 50 (in sq. meter) • Water Consumption ---- 10 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 5 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1) Inspection details: was conducted on 03.06.2011. Observations: 1. Unit found operational in the basement at front side of the premises & engaged in the activity of PVC footwear. 2. No channelization is provided to control the emission generated during	28-03-2012 File be put up administratively for permanent revocation of closure directions. Issue consent to operate and consent to establish after permanent revocation of closure directions.

							the activity. (2) SCN u/s 31(A)/33(A)/5 of EPA details : was sent to the unit on 27.06.2011. (3) Reply has been not received. (4) Closure directions u/s 31(A)/33(A)/5 of EPA details : Was sent to the unit on 19.01.2012. (5) Reply has been received on 21.02.2012 stating that they have applied for Consent to Establish and Consent to operate Vide Id.No.838 and 839 respectively and deficiencies observed during inspection has been rectified. (6) Inspection details: was conducted on 15.03.2012 1. Unit is engaged in mfg. of PVC strap. 2. No channelization found installed to channelize the emissions generated from process emissions. 3. Electricity found disconnected during inspection.	
28	DPCC/EC/2/1/2012/847 17-02-2012	H.P. INDUSTRIES (INDIA) 41, PKT-E, SEC-4, DSIDC COMPLEX BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF GOODS WITH INJECTION MOULDING MACHINE AND ASSEMBLING/REPAIRING OF ELECTRONIC GOODS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 200 liters/day	22-03-2012 (1)ETP ---- N/A (2)ECS - NO (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	28-03-2012 Issue consent to operate without use of plastic scrap.
29	DPCC/EC/2/1/2012/849 21-02-2012	KULWANT SINGH C-150, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	Manufacturing of Liquid Soap. Manufacturing of Soaps (Without Trade Effluent)	• Date of commissioning of project ---- • Built Up Area ---- 33.44 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day	22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Trade Effluent : Nil Domestic Effluent: 10LPD GW: Nil NO Electricity and DG set have been mentioned in the application.	28-03-2012 Issue consent to operate.
30	DPCC/EC/2/1/2012/857 21-02-2012	SWITCH CONTROL (INDIA) A-5/5, JHILMIL INDUSTRIAL AREA G.T. ROAD SHAHDARA	Jhilmil Industrial Area	Orange Renewal	Manufacturing of Electrical Switchgear by moulding Machine. Plastic Processed Goods	• Date of commissioning of project ---- 01-01-2006 • Built Up Area ---- 262.5 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: YES (85 KVA) Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 85 KVA. Noise monitoring report dated 09-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes.3 number of parameters analyzed which are within limit prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	28-03-2012 Issue renewal of consent to operate.

31	DPCC/EC/2/1/2012/861 22-02-2012	SH. CHARANJIT SINGH E-843, DSIDC INDL. AREA NARELA	Narela Industrial Area	Orange Operate	Mfg. of PVC Footwear. PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	28-03-2012 Issue consent to operate.
32	DPCC/EC/2/1/2012/872 23-02-2012	SPECIAL CABLES PVT. LTD. B-II/12, MOHAN CO-OPERATIVE INDUSTRIAL AREA	Mohan Co-operative Industrial Area	Orange Renewal	MFG. OF PVC WIRE AND CABLE. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 1226 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 28-03-2012 Issue renewal of consent to operate.	21-03-2012 (1)ETP ---- N/A (2)ECS - N/A It has been mentioned in the application that channelization with the exhaust system has been provided in the process area. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 21-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within prescribed limit.	28-03-2012 Issue renewal of consent to operate.
33	DPCC/EC/2/1/2012/878 23-02-2012	CREATIVE ART PRESS 58, FIE, PATPARGUNJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	job work of paper printing without trade effluent. Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 216 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set 125 KVA Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 21-12-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes .3 number of parameters analyzed which are within limit prescribed limit. (4) Inspection details: NO (5) SCN u/s 31(A)/33(A)/5 of EPA details : NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO	28-03-2012 Issue consent to operate and authorization under HWM Rules.
34	DPCC/EC/2/1/2012/889 24-02-2012	SETHI PLASTIC 18, MOTI NAGAR DLF INDUSTRIAL AREA	Moti Nagar DLF Industrial Area	Orange Renewal	Mfg. of Polythene Granules and flat Tube. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 159 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - Nothing mentioned about chanalization system(3)D.G.Set: ...N/A (4) Inspection details: NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Earlier CMc decision Decision dtd 07.05.2010 Issue Consent to Establish	28-03-2012 Issue renewal of consent to operate.
35	DPCC/EC/2/1/2012/890 24-02-2012	D.C.PLASTIC 27,MOTI NAGAR DLF INDUSTRIAL AREA	Moti Nagar DLF Industrial Area	Orange Renewal	Manufacturing of Plastic Components (Injection Moulding). Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS N/A(3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	28-03-2012 Issue renewal of consent to operate.
36	DPCC/EC/2/1/2012/893	DEV PLASTIC &	Mayapuri	Orange	PLASTIC MOULDED			22-03-2012	28-03-2012

	24-02-2012	ENGG. WORKS A-48/3, PHASE-I, MAYAPURI INDUSTRIAL AREA	Industrial Area	Renewal	ITEMS. Plastic Processed Goods	• Date of commissioning of project ---- 01-01-1985 • Built Up Area ---- 100.33 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		(1)ETP ---- N/A (2)ECS: No (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No GW: Nil	Issue renewal of consent to operate.
37	27-02-2012	DPCC/EC/2/1/2012/913 WYLEX INDUSTRIES B-70/52, DSIDC COMPLEX,LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	Manufacturing of Electrical Switches/ plugs and Accessories. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 1220 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	28-03-2012 Issue renewal of consent to operate.
38	01-03-2012	DPCC/EC/2/1/2012/927 SUMITI PACKAGING A-35/EXTN, B-1, MOHAN CO- OPERATIVE INDUSTRIAL AREA	Mohan Co- operative Industrial Area	Orange Renewal	Printing Press without any Trade Effluent Discharge. Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 743.22432 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day		21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 18-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit	28-03-2012 Issue renewal of consent and authorization under HWM Rules. Refer to DJB regarding ground water extraction.
39	01-03-2012	DPCC/EC/2/1/2012/930 SUNBEAM ELECTRICAL INDUSTRIES (REGD) B-68/4, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	Mfg. of Plastic Products Viz PVC Compound, PVC Fillers and Non adhesives tapes. Manufacturing Of Reprocessed PVC Granules and Other Injection Moulded Items (Using Scrap as Raw Material Without Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 175 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ECS - N/A (b) Stack monitoring report dated 13-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes 3 number of parameters analyzed which are within limit prescribed limit. Stack monitoring report dated 13-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes 3 number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 13-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes 3 number of parameters analyzed which are within limit / beyond prescribed limit. (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 13-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes 3 number of parameters analyzed which are within limit / beyond prescribed limit. (3) Inspection details: Was conducted on 20.10.2011. observations: 1. Unit found operational engaged in the activity of mfg. of PVC compound, PVC filter and non-adhesive. 2. ECS found installed at extruder & mixer but the same was not working as informed motor is not working. 3. D.G. Set of 75 KVA found without acoustic and with inadequate stack height.	28-03-2012 Issue renewal of consent to operate. Refer to DJB regarding ground water extraction.

								(4) SCN u/s 31(A) details : was sent to the unit on 08.12.2011. (5) reply has been received on 20.12.2011 stating that they have rectified all the deficiencies observed during inspection. (6) As per the decision taken up by Competent Authority letter for submission of bank guarantee of Rs. 50,000/- under Air Act, Air Monitoring Report, Noise monitoring report and fresh application for consent to operate was sent to the unit on 12.01.2012. (7) Unit has submitted the bank guarantee of Rs. 50,000/- under Air Act on 23.02.2012 and fresh application of consent to operate vide id.no.930.	
40	DPCC/EC/2/1/2012/932	PAWAN PLASTIC PRODUCTS PLOT NO B-34 LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	Mfg. of PVC/ Plastic Products. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 332 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	28-03-2012 Issue consent to operate.
41	DPCC/EC/2/1/2012/934	SHAKTI PLASTIC INDUSTRIES I-2060, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	MFG. OF PVC GRANULES. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 01-01-2006 • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 55 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 15 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	28-03-2012 Issue renewal of consent to operate.
42	DPCC/EC/2/1/2012/935	SURYA POLYMERS F-1846, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	MFG. OF PVC GRANULES. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 01-01-2006 • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 55 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 15 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	28-03-2012 Issue renewal of consent to operate.
43	DPCC/EC/2/1/2012/942	MAYUR POLYMERS PLOT NO. 1/536-A/11 GALI NO. 4 FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	Manufacturing of PVC Compound and Wires and Cables. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot) Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 90.3 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO ALSO Applied for renewal on 05.03.2009 (pending)	28-03-2012 Issue renewal of consent to operate.
44	DPCC/EC/2/1/2012/943	SHRI RAM PLASTIC PLOT NO.1/536-A/8, GALI NO.4, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	Manufacturing of pvc compound. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 100.33 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Also applied for CTR on 21.11.2006 (pending) Also applied for CTR on 05.03.2009 (pending)	28-03-2012 Issue renewal of consent.
45	DPCC/EC/2/1/2012/946	SURUCHI	Najafgarh	Orange	Mfg. of plastic Goods.			22-03-2012	28-03-2012

	05-03-2012	ENTERPRISES 70, RAMA ROAD NAJAFGARH ROAD INDUSTRIAL AREA	Road Industrial Area	Renewal	Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 79.2 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 150 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		(1)ETP ---- N/A (2)ECS - Nothing mentioned about channelisation system to control process emissions. (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Issue renewal of consent to operate.
46	DPCC/EC/2/1/2012/947 05-03-2012	RUCHI PLASTIC & ENGG. WORKS 70, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	Mfg. of plastic Goods. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 79.2 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		19-03-2012 (1)ETP ---- N/A (2)ECS:nothing mentioned about installation of channalization system to control process emissions. (3)D.G.Set: Nil (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No ATR/ Remarks: GW: 400 LPD	28-03-2012 Recommended for grant of renewal of consent.
47	DPCC/EC/2/1/2012/950 05-03-2012	SHYAM ENTERPRISES 1/422, GALI NO 6, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	COPPER WIRE DRAWING. Wire Drawing (Without Pickling/ Galvanizing)	• Date of commissioning of project ---- • Built Up Area ---- 104.5 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		13-03-2012 (1)ETP ---- NO (2)ECS - NO (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	28-03-2012 Issue renewal of consent and authorisation under HWM Rules.
48	DPCC/EC/2/1/2012/954 05-03-2012	VED INDUSTRIES B-24 DSIDC JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	MFG. OF INJECTION MOULDING ITEMS. Plastic Processed Goods	• Date of commissioning of project ---- 20-02-2010 • Built Up Area ---- 54 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	28-03-2012 Issue Consent to Operate.