



CONSENT MANAGEMENT

Agenda I-Annexure II - Recommendations of Screening Committee in Fresh Consent to Establish cases under Orange category(2 c category) w.e.f. 06.03.2012 to 15.03.2012 excluding the cases of re-development areas for the approval of the Member Secretary

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/1000 06-03-2012	SARAVANA BHAWAN (A UNIT OF THANIGAI MURUGAN RESTAURANT PVT LTD) P-13/90, CONNOUGHT PLACE	NEW DELHI	Orange Establish	SOUTH INDIAN VEGETARIAN RESTAURANTS. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	- Date of commissioning of project ---- - Built Up Area ---- 594 (in sq. meter) - Water Consumption ---- 10500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 1800 liters/day (b) Trade Effluent ---- 8500 liters/day		22-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated .06.02.2012 issued by D.T.U submitted. (b) Effluent analysis report dated 06-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 7 number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 23-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	26-03-2012 Recommended for grant of consent to establish.
2	DPCC/EC/2/1/2012/965 06-03-2012	DAIJEX AUTO INDUSTRIES 191, SECTOR-2, POCKET-O, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	Auto Parts and Accessories. Process Involving Buffing	- Date of commissioning of project ---- - Built Up Area ---- 100 (in sq. meter) - Water Consumption ---- 500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 26-03-2012 File be put up for permanent revocation of closure directions. Recommended for grant of consent to establish after revocation of closure directions.	21-03-2012 (1)ETP -- N/A (2)ECS - Yes(OVER BUFFING MACHINE) (3)D.G.Set: Nil (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	26-03-2012 File be put up for permanent revocation of closure directions. Recommended for grant of consent to establish after revocation of closure directions.
3	DPCC/EC/2/1/2012/970 06-03-2012	KANIKA EXPORTS A-187, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Establish	MFG OF READYMADE GARMENT WITH WASHING. Readymade Garment With Electric/ Gas fired boiler (With Washing)	- Date of commissioning of project ---- - Built Up Area ---- 557.41 (in sq. meter) - Water Consumption ---- 11900 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 1200 liters/day (b) Trade Effluent ---- 10000 liters/day		21-03-2012 (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 62.5 KVA and 125 KVA. Noise monitoring report dated 27-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 2 D.G. Set(s) of 62.5 KVA and 125 KVA. Noise monitoring report dated 27-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within prescribed limit. (4) Inspection details: conducted on 24.08.11 & following were observed: (a) Unit found operational and engaged in the activity of Mfg. of readymade garments without washing. (b) Unit is having two DG sets of 125	26-03-2012 Recommended for grant of consent to Establish.

							KVA & 62.5 KVA without proper stack height & with partial acoustic enclosure (c) Two electric boilers found, out of which one is not in use. Unit is also having 3 baby electric boiler. (d) One more unit exist at basement, G.Floor & F. Floor i.e., M/s KANIKA WORLDWIDE Pvt. Ltd with an activity of Mfg. of readymade garments without washing. As decided by the CMC (G) in its meeting held on 08.12.11, consent to establish under green category was refused on 23.02.12 and letter was issued on 30.01.12 to apply for consent to establish under orange category. EARLIER CMC DECISION 04.07.11 (Green/ CTE) Inspection be conducted 08.09.11 (Green/ CTE) Issue SCN for refusal of consent as unit falls under Orange category. 08.12.11. (Green/ CTE) Consent be refused . Ask the unit to apply for consent to establish under orange category within 30days, failing which, closure directions will be issued.	
4	DPCC/EC/2/1/2012/972 06-03-2012	KAPCO ANTIVIBRATION (INDIA) PVT. LTD. D-1, S.M.A INDUSTRIAL AREA	S.M.A Industrial Area	Orange Establish	MFG. TEXTILE COATED FABRIC (REXENE CLOTH). Coated Cotton Fabrics (PVC Rexene Cloth)	• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 600 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	26-03-2012 Recommended for grant of consent to establish.
5	DPCC/EC/2/1/2012/1012 07-03-2012	OM TYRE SAFE WH-26, PH-I, MAYAPURI INDL. AREA	Mayapuri Industrial Area	Orange Establish	Tyre Re Treading. Tyres Retreading (Without Boiler)	• Date of commissioning of project ---- • Built Up Area ---- 108.69 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	20-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No ATR/Remarks: GW: 200 LPD trade eff:nil Domestic eff: 100 LPD	26-03-2012 Recommended for grant of Consent to Establish.
6	DPCC/EC/2/1/2012/1013 07-03-2012	OM RUBBER INDUSTRIES C-202/1, PH-II, MAYAPURI INDL. AREA	Mayapuri Industrial Area	Orange Establish	Re treading rubber Tyre Retreading (With Boiler)	• Date of commissioning of project ---- • Built Up Area ---- 125.59 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	20-03-2012 (1)ETP ---- N/A (2)ECS - No (Baby boiler) (3)D.G.Set: nil (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No ATR/Remarks: GW: nil Trade effluent: nil Domestic eff: 150 LPD.	26-03-2012 Recommended for grant of Consent to Establish.
7	DPCC/EC/2/1/2012/1015	BENGALI SWEET CORNER 3, COMMUNITY	WEST	Orange Establish	HALWAI SHOP/RESTAURANT. Restaurants/ Eating Houses/ Dhaba		21-03-2012 (1) ETP ---- Oil and Grease Trap (2)ECS - No (channelization system through exhaust fan provided)	26-03-2012 The file be put up for permanent revocation of closure directions. Reommended for grant of Consent to

	07-03-2012	CENTRE, NARAINA VIHAR			(Having Seating Capacity Less Than 36)/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of Less Than 1 Tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 70 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 120 liters/day		(3)D.G Set: ...No (4) Inspection details: Inspected on 12.10.2011 as a complaint has been received against the said unit for air and water pollution. (5) SCN u/s 31(A) and u/s 33 (A) issued to the unit on 19.10.2011 as during inspection effluent and emission being discharged without any treatment and unit was operating without obtaining consent from DPCC. (6) Closure directions u/s 31(A) and 33 (A) issued to the unit on 21.01.2012 as no reply has been received from the unit. (7)Direction for closure was temporary revoked for 45 days as unit was submitted a representation on 10/.01/12 and 16.01.12 and B.G of Rs one lac each under air and water act.	Establish after revocation of closure directions.
8	DPCC/EC/2/1/2012/1019 09-03-2012	SHYAM INDUSTRIES F-1489, DSIIDC INDUSTRIAL COMPLEX NARELA	Narela Industrial Area	Orange Establish	Mfg. of Zip Fasteners. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 437.5 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	26-03-2012 Ask the unit to clarify the type of furnace proposed to be used on an affidavit.
9	DPCC/EC/2/1/2012/1024 12-03-2012	BALAJI ENTERPRISES H 1423 DSIDC INDUSTRIAL AREA NARELA	Narela Industrial Area	Orange Establish	Mfg. of Reprocessing of HDPE Wax, Synthetic Rubber and Plastic Granules. Manufacturing Of Reprocessed PVC Granules and Other Injection Moulded Items (Using Scrap as Raw Material Without Washing Activity) Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	• Date of commissioning of project ---- • Built Up Area ---- 210 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	26-03-2012 Issue SCN for refusal of consent to establish in view of reprocessing of synthetic rubber.
10	DPCC/EC/2/1/2012/1041 13-03-2012	SUN ORGANIC INDUSTRIES PVT. LTD. 818 DSIDC INDL. COMPLEX NARELA	Narela Industrial Area	Orange Establish	Fruits (dry Fruits and Fresh fruits) and Vegetables processing. Food And Fruit Processing Industry - Fruit and Vegetables	• Date of commissioning of project ---- 01-04-2010 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 300 liters/day		21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	26-03-2012 ETP is required to be installed. Recommended for grant of consent to establish with the condition to install ETP.
11	DPCC/EC/2/1/2012/1042 13-03-2012	K.L. GUPTA AND SONS PVT. LTD. 1521-D, DSIDC NARELA INDL. AREA	Narela Industrial Area	Orange Establish	Fruits (dry Fruits and Fresh fruits) and Vegetables processing. Food And Fruit Processing Industry			21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	26-03-2012 ETP is required to be installed. Recommended for grant of consent to establish with the condition to install ETP.

					- Fruit and Vegetables	• Date of commissioning of project ---- 01-04-2010 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 300 liters/day			
12	DPCC/EC/2/1/2012/1060 13-03-2012	SINGH SERVICE CENTER F-C-8, LONI ROAD SHADHARA	NORTH EAST	Orange Establish	SERVICING OF AUTOMOBILES. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 800 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 5000 liters/day		21-03-2012 (1)ETP ---- YES (2)ECS - NO (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	26-03-2012 Perusal of file shows that the service station cum filling station has submitted the requisite documents. Recommended for grant of consent to establish.
13	DPCC/EC/2/1/2012/1078 14-03-2012	SINGLA AUTOMOBILES C-3/9, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Establish	Servicing and Repairing centre of Motor Cycles. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 334.45 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 700 liters/day (b) Trade Effluent ---- 4500 liters/day	Decision / Recommendation of Screening Committee on 26-03-2012 Recommended for grant of consent to establish. Decision / Recommendation of Screening Committee on 26-03-2012 Recommended for grant of consent to establish.	20-03-2012 (1)ETP ---- No (ProPosed) (2)ECS - N/A (3)D.G.Set: 25 KVA (Proposed) (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details : NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	26-03-2012 Recommended for grant of consent to establish.
14	DPCC/EC/2/1/2012/1079 14-03-2012	B.K. ENTERPRISES A-98/3, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Establish	Casting of Ferrous and non Ferrous metals. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 70 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day		21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	26-03-2012 Ask the unit to clarify the type of furnace on an affidavit with a categorical statement whether it is a pit furnace or not.
15	DPCC/EC/2/1/2012/1083 14-03-2012	BALWAN SERVICE STATION P.S.P. INSTITUTIONAL AREA, SECTOR-16, ROHINI	NORTH WEST	Orange Establish	PETROL PUMP CUM SERVICE STATION FOR VEHICLES Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 108 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 1000 liters/day		21-03-2012 (1)ETP ---- N/A (a) AR dated 15.12.2011 issued by Delhi Technological university submitted. (b) Effluent analysis report dated 15-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	26-03-2012 Recommended for grant of consent to establish.