



CONSENT MANAGEMENT

Agenda III-Annexure II - Recommendations of Screening Committee in Consent to Establish cases under Orange category (2 c category) w.e.f. 05.03.2012 to 01.02.2012 (in reverse chronology)excluding the cases of re-development areas for the approval of the Member Secretary

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activity / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/745 02-02-2012	VISHWANATH AND COMPANY N-32, SEC-3 DSIDC INDL. AREA BAWANA	Bawana Industrial Area	Orange Establish	MFG. OF NAMKEENS. Restaurants/ Eating Houses/ Dhaba (Having Seating Capacity Less Than 36)/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of Less Than 1 Tonne/Day)	- Date of commissioning of project ---- - Built Up Area ---- 550 (in sq. meter) - Water Consumption ---- 900 liters/day - Ground Water ---- 900 liters/day - Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 500 liters/day		21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	28-03-2012 Recommended for consent to establish.
2	DPCC/EC/2/1/2012/771 07-02-2012	R.K. FOOD INDUSTRIES PLOT NO C-47/2, LAWRENCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Establish	MFG. OF DALL MILL AND BESAN GRINDING. Dal Mills	- Date of commissioning of project ---- - Built Up Area ---- 381.22 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	28-03-2012 Recommended for consent to establish.
3	DPCC/EC/2/1/2012/772 08-02-2012	BHARATIYAM VILLAGE FOODS AND BEVERAGES PVT. LTD. KH. NO 46/16, 46/17, 46/24, 29, 49/4 VILLAGE BAKOLI PALLA BAKHTAWARPUR ROAD	NORTH WEST	Orange Establish	Farm House (A Party Lawn) Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	- Date of commissioning of project ---- - Built Up Area ---- 250 (in sq. meter) - Water Consumption ---- 5500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 5000 liters/day		22-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 03.02.2012 issued by Delhi Technological University submitted. (b) Effluent analysis report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 6 number of parameters analyzed which are within limit prescribed limit. (2) Inspection details: Was conducted on 12.01.2012. Observations: 1. Premises is having four rooms at ground floor & First Floor, one hall at basement. 2. No ETP installed in the premises. 3. Unit has made 5 pits (1 parking, 2 front lawn, 2 back lawn) for discharge of rain water in the ground water fitted with 4 inch pipe. 4. One collection tank is made near banquet hall for collection and discharge of waste water generated from kitchen in the ground water. 5. D.G. set found installed with acoustic enclosure. 6. As informed unit has started its operation about one year back.	28-03-2012 Recommended for consent to establish.

							(3) Closure directions u/s 31(A)/33(A)/5 of EPA details : Was sent on 17.03.2010. (4) Reply has been received on 30.03.2010 requesting for 60 days time to install the desired ETP and stating that they will not use this facility until the installation of said ETP. (5) Reply has been received on 26.05.2010 along with an affidavit informing that the application for CTE has been submitted (Id. No. 33993 dated 26.05.2010) and the ETP has been installed, fees for the adequacy and test report has been submitted in G.G.S.I.P.U. Further requested to revoke the closure direction and issue CTE. (6) As per the decision taken up CMC (O) dated 26.05.2012, letter was regarding submission of bank guarantee of Rs. 1 lakh under Air and Water Act along with adequacy report and effluent analysis report of ETP. (7) Reply has been received on 05.07.2010 stating that the effluent treatment plant has been installed. (8) Unit has submitted the requisite Bank Guarantee of Rs. 1,00,000 each under Air and Water Act, application for consent to establish and consent to operate on 14.02.2012.	
4	DPCC/EC/2/1/2012/777 08-02-2012	AMBEY INDUSTRIES B-32/2, (BACK SIDE) WAZIRPUR INDL. AREA	Wazirpur Industrial Area	Orange Establish	ANNEALING OF S.S. SHEET. Stainless steel rerolling and anealling (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 110 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	28-03-2012 Recommended for consent to establish.
5	DPCC/EC/2/1/2012/809 13-02-2012	K R F LIMITED B-113, PH-I, MAYAPURI INDL. AREA	Mayapuri Industrial Area	Orange Establish	Manufacturing of Printed Label, Woven Label, Paper Tag and Stickers. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- 01-10-2010 • Built Up Area ---- 1506.87 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 3400 liters/day • Waste Water generation (a) Domestic Effluent ---- 2500 liters/day (b) Trade Effluent ---- 800 liters/day	05-03-2012 (1)ETP ---- (Proposed) (2)ECS - N/A (3)D.G.Set: 250 KVA (Proposed) (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No (7) GW : 3400 LPD	28-03-2012 Recommended for consent to establish.
6	DPCC/EC/2/1/2012/812 13-02-2012	NEW SOUTH INDIAN CAFE A-5, SHIVSHAKTI MARKET MADANGIR	SOUTH	Orange Establish	RESTAURANT Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 33.44 (in sq. meter) • Water Consumption ---- 550 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 500 liters/day	22-03-2012 (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted by PGRC trainee Engr. on 10.08.11 w.r.t public complaint & following were observed: (a). The premises is used as resturant with 50 seat capacity at ground and first floor. (b). No ETP and oil& grease trap	28-03-2012 Recommended for consent to establish.

							installed. (c). The waste water is directly discharge into sewer without any treatment. (d). The resturant has been working for last 35 years as informed by owner. (e). MCD license shown valid upto 17.01.11 at the time od inspection. (f). 3 exhaust fan are there at the entrance only. (5) SCN u/s 31(A) & 33(A) details : issued on 29.08.11. Unit has submitted its reply on 12.09.11 along with an affidavit and copy of MCD license informing that they are having MCD license for 15 seats and by mistake it has been written as 50 persons. However, the unit is having 50 seats was confirmed by the inspecting officials (6) Closure directions u/s 31(A) & 33(A) details : issued on 08.11.11. The unit has submitted its reply on 18.11.11, 22.11.11 & 30.11.11 in response to the above mentioned closure directions stating that they have provided chennalisation system and also in the process to submit application for CTE. Unit has also provided photographs of installed ETP, copy of technical adequacy report and photocopy of receipt of MCD license dt. 01.10.11(valid upto 31.3.2012) for eating house above 20 & upto 50 seats alongwith its replies. As approved, a letter was issued on 07.12.11 to submit an affidavit that the unit will not be operated without commisioning of ETP and submit Bank Guarantee of Rs. One Lakh each under Water Act and Air Act valid for one year and apply for CTE & CTO. Unit has submitted its reply on 07.12.11 and 09.12.11 along with above mentioned affidavit & Bank Guaranttee of Rs. One Lakh each under Water Act and Air Act and also informed that the unit has unable to submit CTE & CTO application as the software system is not accepting the CTO application without effluent analysis report. As approved, revocation of closure directions u/s 33 (A) of the Water Act & 31 (A) of the Air Act was issued on 15.12.11 with a condition that the unit shall submit application of CTE & CTO within 30 days. Unit has submitted its reply on 13.01.12 stating that thay have already applied for adequacy report and test report as soon as they get the reports they will submit it in the department.	
7	DPCC/EC/2/1/2012/865	OSWAL MOTORS PVT. LTD. A-81, G.T.K. ROAD INDUSTRIAL	G.T. Karnal Road Industrial Area	Orange Establish	SERVICING OF TWO WHEELERS/BIKES. Automobile Servicing And		22-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 07.02.2012 issued by D.T.U submitted. (b) Effluent analysis report dated 07-02-2012 issued by DELHI COLLEGE OF	28-03-2012 File is under submission. Decision on file be implemented.

22-02-2012

		AREA			Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 334 (in sq. meter) • Water Consumption ---- 4100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 3500 liters/day	ENGINEERING submitted. Effluent Test Report within Limit - Yes 4 number of parameters analyzed which are within limit prescribed limit.	
8	DPCC/EC/2/1/2012/897 24-02-2012	KONCEPT CARS INDIA PVT. LTD. D-18/3, PH-II, OKHLA INDL. AREA	Okhla Industrial Area	Orange Establish	CAR WASHING AND SERVICING. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 928.28 (in sq. meter) • Water Consumption ---- 5000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 4000 liters/day	21-03-2012 (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set: ...40 kva...proposed	28-03-2012 Recommended for consent to establish.
9	DPCC/EC/2/1/2012/938 02-03-2012	PROMILA ROLLER FLOUR MILLS PVT LTD. PLOT NOS 231, 232, 233, POCKET-N, SECTOR-2, DSIIDC INDL. COMPLEX BAWANA	Bawana Industrial Area	Orange Establish	FLOUR MILLS. Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 630 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Nil (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	28-03-2012 Recommended for consent to establish.
10	DPCC/EC/2/1/2012/939 02-03-2012	SAMARA INDIA PVT LTD. 7/20, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Establish	SERVICE STATION OF CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 1200 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 5000 liters/day	21-03-2012 (1)ETP- proposed. (2)ECS - No (3)D.G.Set: Nil ATR/ Remarks GW: nil DG Set: nil Trade Effluent: 5 KLD Domestic effluent: 0.4 KLD	28-03-2012 Recommended for consent to establish.
11	DPCC/EC/2/1/2012/955 05-03-2012	K K AND SONS PLOT NO 458-466, GLAI NO 8, FRIENDS COLONY INDL. AREA	Friends Colony Industrial Area	Orange Establish	WIRE DRAWING WITH SUPER WNAMELLING. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 130 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: 125 KVA (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	28-03-2012 Recommended for grant of consent to establish.