



CONSENT MANAGEMENT

Agenda II-Annexure II - Recommendations of Screening Committee in Fresh Consent to Operate / Renewal cases under Orange category (2 c category) w.e.f. 06.03.2012 to 15.03.2012 excluding the cases of re-development areas for the approval of the Member Secretary

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activity / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/1001 06-03-2012	SARAVANA BHAWAN (A UNIT OF THANIGAI MURUGAN RESTAURANT PVT LTD) P-13/90, CONNOUGHT PLACE	NEW DELHI	Orange Operate	SOUTH INDIAN VEGETARIAN RESTAURANTS. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	- Date of commissioning of project ---- - Built Up Area ---- 594 (in sq. meter) - Water Consumption ---- 10500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 1800 liters/day (b) Trade Effluent ---- 8500 liters/day		22-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 06.02.2012 issued by D.T.U submitted. (b) Effluent analysis report dated 06-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 7 number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 23-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	26-03-2012 Recommended for grant of consent to operate.
2	DPCC/EC/2/1/2012/1003 06-03-2012	SILKON THREADS (P) LTD. S-66, PHASE-I, BADLI INDUSTRIAL AREA	Badli Industrial Estate	Orange Renewal	DYEING OF YARN AND MANUFACTURING OF THREADS REALS/CONES. Yarn and textile processing involving scouring, bleaching, dyeing, printing or any effluent/emission generating process. (upto 100 workers in all shifts, 1 acre of land, 100 Kld water) with Boiler	- Date of commissioning of project ---- - Built Up Area ---- 300 (in sq. meter) - Water Consumption ---- 20400 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 20000 liters/day		21-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 07.02.2012 issued by Delhi Technological University submitted. (b) Effluent analysis report dated 07-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 12 number of parameters analyzed which are within limit prescribed limit. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 09-02-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 08-02-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	26-03-2012 Recommended for grant of renewal of consent to operate and authorization under HWM Rules.
3	DPCC/EC/2/1/2012/1007 06-03-2012	ARYAN VEDS HERBALS A-41, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MFG. OF COSMETICS. Perfumes and Cosmetics (With Effluent Discharge)	- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 2000 liters/day - Ground Water ---- 2000 liters/day - Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 1500 liters/day		22-03-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated 21.02.2012 issued by D.T.U submitted. (b) Effluent analysis report dated 21-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 16 number of parameters analyzed which are within limit prescribed limit.	26-03-2012 Recommended for grant of renewal of consent to operate and authorization under HWM Rules.

							(2) Inspection details: was conducted on 03.08.2011. Observations: 1. Unit is operating without ETP trade discharge directly into sewer. 2. Unit has not applied for CTE/CTO. (3) SCN u/s 33(A) details : Was sent to the unit on 29.08.2011. (4) reply has been received on 21.09.2011 along with an affidavit stating that they shall install ETP within 60 days that they have obtained the quotation for mfg. of ETP, they shall submit the adequacy report and apply for CTO. (4) Modified directions u/s 33(A) details : was sent to the unit on 11.11.2011. (5) Reply has been received on 08.12.2011 stating that unit M/s Nimson International along with other unit namely M/s Aryanveda Herbals both are concern running with same activity & common outlet so they have been installed common ETP plant & applied for adequacy report in registrar D.T.U. Whenever the unit shall be received by them they will submit it with all the documents required for CTO application.	
4	DPCC/EC/2/1/2012/966 06-03-2012	DAIJEX AUTO INDUSTRIES 191, SECTOR-2, POCKET-O, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Auto Parts and Accessories. Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 0 liters/day	21-03-2012 (1)ETP ---- N/A (2)ECS - yes (a) AR dated 28-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Stack monitoring report dated 28-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. 4 number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set:NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	26-03-2012 File be put up for permanent revocation of the closure directions. Recommended for grant of consent to operate after revocation of closure directions.
5	DPCC/EC/2/1/2012/971 06-03-2012	KANIKA EXPORTS A-187, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MFG OF READYMADE GARMENT WITH WASHING. Readymade Garment With Electric/ Gas fired boiler (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 557.41 (in sq. meter) • Water Consumption ---- 11900 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1200 liters/day (b) Trade Effluent ---- 10000 liters/day	21-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated22.02.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 22-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 62.5 KVA and 125 KVA. Noise monitoring report dated 27-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters	26-03-2012 Recommended for grant of consent to operate.

							analyzed which are within limit prescribed limit. The unit has 2 D.G. Set(s) of 62.5 KVA and 125 KVA. Noise monitoring report dated 27-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within prescribed limit. (4) Inspection details: conducted on 24.08.11 & following were observed: (a) Unit found operational and engaged in the activity of Mfg. of readymade garments without washing. (b) Unit is having two DG sets of 125 KVA & 62.5 KVA without proper stack height & with partial acoustic enclosure (c) Two electric boilers found, out of which one is not in use. Unit is also having 3 baby electric boiler. (d) One more unit exist at basement, G.Floor & F. Floor i.e., M/s KANIKA WORLDWIDE Pvt. Ltd with an activity of Mfg. of readymade garments without washing. As decided by the CMC (G) in its meeting held on 08.12.11, consent to establish under green category was refused on 23.02.12 and letter was issued on 30.01.12 to apply for consent to establish under orange category. EARLIER CMC DECISION 04.07.11 (Green/ CTE) Inspection be conducted 08.09.11 (Green/ CTE) Issue SCN for refusal of consent as unit falls under Orange category. 08.12.11. (Green/ CTE) Consent be refused . Ask the unit to apply for consent to establish under orange category within 30days, failing which, closure directions will be issued.	
6	DPCC/EC/2/1/2012/974 06-03-2012	MITTAL DAL AND FLOUR MILL F-1761, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	DALL MILLS. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	22-03-2012 (1)ECS - Bag Filter / Bag House (a) AR dated 19.01.2009 issued by D.T.U submitted. (b) Stack monitoring report dated 07-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	26-03-2012 Recommended for grant of renewal of consent to operate.
7	DPCC/EC/2/1/2012/976 06-03-2012	JITENDRA TRADING COMPANY D-30 SMA CO-OP. INDUSTRIAL ESTATE, G.T. KARNAL ROAD	G.T. Karnal Road Industrial Area	Orange Operate	Buffing and Dry Polishing Material Builder Hardware. Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 245 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	21-03-2012 (1)ECS - Cyclone (a) AR dated 11.02.2012 issued by Delhi Technological University submitted. (b) Stack monitoring report dated 11-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 15-02-2012 issued by DPCC submitted.	26-03-2012 Recommended for grant of consent to operate.

							Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	
8	DPCC/EC/2/1/2012/993 06-03-2012	VIKAS PULSES PVT. LTD C-464, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	FLOUR MILL. Flour Mills	• Date of commissioning of project ---- 01-01-1994 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	22-03-2012 (1) ECS - N/A (a) AR dated 07.02.2012 issued by D.T.U submitted. (b) Stack monitoring report dated 07-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	26-03-2012 Recommended for grant of renewal of consent to operate.
9	DPCC/EC/2/1/2012/994 06-03-2012	DELHI SCOOTERS 10/60 D, KIRTI NAGAR INDL. AREA	Kirti Nagar Industrial Area	Orange Operate	SERVICE STATION OF BIKES. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 180 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 2000 liters/day	23-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 12.12.2011 issued by DTU submitted. (b) Effluent analysis report dated 12-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 12-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details: No Earlier CMC Decision: Decision dated 29.12.2011 Issue Consent to Establish	26-03-2012 Recommended for grant of consent to operate and authorization under HWM Rules.
10	DPCC/EC/2/1/2012/997 06-03-2012	PARNAV GOGIA B-26/3, 2ND FLOOR, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	STAINLESS STEEL UTENSILS WITH BUFFING. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- 01-09-2008 • Built Up Area ---- 320 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 06.09.2011 issued by Delhi Technological University submitted. (b) Stack monitoring report dated 21-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set: ...N/A... (4) Inspection details: was conducted on 14.06.2011. Observations: 1. Unit is engaged only in the activity of buffing on utensils of stainless steel. 2. This unit is operating on top floor of the premises. 3. ECS has been installed with the buffing machine but the same was not working properly as fugitive emissions observed. 4. The basement of the premises, ground floor, first floor and second floor of the premises is being used for manufacturing of stainless stell utensils. This unit is different from parnav gogia unit and the name of this unit is priyansh steel and the unit namely priyansh steel have valid CTO.	26-03-2012 Recommended for grant of consent to operate.

							(5) SCN u/s 31(A) details : was sent to the unit on 26.09.2011. (6) Reply has been received on 05.10.2011 along with an affidavit, stating that ECS has been rectified and working properly along with an adequacy report. (7) As per the decision taken up by Competent Authority letter for submission of Bank Guarantee was sent to the unit on 15.11.2011. (8) bank Guarantee has been submitted on 30.12.2011.	
11	DPCC/EC/2/1/2012/1016 07-03-2012	BENGALI SWEET CORNER 3, COMMUNITY CENTRE, NARAINA VIHAR	WEST	Orange Operate	HALWAI SHOP/RESTAURANT. Restaurants/ Eating Houses/ Dhaba (Having Seating Capacity Less Than 36)/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of Less Than 1 Tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 70 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 120 liters/day	21-03-2012 1) ETP ---- Oil and Grease Trap (2)ECS - No (channelization system through exhaust fan provided) (3)D.G Set: ...No (4) Inspection details: Inspected on 12.10.2011 as a complaint has been received against the said unit for air and water pollution. (5) SCN u/s 31(A) and u/s 33 (A) issued to the unit on 19.10.2011 as during inspection effluent and emission being discharged without any treatment and unit was operating without obtaining consent from DPCC. (6) Closure directions u/s 31(A) and 33 (A) issued to the unit on 21.01.12 as no reply has been received from the unit. (7)Direction for closure was temporary revoked for 45 days as unit was submitted a representation on 10/01/12 and 16.01.12 and B.G of Rs one lac each under air and water act.	26-03-2012 File be put up for permanent revocation of closure directions. Consent to operate be granted after revocation of closure directions.
12	DPCC/EC/2/1/2012/1018 09-03-2012	PROTEX PLASTIC PVT LTD W-18, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Mfg. of Readymade Garments with washing. Readymade Garment With Electric/ Gas fired boiler (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 711.01 (in sq. meter) • Water Consumption ---- 1020 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 500 liters/day	21-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedOctober, 2008..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 29-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 62.5 KVA and 82.5 KVA. Noise monitoring report dated 03-10-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. unit is having two electric boilers.	26-03-2012 Recommended for grant of renewal of consent to operate.
13	DPCC/EC/2/1/2012/1020	ASCO MOTORS	Patparganj Industrial	Orange Operate	SHOW ROOM AND SERVICE STATION		21-03-2012 (1)ETP ---- Oil and Grease Trap	26-03-2012

	09-03-2012	492 INDUSTRIAL ESTATE PATPARGANJ	Area		OF BIKES. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- 15-08-2011 - Built Up Area ---- 400 (in sq. meter) - Water Consumption ---- 2500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 2000 liters/day	(a) AR dated 12-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Effluent analysis report dated 12-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes . 5 number of parameters analyzed which are within limit prescribed limit. (2)ECS - N/A (3)D.G.Set : yes 15 KVA Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 15 KVA. Noise monitoring report dated 12-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes .3 number of parameters analyzed which are within limit prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	Recommended for grant of consent to operate and authorization under HWM Rules.
14	DPCC/EC/2/1/2012/1047 13-03-2012	NIMSON INTERNATIONAL A-41, DSIDC INDUSTRIAL COMPLEX, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	Mfg. of Cosmetics. Perfumes and Cosmetics (With Effluent Discharge)	- Date of commissioning of project ---- - Built Up Area ---- 150 (in sq. meter) - Water Consumption ---- 2000 liters/day - Ground Water ---- 2000 liters/day - Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 1500 liters/day	21-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 21.02.2012 issued by Delhi Technological University submitted. (b) Effluent analysis report dated 21-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 12-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (3) Inspection details: was conducted on 03.08.2011. Observations: 1. Unit is operating without ETP as utensils/ washing discharge directly into sewer. Unit has not applied for CTO. 2. Unit namely M/s Aryanveda Herbals is operating at basement and Ground floor of the premises engaged in the activity of cosmetics unit is operating without ETP trade discharge directly into sewer. No CTE/CTO applied. 3. A D.G. Set of 60 KVA with acoustic but inadequate stack height installed at top floor of the building. (4) SCN u/s 31(A)/33(A) details : Was sent to the unit on 29.08.2011. (5) Reply has been received on 21.09.2011 along with an affidavit stating that they shall install ETP plant within 60 days, that they have obtained the quotation for mfg. of ETP plant, thet they	26-03-2012 Recommended for grant of consent to operate and authorization under HWM Rules.

							shall submit the adequacy report and apply for consent to operate. (6) Modified directions u/s 31(A)/33(A) details : Was sent to the unit on 11.11.2011. (7) Reply has been received on 08.12.2011 stating that unit M/s Nimson International along with other unit namely M/s Aryanveda Herbals both are concern running with same activity & common outlet so they have been installed common ETP plant & applied for adequacy report in registrar D.T.U. Whenever the unit shall be received by them they will submit it with all the documents required for CTO application.	
15	DPCC/EC/2/1/2012/1054 13-03-2012	PRABHAT PLASTIC IND. 21, RAJASTHAN UDYOG NAGAR INDUSTRIAL AREA	Rajasthan Udyog Nagar Industrial Area	Orange Renewal	Manufacturing of S.S. Kitchen Sink. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 1672.25 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	21-03-2012 (1)ECS - Cyclone (a) AR dated 16.03.2009 issued by G.G.S.I.P.U submitted. (b) Stack monitoring report dated 29-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 29-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	26-03-2012 Recommended for grant of renewal of consent to operate.
16	DPCC/EC/2/1/2012/1057 13-03-2012	RAMA MOTORS PVT. LTD A-87, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	AUTO MOBILE SERVICE WORKSHOP. Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 2000 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 2500 liters/day	21-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJune, 2009..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 12-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 12-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 12-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Unit has one paint booth. (a) Stack monitoring report dated 12-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit.	26-03-2012 Recommended for grant of consent to operate and authorization under HWM Rules.

								CTO was issued on 15.06.06 vd CNO 15492 which was valid up to 26.01.08. CTR applied on 16.03.09 vd ID 29251.	
17	DPCC/EC/2/1/2012/1059 13-03-2012	SINGH SERVICE CENTER F-C-8, LONI ROAD SHADHARA	NORTH EAST	Orange Operate	SERVICING OF AUTOMOBILES. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 800 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 5000 liters/day		CTO was issued on 15.06.06 vd CNO 15492 which was valid up to 26.01.08. CTR applied on 16.03.09 vd ID 29251. 21-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 08.02.12 issued by Delhi Technological University submitted. (b) Effluent analysis report dated 08-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes number of parameters analyzed which are within limit prescribed limit. (2)ECS - NO (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	26-03-2012 Perusal of the test report available in the file is satisfactory. IT Cell be requested to correct the data entered. Recommended for grant of consent to operate and authorization under HWM Rules.
18	DPCC/EC/2/1/2012/1082 14-03-2012	BALWAN SERVICE STATION P.S.P. INSTITUTIONAL AREA, SECTOR-16, ROHINI	NORTH WEST	Orange Operate	PETROL PUMP CUM SERVICE STATION FOR VEHICLES Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 108 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 1100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 1000 liters/day	Decision / Recommendation of Screening Committee on 26-03-2012 Recommended for grant of consent to operate and authorization under HWM Rules.	21-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 15.12.2011 issued by DELHI Technological University submitted. (b) Effluent analysis report dated 15-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	26-03-2012 Recommended for grant of consent to operate and authorization under HWM Rules.
19	DPCC/EC/2/1/2012/1103 15-03-2012	VIDYUT ELECTRICALS INDUSTRIES SHED NO 2, DSIDC COMPLEX, A BLOCK, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Renewal	COPPER WIRE DRAWING WITH SUPER ENAMELLING Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: yes (125 KVA) Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 14-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (b) Stack monitoring report dated 14.03.2012 issued by DELHI COLLEGE OF ENGINEERING submitted and parameters within limit . (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	26-03-2012 Perusal of the file shows that unit has submitted the stack monitoring report. IT Cell be requested to correct the data entered. Recommended for grant of renewal of consent to operate and authorization under HWM Rules.