



### CONSENT MANAGEMENT

Agenda IV- Annexure II - Recommendations of Screening Committee in Consent to Operate / Renewal cases under Orange category (2 c category) w.e.f. 05.03.2012 to 01.02.2012 (in reverse chronology) excluding the cases of re-development areas for the approval of Member Secretary

| S. No. | Enquiry Counter I.D. No                | Industry Name                                                                        | Industrial Area          | Category       | Activity / Product                                                                                                                                                                                              | Consent / Authorization Status                                                                                                                                                                                                                                                                                                                              | Earlier Committee Decision | Remarks / Action Taken / ATR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Decision / Recommendation of Screening Committee                                                                                                                                                                                                                                                                                                              |
|--------|----------------------------------------|--------------------------------------------------------------------------------------|--------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1      | DPCC/EC/2/1/2012/746<br><br>02-02-2012 | VISHWANATH AND COMPANY<br><br>N-32, SEC-3<br>DSIDC INDL. AREA<br>BAWANA              | Bawana Industrial Area   | Orange Operate | MFG. OF NAMKEENS.<br><br>Restaurants/ Eating Houses/ Dhaba (Having Seating Capacity Less Than 36)/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of Less Than 1 Tonne/Day) | <ul style="list-style-type: none"> <li>Date of commissioning of project ----</li> <li>Built Up Area ---- 550 (in sq. meter)</li> <li>Water Consumption ---- 900 liters/day</li> <li>Ground Water ---- 900 liters/day</li> <li>Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 500 liters/day</li> </ul>            |                            | <b>22-03-2012</b><br>(1)ETP ---- N/A<br>(2)ECS --- N/A<br>(3)D.G.Set: NIL<br>(4) Inspection details: NO<br>(5) SCN u/s 31(A)/33(A)/5 of EPA details : NO<br>(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <b>28-03-2012</b><br><br>Recommended for grant of consent to operate.                                                                                                                                                                                                                                                                                         |
| 2      | DPCC/EC/2/1/2012/749<br><br>03-02-2012 | PARMOD METAL<br><br>A-101/3,<br>WAZIRPUR INDUSTRIAL AREA                             | Wazirpur Industrial Area | Orange Renewal | Hot Re Rolling of S.S. Sheets.<br><br>Re-rolling mill hot (oil or gas fired) (with capacity less than 25 MT/ day)                                                                                               | <ul style="list-style-type: none"> <li>Date of commissioning of project ---- 01-01-2000</li> <li>Built Up Area ---- 187 (in sq. meter)</li> <li>Water Consumption ---- 125 liters/day</li> <li>Ground Water ---- 0 liters/day</li> <li>Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day</li> </ul>      |                            | <b>22-03-2012</b><br>(1)ECS - N/A<br>(a) Stack monitoring report dated 13-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>28-03-2012</b><br><br>Recommended for grant of renewal of consent to operate.                                                                                                                                                                                                                                                                              |
| 3      | DPCC/EC/2/1/2012/754<br><br>03-02-2012 | MALGUDI (A UNIT OF KTG HOSPITALITY )<br><br>J-2/12 B.K. DUTTA MARKET. RAJOURI GARDEN | WEST                     | Orange Operate | RESTAURANT.<br><br>Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)             | <ul style="list-style-type: none"> <li>Date of commissioning of project ---- 01-01-2010</li> <li>Built Up Area ---- 200 (in sq. meter)</li> <li>Water Consumption ---- 3900 liters/day</li> <li>Ground Water ---- 0 liters/day</li> <li>Waste Water generation (a) Domestic Effluent ---- 320 liters/day (b) Trade Effluent ---- 2800 liters/day</li> </ul> |                            | <b>22-03-2012</b><br>(1)ETP ---- yes<br>(a) AR dated .27.04.2011issued by DTUsubmitted.<br>(b) Effluent analysis report dated 02.02.12 issued by DPCC submitted. Effluent Test Report within Limit - Yes<br>(2)ECS - N/A<br>(3)D.G.Set :<br>(a) The unit has D.G. Set of 125 KVA. Noise monitoring reports dated 27-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes<br><br>(4) Inspection details: Earlier inspection conducted by PGRC on 14.2.11 w.r.t a public complaint & SCN U/s 31 (A) & U/s 33(A) was issued on 11.3.11 with modified directions on 20.4.11. Unit submitted licences of MCD & DP, Ar & Test reports of ETP, NMR of DG Set and BG of Rs 1 Lakh in Air & Water act. Then file transfered to CMC.<br><br>CTE issued 24.11.11 as decided in CMC. Inspection again conducted on 05.12.2011 and the observations are as follows:<br><br>1.) ETP was not found in operation.<br>2.) No sludge drying beds provided with ETP.<br>3.) Unit is operating without CTO. | <b>28-03-2012</b><br><br>With respect to the representation dated 24.02.2012, unit be informed that it is required to forgo the bank guarantee of Rs. 50,000 in accordance with the letter dated 19.01.2012 due to non operation of the ETP found during inspection dated 05.12.2011. Forfeiture of the bank guarantee be ascertained by the Account Section. |

|   |                                        |                                                                              |       |                |                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                               |
|---|----------------------------------------|------------------------------------------------------------------------------|-------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   |                                        |                                                                              |       |                |                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                             | <p>A letter issued to the Union Bank ,by Sr. Account Officer on 19.1.12 for forfeiture of BG of Rs 50,000/- under water act with directions to the unit to tender the stamps paper in Bank for further action in r/o fresh BG of 50,000/ under Air Act , as unit submitted a consolidated BG of Rs 1 lakh.</p> <p>Unit submitted a letter On 24.2.2012 in response to our letter dated 19.01.12 &amp; instead of compliance of orders, unit requested to release the BG.</p> <p>(6) Modified direction issued to the unit on 20.04.2011</p> <p>unit submitted Bank Guarantees of Rs. 50,000 each under Air and Water Act on 02.05.2011.unit submitted Bank Guarantees of Rs. 50,000 each under Air and Water Act on 17.06.2011</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                               |
| 4 | DPCC/EC/2/1/2012/755<br><br>03-02-2012 | WOK IN THE CLOUDS KTG HOTELS & RESORTS PVT LTD<br><br>J-2/13, RAJOURI GARDEN | WEST  | Orange Operate | RESTAURANT.<br><br>Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day) | <ul style="list-style-type: none"> <li>Date of commissioning of project ---- 01-01-2002</li> <li>Built Up Area ---- 360 (in sq. meter)</li> <li>Water Consumption ---- 4500 liters/day</li> <li>Ground Water ---- 0 liters/day</li> <li>Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 3200 liters/day</li> </ul> | <p><b>22-03-2012</b><br/>(1)ETP ---- yes<br/>(a) AR dated .27.04.2011issued by DTUsubmitted.<br/>(b) Effluent analysis report dated 02-02-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes<br/>(2)ECS - N/A<br/>(3)D.G.Set Noise Report : 2<br/>(a) The unit has 2 D.G. Set(s) of 100 KVA and 200 KVA. Noise monitoring reports dated 24-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes</p> <p>(4) Inspection details: Earlier inspection conducted by PGRC on 14.2.11 w.r.t a public complaint &amp; SCN U/s 31 (A) &amp; U/s 33(A) was issued on 11.3.11 with modified directions on 20.4.11. Unit submitted licences of MCD &amp; DP, Ar &amp; Test reports of ETP, NMR of DG Sets and Bg of Rs 1 Lakh in AIr &amp; Water act. Then file transfered to CMC.</p> <p>CTE issued 24.11.11 as decided in CMC. Inspection again conducted on 05.12.2011 and the observations are as follows:</p> <p>1.) ETP was not found in operation.<br/>2.) No sludge drying beds provided with ETP.<br/>3.) Unit is operating without CTO.</p> <p>A letter issued to the Union Bank ,by Sr. Account Officer on 19.1.12 for forfeiture of BG of Rs 50,000/- under water act with directions to the unit to tender the stamps paper in Bank for further action in r/o fresh BG of 50,000/ under Air Act , as unit submitted a consolidated BG of Rs 1 lakh.</p> <p>Unit submitted a letter On 24.2.2012 in response to our letter dated 19.01.12 &amp; instead of compliance of orders, unit requested to release the BG.</p> | <b>28-03-2012</b><br><br>With respect to the representation dated 24.02.2012, unit be informed that it is required to forgo the bank guarantee of Rs. 50,000 in accordance with the letter dated 19.01.2012 due to non operation of the ETP found during inspection dated 05.12.2011. Forfeiture of the bank guarantee be ascertained by the Account Section. |
| 5 | DPCC/EC/2/1/2012/756                   | PISCES GARDEN<br><br>MAIN ROAD                                               | SOUTH | Orange Operate | FARM HOUSE.<br><br>Banquet Hall/                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                             | <p><b>22-03-2012</b><br/>(1)ETP ---- ETP - Physiochemical<br/>(a) AR dated .....05.04.11..... issued</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>28-03-2012</b><br><br>Recommended for grant of consent to                                                                                                                                                                                                                                                                                                  |

|            |             |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |
|------------|-------------|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 03-02-2012 | CHHATTARPUR |  |  | Party Lawn<br>(Minimum Area<br>100 Sq Mts) <ul style="list-style-type: none"> <li>• Date of commissioning of project ---- 04-07-2009</li> <li>• Built Up Area ---- 100 (in sq. meter)</li> <li>• Water Consumption ---- 3500 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation<br/>(a) Domestic Effluent ---- 2800 liters/day<br/>(b) Trade Effluent ---- 0 liters/day</li> </ul> | by .....DTU..... submitted.<br>(b) Effluent analysis report dated 27-12-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.<br><br>(2)ECS - N/A<br><br>(3)D.G.Set Noise Report : 2<br>(a) The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 27-12-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.<br><br>The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 27-12-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.<br><br>(4) Inspection details:conducted on 09.03.2011 & following were observed:<br>(a). The unit is being operational in violation of directions issued u/s/ 31 (A) of the Air Act & 33 (A) of the Water Act.<br>(b). ETP/STP has not been installed. work for the same is in process.<br>(c). Adequate stack height has not been provided with the DG sets of 125 KVA (2 Nos). As reported, one DG set is on rent.<br>(d). One bore well exist for withdrawal of ground water.<br>(e) Electricity has been disconnected. presently, unit is being operated on DG set.<br><br>(5) Closure directions u/s 31(A)& 33(A) details : issued on 29.04.10.<br><br>As decided by the CMC (O) in its meeting held on 10.08.11, CTE was issued on 06.09.11 vd CNO 27836. Inspection yet to be conducted.<br><br>EARLIER CMC DECISION<br><br>16.03.10<br>case be considered after implementation of scrutinizing committee.<br>13.08.10<br>seek compliance report from concerned authority<br><br>10.08.11 (In CTE File)<br>Unit has been asked bank guarantee of Rs. 2 Lakh each under Air Act and Water Act valid for one year in pursuance of decision taken on file and closure directions have been revoked. Issue Consent to establish. Subsequently, inspection be conducted. | operate. |
|------------|-------------|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|

|   |                                        |                                                                   |                          |                |                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                         |
|---|----------------------------------------|-------------------------------------------------------------------|--------------------------|----------------|---------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| 6 | DPCC/EC/2/1/2012/793<br><br>09-02-2012 | MAHAVIR PRASAD<br><br>B-68/4, GATE-NO-4, WAZIRPUR INDUSTRIAL AREA | Wazirpur Industrial Area | Orange Operate | MANUFACTURING OF STAINLESS STEEL UTENSILS.<br><br>Manufacturing of Stainless Steel Utensils (With Buffing Activity) | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 132.43 (in sq. meter)</li> <li>• Water Consumption ---- 100 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day</li> </ul>    | <p><b>26-03-2012</b><br/>(1)ECS - Bag Filter / Bag House<br/>(a) AR dated 07.02.2012 issued by D.T.U submitted.<br/>(b) Stack monitoring report dated 07-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.</p> <p>(2) Inspection details: Was conducted on 13.03.2012.<br/>Observations:<br/>1. Unit is engaged in mfg. of stainless steel utensils with buffing.<br/>2. Ground Floor of the premises is being used cold re rolling of S.S. Sheets.<br/>3. First Floor of the premises is being used for S.S. circle cutting.<br/>4. Second Floor of the premises is being used for pressing of S.S. sheets with cutting, bending, spinning moulding.<br/>5. Top floor of the premises is being used for buffing of S.S. Utensils.<br/>6. ECS has been provided with buffing machines to channelise the emissions ground from buffing activity. ECS found in operations. However the contacted persons was advised to provide more sheets around the buff of the buffing machines.<br/>7. As informed, the plot no. 68/4, has more other units. The approx area of 68/4 is 1200 sq yard.</p> <p>(3) Refusal of consent was issued vide refusal no 2265.</p> | <b>28-03-2012</b><br><br>File is under submission.                                                      |
| 7 | DPCC/EC/2/1/2012/804<br><br>13-02-2012 | PEARL PRINTERS<br><br>72 DSIDC PHASE-I OKHLA INDUSTRIAL AREA      | Okhla Industrial Area    | Orange Operate | PRINTING.<br><br>Printing Press (With Trade Effluent Discharge)                                                     | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 111.48 (in sq. meter)</li> <li>• Water Consumption ---- 700 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 500 liters/day</li> </ul> | <p><b>22-03-2012</b><br/>(1)ETP ---- ETP - Physiochemical<br/>(a) AR dated .....30.01.12..... issued by .....DTU..... submitted.<br/>(b) Unit has submitted incomplete test report.</p> <p>(2)ECS - N/A</p> <p>(3)D.G.Set Noise Report : 1<br/>(a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 30-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.</p> <p>(4) Inspection details: conducted on 18.01.12 &amp; following were observed:<br/>(a)The unit has installed an ETP (batch type) to treat the trade effluent which is yet to be commissioned. It has been reported that now, ETP is ready for commissioning which will be done within 1 or 2 days.<br/>(b) Adequate stack height &amp; acoustic enclosure has not been provided with the DG set.<br/>(c) The unit is not complying with the provisions of HWM Rules.<br/>(d) Source of water is DJB.</p>                                                                                                                                                                                                                                                           | <b>28-03-2012</b><br><br>Recommended for grant of consent to operate and authorization under HWM Rules. |

|   |                                        |                                                                                                                 |                                |                |                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                      |
|---|----------------------------------------|-----------------------------------------------------------------------------------------------------------------|--------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
|   |                                        |                                                                                                                 |                                |                |                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                           | As decided by the CMC (O) in its meeting held on 10.08.11, CTE issued on 06.09.11 vd CNO 27837.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                      |
|   |                                        |                                                                                                                 |                                |                |                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                           | EARLIER CMC DECISION<br>10.08.11 (In CTE File)<br>Issue consent to establish.<br>Subsequently, inspection be conducted.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                      |
| 8 | DPCC/EC/2/1/2012/807<br><br>13-02-2012 | PUSHPANJALI ENTERPRISES PVT. LTD.<br><br>340/17, GALI NO. 1, FRIENDS COLONY INDUSTRIAL AREA, G.T. ROAD, SHAHDRA | Friends Colony Industrial Area | Orange Renewal | MFG.OF ALUMINIUM ROD WITH CASTING AND WIRE DRAWING.<br><br>Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)<br><br>Wire Drawing (Without Pickling/ Galvanizing)                   | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 459.86 (in sq. meter)</li> <li>• Water Consumption ---- 500 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day</li> </ul> | <b>22-03-2012</b><br>(1)ETP ---- NO<br><br>(2)ECS - (stack attached to furnace and scrubber)<br>(a) AR -NO<br>(b) Stack monitoring report dated 23-12-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes . 1 number of parameters analyzed which are within limit prescribed limit.<br><br>(3)D.G.Set : 250 KVA<br>Noise Report : 1<br>(a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 21-12-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes . 3 number of parameters analyzed which are within limit prescribed limit.<br><br>(4) Inspection details:NO<br><br>(5) SCN u/s 31(A)/33(A)/5 of EPA details :NO<br><br>(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO                                                                                                                                                                                                                                                        | <b>28-03-2012</b><br><br>Recommended for conducting inspection to ascertain the type of the furnace. |
| 9 | DPCC/EC/2/1/2012/813<br><br>13-02-2012 | NEW SOUTH INDIAN CAFE<br><br>A-5, SHIVSHAKTI MARKET MADANGIR                                                    | SOUTH                          | Orange Operate | RESTAURANT<br><br>Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day) | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 33.44 (in sq. meter)</li> <li>• Water Consumption ---- 550 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 500 liters/day</li> </ul> | <b>22-03-2012</b><br>(1)ETP ---- ETP - Physiochemical<br>(a) AR dated .....21.01.12..... Issued by .....DTU..... submitted.<br>(b) Effluent analysis report dated 21-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit.<br><br>(2)ECS - N/A<br><br>(3)D.G.Set: ...N/A...<br><br>(4) Inspection details: conducted by PGRC trainee Engr. w.r.t a public complaint on 10.08.11 & following were observed:<br>(a). The premises is used as resturant with 50 seat capacity at ground and first floor.<br>(b). No ETP and oil& grease trap installed.<br>(c). The waste water is directly discharge into sewer without any treatment.<br>(d). The resturant has been working for last 35 years as informed by owner.<br>(e). MCD license shown valid upto 17.01.11 at the time od inspection.<br>(f). 3 exhaust fan are there at the entrance only.<br><br>(5) SCN u/s 31(A) & 33(A) details : | <b>28-03-2012</b><br><br>Recommended for grant of consent to operate.                                |

|    |                                        |                                                                          |                       |                |                                                                                                |                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                            |
|----|----------------------------------------|--------------------------------------------------------------------------|-----------------------|----------------|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
|    |                                        |                                                                          |                       |                |                                                                                                |                                                                                                                                                                                                                                                                                                                                                            | <p>issued on 29.08.11.<br/>Unit has submitted its reply on 12.09.11 along with an affidavit and copy of MCD license informing that they are having MCD license for 15 seats and by mistake it has been written as 50 persons. However, the unit is having 50 seats was confirmed by the inspecting officials</p> <p>(6) Closure directions u/s 31(A) &amp; 33(A) details : issued on 08.11.11.</p> <p>The unit has submitted its reply on 18.11.11, 22.11.11 &amp; 30.11.11 in response to the above mentioned closure directions stating that they have provided chennalisation system and also in the process to submit application for CTE. Unit has also provided photographs of installed ETP, copy of technical adequacy report and photocopy of receipt of MCD license dt. 01.10.11(valid upto 31.3.2012) for eating house above 20 &amp; upto 50 seats alongwith its replies.</p> <p>As approved, a letter was issued on 07.12.11 to submit an affidavit that the unit will not be operated without commissioning of ETP and submit Bank Guarantee of Rs. One Lakh each under Water Act and Air Act valid for one year and apply for CTE &amp; CTO.</p> <p>Unit has submitted its reply on 07.12.11 and 09.12.11 along with above mentioned affidavit &amp; Bank Guarantee of Rs. One Lakh each under Water Act and Air Act and also informed that the unit has unable to submit CTE &amp; CTO application as the software system is not accepting the CTO application without effluent analysis report.</p> <p>As approved, revocation of closure directions u/s 33 (A) of the Water Act &amp; 31 (A) of the Air Act was issued on 15.12.11 with a condition that the unit shall submit application of CTE &amp; CTO within 30 days.</p> <p>Unit has submitted its reply on 13.01.12 stating that thay have already applied for adequacy report and test report as soon as they get the reports they will submit it in the department.</p> |                                                                                                                                            |
| 10 | DPCC/EC/2/1/2012/817<br><br>13-02-2012 | INTERNATIONAL PANNACEA LTD.<br><br>B-208 IST FLOOR PH-I O.I.A INDL. AREA | Okhla Industrial Area | Orange Operate | R AND D LAB OF BIOTECH PRODUCTS.<br><br>Medicines / Pharmaceutical Formulation- Without Boiler | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 241.6 (in sq. meter)</li> <li>• Water Consumption ---- 650 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 300 liters/day</li> </ul> | <p><b>21-03-2012</b><br/>(1)ETP ---- ETP - Physiochemical (a) AR dated .....25.11.11..... issued by .....DTU..... submitted.<br/>(b) Effluent analysis report dated 25-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No .</p> <p>(2)ECS - N/A</p> <p>(3)D.G.Set Noise Report : 1<br/>(a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 14-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within prescribed limit.</p> <p>The unit was found in operation without</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <p><b>28-03-2012</b></p> <p>Recommended for issuance of SCN for refusal of consent in view of unsatisfactory effluent analysis report.</p> |

|    |                                               |                                                                                                                                            |            |                |                                                                                             |                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                       |
|----|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|------------|----------------|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
|    |                                               |                                                                                                                                            |            |                |                                                                                             |                                                                                                                                                                                                                                                                                                                                                            | <p>installation of ETP at First floor of the premises during the inspection of M/s AVN Export of the same premises.</p> <p>As decided by the CMC(O) on 31.03.2011, SCN u/s 33 (A) of the Water Act was issued to the unit on 19.05.11. The unit submitted its reply on 07.06.11 along with an affidavit &amp; informed that they have assigned the work for installation of ETP &amp; requested for grant of 2 to 3 months time.</p> <p>As approved in the file, directions u/s 33 (A) of the Water Act was issued to the unit on 27.07.11 to stop the waste water generating activity &amp; install pollution control devices &amp; to submit an affidavit in this regard within 60 days.</p> <p>The unit submitted its reply on 03.08.11 along with affidavit in response to directions issued on 27.07.11.</p> <p>As decided by the CMC (O) in its meeting held on 05.10.11, letter was issued on 07.12.11 for submission of bank guarantee of Rs. 50,000 under Water Act valid for one year.</p> <p>Unit has submitted its reply on 29.11.11 along with the bank guarantee of Rs. 50,000 under Water Act valid for one year.</p> <p>As per the decision of CMC(O) held on 05.10.11, CTE was issued to the unit on 07.12.11 vd CNO. 28372</p> <p>EARLIER CMC DECISION</p> <p>05.10.11 (In CTE File)<br/>Ask the unit to submit bank guarantee of Rs. 50,000 under Water Act valid for one year. If unit submits the bank guarantee, consent to establish be issued.</p> |                                                                                                       |
| 11 | <p>DPCC/EC/2/1/2012/823</p> <p>14-02-2012</p> | <p>BHARATIYAM VILLAGE FOODS AND BEVERAGES PVT. LTD.</p> <p>KH. NO 46/16, 46/17, 46/24, 29, 49/4 VILLAGE BAKOLI PALLA BAKHTAWARPUR ROAD</p> | NORTH WEST | Orange Operate | <p>FARM HOUSE (A PARTY LAWN).</p> <p>Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)</p> | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 250 (in sq. meter)</li> <li>• Water Consumption ---- 5500 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 5000 liters/day</li> </ul> | <p><b>22-03-2012</b></p> <p>(1)ETP ---- Oil and Grease Trap (a) AR dated 03.02.2012 issued by Delhi Technological University submitted. (b) Effluent analysis report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 6 number of parameters analyzed which are within limit prescribed limit.</p> <p>(2) Inspection details: Was conducted on 12.01.2012.</p> <p>Observations:</p> <ol style="list-style-type: none"> <li>1. Premises is having four rooms at ground floor &amp; First Floor, one hall at basement.</li> <li>2. No ETP installed in the premises.</li> <li>3. Unit has made 5 pits (1 parking, 2 front lawn, 2 back lawn) for discharge of rain water in the ground water fitted with 4 inch pipe.</li> <li>4. One collection tank is made near banquet hall for collection and discharge of waste water generated from kitchen in the ground water.</li> <li>5. D.G. set found installed with acoustic enclosure.</li> <li>6. As informed unit has started its</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                      | <p><b>28-03-2012</b></p> <p>Recommended for grant of consent to operate and consent to establish.</p> |

|    |                                               |                                                                                       |            |                |                                                                                           |                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                  |
|----|-----------------------------------------------|---------------------------------------------------------------------------------------|------------|----------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    |                                               |                                                                                       |            |                |                                                                                           |                                                                                                                                                                                                                                                                                                                                                              | <p>operation about one year back.</p> <p>(3) Closure directions u/s 31(A)/33(A)/5 of EPA details : Was sent on 17.03.2010.</p> <p>(4) Reply has been received on 30.03.2010 requesting for 60 days time to install the desired ETP and stating that they will not use this facility until the installation of said ETP.</p> <p>(5) Reply has been received on 26.05.2010 along with an affidavit informing that the application for CTE has been submitted (Id. No. 33993 dated 26.05.2010) and the ETP has been installed, fees for the adequacy and test report has been submitted in G.G.S.I.P.U. Further requested to revoke the closure direction and issue CTE.</p> <p>(6) As per the decision taken up CMC (O) dated 26.05.2012, letter was regarding submission of bank guarantee of Rs. 1 lakh under Air and Water Act along with adequacy report and effluent analysis report of ETP.</p> <p>(7) Reply has been received on 05.07.2010 stating that the effluent treatment plant has been installed.</p> <p>(8) Unit has submitted the requisite Bank Guarantee of Rs. 1,00,000 each under Air and Water Act, application for consent to establish and consent to operate on 14.02.2012.</p>                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 12 | <p>DPCC/EC/2/1/2012/824</p> <p>14-02-2012</p> | <p>TINA RUHCI FARMS HOUSE</p> <p>KH. NO 43/9-10-12,VILLAGE KHERA KALAN G.T.K ROAD</p> | NORTH WEST | Orange Operate | <p>FARM HOUSE A PARTY LAWN.</p> <p>Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)</p> | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 10000 (in sq. meter)</li> <li>• Water Consumption ---- 3200 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 3000 liters/day</li> </ul> | <p><b>22-03-2012</b></p> <p>(1)ETP ---- ETP - Bio-logical (a) AR dated 15.09.2011 issued by D.T.U submitted.</p> <p>(b) Effluent analysis report dated 31-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 6 number of parameters analyzed which are within limit / beyond prescribed limit.</p> <p>(2) Inspection details: Was conducted on 09.06.2010</p> <p>Observations:</p> <ol style="list-style-type: none"> <li>1. Farm House cum party lawn in operation. However no function is going.</li> <li>2. Kitchen waste water found connected with slump for discharge into ground water through bore well. No ETP/STP installed .</li> <li>3. 2 x 62.5 KVA with acoustic and 2 x 62.5 KVA without acoustic. Stack height inadequate.</li> <li>4. Bore well connection exist 01 no.</li> <li>5. MCD permission obtained as reported.</li> </ol> <p>(3) Earlier CMC Decision: 17.06.2011</p> <p>Ask the unit to submit the full compliance of CMC decision dated 13.08.2010 ( Ask the unit to submit bank guarantee of Rs. One Lakh each under Air Actand Water ACT valid for one year along with affidavit stating that unit will not operate its operation till installation of pollution control measures within 15 days. Thereafter, unit will submit an adequacy report and effluent</p> | <p><b>28-03-2012</b></p> <p>Recommended for issuance of SCN for refusal of consent and SCN u/s 31A of the Air Act in view of non submisison of noise monitoring report to substantiate the compliance of gazette notification dated 17.05.2012 without disclosing the existence of the D.G. Set in the consent to operate application found during earlier inspection as asked vide letter dated 08.08.2011.</p> |



|    |                                        |                                                                                        |                         |                |                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----|----------------------------------------|----------------------------------------------------------------------------------------|-------------------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    |                                        |                                                                                        |                         |                |                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                          | analysis report of ETP from approved consultant/ laboratory of DPCC and noise monitoring report of acoustically treated D.G. Set from approved laboratory of DPCC).                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|    |                                        |                                                                                        |                         |                |                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                          | (4) As per the decision taken up by Consent Management Committee letter for submission of adequacy report, effluent analysis report of ETP, Noise monitoring report of DG set from approved laboratory of DPCC and an affidavit bearing the statement taht you shall stop teh operation of teh unit till installation and commissionng of ETP was sent to the unit on 08.08.2011.<br>(5) Reply has been received on 26.08.2011 along with an adequacy reprot of effluent treatment plant stating that noise monitoring report of D.G. set along with the application of consent to operate will be submitted very soon. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 13 | DPCC/EC/2/1/2012/844<br><br>17-02-2012 | SHRI RAM ENTERPRISES<br><br>PLOT NO M-9,PHASE-I BADLI INDSUTRIAL ESTATE                | Badli Industrial Estate | Orange Operate | ALUMINIUMS CIRCLE.<br><br>Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing             | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 380 (in sq. meter)</li> <li>• Water Consumption ---- 200 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation (a) Domestic Effluent ---- 160 liters/day</li> <li>(b) Trade Effluent ---- 0 liters/day</li> </ul>          | <b>22-03-2012</b><br>(1)ECS - N/A<br>(a) AR dated 06.02.2012 issued by D.T.U submitted.<br>(b) Stack monitoring report dated 06-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.<br><br>Earlier CMC Decision: 31.03.2011<br>Issue consent to establish with pit furnace only. Subsequently, inspection be conducted.                                                                                                                                                                      | <b>28-03-2012</b><br><br>Inspection be expedited to ascertain the type of furnace.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 14 | DPCC/EC/2/1/2012/854<br><br>21-02-2012 | AAR GEE POWER CONTROL<br><br>PLOT NO-54, POCKET-J, SEC-2, DSIDC BAWANA INDUSTRIAL AREA | Bawana Industrial Area  | Orange Operate | Manufacturing of Electrical control panels etc and other sheet metal work with powder coating.<br><br>Powder Coating without phosphating | <ul style="list-style-type: none"> <li>• Date of commissioning of project ---- 01-07-2006</li> <li>• Built Up Area ---- 250 (in sq. meter)</li> <li>• Water Consumption ---- 25 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation (a) Domestic Effluent ---- 15 liters/day</li> <li>(b) Trade Effluent ---- 0 liters/day</li> </ul> | <b>22-03-2012</b><br>(1)ETP ---- No<br><br>(2)ECS - Cyclone, Bag Filter / Bag House<br>(a) AR dated 25-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted.<br>(b) Stack monitoring report dated 25-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes 1number of parameters analyzed which are within limit prescribed limit.<br><br>(3)D.G.Set: NIL<br><br>(4) Inspection details:NO<br><br>(5) SCN u/s 31(A)/33(A)/5 of EPA details :NO<br><br>(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO                                                          | <b>28-03-2012</b><br><br>Directions of closure issued on 26.04.2010 as unit was found carrying out phosphating activity in deviation of the activity shown in its consent to establish application on 20.06.2007 and emission control system attached with the powder coating activity was found non operational. Subsequently, unit has applied for consent to establish on 14.05.2010 indicating the phosphating activity. Effective closure was sent on 08.12.2011 and compliance of the closure received in DPCC. Directions were temporarily revoked on 03.02.2012 for submission of consent to operate application. The unit has applied for consent to operate without mentioning the phosphating activity. In view of frequent shifting of the stand of the unit in order to avoid the installation of ETP, consent to operate be refused, bank guarantees be forfeited and closure directions be reconfirmed. |
| 15 | DPCC/EC/2/1/2012/859<br><br>21-02-2012 | RADICURA PHARMACEUTICALS PVT. LTD.<br><br>B-117, PHASE-I, OKHLA INDUSTRIAL AREA        | Okhla Industrial Area   | Orange Renewal | Mfg. of Pharmaceuticals Formulation with boiler unit.<br><br>Pharmaceuticlas Formulation With Washing Operation with Boiler              | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 2518 (in sq. meter)</li> <li>• Water Consumption ---- 4750 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation (a) Domestic Effluent ---- 1800 liters/day</li> <li>(b) Trade Effluent ---- 2300 liters/day</li> </ul>    | <b>21-03-2012</b><br>(1)ETP ---- ETP - Physiochemical<br>(a) AR dated .....February, 2008..... issued by .....GGSIPIU..... submitted.<br>(b) Effluent analysis report dated 06-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No .<br>In place of Chromium(Hexavalent), total chormium (Cr) has been mentioned in the test report                                                                                                                                                                                                                                        | <b>28-03-2012</b><br><br>Recommended for SCN for refusal of consent in view of unsatisfactory effluent analysis report.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

|    |                                        |                                                                 |                                  |                |                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                               |
|----|----------------------------------------|-----------------------------------------------------------------|----------------------------------|----------------|-------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
|    |                                        |                                                                 |                                  |                |                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                               | <p>(2)ECS - N/A</p> <p>(3)D.G.Set Noise Report : 2<br/>(a) The unit has 3 D.G. Set(s) of 110 KVA, 140 KVA and 35 KVA. Noise monitoring report dated 05-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.</p> <p>The unit has 3 D.G. Set(s) of 110 KVA, 140 KVA and 35 KVA. Noise monitoring report dated 05-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.</p> <p>Unit is having one boiler.<br/>(a) Stack monitoring report dated 10-01-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit.</p> <p>As decided by the CMC (O) in its meeting held on 07.05.10, CTE issued on 04.06.10 vd CNO 23976. Letter was issued on 17.06.10</p> <p>EARLIER CMC DECISION<br/>07.05.10 (In CTE File)<br/>Issue consent to operate. Ask the unit to apply for authorization under HWM Rules.</p> |                                                                                               |
| 16 | DPCC/EC/2/1/2012/866<br><br>22-02-2012 | OSWAL MOTORS PVT. LTD.<br><br>A-81, G.T.K. ROAD INDUSTRIAL AREA | G.T. Karnal Road Industrial Area | Orange Operate | SERVICING OF TWO WHEELERS/BIKES.<br><br>Automobile Servicing And Repair Station With Washing Activity                   | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 334 (in sq. meter)</li> <li>• Water Consumption ---- 4100 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation<br/>(a) Domestic Effluent ---- 600 liters/day<br/>(b) Trade Effluent ---- 3500 liters/day</li> </ul> |                                                                                                                               | <p><b>22-03-2012</b><br/>(1)ETP ---- Oil and Grease Trap<br/>(a) AR dated 07.02.2012 issued by D.T.U submitted.<br/>(b) Effluent analysis report dated 07-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 4 number of parameters analyzed which are within limit prescribed limit.</p> <p>(2)D.G.Set Noise Report : 1<br/>(a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 14-02-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <p><b>28-03-2012</b><br/>File is under submission. Decision taken on file be implemented.</p> |
| 17 | DPCC/EC/2/1/2012/868<br><br>22-02-2012 | ANIL ENTERPRISES<br><br>A-93/9, WAZIRPUR INDUSTRIAL AREA        | Wazirpur Industrial Area         | Orange Operate | MFG. OF STAINLESS STEEL UTENSILS WITH BUFFING.<br><br>Manufacturing of Stainless Steel Utensils (With Buffing Activity) | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 200 (in sq. meter)</li> <li>• Water Consumption ---- 200 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation<br/>(a) Domestic Effluent ---- 100 liters/day<br/>(b) Trade Effluent ---- 0 liters/day</li> </ul>     | <p><b>Decision / Recommendation of Screening Committee on 28-03-2012</b><br/>Recommended for grant of consent to operate.</p> | <p><b>22-03-2012</b><br/>(1)ECS - N/A<br/>(a) AR dated 28.01.2010 issued by G.G.S.I.P.U submitted.<br/>(b) Stack monitoring report dated 09-02-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.</p> <p>(2)D.G.Set Noise Report : 1<br/>(a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 24-01-2012 issued by DPCC submitted.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <p><b>28-03-2012</b><br/>Recommended for grant of consent to operate.</p>                     |

|    |                                        |                                                                             |                                    |                |                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                      |
|----|----------------------------------------|-----------------------------------------------------------------------------|------------------------------------|----------------|-------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    |                                        |                                                                             |                                    |                |                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                         | Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                      |
| 18 | DPCC/EC/2/1/2012/870<br><br>23-02-2012 | KIRPA IMPEX<br><br>A-83/1, WAZIRPUR INDUSTRIAL AREA                         | Wazirpur Industrial Area           | Orange Renewal | MFG. OF STAINLESS STEEL UTENSILS WITH BUFFING.<br><br>Manufacturing of Stainless Steel Utensils (With Buffing Activity) | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 300 (in sq. meter)</li> <li>• Water Consumption ---- 500 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation<br/>(a) Domestic Effluent ---- 100 liters/day</li> <li>(b) Trade Effluent ---- 0 liters/day</li> </ul>     | <p><b>22-03-2012</b><br/>(1)ECS - N/A<br/>(a) AR dated 22.12.2008 issued by G.G.S.I.P.U submitted.<br/>(b) Stack monitoring report dated 09-02-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.</p> <p>(3)D.G.Set Noise Report : 1<br/>(a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 24-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.</p> | <p><b>28-03-2012</b></p> <p>Recommended for grant of renewal of consent to operate.</p>                                                                                                                                                                                                                                              |
| 19 | DPCC/EC/2/1/2012/873<br><br>23-02-2012 | SAMTA TECHNONET PVT. LTD<br><br>B-II/12, MOHAN CO-OPERATIVE INDUSTRIAL AREA | Mohan Co-operative Industrial Area | Orange Renewal | Mfg. of PVC Wire and Cable.<br><br>Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot) with Boiler             | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 1226 (in sq. meter)</li> <li>• Water Consumption ---- 300 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation<br/>(a) Domestic Effluent ---- 150 liters/day</li> <li>(b) Trade Effluent ---- 0 liters/day</li> </ul>    | <p><b>21-03-2012</b><br/>(1)ETP ---- N/A<br/>(2)ECS - N/A<br/>(a) Stack monitoring report dated 21-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit.</p> <p>Unit is having one electric baby boiler as mentioned in the application. However, submitted a SMR dated 21-02-2012 showing particulate matter &amp; CO2 but type of fuel being used in the boiler has not been mentioned in the SMR.</p> <p>(3)D.G.Set: ...N/A...</p>                                  | <p><b>28-03-2012</b></p> <p>Recommended for issuance of a letter to the unit for clarifying the type of fuel being used in the boiler. Copy of the letter be forwarded to Delhi Technological University with an advise not to issue the stack monitoring report without indicating the type of fuel used in such type of cases.</p> |
| 20 | DPCC/EC/2/1/2012/880<br><br>23-02-2012 | MANOHAR LAL<br><br>S-45, PH-I, BADLI INDL. AREA                             | Badli Industrial Estate            | Orange Operate | MANUFACTURING OF PRESSURE COOKER WITH BUFFING.<br><br>Manufacturing of Stainless Steel Utensils (With Buffing Activity) | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 300 (in sq. meter)</li> <li>• Water Consumption ---- 150 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation<br/>(a) Domestic Effluent ---- 120 liters/day</li> <li>(b) Trade Effluent ---- 0 liters/day</li> </ul>     | <p><b>21-03-2012</b><br/>(1)ECS - N/A<br/>(a) AR dated 16.02.2012 issued by Delhi Technological University submitted.<br/>(b) Stack monitoring report dated 16-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.</p> <p>Earlier CMC Decision: 29.12.2011<br/>Issue consent to establish.</p>                                                                                                                                             | <p><b>28-03-2012</b></p> <p>Recommended for grant of consent to operate.</p>                                                                                                                                                                                                                                                         |
| 21 | DPCC/EC/2/1/2012/883<br><br>23-02-2012 | KAPSON UDYOG<br><br>C-6, S.M.A INDUSTRIAL AREA G.T.K. ROAD                  | S.M.A Industrial Area              | Orange Renewal | MFG. OF SHOES REXENE CLOTH.<br><br>Coated Cotton Fabrics (PVC Rexene Cloth)                                             | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 600 (in sq. meter)</li> <li>• Water Consumption ---- 1300 liters/day</li> <li>• Ground Water ---- 1300 liters/day</li> <li>• Waste Water generation<br/>(a) Domestic Effluent ---- 700 liters/day</li> <li>(b) Trade Effluent ---- 0 liters/day</li> </ul> | <p><b>23-03-2012</b><br/>(1)D.G.Set Noise Report : 1<br/>(a) The unit has 1 D.G. Set(s) of 225 KVA. Noise monitoring report dated 22-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.</p>                                                                                                                                                                                                                                                                          | <p><b>28-03-2012</b></p> <p>Recommended for grant of renewal of consent to operate. Refer to DJB regarding ground water extraction.</p>                                                                                                                                                                                              |
| 22 | DPCC/EC/2/1/2012/898<br><br>24-02-2012 | SOHUM TRADING COMPANY<br><br>B-10/6-7, GROUP WAZIRPUR INDUSTRIAL AREA       | Wazirpur Industrial Area           | Orange Operate | MFG. OF STAINLESS STEEL WITH BUFFING.<br><br>Manufacturing of Stainless Steel                                           |                                                                                                                                                                                                                                                                                                                                                                         | <p><b>21-03-2012</b><br/>(1)ECS - Cyclone<br/>(a) AR dated 24.06.2009 issued by G.G.S.I.P.U submitted.<br/>(b) Stack monitoring report dated 21-02-2012 issued by DELHI COLLEGE OF</p>                                                                                                                                                                                                                                                                                                                                                                                | <p><b>28-03-2012</b></p> <p>Recommended for grant of consent to operate and consent to establish.</p>                                                                                                                                                                                                                                |

|    |                                        |                                                                         |                                       |                |                                                                                 |                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                             |
|----|----------------------------------------|-------------------------------------------------------------------------|---------------------------------------|----------------|---------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
|    |                                        |                                                                         |                                       |                | Utensils (With Buffing Activity)                                                | <ul style="list-style-type: none"> <li>Date of commissioning of project ----</li> <li>Built Up Area ---- 650 (in sq. meter)</li> <li>Water Consumption ---- 100 liters/day</li> <li>Ground Water ---- 0 liters/day</li> <li>Waste Water generation<br/>(a) Domestic Effluent ---- 20 liters/day</li> <li>(b) Trade Effluent ---- 0 liters/day</li> </ul>   | ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.<br><br>(2)D.G.Set Noise Report : 1<br>(a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 21-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                             |
| 23 | DPCC/EC/2/1/2012/899<br><br>24-02-2012 | SHAKTI FRAGRANCES PVT. LTD.<br><br>15, RAJASTHAN UDYOG NAGAR INDL. AREA | Rajasthan Udyog Nagar Industrial Area | Orange Renewal | MANUFACTURING OF PAN MASALA AND ZARDA.<br><br>Gutka /Supari (Betelnut) Grinding | <ul style="list-style-type: none"> <li>Date of commissioning of project ----</li> <li>Built Up Area ---- 1505 (in sq. meter)</li> <li>Water Consumption ---- 500 liters/day</li> <li>Ground Water ---- 0 liters/day</li> <li>Waste Water generation<br/>(a) Domestic Effluent ---- 400 liters/day</li> <li>(b) Trade Effluent ---- 0 liters/day</li> </ul> | <b>28-03-2012</b><br>(1)ECS - Bag Filter / Bag House, Bag Filter / Bag House, Bag Filter / Bag House<br>(a) AR dated 28.11.2011 issued by D.T.U submitted.<br>(b) Stack monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.<br><br>Stack monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.<br><br>Stack monitoring report dated 09-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.<br><br>Stack monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.<br><br>Stack monitoring report dated 09-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.<br><br>Stack monitoring report dated 09-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.<br><br>(2)D.G.Set Noise Report : 2<br>(a) The unit has 2 D.G. Set(s) of 82.5 KVA and 160 KVA. Noise monitoring report dated 29-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit prescribed limit.<br><br>The unit has 1 D.G. Set(s) of 82.5 KVA and 160 KVA. Noise monitoring report dated 21-11-2011 issued by DPCC submitted. Noise monitoring report | <b>28-03-2012</b><br>Inspection be done as decided in file. |

|    |                                        |                                                                 |                                |                |                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                 |
|----|----------------------------------------|-----------------------------------------------------------------|--------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
|    |                                        |                                                                 |                                |                |                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                | within Limit - Yes number of parameters analyzed which are within limit prescribed limit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                 |
|    |                                        |                                                                 |                                |                |                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                | (3) Inspection details: Was conducted on 08.09.2011<br>Observations:<br>1. Unit found operational engaged in mfg. of tobacco products. However sealing/ packaging machines lying sealed (by existed department as informed).<br>2. No ECS installed to control the process emission even no steps taken/ initiated for ECS.<br>3. DG Sets (except 1) found without acoustic enclosure and inadequate stack. Stack height of both oven also inadequate.<br>4. Unit has not applied for consent to operate.<br>5. Bore well connection exist 01 no.<br><br>(4) SCN u/s 31(A)/33(A)/5 of EPA details :was sent to the unit on 23.08.2011<br><br>(5) Closure directions u/s 31(A)/33(A)/5 of EPA details : was sent to the unit on 22.12.2011.<br>(6) Reply has been received on 28.12.2011 along with an affidavit, noise monitoring report, adequacy report of ECS stating that they have rectified all the deficiencies.<br><br>(7) A letter for submission of bank guarantee of Rs. 1,00,000/- each under Air Act and HWM Rules valid for one year.<br>(8) Unit has submitted bank guarantee of Rs. One lakh each under Air and HWM Rules on 03.01.2012.<br>(9) Temporary revocation for 30 days was sent to the unit on 10.01.2012. |                                                                                                                                                 |
| 24 | DPCC/EC/2/1/2012/905<br><br>27-02-2012 | AUTO STEELS<br><br>70/B-3,<br>NAJAFGARH ROAD<br>INDUSTRIAL AREA | Najafgarh Road Industrial Area | Orange Renewal | MFG. OF AUTOMOBILE LEAVES AND SPRINGS.<br><br>Hardening by Oil Quenching without use of any salt / chemical without trade effluent discharge and with annealing in oil fired furnace | <ul style="list-style-type: none"> <li>Date of commissioning of project ----</li> <li>Built Up Area ---- 700 (in sq. meter)</li> <li>Water Consumption ---- 500 liters/day</li> <li>Ground Water ---- 500 liters/day</li> <li>Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day</li> </ul> | <b>22-03-2012</b><br>(1)ETP ---- N/A<br>(2)ECS -<br>(b) Stack monitoring reports (2 nos) of Furnaces dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted.<br>Stack Test Report within Limit - Yes<br><br>(3)D.G.Set Noise Report : 1<br>(a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes<br><br>(4) Inspection details:No<br>(5) SCN u/s 31(A)/33(A)/5 of EPA details :No<br>(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No<br><br>Earlier an inspection was approved , as CBSF was reported by Central Excise.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>28-03-2012</b><br><br>Recommended for issuance of SCN for refusal of consent in view of use of CBFS as a fuel which is not an approved fuel. |
| 25 | DPCC/EC/2/1/2012/907                   | COMPETENT AUTOMOBILES CO. LTD.                                  | EAST                           | Orange Renewal | REPAIR AND SERVICE OF MARUTI VEHICLES.                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                | <b>23-03-2012</b><br>(1)ETP ---- ETP - Physiochemical<br>(a) AR dated 09.04.2009 issued by GGSIPU submitted.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>28-03-2012</b><br><br>SCN u/s 33A and u/s 5 was issued on 03.01.2012 on the basis of following                                               |

|    |            |                                                                                                     |                          |                |                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                   |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----|------------|-----------------------------------------------------------------------------------------------------|--------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | 27-02-2012 | P NO. 3 GAZIPUR                                                                                     |                          |                | Automobile Servicing And Repair Station With Washing Activity with burner                                                              | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 1039.43 (in sq. meter)</li> <li>• Water Consumption ---- 20000 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation (a) Domestic Effluent ---- 5000 liters/day (b) Trade Effluent ---- 15000 liters/day</li> </ul> |  | <p>(b) Effluent analysis report dated 23-12-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes .4 number of parameters analyzed which are within limit prescribed limit.</p> <p>(2)ECS - (stack attached to paint booth)<br/>(a) AR -NO.<br/>(b) Stack monitoring report dated 29-12-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes .1 number of parameters analyzed which are within limit prescribed limit.</p> <p>(3)D.G.Set :100 KVA and 140 KVA Noise Report : 2<br/>(a) The unit has 2 D.G. Set(s) of 100 KVA and 140 KVA. Noise monitoring report dated 11-01-2012 and 21.12.2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes .3 number of parameters analyzed which are within limit prescribed limit.</p> <p>(4) Inspection details:NO</p> <p>(5) SCN u/s 31(A)/33(A)/5 of EPA details :NO<br/>Also applied for renewal on 05.05.2009 (pending)</p> <p>(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO<br/>Also applied for renewal on 05.05.2009 (pending).</p> | <p>deficiencies found during inspection on 29.06.2011.</p> <p>(i) ETP was partially functional as grit chamber and oil and grease trap was not properly functional. (ii) Two chemical dosing tank out of three were empty. (iii) The treated water was consisting the sludge. (iv) Sludge drying bed was found filled up with the general waste. (v) Hazardouos waste storage practices were not proper. (vi) Stack height of hte D.G. Set was inadequate.</p> <p>The unit submitted its representation on 18.08.2011 apprising the rectification measures taken and subsequent to the issuance of the notice, the unit has applied for renewal of consent to operate along with the authorization under HWM Rules on 27.02.2012. Recommended for grant of renewal of consent to operate and authorization under HWM Rules.</p> |
| 26 | 27-02-2012 | DPCC/EC/2/1/2012/910<br><br>AGGARWAL INSULATORS PVT. LTD.<br><br>A-5/11, JHILMIL INDUSTRIAL AREA    | Jhilmil Industrial Area  | Orange Operate | <p>Mfg. of Copper Wire Drawing and Super Enameling on copper wires.</p> <p>Copper Wire Drawing With Super Enamelling (Dry Process)</p> | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 150 (in sq. meter)</li> <li>• Water Consumption ---- 120 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day</li> </ul>             |  | <p><b>22-03-2012</b><br/>(1)ETP ---- N/A</p> <p>(2)ECS - Stack attached to super enamelling oven and wet Scrubber<br/>(a) AR -NO<br/>(b) Stack monitoring report dated 11-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes . 2 number of parameters analyzed which are within limit prescribed limit.</p> <p>(3)D.G.Set: NIL</p> <p>(4) Inspection details:NO</p> <p>(5) SCN u/s 31(A)/33(A)/5 of EPA details :NO</p> <p>(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <p><b>28-03-2012</b></p> <p>Recommended for grant of consent to opeate and authorization under HWM Rules.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 27 | 27-02-2012 | DPCC/EC/2/1/2012/912<br><br>ALL HEAVENS RESTAURANTS PVT. LTD.<br><br>B-97, WAZIRPUR INDUSTRIAL AREA | Wazirpur Industrial Area | Orange Operate | <p>Restaurent.</p> <p>Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such</p>     |                                                                                                                                                                                                                                                                                                                                                                   |  | <p><b>22-03-2012</b><br/>(1)ETP ---- ETP - Bio-logical<br/>(a) AR dated 11.02.2007 issued by Delhi College of Engineering submitted.<br/>(b) Effluent analysis report dated 02-02-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes 4 number of parameters analyzed which are within limit prescribed limit.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <p><b>28-03-2012</b></p> <p>Recommended for grant of consent to operate and consent to establish.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

|    |                                        |                                                                                    |                                         |                   |                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                       |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                       |
|----|----------------------------------------|------------------------------------------------------------------------------------|-----------------------------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
|    |                                        |                                                                                    |                                         |                   | Establishments<br>(With Annual<br>Average<br>Production Of<br>More Than<br>1tonne/Day)                                                                   | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 1672 (in sq. meter)</li> <li>• Water Consumption ---- 13500 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation<br/>(a) Domestic Effluent ---- 800 liters/day<br/>(b) Trade Effluent ---- 10000 liters/day</li> </ul> |  | (2)D.G.Set Noise Report : 1<br>(a) The unit has 2 D.G. Set(s) of 500 KVA and 160 KVA. Noise monitoring report dated 17-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.                                                                                                                                                                                                                                                                             |                                                                       |
| 28 | DPCC/EC/2/1/2012/952<br><br>05-03-2012 | NARENDRA METAL<br><br>1/536-A/2, GALI<br>NO 4 FRIENDS<br>COLONY<br>INDUSTRIAL AREA | Friends<br>Colony<br>Industrial<br>Area | Orange<br>Operate | Mfg. of Pressure<br>Cooker with<br>buffing<br><br>Manufacturing of<br>Stainless Steel<br>Utensils (With<br>Buffing Activity)                             | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 100 (in sq. meter)</li> <li>• Water Consumption ---- 100 liters/day</li> <li>• Ground Water ---- 0 liters/day</li> <li>• Waste Water generation<br/>(a) Domestic Effluent ---- 50 liters/day<br/>(b) Trade Effluent ---- 0 liters/day</li> </ul>         |  | <b>26-03-2012</b><br>(1)ETP ---- NO<br>(2)ECS - Bag Filter / Bag House<br>(a) AR dated 11-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted.<br>(b) Stack monitoring report dated 11-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes .<br>1 number of parameters analyzed which are within limit prescribed limit.<br><br>(3)D.G.Set:NIL<br><br>(4) Inspection details:NO<br><br>(5) SCN u/s 31(A)/33(A)/5 of EPA details :NO<br><br>(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO | <b>28-03-2012</b><br><br>Recommended for grant of consent to operate. |
| 29 | DPCC/EC/2/1/2012/953<br><br>05-03-2012 | LOTUS TRENDS<br>PVT. LTD.<br><br>B-38, LAWRENCE<br>ROAD INDUSTRIAL<br>AREA         | Lawrence<br>Road<br>Industrial<br>Area  | Orange<br>Operate | MFG. OF<br>READYMADE<br>GARMENTS<br>WITHOUT<br>WASHING AND<br>DYEING.<br><br>Readymade<br>Garment with oil<br>fired boiler<br>(Without<br>Washing/Dyeng) | <ul style="list-style-type: none"> <li>• Date of commissioning of project ----</li> <li>• Built Up Area ---- 250.83 (in sq. meter)</li> <li>• Water Consumption ---- 1000 liters/day</li> <li>• Ground Water ---- 500 liters/day</li> <li>• Waste Water generation<br/>(a) Domestic Effluent ---- 500 liters/day<br/>(b) Trade Effluent ---- 0 liters/day</li> </ul>  |  | <b>22-03-2012</b><br>(1)ECS - N/A<br>(b) Stack monitoring report dated 02-02-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes 1 number of parameters analyzed which are within limit prescribed limit.<br><br>(3)D.G.Set Noise Report : 1<br>(a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 17-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes 3 number of parameters analyzed which are within limit prescribed limit.                                                     | <b>28-03-2012</b><br><br>Recommended for grant of Consent to operate. |