

Minutes of the 12th meeting of the Committee Constituted for Grant/ Refusal of consent under orange Category, held on 20.8.2007 in the Conference Room of Chairman, DPCC.

The Following persons, attended the meeting on 20.8.2007

1. Sh. J. K Dadoo, Chairman DPCC
2. Sh. SS Ghonkrokta, Member Secretary, DPCC
3. Sh. S.K.Gupta ,Head Chemical Engineering Deptt.,IIT Delhi
4. Sh. B. Kumar, SEE, DPCC
5. Dr. Chandra Prakash , SEE (Plg)
6. Dr. Anil Kumar, SSO, Deptt of Env., GNCTD.
7. EEs, and AEE/JEE of CMC & PGRC

Agenda items I and II were discussed and decisions were taken. In case of Agenda II, cases upto Sl.No.7 out of 30 were discussed. Remaining portion of the Agenda II and **agenda III were deferred for next meeting i.e on 21.8.2007**. Details of the decisions taken are as below.

Agenda I :

ATR on the decisions taken in the meeting held on 13th July 2007 was discussed and the decisions taken, which may be seen at **Annexure –A**. In total, 53 (6(Urgent)+13(CBI) +34 (Badli Ind Area)) were reviewed.

Agenda II :

7 cases, out of 30 slated for discussion, were discussed. Remaining cases were deferred for next meeting to be held on 21.8.2007. The decisions taken in 7 cases is annexed as **Annexure –B**.

Agenda III :

Agenda was not discussed due to paucity of time and deferred for next meeting to be held on 21st August 2007.

Policy on adequacy report of the pollution control devices.

The concept of adequacy report of pollution control devices through approved consultants from DPCC has been enforced since 2000. The unit has to submit the adequacy report of the pollution control devices alongwith the consent applications under Air and Water Act. So far, the adequacy report once done is being submitted, alongwith the renewal consent applied thereafter, any time, as per the prevailing practice. However, it has been observed during inspections and otherwise also, that when the scale of the operation of the unit increases the pollution control devices are not able to cope with the effluent/ emission discharge.

Ageing factor and change in constituent units of pollution control system, also contribute towards this.

The matter was discussed and it was unanimously decided that a fresh adequacy report of pollution control device, through the approved consultants from DPCC, after each five year period shall be taken alongwith the consent application. The adequacy reports more than 5 years old will not be valid for the grant of consent.

Action to be taken in the cases wherein closure directions were issued

The issue of revocation of directions, wherever closure directions were issued, was discussed in detail and it was decided to ask all such units to apply for consent to establish. Once the unit applies for consent to establish, decision regarding consent to establish can be taken. Inquiry Counter may be informed accordingly by MS and strictly enforced. No one in DPCC should advice any unit to apply for consent to operate straight away, with out first taking a consent to establish.

Action to be taken in the cases wherein units are applying for consent to operate, with out obtaining consent to establish

The issue was discussed in detail and it was decided to direct Enquiry Counter of DPCC not to accept fresh applications for consent to operate, if the unit has not obtained consent to establish. The unit should be asked to apply for consent to establish first, after which the consent to operate application will be considered. This is for strict compliance and any deviation will be viewed seriously.

Matter regarding the inspections carried out by a team headed by Jt. Commissioner (Industries)

The joint inspections headed by Jt. Commissioner (Inds) were to be carried out to know the qualification of operators of CETPs, as per the decision taken by the DPCC in it's meeting dated 9th January 2007 and 26th July 2007. Hence a letter may be sent to Commissioner (Industries), GNCTD clarifying this issue, and DPCC's role is limited to that. DPCC representative will no longer be a party in such joint inspections.

The meeting ended with a vote of thanks to the Chair.

Agenda for 12th CMC (Orange) meeting to be held on 20.8.07.

The 12th meeting of the Committee constituted for deciding the consent applications under Orange Category received under the Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 is scheduled to be held on 20.8.07.

Agenda 1- ATR on the decisions, taken in 9th meeting of CMC held on 13.07.07.

Annexure – I.

Agenda 2- Cases which are to be put up in CMC due to some urgent matter / decision. ***Annexure –II.***

Agenda 3- Cases of units engaged in mfg Polythene bags and applied for registration/authorization under Plastic Rules.

Agenda 4 – Any item with the approval of Chairman.

Action was not taken in respect of cases discussed in 10th and 11th meetings held on 18th and 19th July 2007 respectively as the individual sheets have not been signed and so ATR has not been prepared.

Agenda for 13th CMC (Orange) meeting to be held on 21.8.07.

Agenda 1 – ATR on the decisions taken, wrt PGRC cases, in 11th meeting held on 19.7.2007.

Agenda 2 – PGRC cases for discussion and decision.

Agenda 3 – Electromagnetic radiation due to cell towers.

Agenda 4 - Cases which are to be put up in CMC due to some urgent matter / decision.

Agenda 5 – Representation of Delhi Printers Association regarding disposal of Hazardous waste.

Agenda 6 – Any item with the approval of Chairman.

Agenda for 14th CMC (Orange) meeting to be held on 22.8.07.

Agenda – 1 – Review of ATR on the decisions taken in HW Committee meetings held on 4th and 5th July 2007.

Agenda – 2 – Special reference cases of Wazirpur Ind Area.

Agenda – 3 – Fresh inspection cases of Wazirpur Ind Area.

Agenda 4 – Any item with the approval of Chairman.



By Speed Post

DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF DELHI)
4TH FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-6
visit us at : <http://dpcc.delhigovt.nic.in>

F.No.DPCC/CMC-II/2007

Dated:

Subject:- Minutes of the 12th meeting of the committee constituted for grant/ renewal / revoke the consent orange under the Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 held on 20.8.07.

Please find enclosed herewith the minutes of 12th meeting of the committee, constituted for grant / renewal /revoke the consent (orange) under the Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981, held on 20.8.2007 in the conference room of Chairman, DPCC.

(BMS Reddy)
Environmental Engineer

1. Chairman, DPCC
2. Member Secretary, DPCC
3. Prof. S.K.Gupta , Head Chemical Engineering Deptt. ,IIT Delhi
4. Dr. Anil Kumar, Environment Department, GNCTD
5. Shri. B. Kumar, SEE, DPCC.
6. SEE(Plg), DPCC.
7. Env. Engineer, CMC-(I,II,III)
8. Asstt.Env.Engrs /JEE CMC

Copy for information to:-

1. Incharge, Computer Cell, DPCC-for placing the aforementioned minutes of the committee on the Website of DPCC.
2. Enquiry Counter, DPCC.

(BMS Reddy)
Environmental Engineer



By Speed Post

DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF DELHI)
4TH FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-6
visit us at : <http://dpcc.delhigovt.nic.in>

F.No.DPCC/CMC-II/2007

Dated:

Subject:- Minutes of the 15th meeting of the committee constituted for grant/ renewal / revoke the consent orange under the Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 held on 28.8.07.

Please find enclosed herewith the minutes of 15th meeting of the committee, constituted for grant / renewal /revoke the consent orange under the Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981, held on 28.8.2007 in the conference room of Chairman, DPCC.

Environmental Engineer

1. Chairman, DPCC
2. Member Secretary, DPCC
3. Prof. S.K.Gupta , Head Chemical Engineering Deptt. ,IIT Delhi
4. Dr. Anil Kumar, Environment Department, GNCTD
5. Shri. B. Kumar, SEE, DPCC.
6. Env. Engineer, CMC-(I,II,III)
7. Sh. M. Dwarkanath, SSO, Dept. of Env., GNCTD.

Copy for information to:-

1. Incharge, Computer Cell, DPCC-for placing the aforementioned minutes of the meeting of the Committee on the Website of DPCC.
2. SEE(Legal), DPCC.

Copy for information to:-

3. Incharge, Computer Cell, DPCC-for placing the aforementioned minutes of the meeting of the Committee on the Website of DPCC.
4. SEE(Legal), DPCC.

Environmental Engineer

Sl. No	Name of the Unit	Address	Indl. Area	Decision Taken in the Meeting on 13.07.07	Action Taken Report	Decision Taken in the Meeting on 19.07.07	Action Taken Report/ Remarks	Decision Taken in the Meeting on 20.08.07
1	M/s Lucky Udyog,M/s Shanti Foils P. Ltd.	46, Phase-II	Badli Ind. Area	As 15 days of Court order expires on 17.07.07, case to be placed before committee in its next meeting on 18.07.07.	—	Inspect to verify the activity and status of the unit by the committee for Badli Indl. Area.	Unit inspected by Prof. Sree Krishnan Committee on 17.08.2007.	Put up in the Committee (CMC - Green) since activity of the unit i.e SS sheet cutting falls under green category.
2	M/s Shri Gauri Ganesh Dyeing & Printing Press,	46, Phase-II	Badli Ind. Area	As 15 days of Court order expires on 17.07.07, case to be placed before committee in its next meeting on 18.07.07.	—	Effective closure to M/s Shri Gauri Ganesh Dyeing & Printing Press.& Show Cause Notice to M/s Ashoka Steel Industries u/s 31 (A) of Air Act for not applying for consent to establish, for closure of the unit & for disconnection of electricity & water supply to the unit.	Letter issue to SDM for effective closure of M/s M/s Shri Gauri Ganesh Dyeing & Printing Press. Reply awaited.	Letter for cancellation of MCD license, if any in the name of the unit (M/s Shri Gauri Ganesh Dyeing & Printing Press,). Letter for disconnection of electricity and water supply in the name of the unit(M/s Shri Gauri Ganesh Dyeing & Printing Press),

3	M/s Mehran Plastic,	49, Phase-II	Badli Ind. Area	Ask for the application for consent to establish under the Air & Water Acts, without buffing activities within 15 days.	—	—	Letter issued. Reply awaited.	Put up before committee in the meeting on 18.9.07
---	---------------------	--------------	-----------------	---	---	---	-------------------------------	---

4	M/s Rameshwar & Co.	50,Phase-II	Badli Ind. Area	Let the committee for Badli Indl. Area inspect the unit and check & verify for the contents of the affidavit.	—	—	Unit inspected by Prof. Sree Krishnan Committee on 19.07.2007, copy of report enclosed.	BG of one lakh rupees submitted by the unit forfeited for the deficiencies observed during the inspection on 19.7.07. Ask the unit to apply for Consent to establish under Air and Water acts and direct the unit to submit BG of total one lakh rupees (Rs.50000/- each for operation of ETP and ECS) with in 15 days, u/s 31(A) of Air act and u/s 33(A) of Water act with mention that, in case of non compliance with the above unit will be issued directions for closure and for disconnection of electricity and wate supply to the unit.
5	M/s Poddar Polymers,	69, Phase-II	Badli Ind. Area	Ask the unit to apply for consent to establish under the Air & Water Acts, within 15 days.	—	—	Letter issued. Reply awaited.	Put up before committee in the meeting on 18.9.07

6	M/s Maruti Industries,	83, Phase-II	Badli Ind. Area	Order of CMC confirmed (taken in the meeting on 28.06.2007 that “ No action at this point of time. Consent & Authorization application to be decided on merit in chronology)	—	—	—	Same as decided on 28.6.07. Ask the unit to apply for consent to establish under the Air and Water Acts within 15 days.
7	M/s Eska Auto Industries,	83, Phase-II	Badli Ind. Area	Ask the unit to apply for consent to establish under the Air & Water Acts, within 15 days.	—	—	Letter issued. Reply awaited.	Put up before committee in the meeting on 18.9.07
8	M/s Bajrang Bali Industries,	89, Phase-II	Badli Ind. Area	Prof. Sree Krishnan Committee for Badli Indl. Area to inspect and report.	—	—	Unit inspected by Prof. Sree Krishnan Committee on 19.07.2007, copy of report enclosed.	Seek an affidavit from the unit reg the status of the unit wrt pickling activity.

9	M/s Paul Babuta & Co.,	M-9, Phase-I	Badli Ind. Area	Prof. Sree Krishnan Committee for Badli Indl. Area to inspect and report.	—	—	Unit inspected by Prof. Sree Krishnan Committee on 19.07.2007, copy of report enclosed.	Ask the unit to apply for Consent to establish under Air and Water acts with in 15 days.
10	M/s Ellora Plastics,	S-52, Phase-I	Badli Ind. Area	Prof. Sree Krishnan Committee for Badli Indl. Area to inspect and report.	—	—	Unit inspected by Prof. Sree Krishnan Committee on 19.07.2007, copy of report enclosed.	Ask the unit to apply for Consent to establish under Air and Water acts with in 15 days ad also submit an affidavit reg improvement done as suggested by the inspecting team during earlier inspection on 25.4.07.

11	M/s G.I.G. Auto Industries,	89, Phase-II	Badli Ind. Area	Let the Court order come.	Copy of orders inspected & certified by the DPCC Counsel in the case received from Legal Cell.	Ask for to apply for consent to establish under the Air & Water Act within 15 days.	Letter prepared as decided on file, case along with other cases of BIE to be put up before commttee on 20.8.07 considering Hon'ble HC order dated 25.7.07.	Case was discussed considering the Hon'ble High Court order dated 25.7.07 and the Committee decided to ask the unit to apply for Consent to establish under Air and Water acts with in 15 days.
12	Powercon Industries,	45, Phase-II,	Badli Ind. Area	Certified Copy of Court order is not available on the record. Let ALO file/ obtain the certified copy of Court order and the case be placed in next CMC meeting on 18.07.07.	Copy of orders inspected & certified by the DPCC Counsel in the case received from Legal Cell.	Directions for closure etc already issued.	High Court case disposed on 25.07.2007 with the directions that the order would be passed within six weeks and that the interim order that has been passed in this matter, shall be continued for the entire duration..... Copy of oreder recd from legal cell. Unit inspected by Prof. Sree Krishnan Committee on 17.08.2007.	Unit be asked to apply for consent to establish within 15 days. Vedio filming of the unit's ETP, ECS to be done by the same team which inspected the unit earlier on 24.5.07 and to be screened/placed before the CMC in the meeting on 18.9.07. Use of water by the unit/withdrawal of ground water by the unit also to be covered.

13	International Diesel Parts	45, Phase-II	Badli Ind. Area	Certified Copy of Court order is not available on the record. Let ALO file/ obtain the certified copy of the Court order and the case be placed in next CMC meeting on 18.07.07.	Copy of orders inspected & certified by the DPCC Counsel in the case received from Legal Cell.	Directions for closure etc already issued.	High Court case disposed on 25.07.2007 with the directions that the order would be passed within six weeks and that the interim order that has been passed in this matter, shall be continued for the entire duration..... Copy of order recd from legal cell. Unit inspected by Prof. Sree Krishnan Committee on 17.08.2007.	Ask the unit to apply for Consent to establish under Air and Water acts with in 15 days.
14	M/s Swift Chemical Corporation,	S-56, Phase-I	Badli Ind. Area	Certified Copy of Court order is not available on the record. Let ALO file/ obtain the certified copy of Court order and the case be placed in next CMC meeting on 18.07.07.	Copy of orders inspected & certified by the DPCC Counsel in the case received from Legal Cell.	Directions for closure etc already issued.	High Court case disposed on 25.07.2007 with the directions that the order would be passed within six weeks and that the interim order that has been passed in this matter, shall be continued for the entire duration..... Copy of order recd from legal cell.	Ask the unit to apply for Consent to establish under Air and Water acts with in 15 days.

15	M/s Mangala Industries,	S-56, Phase-I	Badli Ind. Area	Certified Copy of Court order is not available on the record. Let ALO file/ obtain the certified copy of Court order and the case be placed in next CMC meeting on 18.07.07.	Copy of orders inspected & certified by the DPCC Counsel in the case received from Legal Cell.	Directions for closure etc already issued.	High Court case disposed on 25.07.2007 with the directions that the order would be passed within six weeks and that the interim order that has been passed in this matter, shall be continued for the entire duration..... Copy of order recd from legal cell.	Ask the unit to apply for Consent to establish under Air and Water acts with in 15 days.
16	M/s Vijay Kumar Gupta & Sons,	S-56, Phase-I	Badli Ind. Area	Certified Copy of Court order is not available on the record. Let ALO file/ obtain the certified copy of Court order and the case be placed before the committee in its next meeting on 18.07.07.	Copy of orders inspected & certified by the DPCC Counsel in the case received from Legal Cell.	Directions for closure etc already issued.	High Court case disposed on 25.07.2007 with the directions that the order would be passed within six weeks and that the interim order that has been passed in this matter, shall be continued for the entire duration..... Copy of order recd from legal cell.	Ask the unit to apply for Consent to establish under Air and Water acts with in 15 days.

17	M/s S.B.Steel Udyog,	S-58, Phase-I	Badli Ind. Area	Certified Copy of Court order is not available on the record. Let ALO file/ obtain the certified copy of Court order and the case be placed in next CMC meeting on 18.07.07.	Copy of orders inspected & certified by the DPCC Counsel in the case received from Legal Cell.	Directions for closure etc already issued.	High Court case disposed on 25.07.2007 with the directions that the order would be passed within six weeks and that the interim order that has been passed in this matter, shall be continued for the entire duration..... Copy of order recd from legal cell. Unit inspected by Prof. Sree Krishnan Committee on 17.08.2007.	Ask the unit to apply for Consent to establish under Air and Water acts with in 15 days.
18	M/s Radha Kishan Dass, Delhi-42	S-58, Phase-I	Badli Ind. Area	Certified Copy of Court order is not available on the record. Let ALO file/ obtain the certified copy of Court order and the case be placed in next CMC meeting on 18.07.07.	Copy of orders inspected & certified by the DPCC Counsel in the case received from Legal Cell.	Directions for closure etc already issued.	High Court case disposed on 25.07.2007 with the directions that the order would be passed within six weeks and that the interim order that has been passed in this matter, shall be continued for the entire duration..... Copy of order recd from legal cell. Unit inspected by Prof. Sree Krishnan Committee on 17.08.2007.	Ask the unit to apply for Consent to establish under Air and Water acts with in 15 days.

19	M/s Narendra Industries,	S-59, Phase-I	Badli Ind. Area	Certified Copy of Court order is not available on the record. Let ALO file/ obtain the certified copy of Court order and the case be placed in next CMC meeting on 18.07.07.	Copy of orders inspected & certified by the DPCC Counsel in the case received from Legal Cell.	Directions for closure etc already issued.	High Court case disposed on 25.07.2007 with the directions that the order would be passed within six weeks and that the interim order that has been passed in this matter, shall be continued for the entire duration..... Copy of order recd from legal cell.	Ask the unit to apply for Consent to establish under Air and Water acts with in 15 days.
20	M/s Puri Optical Works,	S-59, Phase-I	Badli Ind. Area	Certified Copy of Court order is not available on the record. Let ALO file/ obtain the certified copy of Court order and the case be placed in next CMC meeting on 18.07.07.	Copy of orders inspected & certified by the DPCC Counsel in the case received from Legal Cell.	Directions for closure etc already issued.	High Court case disposed on 25.07.2007 with the directions that the order would be passed within six weeks and that the interim order that has been passed in this matter, shall be continued for the entire duration..... Copy of order recd from legal cell.	Ask the unit to apply for Consent to establish under Air and Water acts with in 15 days.

21	M/s M.S. Industries,	S-59, Phase-I	Badli Ind. Area	Certified Copy of Court order is not available on the record. Let ALO file/ obtain the certified copy of Court order and the case be placed in next CMC meeting on 18.07.07.	Copy of orders inspected & certified by the DPCC Counsel in the case received from Legal Cell.	Directions for closure etc already issued.	High Court case disposed on 25.07.2007 with the directions that the order would be passed within six weeks and that the interim order that has been passed in this matter, shall be continued for the entire duration..... Copy of order recd from legal cell.	Ask the unit to apply for Consent to establish under Air and Water acts with in 15 days.
22	M/s Ferrotech Engineers,	S-75, Phase-I	Badli Ind. Area	Inspection by Sree Krishnan committee for Badli Indl. Area and seek compliance report from NDPL and DJB.	Copy of orders inspected & certified by the DPCC Counsel in the case received from Legal Cell.	Directions for closure etc already issued. Seek compliance report from NDPL and DJB, as decided in earlier meeting on 13.07.2007.	Letters prepared, however as decided on file, case is to be put up in Committee. Unit inspected by Prof. Sree Krishnan Committee on 19.07.2007, copy of report enclosed. High Court case disposed on 25.07.2007 with the directions that the order would be passed within six weeks and that the interim order that has been passed in this matter, shall be continued for the entire duration..... Copy of order recd from legal cell.	Ask for an affidavit from the unit reg clarifiaction that all the polluting activities have been stopped by the unit, with in 15 days. Put up before Committee in the meeting on 18.9.07.

23	Kiran Industries,	2, Phase – II,	Badli Ind. Area	Ask for submission of Consent to Establish application under the Air & Water Acts, within 15 days.	–	–	Letter issued. Reply awaited.	Put up before Committee in the meeting on 18.9.07.
24	A.K.G. Industries,	2, Phase – II,	Badli Ind. Area	Inspection by Prof. Sree Krishnan committee for Badli Indl. Area and report thereafter.	–	–	Unit inspected by Prof. Sree Krishnan Committee on 19.07.2007, copy of report enclosed.	Letter for cancellation of MCD license in the name of the unit. Letter for disconnection of electricity and water supply in the name of the unit.

25	Arihant Industries,	27, Phase – II	Badli Ind. Area	Inspection by Prof. Sree Krishnan committee for Badli Indl. Area and report thereafter.	–	–	Unit inspected by Prof. Sree Krishnan Committee on 19.07.2007, copy of report enclosed.	Letter for cancellation of MCD license in the name of the unit (Ms Arihant Industries). Letter for disconnection of electricity and water supply in the name of the unit.(M/s Arihant Industries). SCN u/s 31(A) of Air Act for closure of the unit and for disconnection of electricity and water supply to the following units which are operating with out obtaing consent from DPCC. M/s Popular Plastics</s Shree Shyam Lightak Pvt. Ltd and M/s Plastic Injection Moulding Unit (owner Shri Ajay).
----	---------------------	----------------	-----------------	---	---	---	---	---

26	Sai Aqua Industries,	S-53, Phase – I	Badli Ind. Area	Inspection by Prof. Sree Krishnan committee for Badli Indl. Area and report thereafter.	–	–	Unit inspected by Prof. Sree Krishnan Committee on 19.07.2007, copy of report enclosed.	Letter for cancellation of MCD license in the name of the unit. Letter for disconnection of electricity and water supply in the name of the unit.
27	Polythene Tube Unit,	S-53, Phase – I	Badli Ind. Area	Inspection by Prof. Sree Krishnan committee for Badli Indl. Area and report thereafter.	–	–	Unit inspected by Prof. Sree Krishnan Committee on 19.07.2007, copy of report enclosed.	Letter for cancellation of MCD license in the name of the unit. Letter for disconnection of electricity and water supply in the name of the unit.

28	Luxmi Industries,	45, Phase – II	Badli Ind. Area	Inspection by Prof. Sree Krishnan committee for Badli Indl. Area and report thereafter.	–	–	Unit inspected by Prof. Sree Krishnan Committee on 17.08.2007.	Letter for cancellation of MCD license in the name of the unit. Letter for disconnection of electricity and water supply in the name of the unit.
29	Ankur Steel Rolling,	S-58, Phase – I	Badli Ind. Area	Inspection by Prof. Sree Krishnan committee for Badli Indl. Area and report thereafter.	–	–	Unit inspected by Prof. Sree Krishnan Committee on 17.08.2007.	Letter for cancellation of MCD license in the name of the unit. Letter for disconnection of electricity and water supply in the name of the unit.
30	Jagriti,	S-58, Phase – I	Badli Ind. Area	Inspection by Prof. Sree Krishnan committee for Badli Indl. Area and report thereafter.	–	–	Unit inspected by Prof. Sree Krishnan Committee on 17.08.2007.	Letter for cancellation of MCD license in the name of the unit. Letter for disconnection of electricity and water supply in the name of the unit.

31	Gig Industries,	89, Phase – II,	Badli Ind. Area	Letter to concerned SDM for effective closure of the unit.	–	–	Letter issued.	Seek compliane report from SDM. Letter for cancellation of MCD license in the name of the unit. Letter for disconnection of water and electricity supply in the name of the unit.
32	Goodage Metal Industries,	83, Phase – II,	Badli Ind. Area	Letter to concerned SDM for effective closure of the unit.	–	–	Letter issued.	Seek compliane report from SDM. Letter for cancellation of MCD license in the name of the unit. Letter for disconnection of water and electricity supply in the name of the unit.

33	Jogson Rubtech Pvt. Ltd.	S-57, Phase - I	Badli Ind. Area	MPD-2021 is clear about this activity of the unit as of prohibited category. Therefore issue directions to concerned SDM for effective closure of the unit.	—	—	Letter issued.	Seek compliane report from SDM.
34	Ashoka Steel Industries	46, Phase II	Badli Ind. Area	As 15 days of Court Order expires on 17.07.07, put up before the committee in next meeting on 18.07.07.	Copy of orders inspected & certified by the DPCC Counsel in the case received from Legal Cell.	Show Cause Notice to M/s Ashoka Steel Industries u/s 31 (A) of Air Act for not applying for consent to establish for closure of the unit & for disconnection of electricity & water supply to the unit.	Show Cause Notice t u/s 31 (A) of Air Act issued to M/s Ashoka Steel Industries. Reply awaited. Unit inspected by Prof. Sree Krishnan Committee on 17.08.2007.	Put up before committee in the meeting on 18.9.07.

S. No	Name of Industry	Address	Activity	Decision taken in the meeting on 31.05.2007	Action taken w.r.t Meeting on 31.05.07	Decision taken in meeting on 28.6.07	Action Taken Report w.r.t Meeting on 28.06.07	Decision	ATR FOR 20.8.2007	DECISION OF 20.8.2007
1	M/s New O.K. Electroplating,	K-31/S-1, Anand Parbat Industrial Area Delhi	Zn Plating (with Cr. passivation)	Authorisation under HWM Rules refused and Consent under Air & Water Act revoked. Directions u/s 33 (A) of Water Act [read with Rule 34(6) of Water Rules] and u/s 5 of EP Act [read with EP Rules 4(5)] for closure of the aforementioned unit and for disconnection of electricity & water supply to the aforementioned unit and in the name of Sh. O. P. Jain, by the concerned agencies.	Authorization refused and consent revoked. Directions issued u/s 33(A) of Water Act and u/s 5 of EP Act as decided by the Committee. Compliance report received from BSES. Represented for revocation and restoring the electricity supply & water supply as well.	Representation of the unit rejected. Since the unit appears to be wilful offender, orders confirmed.	Letter issued on 4.7.07 Submitted representation dt 4.7.07. Wants to close down the Electro Plating activity. Requested for revocation of directions issued by DPCC.	Let the unit confirm its intention by taking appropriate action and file an affidavit to this effect.	Letter issued. Applied for consent to establish under green category.	Inspection be done by the same team, which carried earlier. Place the case in next CMC meeting on 18.9.07

2	M/s Alipur Pipe & Steel Tubing Industries (P) Ltd.,	M- 6, Phase I, Badli Industrial Area, Delhi – 42.	Manufacturing of Copper sheets involving pickling.	Show Cause Notice for refusal of Authorisation under HWM Rules and for Consent under Air & Water Act. Show Cause Notice u/s 31 (A) of Air Act, u/s 33 (A) of the Water Act and u/s 5 of EP Act as to why unit should not be closed and electricity & water supply should not be disconnected.	SCN for refusal of Authorization and for refusal of consent issued. SCN u/s 31(A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EP Act as decided by the Committee issued. Reply / Representation received w.r.t said notices and informed regarding rectification of deficiencies.	Firm claims that he can produce the production figures to justify his reply. Committee felt that the unit be informed to file an affidavit regarding correction /rectification of the deficiencies found during the inspection ,along with production records & Bank Guarantee of Rs 50,000 each in case of Air,Water & HW Rules within seven days. Case to come up in the meeting on 13.7.2007.	As decided letter issued on 29.06.07 & delivered by hand on 30.06.07. Unit has submitted Bank Guarantee of Rs.1.50 Lacs(3 x 50,000 each) and affidavit alongwith production record of the unit.	Unit submitted bank guarantee. Unit be asked to provide production figures and supporting documents as stated in the earlier submitted represenattion by the unit.	Letter issued. Unit submitted details of production figures and other documents.	Inspection be done by the same team, which carried earlier. Place the case in next CMC meeting on 18.9.07
3	M/s Rakhi Export,	S- 76, Phase I, Badli Industrial Area, Delhi – 42.	Fabrication of M.S. engineering goods (involving cutting, shearing and welding)	Show Cause Notice for revocation of consent since no stack provided for DG Set.	SCN for revocation of consent issued. Reply to the notice received.	Since the firm has submitted photograph showing the correction of deficiencies, the committee felt that unit may be asked to submit an affidavit in this regard and unit shall also submit Bank Gaurantee of Rs. 50,000 w.r.t D.G set norms compliance. Unit be inspected by the same team which inspected earlier, beofre due date of Bank Guarantee so that if defencies persist Bank Guarantee may be forfeited	As decided letter issued on 29.06.07. Unit has submitted Bank Guarantee of Rs, One Lacs on 05.07.07 valid upto 04.01.08 & an affidavit on 06.07.07 as sought.	Inspection by the earlier inspected team for verification of stack height.	Ispection to be carried out by same team.	Await for formal report of the inspecting team and put up this case in CMC meeting on 18.9.07

4	M/s Ideal Udyog,	Plot No. 102, Phase II, Badli Industrial Area, Delhi – 42.	Manufacturing of Cu and brass sheets/ circles involving annealing and pickling.	Authorisation under HWM Rules and Consent under Air & Water Act refused. Directions u/s 33 (A) of Water Act [read with Rule 34(6) of Water Rules] and u/s 5 of EP Act [read with EP Rules 4(5)] for closure of the aforementioned unit and for disconnection of electricity & water supply to the aforementioned unit by the concerned agencies.	Authorization and consent refused. Directions issued u/s 33(A) of Water Act and u/s 5 of EP Act as decided by the Committee. Stay granted up to 02.07.2007 for filing appeal before the appellate authority. Appeal filed by the unit before appellate authority (MOEF). Representation received regarding measures taken.	Legal Cell had informed that the firm had gone to Hon'ble High Court and the Court disposed of the case and allowed the firm time upto 02.07.07 to file appeal before Appellate Authority. In view of above, the Committee felt that the order of Appellate Authority may be awaited till 02.07.07 and thereafter an inspection be done to check operational status and submit the file to the Committee by rotation.	Letter issued to the unit on 29.06.07.Appellate Authority (MOEF) has not heard the matter so far.The unit had again gone to the Hon'ble High Court however case was dismissed and no further relief given by the Court to the unit. Appeal filed before AA under Water Act, 1974. As per the order dated 10.7.07 of AA, ex party stay granted till 24.8.2007 i.e next DOH.	Unit was inspected by the team which have inspected earlier, on 12.7.07 and inspection report taken on record by the committee. Appellate Authority under Water Act has given stay till 24.8.07. Appeal under Air act by MOEF is pending. DPCC may take view of the standing Govt counsel in this case.	File sent to legal cell for obtaining view of standing Govt. counsel and to prepare reply for AA.	After taking view of standing counsel and affidavit as sought vide letter issued on 20.8.07, put up the case in CMC meeting on 18.9.07.
---	------------------	--	---	---	---	--	---	--	--	--

5	M/s C.V. Mathur & M. K. Unithan/ Swastic Aluminum,	Plot No. 103, Phase II, Badli Industrial Area, Delhi – 42.	Manufacturing of aluminum sheets and circles.	Show Cause Notice for refusal of Authorisation under HWM Rules and for Consent under Air & Water Act. Show Cause Notice u/s 31 (A) of Air Act and u/s 5 of EP Act as to why unit should not be closed and electricity & water supply should not be disconnected.	SCN for refusal of Authorization and for refusal of consent issued. SCN u/s 31(A) of Air Act, and u/s 5 of EP Act as decided by the Committee issued. Reply / Representation received w.r.t said notices and informed regarding rectification of deficiencies.	The firm has filed a letter saying he has corrected the deficiencies . The case is of the mfg of aluminium sheets & circle mfg. The unit may be asked to file affidavit and Bank Guarantee of Rs.50,000 each under Air Act & HW Rules within 7 days. It he submits the same an inspection be made before 13th July 2007 and case to be put up before Committee on 13.07.07.	As decided letter issued on 29.06.07 & delivered by hand on 30.06.07. Unit has submitted Bank Guarantee of Ea.One Lacs (2 x50,000 each) and affidavit on 04.07.07 as sought.	Unit was inspected by the same team on 12.7.07 and report of the team considered by the committee. Let the unit submit the documentary proof with in 15 days w.r.t deficiencies corrected.	Letter issued. Unit submitted affidavit and photo graphs.	Surprise inspection by the same team which inspected earlier this unit and put up the case in CMC meeting on 18.9.07.
6	M/s Maruti Industries,	Plot No. 83, Phase II, Badli Industrial Area, Delhi – 42.	Pickling of SS sheets	No action required at this point of time .Consent and authorization be decided on merit.	Case was put up before the committee constituted for Badli Industrial Area in its meeting held on 04.06.07 and the said committee has recommended for revocation of Directions u/s 33 (A) of Water Act & u/s 31(A) of Air Act issued on 29.05.2006 & file is under process.	No action at this point of time. Consent & Authorization application to be decided on merit in chronology.	***	Same as on 28.6.2007.	***	Same as decided on 28.6.07

7	M/s Powercon Industries,	Plot No. 45, Phase II, Badli Industrial Area, Delhi – 42.	Annealing, re-rolling and pickling of SS sheets.	Directions u/s 33 (A) of Water Act & u/s 31(A) of Air Act issued on 29.05.2006 be enforced for closure of the aforementioned unit and for disconnection of electricity & water supply to the aforementioned units by the concerned agencies.	Letter issued for reinforcement of directions u/s 33 (A) of Water Act & u/s 31(A) of Air Act issued on 29.05.2006. Stay granted by the Hon'ble High Court. Next date of hearing is on 04.07.2007.	This firm has gone to Hon'ble High Court of Delhi which has granted stay upto 4th July 2007. Counter affidavit may be filed clearly mentioning the findings/ recommendations of Prof. Shree. Krishnan Committee, findings of team of Shri Dwarkanath & Smt. Ageeta Aggarwal and view taken by CMC on 31.05.2007. The fact that he has not applied for consent and not submitted Bank Guarantee, shows his defiance of law & should be clearly highlighted in the Counter Affidavit. On 4th July 2007 our counsel should take a strong plea to confirm the order of the Committee.	Counter Affidavit filed. Unit submitted Consent Application and Bank Gaurantee as asked by the Committee for Badli Indl. Area. Case was heard on 04.07.07 and next date of hearing is on 25.07.07.	Certified copy of Court order is not available on the record. Let ALO file/obtain the certified copy of the court order and case be placed in next CMC meeting on 18.7.2007.	As per High Court order dated 25.7.07, case is to be decided with in 6 weeks.	Unit be asked to apply for consent to establish within 15 days. Vedio filming of the unit's ETP, ECS to be done by the same team which inspected the unit earlier on 24.5.07 and to be screened/placed before the CMC in the meeting on 18.9.07. Use of water by the unit/withdrawal of ground water by the unit also to be covered.
---	--------------------------	---	--	--	---	---	--	--	---	--

8	M/s Jwell Electroplating,	K-31-5, Anand Parbat Industrial Area Delhi	Ni Plating (with Cr. dip) with buffing (1 machine)	Consent under Air & Water Act and Authorisation under HWM Rules refused. Directions u/s 33 (A) of Water Act [read with Rule 34(6) of Water Rules], u/s 31(A) of Air Act [read with Rule 20A(6) of Air Rules] and u/s 5 of EP Act [read with EP Rules 4(5)] for closure of the aforementioned unit and for disconnection of electricity & water supply to the aforementioned unit by the concerned agencies.	Authorization refused and consent refused. Directions issued u/s 33(A) of Water Act, u/s 31 (A) of Air Act and u/s 5 of EP Act as decided by the Committee. Compliance report received from BSES.Represented for revocation of closure directions & restoration of electricity and water supply as well.	The firm has given no grounds why the order of Committee should be revoked. Therefore compliance report be taken from DJB and the order of CMC stands confirmed.	Letter issued on 4.7.07 Submitted representation dt 4.7.07. Wants to close down the Electro Plating activity. Requested for revocation of directions issued by DPCC.	Let the unit confirm its intention by taking appropriate action and file an affidavit to this effect.	Letter issued. Applied for consent to establish under green category.	Inspection be done by the same team, which carried earlier. Place the case in next CMC meeting on 18.9.07
---	---------------------------	--	--	--	---	---	---	--	--	--

9	M/s Asrani Steel Industries,	A-4, Wazirpur Industrial Area	Pickling, Annealing, Re-rolling, Circle Cutting	Show Cause Notice for refusal of Authorisation under HWM Rules and for Consent under Air & Water Act. Show Cause Notice u/s 31 (A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EP Act as to why unit should not be closed and electricity & water supply should not be disconnected. Notice u/s 31(A) under Air Act to M/s Brij Mohan Bhatnagar.	SCN for refusal of Authorization and for refusal of consent issued. SCN u/s 31(A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EP Act as decided by the Committee issued. Reply / Representation received w.r.t said notices and informed regarding rectification of deficiencies.	The firm has filed reply saying all deficiencies corrected. The firm may be asked to file an affidavit in this regard and Bank Guarantee of Rs.One Lakh each for Air, Water Act & HW Rules since this is highly polluting activity in Wazirpur Indl Area & such decision has been taken in Wazirpur Indl Area. Confirmation of disconnection of electricity and water supply be taken from the concerned agencies and also MCD license cancellation in respect of M/s Brij Mohan Bhatnagar.	Letter Issued on 29.06.07.Affidavit filed and Bank Gaurantee submitted by the unit. Compliance report from NDPL, DJB & MCD w.r.t M/s Brij Mohan submitted,affidavit that he is dealing in service industry e.q. courier. M/s Asrani Steel is doing S.Steel wrok & requested for not to disconnected electricity & water supply.	Inspection by the same team to check and confirm whether the contents of the affidavit are correct (both affidavts filed by M/s Asrani Steel and M/s Brij Mohan Bhandari)	Ispection to be carried out by same team.	Inspection by Sh. AN Singh, Scientist, DOE and Sh. DK Singh, EE, since Mrs. Nigam has given in writing that due to health reasons she can not do these inspection. Inspect and report in the committee on 18.9.07
---	------------------------------	-------------------------------	---	--	--	---	--	---	--	--

10	M/s Manish Industries,	A-83, Wazirpur Industrial Area	Pickling, cold rolling, Circle Cutting	Show Cause Notice for refusal of Authorisation under HWM Rules and for Consent under Air & Water Act. Show Cause Notice u/s 31 (A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EP Act as to why unit should not be closed and electricity & water supply should not be disconnected.	SCN for refusal of Authorization and for refusal of consent issued. SCN u/s 31(A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EP Act as decided by the Committee issued. Reply / Representation received w.r.t said notices and informed regarding rectification of deficiencies.	The firm has filed reply saying deficiencies corrected. The firm may be asked to file an affidavit in this regard and Bank Guarantee of Rs.One Lakh each for Air, Water Act & HW Rules since this is highly polluting activity in Wazirpur Indl Area and such decision has been taken in Wazirpur Indl Area.	Letter Issued on 29.06.07.Affidavit filed and Bank Gaurantee submitted by the unit.	Inspection by the same team to check and confirm whether the contents of the affidavit are correct.	Ispection to be carried out by same team.	Inspection by Sh. AN Singh, Scientist, DOE and Sh. DK Singh, EE, since Mrs. Nigam has given in writing that due to health reasons she can not do these inspection. Inspect and report in the committee on 18.9.07
11	M/s Jai Paras Steel,	A-16, Wazirpur Indl. Area	Pickling,	Show Cause Notice for refusal of Authorisation under HWM Rules and for Consent under Air & Water Act. Show Cause Notice u/s 31 (A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EP Act as to why unit should not be closed and electricity & water supply should not be	SCN for refusal of Authorization and for refusal of consent issued. SCN u/s 31(A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EP Act as decided by the Committee issued. Reply / Representation received w.r.t said notices and informed regarding rectification of deficiencies.	The firm has filed reply saying all deficiencies corrected. The firm may be asked to file an affidavit in this regard and Bank Guarantee of Rs.One Lakh each for Air, Water Act & HW Rules , since this is highly polluting activity in Wazirpur Indl Area & such decision has been taken in Wazirpur Indl Area.	Letter Issued on 29.06.07.Affidavit filed and Bank Gaurantee submitted by the unit.	Inspection by the same team to check and confirm whether the contents of the affidavit are correct.	Ispection to be carried out by same team.	Inspection by Sh. AN Singh, Scientist, DOE and Sh. DK Singh, EE, since Mrs. Nigam has given in writing that due to health reasons she can not do these inspection. Inspect and report in the committee on 18.9.07

				disconnected.							
--	--	--	--	---------------	--	--	--	--	--	--	--

12	M/s Ravi Steel Industries,	69 & 70 Shed, Wazirpur Indl. Area.	Pickling, Annealing, Re-rolling	Consent under Air & Water Act and Authorisation under HWM Rules refused. Directions u/s 33 (A) of Water Act [read with Rule 34(6) of Water Rules], u/s 31(A) of Air Act [read with Rule 20A(6) of Air Rules] and u/s 5 of EP Act [read with EP Rules 4(5)] for closure of the aforementioned unit and for disconnection of electricity & water supply to the aforementioned unit by the concerned agencies	Authorization refused and consent refused. Directions issued u/s 33(A) of Water Act, u/s 31 (A) of Air Act and u/s 5 of EP Act as decided by the Committee. Reply / Representation alongwith affidavit received w.r.t said directions and informed that pickling activity has been stoped and all the equipments related to pickling have been removed. Compliance recevied from NDPL with remark disconnection will take time since K. Nos not provided. Letter from NDPL received with remark unit with different name exist at site.	The firm has replied through an affidavit saying pickling activity stopped but is silent on annealing activity & rerolling activity. He may be asked to file an affidavit confirming stoppage of pickling activity & clearly stating that he will apply for consent to establish for the annealing & rerolling activity. Remaining order of the Committee is confirmed. NDPL may be asked to ensure that his unit does not get electricity from any point. Seek Compliance report from DJB & NDPL.	Letter Issued on 29.06.07. Compliance received from NDPL with remark. Not disconnected as unit with different name exist at the site. Affidavit submitted by M/s Ravi Steel Industries and informed that coldrolling & annealing activity has been stopped & he will apply for consent to establish as earlier possible.	Inspection by the same team to confirm the contents of the affidavit filed by the unit and other representation received from M/s Pawan Plastic, Shed No. 70 (1st Floor) and M/s Pawan Steel, Shed No. 69 (1st Floor), DSIDC, WIA. Inspector team also to confirm in which name electric connection exists.	Ispection to be carried out by same team. M/s Ravi Steel has applied for consent to establish for annealing and rerolling.	Inspection by Sh. AN Singh, Scientist, DOE and Sh. DK Singh, EE, since Mrs. Nigam has given in writing that due to health reasons she can not do these inspection. Inspect and report in the committee on 18.9.07
----	----------------------------	------------------------------------	---------------------------------	---	--	---	---	--	---	--

13	M/s Krishna Rolling Industries,	A-16, Wazirpur Indl. Area	As informed by other units in same premises, M/s Krishna Rolling is not existing	Consent under Air & Water Act and Authorisation under HWM Rules refused. Letter for cancellation of MCD Licence and for disconnection of electricity & water supply to the aforementioned unit by the concerned agencies.	Authorization refused and consent refused. Letter for cancellation of MCD Licence and for disconnection of electricity & water supply to the aforementioned unit issued.Reply received from R.Goyal and informed that M/s Krishna Rolling not existing and M/s Shri Krishna Rolling Mill have stopped the activity long back.Letter from NDPL received with remark unit with different name exist at site.	Confirm the Compliance of Cancellation of MCD licences and disconnection of electricity and water supply from concerned agencies.	Letter Issued on 29.06.07. Compliance received from NDPL with remark . Not disconnected as units with different name exist at the site.	Ask for the compliance report from MCD and DJB.	Letter issued to DJB and NDPL. No report received.	seek compliance report from DJB and MCD.
----	---------------------------------	---------------------------	--	---	--	---	---	---	--	--

S.No.	I.D.NO.	DATE	NAME OF UNIT	ADDRESS	INDUSTRIAL AREA	ACTIVITY	REMARKS	DECISION	ATR	DECISION OF 20.8.2007
1	17296	20/12/05	Indian Compressors Ltd. ,	OIA, 33/35,	Okhla Industrial Estate.	Mfg of Air & Gas Compresssors	Unit had applied for consent to operate under orange category for the activity of manufacturing of Air & Gas Compressors.	Consent to operate for renewal is given. Intimation to be given to the unit that the unit is in negative list of MPD 2021 and must close within three years from the date of notification of MPD 2021 i.e 07.02.2007.	Consent issued.	***
2	20137	12/11/06	Asian Hotels Ltd	Hyatt Regency Delhi, Bhikaji Cama Place, Ring Road	South District	Hotel Industry	Unit has applied for renewal of consent.	Consent to operate (Renewal) granted for three years from the date of application. If their treatment plants are as good as the results these may be treated as a model while checking other hotels.	Consent issued.	***

3	22295	07/11/07	Unitech Amusement Parks Ltd	Sec 10, Rohini, Delhi.	North West Dist	Amusement Park	Unit has applied for consent for establishing an amusement park, after the refusal of earlier consent to establish application.	Decision taken in this case is annexed as Annexure - I A.	Submitted compliance affidavit wrt consent to establish. Applied for consent to operate.	Inspection of the unit to verify the compliance status wrt conditions of consent to establish granted to the unit on 14.7.07, by the same team which inspected earlier. Inspection of all other 3 units to which notices have been issued as per decision taken on 13.7.07. Sample of waste water generated from these 3 units will also be lifted by the inspecting team. Put up all these cases before committee in the meeting on 18.9.07.
4	—	—	Ruby Tuesday(A unit of Round the Clock Stores Ltd.	M - 48, Connaught Place, N. Delhi - 1	New Delhi Dist	Restaurant	In the last meeting on 04.7.07, it was decided to let the unit get the orders of Appellate Authority for reconnection of electricity & water supply. Appellate Authority heard the appeal on 06.07.07 and adjourned matter for 27.07.07.	Consent to operate can not be granted conditionally. Consent to operate requires proper inspection by DPCC. If the unit desires DPCC to consider its application for consent to operate, unit may withdraw all its cases and submit fresh application with all relevant documents.	Letter issued. Unit withdrew the case during hearing of appeal on 27/07/07. Orders awaited. Fresh application submitted on 14/08/07.	Inspection wrt the status of operation and number of seats.

5	—	—	Mahavir Industries	D - 1558, Narela Ind. Area, Delhi.	Narela Ind. Area	Dal Mill	Case of Consent to establish	In view of VVIP reference case taken up by the Committee and Committee decided to grant consent to establish because there is nothing adverse found in this case.	Consent issued.	***
6	16083	16/8/2005	Devyani International P Ltd	58, Janpath, Connaught Place, N. Delhi	New Delhi Dist	Restaurant	In the last meeting consent to establish granted. The same has been issued. The directions of closure are in force. Consent application for operate dated 16.08.05 is pending.	As done in other cases, directions will be revoked temporarily for a period of 60 days during which he will apply for consent to operate along with all analysis reports. Inspection be done by DPCC officials ten days before the expiry of sixty day period.	Letter issued on 14/07/07.	To be put up on 18.9.07 with inspetion report.

S. No.	I.D. NO.	DATE	NAME OF UNIT	ADDRESS	INDUSTRIAL AREA	ACTIVITY	REMARKS	DECISION ON 20.8.
1	20727	27.02.07	Charu Motors	B-31, Jhilmil Ind Area	Jhilmil Industrial Area	Automobile service station with washing	Unit has applied for consent to Establish for automobile service station with washing	Consent to establish given, subject to proper disposal of waste oil through registered recyclers.
2	22391	13.7.07	Seven Star Banquette Hall	20, Najafgarh road ind Area	Najafgarh Road Ind Area	Banquette Hall	Authorisation, of Himalaya Drugs, under HW Rules was refused as decided in its meeting on 05.12.06 and inspection was approved to verify the operational status. On inspection, it was found that the unit was closed and Seven Star Banquette Hall was in existence. Committee in its meeting held on 13.02.07 had decided to issue SCN to the Banquette Hall since it is operating without consent. No reply received in response to the SCN issued. Case was discussed in the Committee's meeting dated 07.5.2007 and it was decided to issue directions for closure u/s 33(A) of Water Act, 1974 and 31(A) of Air Act, 1981. Compliance report received from NDPL on 30.4.07. Consent to operate application received from the unit on 13.7.07 along with application for authorisation under HW Rules. DPCC received a representation dated 27.7.07, through Secretary to Minister for Environment, GNCTD for revocation of closure directions and restoration of electricity and water supply.	Ask the unit to apply Consent to Establish

S. No.	I.D. NO.	DATE	NAME OF UNIT	ADDRESS	INDUSTRIAL AREA	ACTIVITY	REMARKS	DECISION ON 20.8.07
1	20727	27.02.07	Charu Motors	B-31, Jhilmil Ind Area	Jhilmil Industrial Area	Automobile service station with washing	Unit has applied for consent to Establish for automobile service station with washing	Consent to establish given, subject to proper disposal of waste oil through registered recyclers.
2	22391	13.7.07	Seven Star Banquette Hall	20, Najafgarh road ind Area	Najafgarh Road Ind Area	Banquette Hall	Authorisation, of Himalaya Drugs, under HW Rules was refused as decided in its meeting on 05.12.06 and inspection was approved to verify the operational status. On inspection, it was found that the unit was closed and Seven Star Banquette Hall was in existence. Committee in its meeting held on 13.02.07 had decided to issue SCN to the Banquette Hall since it is operating with out consent. No reply received in response to the SCN issued. Case was discussed in the Committee's meeting dated 07.5.2007 and it was decided to issue directions for closure u/s 33(A) of Water Act, 1974 and 31(A) of Air Act, 1981. Compliance report received from NDPL on 30.4.07. Consent to operate application received from the unit on 13.7.07 along with application for authorisation under HW Rules. DPCC received a representation dated 27.7.07,	Ask the unit to apply for Consent to Establish

							through Secretary to Minister for Environment, GNCTD for revocation of closure directions and restoration of electricity and water supply.	
--	--	--	--	--	--	--	--	--

3	2252	03.01.05	Magnolia	D-36, Okhla Ind Area, Ph - 1	Okhla Industrial Area.	Readymade garments with washing	Case of authorisation under HW Rules. Refused as per the decision of Committee(HW) in its meeting dated 24.5.07. Dir for u/s 5 of EPA for closure of the unit and disconnection of water and electricity supply. Unit submitted applicaton for authorisation, photographs of display boards and leak proof containers alongwith affidavit. unit inspected. Not found in operation. ETP installed and found in operational condition. display board and leak proof container provided for HW waste.	Let the unit apply for Consent to establish.
4	14694	27.06.05	Ever Shine Print & Chemical Industries,	W-19, Ph-II,	Okhla Industrial Area.	Mfg of enamel paint & dry distemper (without N.C.Paint)	Unit had applied for renewal of consent under orange category for the activity of manufacturing of enamel paint and dry distemper. (without N.C.paint) Application for authorization under HW Rules is pending.	Renewal of consent and authorisation granted
5	19469	3.10.06	Galaxy Auto Mobile Pvt.Ltd,	B-23,	Okhla Industrial Area, Ph-I.	Repairing, Servicing, Denting & Painting of Cars	Unit had applied for consent to operate under orange category for the activity for repairing, servicing, denting & painting of cars. Application for authorization under HW Rules is pending.	Consent to operate and authorisation under HW Rules given, subject to proper disposal of waste oil through registered recyclers.

6	21452	22.05.07	Lodhi property Company Ltd. (Formerly Hotel Scopevista Ltd.)	Aman Lodhi Road	New Delhi-03	Redevelopment of old Lodhi Hotel	Unit has applied for consent to Establish for redevelopment of Old Lodhi Hotel.	To be inspected by Chairman, DPCC in view of directions of CS to do some sample inspections by all Secretaries.
7	22472	17.07.2007	Modern Metal Industrial Corporation	B-6/3,	Jhilmil Industrial Area	Rubberised Cork Rings	Unit has applied for consent to Establish for manufacturing of rubberised cork rings.	Consent to establish granted with out vulcanisation.
8	2223	20.12.04	M.K.Auto Industries	B-16/1, B-14, B-13/8, B-13/7, B-15/8	Jhilmil Industrial Area	Mfg. of Brake Shoes	Case of authorisation under HW Rules. Refused as per the decision of Committee(HW) in its meeting dated 28.12.06. Dir for u/s 5 of EPA for closure of the unit and disconnection of water and electricity supply. Unit submitted representation dated 25.7.07, to the effect that the unit has closed its operations wef Oct 2005. Applied for consent to establish, under green category, on 17.7.07, for the activity of corporate office, tool room & godown.	REMAINING CASES NOT DISCUSSED AND DEFERRED FOR 21.8.2007.

9	2222	17.12.04	Bhandari Breaks Pvt. Ltd.	B-11/1-2	Jhilmil Industrial Area	Mfg. of Brake Shoes	Case of authorisation under HW Rules. Refused as per the decision of Committee(HW) in its meeting dated 28.12.06. Dir for u/s 5 of EPA for closure of the unit and disconnection of water and electricity supply. Unit submitted representation dated 25.7.07, to the effect that the unit has closed its operations wef Oct 2005. Applied for consent to establish, under green category, on 17.7.07, for the activity of light engg work(mfg of steel blank) in the name of V.N.G Stamping(Partner Vijay Bhandari).	
10	22293	11.07.07	Ess Kay International	D-1544	Narela Industrial Area	Grinding of masala/spices	As decided by the Committee in its meeting held on 04.07.07, Consent to establish was issued to the unit on 09.07.2007. Unit has applied for consent to operate and submitted representation on 11.07.07.	

11	668 (refused)	—	Anil Motor Works	BA-85, Phase-II	Mangolpuri Industrial Area	Repairing of vehicles	Case of authorisation under HW Rules. Refused as per the decision of Committee(HW) in its meeting dated 17.11.06. SCN u/s 5 of EPA for closure of the unit and disconnection of water and electricity supply as issued as decided in Committee in its meeting held on 13.02.07. No reply received in response to the SCN issued. Case was discussed in the Committes meeting dated 07.5.2007 and as decided directions u/s 5 of EP Act were issued for closure of the unit & for disconnection of electricity & water supply to the unit. Compliance report received from NDPL on 19.07.07. DPCC received a representation on 19.07.07 for revocation of closure directions and restoration of electricity supply.	
----	------------------	---	------------------	-----------------	----------------------------	-----------------------	--	--

12	20383	01/08/07	Kamal Auto Industries (Allied Casting Industries)	8/86 b gali no 8	ANAND PARBAT INDUSTRIAL AREA	MFG OF AUTO PARTS	AUthorisation, of M/s allied casting was refused on 05-12-06 and inspection was approved to verify the operational status.On inspection, it was found that the unit was closed and M/s Kamal Auto industries was in existence.Committe in its meeting held on 13.02.07 had decided to issue the closure direction for disconnecting the supply of electricity as well water and cancellation of MCD License, If exist in the name of M/s allied casting. ATR reviewed by the committee in its committe held on 07-05-07 and decided to ask the compliance report from concerned agencies. Applicant has approach to the court of civil judge for the dispute of Electricity disconnection.The matter was heard by the court on 17-07-07 where in the Ld. Court also asked DPCC to expedite the disposal of the consent application of the Plaintiff and let the court know the latest position on the next date of hearing. Consent to operate application is received on 08-01-07 vide I.D no 20383.	
13	18874	24-07-06	Continental Device Indian Ltd	C-120	Naraina Industrial Area	Electronics Semi-Conductor Device	Applied for Renewal of Consent under Air & Water Act and Authorization under HWM Rules.	

14	1056	02/10/04	Atlas Adhesives (P)Ltd	A-93 ph-II	Maya Puri Industrial Area	Mfg of Adhesive	Case of the unit was again taken up by Committee held on 13-02-07 and had decided to issue letter for disconnection of Electricity and Water supply and cancellation of MCD licence. Accordingly letters were issued to concerned authorities for compliance. No reply received in response to the letters issued. Case was discussed in the Committee meeting dated 07-05-07 and it was decided to issue reminder letters for seeking compliance report from concerned authorities. Compliance report received from BSES on 10-07-07. Another unit M/s Magic Auto Industries operating in the same premises has applied for consent to operate along with application for authorization under HW Rules on 27/10/06. Consent to establish already granted to the unit on 15/09/06.	
15	22298	07/11/07	K.K. Birla Acadamy, Vasant Kunj, Ph-II	508, Surya Kiran Building, N.D.	K. G. Marg, NC-SW	Museum/ Research Centre	Applied for Consent to Establish under Water and Air Act. EIA clearance accorded by MOE&F.	

16			Anand Engineering Corporation	171-B, Gali No-8	Friends Colony Indl. Area	Ms. Wire Drawing Inculding pickling	Consent under air & water act is valid upto 30.11.07. Applied for renewal of authorisation under HW rules on 2.11.2006. Inspected by a team comprising of Joint Commissioner of indutries (CETP), Ex. En (DJB) and E.E(DPCC) on 8.6.07 and it was found that ETP was not functioning and it appeared that it has never been used. All effluent is being discharged directly from the unit in sewer line instead of conveyance system. Recommended for closed of unit including disconnction of water & electricity supply. Unit has submitted representation on 16.08.2007 regarding inspection carriedout by the team & treatment of waste water by the unit.	
17			Bansal Wire Industries Ltd.	458-466, Gali No-8	Friends Colony Indl. Area	Annealing / Drawing of M.S. Wire with pickling	Applied for consent to operate (Renewal) on 21.06.2007. Applied for renewal of authorisation under HW rules on 13.07.2006. Inspected by a team comprising of Joint Commissioner of indutries (CETP), Ex. En ,DJB, and E.E,DPCC on 8.6.07 and it was found that ETP was out of order and never used to treat the effluent as per provisions laid down. The Industry is highly polluting and discharging effluent directly in the Sewer line instead of the conveyance system.Recommended for closed of unit including disconnction of water & electricity supply.	

18			S & S Industries	1/424/33 B, Gali No, IB	Friends Colony Indl. Area	Printed Circuit Board with plating	Consent under air and water act was valid upto 22.02.07. Not applied for renewal of consent. Applied for authorisation under HW rules on 21.08.04. Inspected by a team comprising of Joint Commissioner of industries (CETP), Ex. En ,DJB, and E.E,DPCC on 8.6.07 and it was found that ETP was not functioning and the effluent generated by the unit was being discharged into the Sewage Line instead of conveyance system. Recommended for closed of unit including disconnction of water & electricity supply.	
19			Shri Rani Satti Finishing Works	1/424/33 B, Gali No, IB	Friends Colony Indl. Area	Dyeing & Bleaching of fabric	Applied for consent on 2.8.2002, letter issued on 26.02.2007 regarding expiry of consent fee and asked to submit the fresh application. Not applied for consent under air and water act. Applied for authorisation under HW rules on 9.02.05. Inspected by a team comprising of Joint Commissioner of industries (CETP), Ex. En ,DJB, and E.E,DPCC on 8.6.07 and it was found that ETP was not found working and all effluent being discharge directly into the Sewer line. The unit was also using coal for fuel purpose which is not permissible and the entire quantity of coal lying at the premises should immediatley be seized by the DPCC, hence stern action is recommended for immediate disconnect of water & electricity and should not be allowed to run.	

20			Vikas Fittings	B- II/98,	Mohan Co - Operative Ind. Estate, N. Delhi - 44	Automobile repair workshop with out washing & painting	Application (ID No. 16023 dated 12.8.05) submitted for consent under green category.As the unit is HW generating unit, he has to apply for consent under Orange category. As number of such cases exists, before taking decision in the DPCC meeting on 26.7.07, issue a letter seeking proof of sale of Used Oil defined as HW to a CPCB registered recycler(s)	
21	21700	06/06/07	Mellcon Engineer Pvt Ltd	B-297	Okhla Ind Area, Ph -1	Mfg. of compresed Air dryer	unit has applied for consent to operate (Renewal) under air and water act.	
22	570(HW)	19.1.2004	Security Systems	95	Patparganj Ind Area	Printing	Committe (HW) discussed the case, in its meeting dt 05.12.06,of the unit located at patparganj Ind Area and decided to refuse the application and SCN u/s 5 of EPA. ATR reviewed by the Committee on 13.2.07 and decided to disconnect electricity and water supply and cancellation of MCD license for teh unit at Patparganj Ind Area unit and SCN to the unit located at Okhla, if the same has not applied for consent and authorisation. SCN to the unit located at Okhla Ind Area was not issued as the unit has applied for consent and Authorisation on 09.12.05. In the Committee (HW) meeting dated 7.5.07, dir u/s 5 of EPA and 31(A) of Air Act were approved to be issued to the unit at Okhla Ind Area. Directions issued accordingly on 27.7.2007. Representation received to review and revocation	

							of closure directions.	
23	Conformity of Gali No. 10, Anand Parbat Ind Area							
24	20809	03/08/07	RESIDENTIAL COMPLEX	BLOCK-W, GREATER KAILASH-II		SHOPPING MALL		
25	13401	15.04.2005	DT CITY CENTRE	SHALIMARBAGH		SHOPPING MALL CUM MULTIPLEX,	Application dealt by EIA Cell and forwarded to min. of Env. & Foreset, Govt. of India, Letter issued to DLF asking them to apply for consent to establish.	

26	20623	02/08/07	GALLERIA MALL	PLOT NO. 18, MAYUR VIHAR		SHOPPING MALL		
27	14311	03.06.2005	THE COURT YARD	PLOT NO. A-4, COMMERCIAL COMPLEX, SAKET		COMMERCIAL COMPLEX	Application dealt by EIA Cell and forwarded to min. of Env. & Forest, Govt. of India, Letter issued to DLF asking them to apply for consent to establish.	
28	17191, 986	09.12.2005, 02.08.2002	HARI RAM	C-40/3,	WAZIRPUR INDL AREA	PICKLING	Inspection of the unit carried out on 07.08.2007. Representation recd from the owner & requested for reinspection of the unit as he was under medical treatment.	
29	20331	02.01.2007	KUMAR INDUSTRIES	F-55, PACKET B, SECTOR-4	BAWANE INDL AREA	PLASTIC MOULDING & DIES	Requested for consent to establish.	
30	21608	31.05.2007	LAXMI OFFSET	32/3,	SHAZADA BAGH INDL AREA	OFFSET PRINTING	Consent refused. Closure directions u/s 5 of EP act issued on 18.05.07 as unit failed to apply for Authorisation under HW Rules. Unit has reapplied for consent & Authorisation on 31.05.07 & requested for revocation of directions.	

