

**Minutes of the 13th meeting of the Committee Constituted for
Grant/ Refusal of consent under orange Category, held on
21.8.2007 in the Conference Room of Chairman, DPCC.**

The Following persons, attended the meeting on 21.8.2007

1. Sh. J. K Dadoo, Chairman DPCC
2. Sh. SS Ghonkrokta, Member Secretary, DPCC
3. Sh. S.K.Gupta ,Head Chemical Engineering Deptt., IIT Delhi
4. Sh. B. Kumar, SEE, DPCC
5. Dr. Chandra Prakash , SEE (Plg)
6. Dr. Anil Kumar, SSO, Deptt of Env., GNCTD.
7. EEs, and AEE/JEE of CMC, PGRC & Planning.

Details of discussions and the decisions taken are as below.

Agenda I :

23 cases (Special reference) which were brought forward from the meeting dated 20.8.07 were discussed and decisions taken. Apart from these, 8 special reference cases were discussed. Decisions taken on these are annexed as Annexure – A.

Agenda II :

ATR of 27 PGRC cases, of which the decisions taken on 19.7.07, was reviewed and decisions taken. The decisions taken in 27 cases is annexed as **Annexure –B.**

Fresh cases of PGRC were not discussed due to paucity of time and it was decided to take up these cases in the next meeting on 19.9.07.

ATR on the above will be discussed in the next meeting slated to be held on 19th September 2007.

Case of M/s Brij Mohan Ram Mohan, A-86/2, Wazirpur Ind. Area was discussed for reconsideration of the decision taken earlier on 5th July 2007 and for policy decision regarding requirement of consent to establish after issuance of closure directions by DPCC, in such cases wherein the activity falls under the

prohibited/negative list of MPD 2021, which are to relocate themselves outside Delhi with in a period of three years from the date of notification of the said Master Plan 2021.

The said issue was discussed by the Chairman, DPCC with Sh. Johari, Chairman, LAEC and Dr. Guha, Ex- Professor, IIT, Delhi,, a member of LAEC and both were of the opinion that if a unit is issued a closure directions on account of pollution by DPCC, and if the unit subsequently installs all the requisite equipments to control pollution and applies for consent to establish the unit, it should be considered on merits.

The issue and in particular the case of the aforementioned unit was discussed in detail and it was decided to seek consent to establish application under Air and Water Acts from the said unit. The same yardstick will be applied in all such cases.

Case of M/s Gaurav Steel, D-25, SMA Ind Area, Delhi – 33, was also taken up in the meeting, since the case was not decided on 19.7.2007 for want of policy decision as mentioned above. In this case also, it was decided to seek consent to establish application under Air and Water Acts from the unit.

The meeting ended with a vote of thanks to the Chair.



DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF DELHI)
4TH FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-6
visit us at : <http://dpcc.delhigovt.nic.in>

F.No.DPCC/CMC-II/2007

Dated:

Subject:- Minutes of the 13th meeting of the committee constituted for grant/ renewal / revoke the consent orange under the Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 held on 21.8.07.

Please find enclosed herewith the minutes of 13th meeting of the committee, constituted for grant / renewal /revoke the consent (orange) under the Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981, held on 21.8.2007 in the conference room of Chairman, DPCC.

(BMS Reddy)
Environmental Engineer

1. Chairman, DPCC
2. Member Secretary, DPCC
3. Prof. S.K.Gupta , Head Chemical Engineering Deptt. ,IIT Delhi
4. Dr. Anil Kumar, Environment Department, GNCTD
5. Shri. B. Kumar, SEE, DPCC.
6. SEE(Plg), DPCC.
7. SEE(PGRC), DPCC.
8. Env. Engineer, CMC-(I,II,III)
9. Asstt.Env.Engrs /JEE CMC

Copy for information to:-

1. Incharge, Computer Cell, DPCC-for placing the aforementioned minutes of the committee on the Website of DPCC.
2. AEE, Enquiry Conter, DPCC.

(BMS Reddy)
Environmental Engineer

S. No.	Name	Address	Activity	Decision on 07.06.2007	Action Taken	Decision on 19.07.2007	Action Taken	Decision on 20.08.2007
1	M/s A.S. Footwear	468-469(old no. 189-191) Lawrence Road Indl. Area.	PVC Footwear	Inspection and submit report to confirm deficiencies corrected or not.	Inspection is to be carried out.	Put up in next CMC meeting on 20.08.2007 after inspection.	Inspected on 06.08.2007. During the inspection it was observed that the unit has installed hood & duct fitted with exhaust fan. The unit has applied for consent to operate under orange category.	Unit to apply for consent to establish.

2	J.K. Oil Mill	468-469(old no. 189-191) Lawrence Road Indl. Area.	PVC Footwear	Inspection and report in the next meeting	Inspection is to be carried out	Put up in next CMC meeting on 20.08.2007 after inspection.	Inspected on 06.08.2007. During the inspection it was observed that the unit has installed hood & duct fitted with exhaust fan , a DG set of 120 KVA found installed in acoustic enclosure with adequate stack. Unit has applied for consent to operate under orange category.	Unit to apply for consent to establish
3	P.S. Dyeing House	468-469(old no. 189-191) Lawrence Road Indl. Area.	Washing & Finishing of Jeans	Directions u/s 31(A) of the Air Act & u/s 33(A) of the Water Act for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Direction u/s 31 (A) of the Air Act & u/s 33 (A) of the Water Act issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	The directions returned back undelivered. The same has been delivered to landlord on 6.8.2007 as the premises is lying vacant (the unit left the premises). As no compliance report is received with regard to disconnection of electricity/water supply/ cancellation of licence from concerned agencies, reminder letter for getting the compliance was issued on 13.8.2007.	Seek compliance report on directions dated 18.07.2007 from the concerned agencies.

4	Rajender Kumar & sons	17, SSI, Indl. Area	Re-rolling, annealing & pickling of SS Sheets.	Refusal of consent under Air & Water Act and refusal of authorization under HW Rules .Directions u/s 31(A) of the Air Act & u/s 33(A) of the Water Act and u/s 5 of EPA for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Refusal of consent under Air & Water Act, refusal of authorization under HWM Rules, directions u/s 33 (A) of the Water Act & u/s 5 of EPA issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	No compliance report is received . However a writ petition was filed by the unit before Honble High Court. The Honble High Court vide its order dated 26.07.2007, directed DPCC to conduct an inspection of the premises of the petitioner within two weeks and if any shortcomings are noticed ,same shall be notified to the petitioner within one week thereafter the petitioner shall remove the shortcomings if any , within two weeks thereafter. In case the shortcomings are not removed it shall be open to DPCC to pass appropriate orders thereafter. In the meanwhile, the impunged orders shall not be operative. Unit inspected by AEEs PGRC on 14.8.2007, with following discrepancies 1. Reading of water flow meter at outlet of ETP was not visible, hence the functioning of the water meter is not known. 2. Leakage were observed through pipe fittings of Wet Scrubber, hence	A letter may be issued for the discrepancies observed during the inspection as per the Honble High Court directions.
---	-----------------------	---------------------	--	--	--	---	---	--

							repair is needed. 3. Arrangement for flash mixing exist, but no arrangement was exist for slow mixing to ensure floculation. Hence, slow speed paddel type mixer may be used in the reaction cum settling tank.	
--	--	--	--	--	--	--	--	--

5	Laxmi Pipe	Kh. No.80, Samaypur	PVC Pipe	Directions u/s 31(A) of the Air Act for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Directions u/s 31 (A) of the Air Act issued on 18.7.2007	Put up in next CMC meeting on 20.08.2007.	As no compliance report is received with regard to disconnection of electricity/water supply/ cancellation of licence from concerned agencies,reminder letter for getting the compliance was issued on 13.8.2007.	Seek compliance report on directions dated 18.07.2007 from the concerned agencies.
---	------------	------------------------	----------	--	--	---	---	--

6	M.K. Metal	A-7/5, Jhilmil Indl. Area.	Super enamelling on Copper wire	Revocation of consent under Air & Water Act and refusal of authorization under HW Rules .Directions u/s 31(A) of the Air Act [read with Air Rules 20 A (6)] and u/s 5 of EPA closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Revocation of consent under Air & Water Act, refusal of authorization under HWM Rules, directions u/s 31 (A) of the Air Act & u/s 5 of EPA issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	Unit submitted its representation in response to the directions & informed that the discrepancies have been removed & requested to withhold the directions. As directed, the unit was inspected on 2.8.2007. During the inspection, it was observed that by-pass arrangement with ECS has been removed, a DG set of 125 KVA was found installed with acoustic enclosure & with adequate stack height. The unit has rectified the deficiencies w.r.t. compliance of HW(M & H)Rules, 1989.The unit was not found in operation, the electricity& warer supply has not been disconnected so far.Further another representation was received on 16.08.2007 from the unit and requested to revoke closure orders.	Revocation of direction u/s 31 (A) of the Air Act & u/s 5 of EP issued on 18.7.2007 and the unit to apply for consent to establish.
---	------------	----------------------------	---------------------------------	--	---	---	--	--

7	Puneet Industries	A-8/3, Jhilmil Indl. Area.	Auto tubes (H category)	Directions u/s 31(A) of the Air Act [read with Air Rules 20A (6)]for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license since the activity falls in prohibited category as per MPD 2021.	Direction u/s 31 (A) of the Air Act issued on 18.7.2007	Put up in next CMC meeting on 20.08.2007.	As no compliance report is received with regard to disconnection of electricity/water supply/ cancellation of licence from concerned agencies,reminder letter for getting the compliance was issued on 13.8.2007.	Seek compliance report on directions dated 18.07.2007 from the concerned agencies.
8	Mrignaini Sweets & Restaurant	Plot No. F-2, Dilshad Colony, Delhi-95	Banquent Hall & Restaurant	Ask the unit to file an affidavit indicating who is concerned/owner operating the unit and whose name Power and water connection exist .	Letter issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	Letter issued to unit returned back undelivered. The same was delivered by hand on 13.08.2007	Put up in next CMC on 19.09.2007.

9	M/s Vimco Plast India	405, FIE, Patparganj Indl. Area.	PVC Pipe	Inspection and report in the next meeting.	Inspection is to be carried out.	Put up in next CMC meeting on 20.08.2007 after inspection.	Inspected on 02.08.2007. During the inspection it was observed that the unit has provided acoustic enclosure with DG set of 125 KVA. However, adequate stack height has not been provided. The unit has provided hood & duct over mixers with inadequate height of stack above roof level and inadequate suction resulting in emissions being dispersed in the work place. The unit has applied for consent to establish under orange category.	Issue modified directions u/s 31 (A) of the Air Act for remaining discrepancies observed during inspection.
---	-----------------------	----------------------------------	----------	--	----------------------------------	--	---	---

10	Abacus Softech Ltd	405, FIE, Patparganj Indl. Area.	Software Development	MS to give public hearing as a last chance to apply for consent under Air and Water Act.	Letter issued on 18.7.2007.	Hearing may be taken by MS, DPCC and if the activity does not come in purview of DPCC exempt from consent. Put up in next CMC meeting on 20.08.2007.	No representative of the unit attended the hearing. However the unit has applied for consent to establish under Green category on 27.7.2006.	Put up consent application in CMC (Green) in chronology.
----	--------------------	----------------------------------	----------------------	--	-----------------------------	--	--	--

11	M/s Universal offset Printers	405, FIE, Patparganj Indl. Area.	Offset Printing	Inspection and report in the next meeting	Inspection is to be carried out.	Put up in next CMC meeting on 20.08.2007 after inspection.	Inspected on 02.08.2007. During the inspection it was observed that the unit has installed plate making facilities in addition to offset printing and discharging waste water without treatment. The unit has not taken steps for compliance of HW (M&H) Rules, 1989. A DG set of 7 KVA found installed without acoustic enclosure and adequate stack. The unit is operating without consent / authorization from DPCC. Notices issued earlier to the unit returned back undelivered. It was reported that the unit has changed the name from M/s Universal offset Printers to M/s Deepak Printers. However same machineries are being used by M/s Deepak Printers.	To issue directions u/s 31(A) of the Air Act and u/s 5 of EPA to M/s Universal offset Printers & directions u/s 31(A) of the Air Act, u/s 33(A) of the Water Act & u/s 5 of EPA to M/s Deepak Printers for disconnection of electricity water supply and cancellation MCD license
----	-------------------------------	----------------------------------	-----------------	---	----------------------------------	--	---	---

12	Ram Babu Stone Supplire	Near Southend Appartment, M.B. Road, New Delhi-44	Cutting & carving of Big Stones	SCN under section 31 (A) of Air Act .	Notice u/s 31 (A) of the Air Act issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	The unit has submitted its reply on 7.8.2007 & informed that they have now started sprinkling of water before starting the work to reduce dust emissions and shifted the work place opposite to the complainant apartment. It has also been mentioned in the reply that only manual cutting/ carving of stones are carried out. The unit has requested to cancel the application of the complainant.	Forward the complaint to Industry Deptt. for necessary action.
13	Vikas Machine Tools	22/7, Gali no.12, Anand Parbat Indl. Area New Delhi-5	Manufacturing of Industrial Knives	Directions u/s 31(A) of the Air Act for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Directions u/s 31 (A) of the Air Act issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	As no compliance report is received with regard to disconnection of electricity/water supply/ cancellation of licence from concerned agencies,reminder letter for getting the compliance was issued on 13.8.2007.	Seek compliance report on directions dated 18.07.2007 from the concerned agencies.

14	Star Restaurant	81/3, Adchini Village Arvindo Marg, New Delhi-17	Restaurant (156 Seats)	Inspection .Also check the encroachment on public land while inspection.	Inspection is to be carried out.	Put up in next CMC meeting on 20.08.2007 after inspection.	Inspected on 08.08.2007. The premises was found sealed. It was reported by the security incharge that the premises was sealed by MCD on 03.08.2007 as per directions of Supreme Court monitoring committee.	At present no action is required as the unit was sealed by MCD.
15	M/s Golden Iron & Steel Works	7/19, Kirti Nagar, Indl. Area, New Delhi-15	Steel Forging	Closure directions u/s 31 (A) of Air Act [read with Rule 20A (6) of Air Rules] for closure of the aforementioned unit and for disconnection of water, electricity supply to the unit and cancellation of MCD license in the name of the unit, refusal of consent under Air & Water Act and refusal of Authorization under HWM Rules (if any).	Closure directions u/s 31 (A) of the Air Act issued. The case was reviewed by the CMC on 04.07.2007. Accordingly temporary revocation of direction u/s 31 (A) of the Air Act issued on 10.7.2007.	Put up in next CMC meeting on 20.08.2007.	Directions were temporarily revoked on 10.7.2007 for 2 months to switch over from coal fired boiler to oil fired boiler.	Put up in next CMC on 19.09.2007.

16	Café Coffe Day (unit of Amalgamated Bean, Coffe trading co. Ltd.)	E-12, Local Convenient Shopping Centre, Masjid Moth.	Restaurant (24 seats)	Directions u/s 33(A) of the Water Act t for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Directions u/s 33 (A) of the Water Act issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	As no compliance report is received with regard to disconnection of electricity/water supply/ cancellation of licence from concerned agencies,reminder letter for getting the compliance was issued on 13.8.2007.	Seek compliance report on directions dated 18.07.2007 from the concerned agencies.
17	Kulwant Singh	C-150, Mayapuri, Indl Area, Ph-II	Mfg. of liquid soap	Revocation of directions to de-seal the unit. Put up application for consent in chronological order for decision in the CMC meeting.	Revocation of directions u/s 31 (A) of the Air Act issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.		Unit to apply for consent to establish.

18	Auto Crown Industries	C-150, Mayapuri, Indl Area, Ph-II	Mfg. of Auto Parts (Light Engg. Work)	Inspect both the units.	Inspection is to be carried out.	Put up in next CMC meeting on 20.08.2007 after inspection.	Inspected on 2. 8.2007. The unit was found in operation & found engaged in light engineering work. The other unit M/s Darpreet Singh does not exit in the premises	Put up consent application in CMC (Green) in chronology.
19	RMC Plants	Kudasia Ghat	Ready Mix Concrete	Conformation of closure of the units from department of industries w.r.t Hon'ble Supreme Court order dated 07.05.2004.	Letter issued to Industry Department on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	Letter issued to Industry department on 18.7.2007. However,no ATR received from the Industry Department .	A letter to be issued by the Chairman DPCC to Commission of Industry.

20	Times Golobal Village	Adjacent DND Flyway, New Delhi-14	Exhibition	Inspection and check the violations if any at site and acted upon accordingly.	Inspection is to be carried out.	Inspection .If found in operation , issue immediate effective closure.	Inspected on 20.7.2007 . It was observed that scrap of Mela stalls & a DG Set of 5 KVA (without acoustic enclosure & adequate stack height) are lying between Mela site & DND flyway. SCN was issued to Noida Toll Bridge Company on 9.8.2007 with a copy to DTTDC & Principal Secretary to CM for not removing the scrap, not taking anti pollution measures with DG Set and not to undertake any activity of organising Mela/ Village in future without the approval of DPCC. However, site was again inspected on 17.08.2007 and it was observed that the junk/scrap of stalls and other related matarials is still lying between DND flyway and mela site.The approach road & service road are still intact. DG set is also being used without providing acoustic measures and adequate stack .It was informed by Sr. Manager of Noida Toll Bridge Co. Ltd. that there is no plan of organising any mela at this site. However, function (if any) will be arranged at site (300 metres away from Yamuna embankment) and with due permissions form Usha Mehra Committee, DPCC and other concern Departments.	A letter to be issued after approval of the Chairman, DPCC covering all the points of reply submitted by M/s Noida Toll Bridge Co. Ltd. in response to show cause notice dated 08.08.2007 with a copy to concerned Dy. Commissioner
----	-----------------------	-----------------------------------	------------	--	----------------------------------	--	---	--

							It is also pertinent to mention here that during the inspection of site by DPCC officials, Sh S.M. Aggarwal, convener member of Usha Mehra Committee has also come to inspect the site. A reply is received from Noida Toll Bridge Co. Ltd. to this office show cause notice dated 08.08.2007 and alleged that NTBCL is not aware of any purported inspection on 20.07.2007 by DPCC official as no copy of the said inspection report has been supplied to NTBCL. It was further stated that all the stalls and other temporary constructions therewith were duly dismantled, and removed from the site of the village immediately after the conclusion of the Global Village Event. Further, there is no waste or other material lying within 300 meters of the river bed. With regard to installation of DG set, NTBCL has stated that NTBCL has not installed any DG set at the site.
--	--	--	--	--	--	--	---

21	MCD Dhalao,	Near Sagar sadan Cooperative Society, 113, IP Extention, Pataparganj	Storage of Garbage	M.S to write Mr. Shukla Additional Commissioner (Sanitation) to do the needful.	Letter issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	Letter issued to Addl. Commissioner (Sanitation) on 18.7.2007. However, no ATR received from the MCD.	Issue reminder letter.
22	Ess Key Press/Printers	220, FIE, Patparganj Indl. Area	Offset Printing	Inspection on all the points.	Inspection is to be carried out.	Put up in next CMC meeting on 20.08.2007 after inspection.	Inspected on 02.08.2007 and it was observed that the unit has removed plate making facilities and now engaged only in offset printing , a DG set of 62.5 KVA found in defunct condintion i.e. wrapped with polythene sheet & lying in a corner at back side of the premises.The unit has taken adequate steps for complaince of HW (M&H) Rules, 1989.The unit has applied for consent to operate in green category & authorization under HW(M&H)Rules,1989.	Unit to apply consent to establish under orange category.

23	G.G. Cable	138- G Pkt-A-3 Mayur Vihar Ph-III, Delhi-96	Cable Operator	Reminder to be issued for submitting the noise monitoring report for DG set and installation of adequate stack with DG set.	Reminder issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	No reply received from the unit so far.	Issue notice 31(A) of the Air Act.
24	Chaska Restaurent	PU-8, GF & Basement, Pitampura	Restaurant (75 Seats)	Directions u/s 31(A) of the Air Act & u/s 33(A) of the Water Act for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Direction u/s 31 (A) of the Air Act & u/s 33 (A) of the Water Act issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	The unit has submitted an affidavit on 31.7.2007 and informed that they have stopped the operation of DG Set & has installed ETP. A letter was also received from Sh.Prahalad Singh Shahani, MLA on 6.8.2007 in this regard.	Inspection to be carried out.

25	Complaint Against S.S. Re-rolling & Pickling units.	S.S.I., SMA, RUN, Badli & WI.A.	S.S. Re-rolling & Pickling.	Two Member team Shri Aditya Narayan ,Scientist and Ms. Nigam, Scientist Department of Environment shall inspected the units mentioned in the complaint and submit the report in the next meeting.	Matter is being dealt by CMC.	Matter dealt separately for decision (please refer annexure III of minutes)	Matter is being dealt by CMC.	As the matter is being dealt by CMC, PGRC is not required put up this case in CMC meeting.
----	---	---------------------------------	-----------------------------	---	-------------------------------	---	-------------------------------	--

26	Complaint against illegal units of chappal, plastic melting, sealed plywood units and godowns.	Tikari Kalan, Mundaka, Ghevra, Ranhola, Kamruddin Nagarbakkarwala etc.	Plastic melting, plywood, waste oil refining etc.	M.S will meet Asstt. Registrar, Supreme Court of India.	M.S. spoken to Asstt. Registrar Supreme Court of India.	Chief Secretary had approved inspections of Hazardous units operating in 5 villages mentioned in complaints received from Asstt. Registrar, Supreme Court. SEE (PGRC) feels that a joint inspection team comprising of concerned SDM, a person from industries deptt. And DPCC be formed for the inspection. Accordingly MS DPCC will write to concerned DC and industries deptt. To nominate one responsible person preferably concerned SDM to lead the team. From DPCC concerned Env. Engineer (PGRC) will be a part of the team. These inspections will be done carefully so that Chief Secretary can be informed about the outcome of the inspections.	Letter issued to Divisional Commissioner on 9.8.2007 with a copy to Commissioner of Industries with a request to nominate area SDM & suitable officer urgently so that the team could start the work of inspections immediately.	A letter to be issued from the Chairman side to Divisional Commissioner with a copy to the Commissioner of Industry & Conserved Dy. Commissioner
----	--	--	---	---	---	---	--	--

27	Radicura Pharmaceuticals Pvt. Ltd.	B-117 Okhla Industrial Area, Ph-1 New Delhi-20	Mfg. of Pharmaceuticals (Formulation)	Inspect w.r.t sludge and evaporation for HW Rules implementation.	Inspection is to be carried out.	Put up in next CMC meeting on 20.08.2007 after inspection.	Inspected on 8.8.2007. During the inspection it was observed that the effluent generation rate is much more than the evaporation rate. The unit has provided one more container of 50 ltr. capacity for evaporation as a standby arrangement. The unit has provided hood & suction arrangement over evaporation container. However, adequate stack height above roof level has not been provided with ducting. As per the record the quantity of HW is 92 Kg for the period from Jan 2000 to June 2007. Some discrepancies were observed w.r.t. HW (M&H) Rules 1989.	Issue notice 33(A) of the Water Act and u/s 5 of EPA for HWM Rules.
----	------------------------------------	--	---------------------------------------	---	----------------------------------	--	--	---