



CONSENT MANAGEMENT

Agenda No 1 - Annexure I - 11 Remaining Cases of Consent to Establish (ATR) under orange category of the period 01.06.2011 to 31.12.2011(excluding the cases of redevelopment areas)recommended by Screening Committee as (2b category) in its meeting on 09.11.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	37400 17-06-2011	BABU LAL PLASTIC GOODS B-113,SEC-1, DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	MFG. OF TOYS. Plastic Processed Goods	- Date of commissioning of project ---- - Built Up Area ---- 100 (in sq. meter) - Water Consumption ---- 100 liters/day - Ground Water ---- 100 liters/day - Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		09-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...nil Note: File was not traceble further online generated facksheet and application form may perused.	09-11-2012 Consent to establish granted without plastic waste as raw material.
2	37407 20-06-2011	ARIHANT PACKAGING INDUSTRIES PLOT NO 143. PKT-D, SEC-5, DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	manufacturing of plastic and pvc product (plastic tube). Plastic Processed Goods	- Date of commissioning of project ---- - Built Up Area ---- 80 (in sq. meter) - Water Consumption ---- 600 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 14-08-2012 Issue reminder.	09-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil CMC Decision Decision on 05.10.2011 Ask the unit to categorically state whether mfg. of plastic bags will be carried out or not and submit an affidavit in this regard. Incompliance of CMC decision taken in meeting a letter issued to the unit on 27.12.2011. No reply received from the unit till date. Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 As decided by the Consent Management Committee, A reminder letter issued to the unit on 28.08.2012. no reply recieved from the unit till date.	09-11-2012 Put up administratively.
3	37418 21-06-2011	MACDERMID INDIA PRIVATE LIMITED C-44/4, OKHLA INDUSYRIAL AREA, PHASE - II	Okhla Industrial Area	Orange Establish	DILUTE AND PACKING THE SURFACE FINISHING ADDITIVES FOR METAL FINISHING INDUSTRIES. Dilution and Packaging of Surface	- Date of commissioning of project ---- - Built Up Area ---- 380 (in sq. meter) - Water Consumption ---- 100 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 90 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 14-08-2012 Inspection be conducted.	08-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 05.10.11, letter was issued on 01.12.11 for elaborate the chemical names of the compounds used as raw material along with the quantity and chemical formulae along with the detailed steps	09-11-2012 Consent to establish granted without trade effluent discharge.

					Finishing Additives without Trade Effluent Discharge			of the process involved. Unit has submitted its reply on 16.12.11 along with detail of the raw material & details of the steps involved in the process. EARLIER CMC DECISION 05.10.11 Ask the unit to elaborate the chemical names of the compounds used as raw material along with the quantity and chemical formulae along with the detailed steps of the process involved. Recommendation / Action Taken Details (EE/AEE) on 06-11-2012 As decided by the screening committee, unit was inspected by DPCC officials on 23.10.12 & following were observed: (i) The unit is engaged in dilution of concentration raw material with deionized water giving the furnished products which is packed thereafter. (ii) The unit is also having a small laboratory which was set up after making application for CTE in June, 2011. The laboratory is used for testing of product by the customers and also for certification purpose.	
4	37606 13-07-2011	RAM PARTAP B-23 LAWRENCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Establish	MFG. OF POLYTHENE BAGS AND TUBES AND PRINTING. (WITHOUT ANY TRADE EFFLUENT DISCHARGE). Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap) Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- 01-07-2011 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 28-12-2011 Put up in next CMC. Decision of Consent Management Committee on 28-12-2011 Put up in next CMC.	23-12-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 put up in CMC.	09-11-2012 File be put up administratively.
5	37805 05-08-2011	SWASTIK ENTERPRISES B-23, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Establish	MFG. AND PRINTING OF PLASTIC BAGS. Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 28-12-2011 Put up in next CMC. Decision of Consent Management Committee on 29-	26-12-2011 (1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted.	09-11-2012 File be put up administratively.

							12-2011 Put up in next CMC.	(3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. (4) Inspection details: was conducted on 11.12.2010. Observations: 1. Unit found operating, engaged in mfg of printed plastic bags. No HWM Rules are complied with. Other units detail given below: (i) Basement- Plastic pipe mfg unit. (ii) G.F. PVC Scrap grinding & dana mfg. from scrap without ECS/channelisation and without consent. (iii) Dyeing and washing of jeans fabric with LDO boiler. No ETP installed waste water discharge w/o treatment. No consent applied 2 D.G Sets 35 and 62.5 KVA w/o acoustic and stack height. (5) SCN u/s 31(A)/ 5 of EPA details : Was sent on 11.01.2011. Reply has been received on 15.02.2011 stating that they are in the process of applying the consent and complied with HWM Rules. (6)Closure directions u/s 31(A)/ 5 of EPA details : Was sent on 16.06.2011. Reply has been received on 09.08.2011 alongwith an affidavit stating that they have applied for CTE, CTO & authorization of HWM. As per the decision taken up by competent Authority letter for submission of Bank Guarantee of Rs. 1 Lakh each under Air Act and HWM Rules. Unit has submitted the Bank Guarantee on 16.09.2011. Revocation of closure direction was sent to the unit on 20.09.2011. Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 Inspection is to be carried out.	
6	37968 29-08-2011	KANODIA TECHNOPLAST PVT. LTD. A-54, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Establish	ROTOGRAVURE PRINTING ON SINGLE LAYER PLASTIC FILM AND PAPER. Roto and Flexo Printing	• Date of commissioning of project ---- • Built Up Area ---- 4267 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 28-12-2011 If the unit submits the bank guarantee Rs. 50,000 under HWM Rules valid for one year in view of letter dated 19.12.2011, consent to establish be issued with the condition that	23-12-2011 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 19-09-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 1	09-11-2012 Consent to Establish granted. Subsequently, inspection be conducted as decided on 06.07.2012 in case of CTO.

							printed plastic sheets will not be used for the packaging of tobacco / pan masala / gutkha products and undertaking be sought before considering the consent to operate. Decision of Consent Management Committee on 29-12-2011 File be put up administratively in view of show cause notices for closure issued earlier.	(a) The unit has 2 D.G. Set(s) of 600 KVA and 725 KVA. Noise monitoring report dated 12-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details: Inspection of the unit was conducted on 21.06.2011. Observations: 1. During inspection unit found in operation. 2. Unit is engaged in mfg. of printed pan masala pouches and flexible packaging. 3. No hazardous waste rules are being followed. 4. Lot of used ink found lying on the ground in working areas. (5) SCN u/s 31(A)/33(A)/5 of EPA details: was sent on 09.08.2011. Reply has been received on 29.08.2011 alongwith an affidavit sated that they have rectified all the discrepancies and also applied for fresh CTE and HWM authorization. (6) Letter for submission of Bank Guarantee of Rs. 50,000/- each under Air Act & HWM Rules & fresh application for Consent to Operate was sent to on 07.10.2011. Unit has submitted only one Bank Guarantee of Rs.50,000/- under Air Act on 24.10.2011 but not under HWM Rules. (7) As per the decision taken up by Competent Authority letter for submission of Bank Guarantee of Rs. 50,000/- under HWM Rules was sent on 19.12.2011. Reply has been not received so far. Recommendation / Action Taken Details (EE/AEE) on 28-09-2012 Consent to Operate and Authorization had already granted on 19.07.2012 but decision reagrding consent to establish have not been taken till date.	
7	37991 01-09-2011	GURDIAL SINGH & SONS A-10, PH-I BADLI INDL. AREA	Badli Industrial Estate	Orange Establish	MFG. OF L.P.G. GAS REGULATOR. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 800 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 500 liters/day	Recommendations of Scrutinizing Committee on 28-12-2011 Recommended for grant of consent to establish. Subsequently, inspection be conducted. Decision of Consent Management Committee on 29-12-2011 Issue SCN for refusal of consent to establish in view of	23-12-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Recommendation / Action Taken Details (EE/AEE) on 02-11-2012 As decided by the Consent Management Committee, SCN for refusal of consent to establish in view of the fact that the suggested product cannot be manufactured through Pit Furnace and other foundaries are prohibited as per MPD-2021 issued to the unit on 22.02.2012. unit submitted its reply on 16.03.2012 stating that unit is engaged in the activity of mfg. LPG regulator and pressure die casting, component is casted in pressure die casting machine,	09-11-2012 Inspection be conducted.

							the fact that the suggested product cannot be manufactured through Pit Furnace and other foundaries are prohibited as per MPD-2021.	a small kuthali(furnace) attached with machine on ground level from where molten alloys are feed to die casting machine for casting component.	
8	38046 08-09-2011	M.P. WORKS C-104, PH-II MANGOLPURI INDL. AREA	Mangolpuri Industrial Area	Orange Establish	Carveding by injection molding machine. Plastic Processed Goods	• Date of commissioning of project ---- 01-01-1997 • Built Up Area ---- 40 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 75 liters/day (b) Trade Effluent ---- 100 liters/day	Recommendations of Scrutinizing Committee on 28-12-2011 Ask the unit to submit bank guarantee of Rs. One Lakh under Air Act valid for one year. If unit submits the bank guarantee, closure directions be revoked and consent to establish be issued. Decision of Consent Management Committee on 29-12-2011 File be put up administratively as closure directions are in vogue.	23-12-2011 (1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. (4) Inspection details: Inspection of the unit was conducted on 22.01.2011. Observations: 1. Unit is operational at G.F. , enaged in activity of mfg. of plastic containers using fresh as well as 2nd grade plastic granules. No ECS installed to control process emission. Operating without CTE/CTO. (5) SCN u/s 31(A) details : Was sent on 07.04.2011. Reply has been not received. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : Was sent to the unit on 07.08.2011. reply has been received on 09.11.2011 alongwith anaffidavit and photographs stating that they have installed the ECS to control the process emission and applied for fresh application of CTE and CTO. Recommendation / Action Taken Details (EE/AEE) on 01-10-2012 ...	09-11-2012 File be put up administratively.
9	38079 13-09-	KRISHNA PIPE INDUSTRIES G-101,SEC-1,DSIDC,BAWANA	Bawana Industrial Area	Orange Establish	Mfg.of Plastic dana. Manufacturing of PVC		Recommendations of Scrutinizing Committee on 28-12-2011 Ask the unit to	21-10-2011 (1)ETP ---- N/A (2)ECS - Not proposed (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A -	09-11-2012 File be put up administratively in view of decision taken on 29.12.2011.

	2011	INDUSTRIAL AREA			Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 01-01-2005 • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 40 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	submit the details of the measures taken for installation of hood and suction arrangement followed by a stack of 11 meter height from ground level to channelize the process emissions and achieve the standard of particulate matter of 150 mg/NM3 and Hcl mist of 35 mg/NM3 and submit the compliance report on an affidavit along with photographs within 15 days, failing which, bank guarantee shall be forfeited. Decision of Consent Management Committee on 29-12-2011 Inspection be conducted and file be put up administratively.	(b) Stack monitoring report (for more than 1000 KVA) dated - N/A (4) Inspection details: 02.02.10 Unit found in mfg. of conduit pipe using scrap. (5) SCN u/s 31(A)/33(A)/details :dated 25.03.2010 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :dated 23.08.2011.Revocation issued on 23.12.2011 after unit submitted BG of Rs. One lakh. CTE applied for changed activity of Plastic dana Recommendation / Action Taken Details (EE/AEE) on 01-10-2012 ..	
10	38090 14-09-2011	INDIAN MACHINE TOOLS B-163, DDA SHEDS, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Establish	LIGHT ENGINEERING WORKS (ASSEMBLY OF MACHINE PARTS AND COMPONENTS). Spray Painting, Paint Baking, Paint Stripping	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 28-12-2011 Recommended for grant of consent to establish, if unit complies with the decision taken on file regarding submission of bank guarantee and apply for consent to operate. Reminder for the same be issued for compliance within 15 days, failing which, further necessary action be initiated. Decision of	23-12-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...30 KVA... SCN for refusal of consent and SCN u/s 31(A) of the Air Act and u/s 5 of the EPA issued on 21.07.11. Unit submitted its reply on 05.08.11 and informed that they are not using the D.G sets & it can be shifted objectionable. The unit has also mentioned the efforts made for submission of CTE (Orange) and requested for grant of 15-20 days time for the same. Further, the unit has applied for CTE (Orange) on 14.09.11 vide I.D. No 38090 and authorization under HWM Rules on 14.09.11 vide I.D No. 0933.But the unit has not applied for consent to operate (Orange). As approved, letter to apply CTO under orange category issued to the unit on 08.11.11 but the same was returned back undelivered as wrong address mentioned. Same letter was delivered at the right address on 22.11.11. As approved, letter was issued to the unit on 12.12.11 to	09-11-2012 File be put up administratively.

							Consent Management Committee on 29-12-2011 Issue consent to establish, if unit complies with the decision taken on file regarding submission of bank guarantee and to apply for consent to operate within 45 days, failing which, closure action will be initiated. Decision / Recommendation of Screening Committee on 14-08-2012 File be put up administratively.	submit BG of Rs. 50,000/- each under Air Act & HWM Rule. Earlier CMC Decision 69th Ask the unit to apply for consent to establish under orange category within stipulated time 71th Letter be pasted on the premises and inspection be conducted. 23.05.11 Issue SCN for refusal of consent and SCN u/s 31(A) of the Air Act and u/s 5 of the EPA. 08.09.11 File be put up administratively. Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 As decided, file was put up administratively & as approved on file, Show Cause Notice for closure u/s 31 (A) of the Air Act was issued on 05.11.12 as the unit has not complied with the decision dated 29.12.11. Recommendation / Action Taken Details (EE/AEE) on 06-07-2012 As decided by the CMC (O) in its meeting held on 29.12.11, letter was issued on 24.01.12 for submission of Bank Guarantee under HWM Rules & to apply for CTO. Unit has submitted its reply on 28.03.12 the Bank Guarantee of Rs 50,000/- again under Air Act instead of BG under HWM Rules. But the unit has not applied for CTO.	
11	38271 13-10-2011	VIKAS ALUMINIUM MFG. CO. 117, FIE PATPARGANJ INDL. AREA	Patparganj Industrial Area	Orange Establish	MFG. OF ALUMINIUM SHEET AND CIRCLE. Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/day)	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 28-12-2011 Inspection be conducted. Decision of Consent Management Committee on 29-12-2011 File be put up administratively after inspection as closure directions are in vogue. Decision / Recommendation of Screening Committee on 14-08-2012 File be put up administratively.	22-12-2011 (1)ETP ---- N/A (2)ECS - Channelization installed now over pit furnace. (3)D.G.Set: Reported nil. (4) Inspection details:Yes, on dated 10.06.2010 and it was found that no ECS/ Channelization was provided.Unit in operation without consent. (5) SCN u/s 31(A) details :Yes on dated 07.10.2010. (6) Closure directions u/s 31(A)details :issued on 06.09.2011 (7)Unit has requested for revocation on 28.09.2011. Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 As decided, file was put up administratively & as approved on file, closure directions was revoked on 19.03.12. As approved, letter was also issued on 19.03.12 to M/s Jyotsana Art Printers to apply for CTE & CTO as the unit found operating on Ist floor during the inspection conducted on 22.02.12.However, unit has not applied for CTE & CTO so far. Recommendation / Action Taken Details (EE/AEE) on 06-07-2012 As decided by the CMC (O) in its meeting held on 29.12.11,	09-11-2012 Consent to Establish granted to M/s VIKAS ALUMINIUM MFG. CO. File be put up administratively w.r.t. M/s Jyotsana Art Printers.

							file was put up administratively and as approved, temporary revocation for 45 days to apply for CTO was issued on 19.03.11 .	
							Unit has submitted its reply on 03.04.12 along with the receipt of CTO application which was applied on 13.10.11 requested to withdraw the directions.	