



CONSENT MANAGEMENT

Agenda No 2 - Annexure I - 38 Remaining Cases of Consent to Operate and Consent to Operate(Renewal)(ATR) under orange category of the period 01.06.2011 to 31.12.2011(excluding the cases of redevelopment areas)recommended by Screening Committee as (2b category) in its meeting on 09.11.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	37379 15-06-2011	VIJAY ELECTRICAL T-2/173, PH-I, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	MFG. OF AUTO HEAD LIGHT AND PARTS. Vacuum Metalising	- Date of commissioning of project ---- 01-01-1986 - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 200 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 14-08-2012 File be put up administratively.	08-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... (4) Inspection was conducted on 16.12.2011 and following were observed: (a) unit found operational anfd engaged in the activity of mfg. of auto head light and of parts. (b) unit purchase the M.S. sheet as a raw material which was coateded with lacquer(chemicals) if put in the oven for proper coating paste on the auto head light. (c) Residue of lacquer/chemical is collected over a plastic/polythene sheet which id being thrown out without any environment caurtion. Note: old record is not tracable Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 File was put administratively and it was decided to know the factual position of the unit a fresh inspection may be conducted. Accordingly, inspection was conducted on 06.11.2012 and following were observed: 1) unit found in operation and engaged in mfg. of auto lights including metalizing in vaccum coating machine. 2) unit has not provided hood and suction arrangement over oven. 3) unit has not provided adequate stack height for release of fresh air from vaccum coating machine. 4) unit has not taken proper steps for handling of spillage/residual of varnish/lacquer during the process of coating on head lights.	09-11-2012 File be put up administratively for show cause notice for refusal of consent and show cause notice u/s 31(A) of the Air Act.
2	37386 16-06-2011	GOLDEN METAL INDUSTRIES 1/536, A-4, GALI NO-4, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Operate	MANUFACTURING OF COPPER WIRE DRAWING. Copper Wire Drawing With Super Enamelling (Dry Process)	- Date of commissioning of project ---- - Built Up Area ---- 80 (in sq. meter) - Water Consumption ---- 350 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administratively.	10-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO. Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 As online entry of application Consent to operate is wrongly entered as Consent to establish. File was sent to IT Cell for correction of application. Now, correction has been done in the software	09-11-2012 Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit.

3	37389 16-06-2011	ARISTO STAMPINGS 525, FIE, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	MFG. OF ELECTRICAL STAMPING AND TRANSFORMER. Transformer Assembly / Repairing	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 14-08-2012 Inspection be conducted.	14-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: 62.5 KVA (a) Noise monitoring report dated ..01.06.2011...issued by ... DPCC ... submitted. Noise monitoring report within Limit.. Yes. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 As decided , unit was inspected on 12.09.12 & following were observed: 1. unit is engaged in mfg. of current transformers for electronic meter of app. size of 2 inch dia, by process of winding wire & assembly. 2. Unit has installed app. 25 No.s of winding machine, 6 No.s of testing m/c & electric furnace for heating of CRGO (Colled rolled oriented sheet) i.e., electric steel sheets. 3. A DG set of 63 KVA found installed in acoustic enclosure with stack app. 2 m above R.L.	09-11-2012 Renewal of Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit.
4	37397 17-06-2011	COOL ALL BEVERAGES PVT. LTD. 242, FIE PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	ICE CUBE MANUFACTURING. Manufacturing of Ice	• Date of commissioning of project ---- • Built Up Area ---- 367.5 (in sq. meter) • Water Consumption ---- 8300 liters/day • Ground Water ---- 8300 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 3500 liters/day	Decision / Recommendation of Screening Committee on 14-08-2012 Inspection be conducted.	14-10-2011 (1)ETP ---- N/A (Technical AR from empanelled agency regarding non requirement of ETP is not submitted.) (2)ECS - N/A (3)D.G.Set: Nil (4) Inspection details:N/A (5) SCN u/s 31(A)/33(A)/5 of EPA details :N/A (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 Unit yet to be inspected.	09-11-2012 Expedite inspection.
5	37404 20-06-2011	TONI INDUSTRIES PVT. LTD. B-67, WAZIRPUR INDL. AREA, DELHI-52	Wazirpur Industrial Area	Orange Renewal	manufacturing of zip sliders and zip fasteners. Aluminium Pressure Die Casting	• Date of commissioning of project ---- • Built Up Area ---- 1400 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 750 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 14-08-2012 Inspection be conducted.	09-08-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 25-04-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes 2 number of parameters analyzed which are within limit. Stack monitoring report dated 25-04-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes 2 number of parameters analyzed which are within limit. Stack monitoring report dated 25-04-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes 2 number of parameters analyzed which are within limit. Stack monitoring report dated 25-04-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes 2 number of parameters analyzed which are within limit. (3)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 500 KVA, 500 KVA and 380 KVA. Noise monitoring report dated 25-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes 3 number of parameters analyzed which are within limit. The unit has 3 D.G. Set(s) of 500 KVA, 500 KVA and 380 KVA. Noise monitoring report dated 25-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes 3 number of parameters analyzed which are within limit. The unit has 3 D.G. Set(s) of 500 KVA, 500 KVA and 380 KVA. Noise monitoring report dated 25-04-2011 issued by DPCC	09-11-2012 The issue regarding casting may be discussed in the committee for 2(c) cases which may be implemented in similar cases in future.

								submitted. Noise monitoring report within Limit - Yes 3 number of parameters analyzed which are within limit.	
								Recommendation / Action Taken Details (EE/AEE) on 02-11-2012 As decided by the Screening Committee inspection conducted by the officials on 30.08.2012 following were observed: a) Unit found in operation at ground, first and second floor. b) For control of process emission from die casting machine unit has installed hood and suction arrangement followed by stack through I-D fan. c) DG sets found installed with acoustic enclosure with stack height above roof level. d) One oil fired boiler installed.	
6	37572 08-07-2011	SHIV PLASTICS 308-9-B, OLD ROHTAK ROAD, SHAHZADA BAGH INDUSTRIAL AREA	Shahzada Bagh Industrial Area	Orange Renewal	MFG. OF PVC GRANULES AND RUBBER SHEETS. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 01-01-1991 • Built Up Area ---- 110 (in sq. meter) • Water Consumption ---- 165 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 70 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 09-08-2012 Inspection be conducted.	21-10-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4)Inspection details: NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 Inspection is to be carried out.	09-11-2012 Expedite inspection.
7	37581 11-07-2011	MANU PLASTICS C-118, PHASE-I, NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Renewal	MFG. OF AUTO PARTS WITH NON-FERROUS CASTING. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 1600 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 700 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 09-08-2012 Inspection be conducted.	08-08-2012 (1)ETP ---- N/A (2)ECS - Stack attached to suction hood of furnace (b) Stack monitoring report dated 30-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 62.5 KVA and 200 KVA. Noise monitoring report dated 23-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 Inspection conducted on 08.11.2012 and following were the observations: 1) Unit found operational and engaged in the activity of mfg. of auto parts with non-ferrous casting. 2) Two Oil fired furnaces in operation mode were seen and one with inadequate suction hood found to be. 3) DG set found to be installed with adequate stack height. 4) HW collected and kept in the room but not covered from the top.	09-11-2012 Issue show cuase notice for deficiencies observed and for refusal of consent.
8	37615	ARIHANT ENTERPRISES C-8/2,	Wazirpur Industrial Area	Orange Renewal	MFG. OF PLASTIC PACKING MATERIAL.		Decision / Recommendation of Screening Committee on	08-08-2012 (1)ETP ---- N/A (2)ECS - N/A	09-11-2012 During inspection dated 06.11.2012, it was found that unit is engaged in mfg. of

	14-07-2011	WAZIRPUR INDUSTRIAL AREA			Plastic Processed Goods	• Date of commissioning of project ---- 01-01-2002 • Built Up Area ---- 65 (in sq. meter) • Water Consumption ---- 95 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day	09-08-2012 File be put up administratively.	(3)D.G.Set: nil Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 file was put up administratively and As decided inspection of the unit was conducted on 06.11.2012 and it was found that premises found vacant and no industrial activity found.	plastic packaging material and samples of the same was collected. File be put up administratively.
9	37631 15-07-2011	ALPANA GLAZING WORKS A-22, NARAINA INDUSTRIAL AREA PHASE - II	Naraina Industrial Area Phase - II	Orange Renewal	MAKING JOB WORK OF LAMINATION AQUAEUS COATING. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 92 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 320 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 09-08-2012 Inspection be conducted.	07-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ..N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 As per decision, inspection was conducted on 06.11.2012 and following were observed: 1) The unit found operating and engaged in aqueous coating and lamination work. 2) No significant air pollution observed.	09-11-2012 Renewal of Consent to Operate granted.
10	37642 18-07-2011	FLABAGS INDIA 51, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	Cutting And Printing of Polybags. Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 112 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 09-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 09-08-2012 File be put up administratively.	02-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 06-11-2012 In compliance to the decision, file was put up wherein it is decided to get it inspect for ascertain the activities being carried out (whether mfg. of plastic bag or not).	09-11-2012 Put up admistratively after inspection.
11	37676 20-07-2011	OSWAL INDUSTRIES H-26, UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Renewal	MFG. OF FOOTWEAR. Eva Footwear and Eva Compound Footwear (rubber) PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 670 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 09-08-2012 Unit has submitted its reply on 11.04.2012 w.r.t. letter dated 15.03.2012, however, not informed regarding channelization and	26-07-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 12-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 15-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes	09-11-2012 Take action as per the approval in file.

							not submitted the stack monitoring report. Inspection be carried out.	(4) Inspection details: Carried out on 06.06.2011 and observed that oil fired boiler found at site with adequate stack. Two DG sets of 125 KVA found installed with acoustic enclosure and improper stack height. (5) SCN u/s 31(A)/33(A)/5 of EPA details : issued on 01.07.2011 u/s Air Act. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 Inspected the unit. File submitted for necessary action w.r.t deficiencies observed.	
12	37725 25-07-2011	GOSAIN WIRE INDUSTRIES A-91, WAZIRPUR INDUSTRIAL AREA (GROUP)	Wazirpur Industrial Area	Orange Renewal	Mfg. of Copper Wire Drawing with Annealing. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 155 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 35 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 09-08-2012 File be put up administratively.	07-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Note: old record is not tracable Recommendation / Action Taken Details (EE/AEE) on 02-11-2012 File was put up administratively and it was decided to take up the case in CMC meeting.	09-11-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit.
13	37768 29-07-2011	V.D. SOAP FACTORY & TYRE RETRADING B-63, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MANUFACTURING OF RE-TRADING APPROX- 6 NOS/DAY. Tyres Retreading (Without Boiler)	• Date of commissioning of project ---- • Built Up Area ---- 191.25 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 300 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 09-08-2012 Inspection be conducted.	02-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 Inspection was conducted on 27.09.2012 and during the inspection following were observed 1) The channelization provided on re-trading machine found in defunct condition. 2) Stack not provided at the roof and one DG set of 5 KVA found installed at ground floor without acoustic enclosure and without adequate stack height.	09-11-2012 Since file has been putup administratively take action as decided in file.
14	37789 01-08-2011	INTERNATIONAL AUTO PRODUCTS B-24, GROUP WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	ALUMINUM DIE CASTED AUTO PRODUCTS. Aluminium Pressure Die Casting	• Date of commissioning of project ---- • Built Up Area ---- 228.7 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 03-08-2012 Inspection be conducted.	11-07-2012 (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 05-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 06-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes Recommendation / Action Taken Details (EE/AEE) on 02-11-2012 As decided inspection of the unit was conducted on 13.09.2012	09-11-2012 The issue regarding casting may be discussed in the committee for 2(c) cases which may be implemented in similar cases in future.

								and following observed: 1) unit found in operation and engaged in die casting of Auto Parts with three die casting machine, hood and suction arrangement found installed with the machine, a common stack has been provided. 2) During inspection one die casting machine found in operation. 3) DG Set found installed with acoustic enclosure.	
15	37801 03-08-2011	MODERN METAL INDUSTRIAL CORPRATION B-6/3, JHILMIL INDUSTRIAL AREA, SHAHDARA	Jhilmil Industrial Area	Orange Renewal	MANUFACTURING OF RUBBERIZED COEK RINGS (WITHOUT VULCANISATION). Rubber Auto Parts Excluding Production Of Tyres And Tubes (Without Reclamation And Devulcanisation Of Rubber)	• Date of commissioning of project ---- • Built Up Area ---- 375 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 03-08-2012 Inspection be conducted.	30-08-2011 (1)ETP ---- N/A (2)ECS - N/A (a) Stack analysis report not submitted. (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 20.08.07, CTE was issued on 10.09.07 along with the particulate parameter. EARLIER CMC DECISION 20.08.07 Consent to Establish granted without Vulcanisation. Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 As decided, unit was inspected on 19.09.12 & following were observed: 1. Unit is engaged in mfg. of rubber rings/ cork by process of mixing of synthetic rubber with chemicals & then cutting , punching. 2. A DG set of 62 KVA is found installed with acoustic enclosure & adequate stack height. 3. Unit has installed exhaust fan over rulla m/c. Unit has submitted a representation on 18.10.12 along with a NMR of DG set (62.5 KVA) dated 15.10.12 issued by DTU & stated that they have recently installed DG set & requesting to incorporate the same in their CTO application.	09-11-2012 Renewal of Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit.
16	37814 08-08-2011	SWASTIK ENTERPRISES B-23, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	MFG. AND PRINTING OF PLASTIC BAGS. Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 09-11-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 03-08-2012 Inspection be conducted thereafter file be put up administratively.	10-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection conducted on 11.12.2010 during the inspection following were observed: a) Unit not applied for consent to operate (Renewal). b) No HWM rules are complied with. (5) SCN u/s 31(A) and 5 of EPA issued on 11.01.2011. A reply received from the unit on 15.02.2011. (6) Closure directions u/s 31(A) and 5 of EPA issued on 16.06.2011. A reply received from the unit on 09.08.2011 along with an affidavit and receipt of CTE, CTO and Authorization Fresh and also stating that they have rectified the all the deficiencies. A letter issued to the unit for the submission of bank guarantee on 15.09.2011. Unit submitted the bank guarantee of Rs. One lakh each under Air Act and Environment Act on 16.09.2011. Revocation of closure direction u/s 31(A) of the Air Act issued to the unit on 20.09.2011.	09-11-2012 File be put up administratively.

								Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 Inspection is to be carried out.	
17	37818 08-08-2011	HRL FOOTWEAR & ALLIED INDUSTRIES B-132 A, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Manufacturing of PVC Shoes and Footwear. PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 297 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 03-08-2012 File be put up administratively.	29-07-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 29.07.2011 issued by DTU submitted. (b) Stack monitoring report dated 19-09-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. Stack monitoring report dated 29-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 29-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 29-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details: conducted on 02.08.2011 and observed that no channelisation system provided for moulding machine, milter, and grinder and channelisation was under process. DG set with acoustic enclosure and stack height below the roof level. (5) Closure directions u/s 31(A)/33(A)/5 of EPA details : issued on 11.08.2011. Recommendation / Action Taken Details (EE/AEE) on 06-11-2012 In compliance to the decision, file was put up wherein it is decided to get it inspect for ascertaining the present factual position.	09-11-2012 Put up administratively after inspection.
18	37861 12-08-2011	DEWAN PUBLICATION PVT. LTD. A-6/1, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	OFFSET PRINTING Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 513.71 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 03-08-2012 File be put up administratively indicating the issue of hazardous waste management.	02-08-2012 (1)ETP ---- N/A (2)ECS - N/A . (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 23-05-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 08-11-2012	09-11-2012 Consent to Operate (Without Trade Effluent Discharge) granted.

							Unit has applied for authorisation under HWM Rules on 12.08.2011 along with the CTO application.		
19	37878 17-08-2011	BERLIA ELECTRICALS PVT. LTD. 59, SSI G.T. KARNAL ROAD INDUSTRIAL AREA	S.S.I Industrial Area	Orange Operate	MFG. OF PVC INSULATED WIRES AND CABLES, PVC CONDUCT PIPES AND FITTINGS. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 560 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 03-08-2012 Inspection be conducted.	11-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 09-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 As decided by the screening Committee, inspection conducted on 08.11.2012 and following were observed: 1) Unit found operational & engaged in activity of mfg. of PVC coated wire & cable and PVC wire and other PVC fittings 2) Unit has not provided hood and suction arrangement over mixer, extruders 3) Unit has advised to take steps for providing hood and suction arrangement over extruders in cable section as well as on injection moulding machines. 4) Through unit has provided stacks on extruders bit it is not as per DPCC guidelines.	09-11-2012 Issue SCN for refusal of consent based on the findings of the inspection.
20	37879 17-08-2011	TRU TEMP INDUSTRIES B-7, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	mfg. of leaf spring. Hardening by Oil Quenching without use of any salt / chemical without trade effluent discharge and with annealing in oil fired furnace	• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 200 liters/day	Decision / Recommendation of Screening Committee on 03-08-2012 File be put up administratively.	03-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 05-08-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. Stack monitoring report dated 05-08-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. Stack monitoring report dated 05-08-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. Stack monitoring report dated 05-08-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 04-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 File was put up administratively and it was decided to inspect the unit. Inspection is yet to be conducted	09-11-2012 Put up administratively after inspection.
21	37901	J.K. FORGING B-83, MAYAPURI	Mayapuri Industrial Area	Orange Operate	OPEN FORGING (WITHOUT USING PENUMATIC HAMMER, COAL		Decision / Recommendation of Screening Committee on	07-08-2012 (1)ETP ---- N/A (2)ECS - N/A	09-11-2012 Consent to Operate granted .

	19-08-2011	INDUSTRIAL AREA PH-I			FIRES BOILER AND WITH STEAM HAMMER OF LESS THAN 4 TONS CAP) Forging of Ferrous and Non-Ferrous Metal (Except Pneumatic Hammer and More than 4 T Hammer)	• Date of commissioning of project ---- • Built Up Area ---- 1320 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	14-08-2012 Put up administratively.	(b) Stack monitoring report dated 17-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 05-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details: conducted on 09.09.2010 by officials of DPCC and observed that unit found operational and engaged in forging. - Two boilers found installed but as informed which is not in use. -one oil furnace found installed with stack height of 100 feet using CBFS as a fuel -One DG set of 125 KVA found installed with acoustic enclosure and adequate stack height of 40 ft. (5) SCN u/s 31(A)/5 of EPA details : issued on 05.10.2010 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 06-11-2012 In compliance to the decision, file was put up wherein it is decided to placed in the meeting at its turn.	
22	37909 23-08-2011	GANAURIA ALLOY STEELS PVT. LTD. A-15, PH-II MANGOL PURI INDL. AREA	Mangolpuri Industrial Area	Orange Operate	MFG. OF PVC CONDUIT PIPES. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 03-08-2012 File be put up administratively.	11-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 As decided, file was put up administratively and it was decided to take up the case in next CMC meeting.	09-11-2012 Ask the unit to submit stack monitoring report namely PM, HCL mist & vapour from empanelled laboratory of DPCC. If the unit submits the same and found within the prescribed limits. Consent to operate be granted.
23	37922 24-08-2011	V2- LIGHTS A-44, PH-II MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Operate	MFG. OF LOCKS AND ACCESSORIES LIGHT FITTINGS, PENAL BOARDS AND ELECTRICAL ACCESSORIES. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 03-08-2012 Inspection be conducted.	11-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... Note: Old record is not traceable. Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 As decided, inspection of the unit was conducted on 06.11.2012 and following were observed: 1) unit found in operation and engaged in the activity of manufacturing of industrial rocks and electrical accessories. 2) unit has not provided hood and suction arrangement over grinders. 3) As informed, unit has closed the activity of mfg. of penal boards and light fittings from last 8 months. 4) unit has advised to provide channelization system over injection moulding machines 3) unit is having one laboratory for testing of finished product.	09-11-2012 Consent to Operate granted without using plastic scrap as a raw material.
24	38012	DHARAMPAL PREMCHAND LTD	S.M.A Industrial Area	Orange Renewal	REPACKING OF SCENTED CHEWING		Decision / Recommendation of Screening	28-06-2012 (1)ETP ---- N/A	09-11-2012 File be put up administratively.

	05-09-2011	A-3, S.M.A INDUSTRIAL AREA			TOBACCO PRODUCTS. Tobacco Products without Raw Tobacco Processing	• Date of commissioning of project ---- • Built Up Area ---- 1400 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 650 liters/day (b) Trade Effluent ---- 0 liters/day	Committee on 06-07-2012 Inspection be conducted.	(2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 63 KVA. Noise monitoring report dated 23-02-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 02-11-2012 As decided inspection of the unit was conducted on 28.08.2012 and following were observed: 1)unit found in operation and engaged in the repacking of finished packed scented chewing tobacco products, elaichidana, supari, pan chatni etc. 2) the finished products are recieved from main unit in Noida, U.P. 3) Sample of finished products collected in presence of representative. 4) unit is also engaged in process of extraction of elaichidana from elaichi at top floor and vaccum packing of same at Ground Floor. 5) Two stitching M/C one packing machine in idle conditions observedat Ground Floor.	
25	38065 12-09-2011	DELHI FOUNDRY INDUSTRIES B-37/C,JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	CASTING OF MACHINERY PARTS AND COMPONENTS BY PIT FURNACE. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 06-07-2012 Inspection be conducted.	18-06-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 13-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 07-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 25.03.10 & following were observed: a) The unit has applied for consent to establish for the activity of C.I casting through pit furnace in a part of entire plot. b) Previously, the unit was doing C.I casting job through cupola furnace. c) During the inspection two pits furnaces & the erection of the hood & chimney arrangement yet to be completed. It has informed the pit furnace are yet to commissioned d) The cupola furnace was found installed, however, the condition of cupola furnace reveals that the same is not operated in recent past. The prop. reported that they have stopped casting through cupola in the first week of Feb, 2010. The connections of blower were found dismantled & motor was also found removed from cupola. (5) SCN u/s 31(A) details : issued on 01.10.10. Unit has submitted its reply on 15.09.10. As approved, letter was issued on 05.04.11 for submission of Bank Guarantee of Rs. 50,000/- under Air Act valid for one year and an affidavit stating that facilities of cupola furnace has been removed out from the premises. unit has submitted the above said BG on 25.04.11.	09-11-2012 Consent to Operate granted by using pit furnace only.

							As decided by the CMC (O) in its meeting held on 13.01.11, refusal of CTR was issued on 02.05.11 as the activity is being enlisted in the Negative list of MPD-2021. As approved, a letter was issued on 13.04.11 for action under provisions of MPD-2021 has also been sent to MCD, DDA and Industries Department as earlier unit was doing C.I casting job through cupola furnace. Further, a letter also sent to DC (North-East) on 07.06.12. As decided by the CMC (O) in its meeting held on 17.06.11, CTE was issued on 26.07.11 for the activity of Casting of Machinery parts and components by pit furnace. Unit has submitted its reply on 15.02.12 along with an affidavit stating that they have completely dismantled the cupola furnace in the premises. EARLIER CMC DECISION 16.03.2010 Inspection be conducted within 10 days and file be put up administratively without waiting for minutes. 16.06.2010 Ask the unit to remove the cupola furnace from the premises and confirm on an affidavit within 15 days followed by inspection before grant of CTE for new activity. 13.08.10 Issue SCN u/s 31(A) of the Air Act for closure of the unit. 17.06.11 Issue consent to establish as the bank guarantee received. Subsequently, inspection be conducted within 06 months. Recommendation / Action Taken Details (EE/AEE) on 06-11-2012 As decided, unit was inspected on 11.07.12 & following were observed: (i) unit is engaged in metal casting by pit furnace. (ii) No cupola furnace found. The same has been removed. (iii) Unit has installed hood & suction arrangement followed by stack app. 12 from G.L. & 6 m from R.L. over pit furnace. Letter was received from SDM, Seemapuri on 21.08.12 regarding the interim report- closure of units categorized under the prohibited/ negative list of activities as per MPD 2021. It was also mentioned that during the visit of unit on 28.07.12, it was observed that no work of Mfg. was carried out at the said premises Sh. Madhur Jain, who was present at the time of visit, informed that they have dismantled the cupola furnace and removed the same from the said premises and using only pit furnace. He has also provided the copy of letter given to DPCC regarding dismantling of cupola furnace along with affidavit and copy of release the Bank Guarantee by DPCC.		
26	38067 12-09-2011	DELHI CASTING PVT. LTD B-37/A, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	CASTING OF MACHINERY PARTS AND COMPONENTS BY PIT FURNACE AND ENGINEERING WORK. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 06-07-2012 Inspection be conducted.	18-06-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 13-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA and 12.5 KVA. Noise monitoring report dated 07-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 25.03.10 & following were observed: a) Applied for consent to establish for the activity of C.I	09-11-2012 File be put up administratively.

casting through pit furnace in a part of entire plot.
b) The pit furnace is yet to be constructed. The reason has been reported that due to some family problem the establishment of pit furnace getting delayed.
c) Previously, the unit was doing C.I casting through cupola furnace. In the premises one cupola furnace was found installed & other one was found dismantled. The blower & with the installed cupola was found disconnected & motor was also found removed.
d) It has been informed that they have not operated the cupola furnace, since first week of Feb, 2010. The condition of furnace also reveals that the same was not operated in the recent past.

(5) SCN u/s 31(A) details : issued on 01.10.10.

Unit has submitted its reply on 18.10.10 & informed that they has dismantled the cupola furnace.

As approved, letter was issued on 05.04.11 for submission of Bank Guarantee of Rs. 50,000/- under Air Act valid for one year and an affidavit stating that facilities of cupola furnace has been removed out from the premises.

Unit has submitted the above said BG on 27.04.11.

As approved, a letter was issued on 13.04.11 for action under provisions of MPD-2021 has also been sent to MCD, DDA and Industries Department as earlier unit has applied for the activity of C.I casting by Cupola Furnace & Engineering Work. Further, a letter also sent to DC (North-East) on 07.06.12.

As decided by the CMC (O) in its meeting held on 13.01.11, refusal of CTR was issued on 02.05.11 as the activity is being enlisted in the Negative list of MPD-2021.

As decided by the CMC (O) in its meeting held on 17.06.11, CTE was issued on 26.07.11 for the activity of Casting of Machinery parts and components by Pit furnace.

EARLIER CMC DECISION

16.03.10

Inspection be conducted within 10 days and file be put up administratively without waiting for minutes.

16.06.10

Ask the unit to remove the cupola furnace from the premises and confirm on an affidavit within 15 days followed by inspection before grant of CTE for new activity.

13.08.10

Issue SCN u/s 31(A) of the Air Act for closure of the unit.

17.06.11

Issue consent to establish as the bank guarantee received. Subsequently, inspection be conducted within 06 months.

Recommendation / Action Taken Details (EE/AEE) on 07-11-2012
1. The Board of Directors should review the current compensation structure for the CEO and other senior executives to ensure it is aligned with the company's long-term goals and performance metrics. 2. The Board of Directors should establish a compensation committee to oversee the compensation process and ensure it is fair and competitive. 3. The Board of Directors should implement a performance-based compensation system that rewards executives for achieving the company's strategic objectives. 4. The Board of Directors should ensure that the compensation structure is transparent and that all executives are treated fairly. 5. The Board of Directors should regularly review the compensation structure to ensure it remains relevant and effective.

As decided & w.r.t a public complaint, unit was inspected on 11.07.12 & following were observed:

- (i) Unit is a foundry having 1 cupola & 2 pit furnace.
- (ii) Unit is in operational state. Facilities of casting & raw material i.e., metal scarp, hard coke, lime etc are found at site.
- (iii) Cupola furnace is also found at site & in operational state.
- (iv) Unit has also installed Air Pollution Control System i.e., Wet Scrubber with Cupola furnace & pit furnace.

As approved, letter was issued to Dy. Commissioner (NE) on 06.08.12 for effective closure of the unit & sent the compliance report at the earliest.

Letter was received from SDM, Seemapuri on 21.08.12

								regarding the interim report- closure of units categorized under the prohibited/ negative list of activities as per MPD 2021. It was also mentioned that during the visit of unit on 28.07.12, it was observed that they have installed pit furnace and use of cupola furnace has completely been closed. however, unit has the structure of cupola furnace which can be used as cupola furnace in concentration of MDP 2021 & requested to provide technical existence in the matter.	
								Legal opinion was obtained on file for further action & it was informed by legal officer the in view of the High Court orders, a letter may be issued to SDM in response to his letter dated 16.08.12 that no coercive steps be taken.	
27	38103 15-09-2011	METAL ROLLING ENTERPRISES S-90 & 91, PHASE-I, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	MANUFACTURING OF ALUMINIUM CIRCLES WITH CASTING AND ROLLING ACTIVITY (WITH OUT PICKLING). Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 468 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 14-08-2012 Inspection.	13-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 16-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 23-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes Note: old record is not tracable. Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 As decided by the Screening Committee, inspection conducted on 22.10.2012 and following were observed: 1) Unit found in operation and engaged in mfg. of aluminium circle including casting. 2) Unit is having two pit furnaces. 3) Unit has installed hood and suction arrangement over pit furnaces followed by a stack about 15 feet above tin shed and same found in operation. 4) Unit is having one DG set of 180 KVA with acoustic enclosure and having approx 12 feet stack height above roof level.	09-11-2012 Consent to Operate (by using pit furnace only) granted.
28	38150 23-09-2011	KIRAN UDYOG B-182, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	PRESURE DIE CASTING AND C.N.C. MACHINED COMPONENTS. Aluminium Pressure Die Casting	• Date of commissioning of project ---- 01-01-1998 • Built Up Area ---- 144 (in sq. meter) • Water Consumption ---- 310 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 06-07-2012 Inspection be conducted.	18-06-2012 (1)ETP ---- N/A (2)ECS - N/A (a)Stack monitoring report dated 23-08-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 17-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Old records could not be traced out. Recommendation / Action Taken Details (EE/AEE) on 05-11-2012 As decided by the Screening Committee in its meeting held on 06-07-2012, unit was inspected by DPCC officials on 18.10.12 & following were observed: 1) Unit is found operational & engaged in the activity of Aluminum pressure die casting & CNC (Computerized Numeric Control) machined Components. 2) Adequate stack height has been provided with 2 furnaces. 3) As reported by the representative, diesel fired furnace has been changed to CNG fueled furnace from July, 2012. 4) One DG set (180 KVA) found installed with adequate stack height & acoustic enclosure. 5) Bore well not exits.	09-11-2012 File be up administratively.
29	38187	M.P. WORKS C-104, PH-II	Mangolpuri Industrial Area	Orange Operate	Carveding by injection molding machine.		Decision / Recommendation of Screening	29-06-2012 (1)ETP ---- N/A	09-11-2012 File be put up administratively.

	28-09-2011	MANGOLPURI INDL. AREA			Plastic Processed Goods	• Date of commissioning of project ---- 01-01-1997 • Built Up Area ---- 40 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 75 liters/day (b) Trade Effluent ---- 100 liters/day	Committee on 09-11-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 06-07-2012 File be put up administratively.	(2)ECS - N/A (3)D.G.Set:nil (4) Inspection details:Conducted on 22.01.2011. (5) SCN u/s 31(A) issued on 07.04.2011. (6) Closure directions u/s 31(A) issued on 07.06.2011. A reply received from the unit on 09.11.2011 and 20.03.2012 along with affidavit. Another inspection conducted by the officials of DPCC on 13.04.2012 during the insepction following were observed: (a) unit found locked. (b) Sh. Bhadur Singh tea stall owner opposite to unit informed that due to disconnection of electricity unit is not operating since last six months. (c) Power connection found disconnection from pole. Temporary revocation for 45 days issued to the unit on 02.05.2012 for 45 days. Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 File was put up administratively	
30	38195 29-09-2011	PARKASH CABLE CO. B-52, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF RUBBER INSULATED CABLES. Rubber Auto Parts Excluding Production Of Tyres And Tubes (Without Reclamation And Devulcanisation Of Rubber)	• Date of commissioning of project ---- 01-01-1969 • Built Up Area ---- 732 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 06-07-2012 File be put up administratively.	02-07-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 19-09-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 As per the decision, file was put up administratively and decision of inspection taken on file. Unit is yet to be inspected.	09-11-2012 Take action as decided in file.
31	38272 13-10-2011	VIKAS ALUMINIUM MFG. CO. 117, FIE PATPARGANJ INDL. AREA	Patparganj Industrial Area	Orange Operate	MFG. OF ALUMINIUM SHEET AND CIRCLE. Cold re Rolling Without Pickling		Decision / Recommendation of Screening Committee on 06-07-2012 File be put up administratively.	21-10-2011 (1)ETP ---- N/A (2)ECS - Channelization installed now over pit furnace. (3)D.G.Set: Reported nil.	09-11-2012 File be put up administratively again.

					of S .S. Sheets (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 300 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day		(4) Inspection details: earlier Conducted on 10.06.2010 and it was found that no ECS/ Channelization was provided.Unit in operation without consent. (5) SCN u/s 31(A) details :Yes on dated 07.10.2010. (6) Closure directions u/s 31(A)details :issued on 06.09.2011 Unit has requested for revocation on 28.09.2011. As decided by the CMC (O) in its meeting held on 29.12.11, inspection was conducted by DPCC officials on 22.02.12 and following were observed: (A) During the inspection the unit was found not in operation. As informed that the electric connection of the unit has been disconnected by discom. At roof top DG set found removed. (B) In the premises, other activity was also going on at different floor for which the person connected has reported that they have rent out to the other as per details. (C) At basement----godown, G.Floor (Front position)-----Track on courier Pvt Ltd Middle G.Floor and First floor (Back position) -----M/s Jyotsana Art Printers Front first floor---Tradeing office of M/s Pantron Automashion Pvt Ltd. As decided by the CMC (O) in its meeting held on 29.12.11, file was put up adminstratively and as approved, temporary revocation for 45 days to apply for CTO was issued on 19.03.11 . EARLIER CMC DECISION 29-12-2011 File be put up administratively after inspection as closure directions are in vogue. Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 As decided, file was put up administratively & as approved on file, closure directions was revoked on 19.03.12. As approved, letter was also issued on 19.03.12 to M/s Jyotsana Art Printers to apply for CTE & CTO as the unit found operating on Ist floor during the inspection conducted on 22.02.12.However, unit has not applied for CTE & CTO so far.	
32	38326 21-10-2011	SWARN ENTERPRISES I-5, DSIDC PHASE-III, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	MFG. OF DISINFECTANTS, CLEANERS, SHAMPOO, HAIR OIL, NAPHTHALENE BALLS AND PLASTIC CONTAINERS. Perfumes and Cosmetics Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 2150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 06-07-2012 Inspection be conducted.	11-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 inspection is to be carried out.	09-11-2012 Expedte inspection.
33	38423 11-11-2011	AHUJA FURNISHERS PVT LTD E-40/1, PHASE-II OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MANUFACTURING OF WOODEN FURNITURE WITH PAINTING AND POLISHING. Decorative Goods (Painting/		Decision / Recommendation of Screening Committee on 06-07-2012 File be put up administratively.	08-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 14.02.11,	09-11-2012 Issue SCN for refusal of consent.

					Polishing)	• Date of commissioning of project ---- 05-09-1975 • Built Up Area ---- 913 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 0 liters/day	letter was issued on 29.03.11 for submission of Bank Guarantte. Unit has submitted the above said Bank Guarantte on 03.06.11. As decided by the CMC (O) in its meeting held on 14.02.11, CTE was issued on 15.06.11. Unit has submitted affidavit & copy of earlier CTE in the name of M/s AHUJA FURNISHING PVT LTD but the other documents (i.e., application form, CA certificate, project report & CETP membership etc) in the name of M/s AHUJA FURNISHERS PVT LTD same has been done in the application of authorization under HWM Rules and earlier CTE application. EARLIER CMC DECISION 16.07.10 (Green 66 th meeting) Ask the unit to apply for consent to establish under orange category due to paint booth. 07.10.10 (Green 68 th meeting) Issue SCN for refusal of consent. 14.02.11 (Orange CTE) Ask the unit to submit Bank Guarantee of Rs. 50,000 under Air Act valid for one year in view of concealment of the facts regarding existence of the paint both. If unit submits the bank guarantee, consent to establish be issued. Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 As decided, file was put up administratively & as approved, letter was issued on 26.09.12 to submit fresh affidavit regarding clarification of discrepancy in the name of the unit.		
34	38431 14-11-2011	ISHWAR ENGG. INDUSTRIES C-9, GF, DSIDC, SHED, ENGG. COMPLEX, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	MANUFACTURAR UTENSILE AND MEDELS (WITHOUT BUFFING AND POLISHING). Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 60 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 45 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 06-07-2012 Inspection be conducted.	21-06-2012 (1)ETP ---- N/A (2)ECS - stack attached with furnace. (b) Stack monitoring report dated 09-11-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 As decided inspection of the unit was conducted on 06.11.2012 and following observed: 1) unit found in operation. As informed unit does job work of manufacturing of metals and small utensils as per order of party. 2) unit is having one pit furnace(diesel fired) 3) unit has provided hood and suction arrangement over pit furnace followed by a stack about 30 above ground level.	09-11-2012 Renewal of Consent to Operate (by using pit furnace only)granted.
35	38449 16-11-2011	N.K. METAL 47, GALI NO. 6, FRIENDS COLONY INDUSTRIAL AREA, SHAHDRA	Friends Colony Industrial Area	Orange Renewal	MANUFACTURING OF PVC WIRES AND CABLES. Wire Drawing (Without Pickling/ Galvanizing)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 06-07-2012 Inspection be conducted.	06-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 01.12.05, CTR was issued on 12.12.05 with the condition to install wet	09-11-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit.

							scrubber within two months.		
							EARLIER CMC DECISION 01.12.05 Consent granted for three Yrs with a condition to install wet scrubber within two months. Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 As decided, unit was inspected on 08.11.12 & following were observed: 1. Unit engaged in Mfg. of PVC wire and cable with copper wire drawing. 2. Channelization system with exhaust fan installed. 3. unit has complied with provisions of HWM Rules.		
36	38464 17-11-2011	SACHDEVA INDUSTRIES (UNIT-II) A-50/1 GTK ROAD INDL. AREA	G.T. Karnal Road Industrial Area	Orange Operate	Mfg. of Auto Parts (Cross Holder, Half and Full Yolk, Rear Teeth) Hand Tools (With Hardening/ Tempering Without Using Hardening Salt)	• Date of commissioning of project ---- • Built Up Area ---- 337 (in sq. meter) • Water Consumption ---- 220 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 06-07-2012 Inspection be conducted. Recommendation / Action Taken Details (EE/AEE) on 02-11-2012 In compliance of the decision taken by the committee, insption of the unit was conducted on 13.08.2012 and following were observed: (a) unit found operational and engaged in the activity of mfg. of auto parts i.e. steel crowns (b) unit is having annealing closed electric oven used for softening the manufacturing parts. (c) no forging actvity found at the site. (d) rough forge material reused from the parties thereafter machining is done for shaping through different lathe machine. (e) DG Set installed with acoustic treated canopy at the roof top.	09-11-2012 Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit.	
37	DPCC/EC/2/1/2011/172 30-11-2011	DELITE SALES PVT. LTD A-5, PH-II MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	MFG. OF PVC FOOTWEAR. PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 13-08-2012 Issue SCN for refusal of consent. Decision / Recommendation of Screening Committee on 22-05-2012 Inspection be conducted and thereafter put up administratively. Decision / Recommendation of Screening Committee on 08-11-2012 As decided by the Consent Management Committee, SCN for	09-05-2012 (1)ETP ---- N/A (2)Channelization system is not provided over injection moulding machine. (3)D.G.Set: ...Nil... (4) Inspection conducted on 20.01.2011 and it is observed that:- - ECS was not installed and D.G Set found without adequate stack height. - Mixing process is highly inflameable & activity of polyurethane form is falls under prohibited list of MPD 2021. (5) SCN u/s 31(A) issued on 25.02.2011 Unit submitted its reply on 16.03.2011 A letter issued to the unit for submission of bank gurantee of Rs 50,000/- & affidavit on 18.05.2011. Unit submitted its reply on 06.07.2011along with photographs of stack height and submitted bank gurantee. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Decession taken on 14.09.2011. Period of three year for which consent fee was submitted already expired. Ask the unit to apply for fresh renewal of consent immediately. Letter issued to the unit for in compliance of decesion taken	09-11-2012 Renewal of consent to operate refused as unit has stopped its operation and has not filed any reply to SCN for refusal of consent.

							refusal of consent issued to the unit on 12.09.2012. no reply recieved from the unit till date.		
38	DPCC/EC/2/1/2011/307 14-12-2011	CHINTAMANI COMMODITIES A-20,JHIMIL INDUSTRIAL AREA SHAHDARA	Jhilmil Industrial Area	Orange Operate	PIT FURNACE AND COPPER ROLLING. Copper / Aluminium Re- Rolling Industry (Foils and Strips Etc.) With Capacity Less Than 25MT/Day	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 13-08-2012 Expedite inspection. Decision / Recommendation of Screening Committee on 22-05-2012 Inspection be conducted.	09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 14-10-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 19-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 25.11.10, revocation of CTE was issued on 25.01.11. Old file of consent to establish dated 16.08.10 of the case are not traced out. EARLIER CMC DECISION 05.10.09 Issue consent to establish 25.11.10 Inspection conducted and it was found that no industrial activity / facility existing at site. Revoke Consent to establish granted earlier and issue consent to establish w.r.t. application dated 16.08.2010 for the pit furnace and copper rolling with the condition that rolling capacity shall be less than 25 MT/day. Recommendation / Action Taken Details (EE/AEE) on 06-11-2012 As decided, unit was inspected by DPCC officials on 02.11.12 & following were observed: (i) Unit is engaged in Copper rods by upcasted electric operated melting furnace. (ii) Hood & duct installed over melting section to control the emission. Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 Inspection is still pending.	09-11-2012 Unit may be asked to provide the complete technical details of the electrical furnace to ascertain whether it falls in the category of arc/induction furnace.