



CONSENT MANAGEMENT

Agenda No 1 - Annexure II - 08 Remaining Cases of Consent to Establish (ATR) under orange category of the period 01.06.2011 to 31.12.2011(excluding the cases of redevelopment areas)recommended by Screening Committee as (2c category) in its meeting on 09.11.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	37287 06-06-2011	STAR INSULATION (PROP. INDER KANT OJHA) A-5/11 JHILMIL INDL. AREA	Jhilmil Industrial Area	Orange Establish	COPPER WIRE DRAWING AND SUPER ENAMELLED COPPER WIRE. Copper Wire Drawing With Super Enamelling (Dry Process)	- Date of commissioning of project ---- - Built Up Area ---- 83.61 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 200 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 14-08-2012 File be put up administrativley.	14-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: ...N/A... (4) Inspection details: 06.10.2010. No ECS was Found with S/E Plant. (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :Unit was issued closure directions in the name of M/s Manoj Wire Works on 20.08.2010 during inspections in CWG. Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 As decided, letter was issued to DJB, BSES & MCD on 08.10.12 rearding the closure directions issued to M/s MANOJ WIRE INDUSTIRES, A-5/11, JHILMIL INDL. AREA. As approved, letter was also issued to M/s STAR INSULATION on 08.11.12 to submit the status of M/s MANOJ WIRE INDUSTIRES existing at the premiese to which the closure direction were issued on 20.08.2010.	09-11-2012 Put up the case administratively.
2	37314 08-06-2011	SANJAY GOYAL AND VIJAY GOYAL B-60 GROUP WAZIRPUR INDL. AREA	Wazirpur Industrial Area	Orange Establish	MANUFACTURING OF KITCHEN ACCESSORIES WITH BUFFING. Process Involving Buffing	- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 20 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 5 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Inspection be conducted, thereafter, file be put up administratively. Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to inspect, thereafter, file be put up	09-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (3)D.G.Set: ...N/A... (4) Inspection conducted on 02.04.2011. (5) SCN u/s 31(A) of Air Act, 1981 was issued on 20.05.2011. (6) Closure directions u/s 31(A) 12.07.2011. Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 As decided inspection of the unit was conducted on 06.11.2012 and it was found that premises found vacant and no industrial activity found.	09-11-2012 Premises found vacant during inspection. Recommended to refuse consent to establish.

							administratively.		
3	37422 21-06-2011	SRI KRISHNA WIRE PRODUCTS PROPERTY NO 426-431, FIRST FLOOR GALI NO.-8 FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Establish	COPPER WIRE DRAWING WITH SUPER ENAMELING. Copper Wire Drawing With Super Enamelling. (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 100 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 14-08-2012 File be put up administratively.	06-07-2011 CTO: New activity. Water Consumption ---- 100 liters/day Ground Water ---- 100 liters/day Built Up Area ---- 100 (in sq. meter) CETP Membership ---- Jhilmil & Friends Colony Industrial Area CETP Society / Membership No ---- NO Date of commissioning of project ----Nov 2011. Waste Water generation Domestic Effluent ---- 80 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 As decided, file was put up administratively & as approved, CTO & authorization under HWM Rules issued on 14.09.12 as the closure directions already revoked permanently.	09-11-2012 Recommended for grant of Consent to Establish.
4	37580 11-07-2011	PARTAP METAL INDUSTRIES A-136 WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Establish	AMNUFACTURING OF PRESSURE COOKERS AND STAINLESS STEEL UTENSILS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 460 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 28-12-2011 Inspection be expedited. Decision of Consent Management Committee on 28-12-2011 Consent to establish has already been issued. Inspection be expedited. Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 14-08-2012 Status of CTO application is not appearing in the	23-12-2011 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (3)D.G.Set: ...N/A... Earlier CMC Decision: 13.10.2011 Consent under green category be revoked. Issue consent to Operate and consent to establish. Inspection be conducted within 03 months after issuance of consent. Recommendation / Action Taken Details (EE/AEE) on 02-11-2012 File was put up administratively and decided to take up the case in the next CMC meeting. Recommendation / Action Taken Details (EE/AEE) on 07-08-2012 As decided by the Consent Management Committee inspection conducted by the officials of DPCC on 21.06.2012 during the inspection unit found in operation and enaged in mfg. of pressure cooker with buffing/polishing and unit has installed cyclone with buffing machine.	09-11-2012 Consent to Establish and Operate have already been issued to the unit on 09.12.2011. File be sent to IT Cell for updation of the Consent status and necessary corrections w.r.t spelling in the name of the unit.

							conducted.		
							Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to inspect the unit.	Recommendation / Action Taken Details (EE/AEE) on 06-11-2012 As decided by the Screening Committee, unit was visited on 18.10.12, however, unit was locked. As reported by the watchmen, premises was vacant since February, 2012. Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 As decided, reminder letter was issued on 20.01.12 for submission of adequacy report of ETP & application for CTO. Unit has submitted its reply on 15.05.12 along with adequacy report of ETP dated 27.04.12 issued by DTU.	
6	37673 20-07-2011	CLASSIC HOME CAREA PRODUCTS (P) LTD. PLOT NO 170, PKT-I, SEC-5 DSICD BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	mMFG. OF PHENYL. Phenyl Manufacturing	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 28-12-2011 Inspection be conducted in view of negative list as per MPD-2021. Decision of Consent Management Committee on 28-12-2011 Inspection be conducted in view of negative list as per MPD-2021.	23-12-2011 (1)ETP ---- N/A (2)ECS /channelization----- Not Proposed (3)D.G.Set: Nil (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details: No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details: No (7) Activity may fall in Negative category so inspection is required to know exact process. Recommendation / Action Taken Details (EE/AEE) on 02-11-2012 As decided by the Consent Management Committe, inspection conducted and it was found that unit is yet to be establish. A reply received from the unit on 31.10.2012 requesting to issue consent to establish.	09-11-2012 File be put up administratively.
7	37953 26-08-2011	SHAKTI PRODUCTS OVERSEAS PVT. LTD 28B, RAJASTHAN UDYOG NAGAR INDL. AREA	Rajasthan Udyog Nagar Industrial Area	Orange Establish	PACKAGING OF TABACCO. Tobbaco Products without Raw Tobacco Processing	• Date of commissioning of project ---- • Built Up Area ---- 1588.4 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 28-12-2011 Reminder issued to MCD (Factory Licensing), DJB and SDM on 21.12.2011. Put up in next CMC. Decision of Consent Management Committee on 29-12-2011 File be put up administratively as the closure directions are in vogue.	23-12-2011 (1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. (4) Inspection details:08.09.2011 1. unit found in operation inspite of issue of closure direction u/s 5 of EPA dated 160.8.2011. 2. Raw material and finished good exist including sacheets	09-11-2012 Recommended for refusal of consent to establish and consent to operate in view of the notification of Department of Food Safety dated 11.09.2012 regarding prohibition of mfg. of Paan Masala / Guthka containing tobacco.

								made of multilayer plastic.sample taken. 3. No ECS installed. 4. It is informed that M/s shakti overseas Pvt. Ltd (Unit-I) belongs to premises 28 and unit -ii belong to premises 28 B. (5) Closure directions u/s 5 of EPA details :16.08.2011 Re-inspection of the unit was conducted on14.10.2011 unit not found in operation. Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 Inspection of the unit was conducted on 24.07.2012 and based on the observation a letter issued to the unit on 16.08.2012 regarding submission of documentry evidences of two separate units at 28 B Rajesthan Udyog Nagar Industrial Area. Unit submitted its reply on 04.09.2012 along with documentary evidences. A letter issued to the Deputy Commissioner on 04.10.2012 asking about the detailes of two separate units at 28 & 28 B Rajesthan Udyog Nagar Industrial Area. Reply from Deputy Commissioner was received on 12.10.2012. After that a letter issued to the unit against violation of provision of Plastic Rules, 2011 and Air Act, 1981.	
8	37955 26-08-2011	SHAKTI FRAGRANCES PVT. LTD. 15, RAJASTHAN UDYOG NAGAR INDL. AREA	Rajasthan Udyog Nagar Industrial Area	Orange Establish	MANUFACTURING OF GUTHKA. Gutka /Supari (Betelnut) Grinding	• Date of commissioning of project ---- • Built Up Area ---- 1505.02 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 28-12-2011 Closure directions u/s 31A of Air Act has already been issued as decided administratively. Follow up the compliance. Decision of Consent Management Committee on 29-12-2011 File be put up administratively.	26-12-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 82.5 KVA and 160 KVA. Noise monitoring report dated 29-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 1 D.G. Set(s) of 82.5 KVA and 160 KVA. Noise monitoring report dated 21-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details: (5) SCN u/s 31(A)/ 5 of EPA details : Was sent to the unit on 23.08.2011. (6) Closure directions u/s 31(A)/ details : Was sent to the unit	09-11-2012 Implement the decision taken in the file.

								on 22.12.2011.	
								Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 file was under submission.	