



CONSENT MANAGEMENT

Agenda No 2 - Annexure II - 56 Remaining Cases of Consent to Operate and Consent to Operate(Renewal)(ATR) under orange category of the period 01.06.2011 to 31.12.2011(excluding the cases of redevelopment areas)recommended by Screening Committee as (2c category) in its meeting on 09.11.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	37263 02-06-2011	ANAND ENGINEERING CORPORATION 171-B, GALI NO. 8, FRIENDS COLONY INDUSTRIAL AREA, G.T. ROAD SHAHDARA	Friends Colony Industrial Area	Orange Renewal	M.S. WIRE DRAWING. Wire Drawing (Cold Process) And Bailing (With Metal Surface Treatment)	• Date of commissioning of project ---- • Built Up Area ---- 223 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 800 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 700 liters/day	Recommendations of Scrutinizing Committee on 12-10-2011 CMC official confirmed during the meeting that the unit has applied for authorization under HWM Rules on 02.06.2011 and adequacy report dated March, 2008 issued by GGSIU submitted and test report dated 23.05.2011 from DPCC laboratory with nine parameters. Emission test report for the acid mist not submitted. Ask the unit to provide the channelization / control system for the acid mist generated from the process to substantiate the compliance of emission standard of 50 mg/NM3 w.r.t. acid mist by way of submission of the emission test report from the approved laboratory of DPCC. Decision of Consent Management Committee on 19-10-2011 Ask the unit to provide the channelization / control system for the acid mist generated from the process to substantiate the compliance of emission standard of 50 mg/NM3 w.r.t. acid mist by way of	06-07-2011 CTE ---- Not required as operate renewal is valid upto 02.06.2011. Water Consumption ---- 800 liters/day Ground Water ---- 800 liters/day Built Up Area ---- 223 (in sq. meter) CETP Membership ---- Jhilmil & Friends Colony Industrial Area CETP Society / Membership No ---- 5266 Date of commissioning of project -2003. Waste Water generation Domestic Effluent ---- 50 liters/day Trade Effluent ---- 700 liters/day ETP / STP ---- Yes. Test Report(Water) within Limit ---- Yes ,31.05.2011. Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 As decided, file was put up administratively & it was approved, decision dated 19.10.11 be implemented. Accordingly, letter was issued on 11.10.12 to ask the unit to provide the channelization / control system for the acid mist generated from the process to substantiate the compliance of emission standard of 50 mg/NM3 w.r.t. acid mist by way of submission of the emission test report from the approved laboratory of DPCC within 30 days. Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 As decided, file was put up administratively & it was approved, decision dated 19.10.11 be implemented. Accordingly, letter was issued on 11.10.12 to ask the unit to provide the channelization / control system for the acid mist generated from the process to substantiate the compliance of emission standard of 50 mg/NM3 w.r.t. acid mist by way of submission of the emission test report from the approved laboratory of DPCC within 30 days. Recommendation / Action Taken Details (EE/AEE) on 09-08-2012 Decision yet to be implemented.	09-11-2012 Put up administratively.

							submission of the emission test report from the approved laboratory of DPCC within 30 days, failing which, action for closure will be initiated. Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administrativley. Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administratively.		
2	37316 08-06-2011	RASOI FOOD PRODUCTS CO. PLOT NO.-144, POCKET-L, SEC-2, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Dal Mill. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Ask the unit to increase the stack height of the oil fired burner upto 11 meter of ground level or 2 meter above roof level whichever is more and submit the stack monitoring report to substantiate the compliance of the standards w.r.t. particulate matter i.e. 150 mg/NM3 from approved laboratory of DPCC. If unit submits the compliance report on an affidavit and satisfactory monitoring report, consent to operate be issued. Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administratively.	10-10-2011 (1) ETP: N/A (2) ECS: : yes (a) AR dated : submitted on 06.06.2011 (b) Stack monitoring report dated: submitted on 06.06.2011 (c) number of parameters analyzed which are within prescribed limit: Nil (3) D.G.Set:Nil (4) Inspection details:conducted on 08.03.2011 i) the dall mill was found in inspection. Besides cup elevatorsbeing used for lifting of whole moong dall, the unit was also having destoners, shortex, siever, gravity siever etc. In this proces, the emissions generated was being controlled by providing duct and suction arrangement (ID. fans and the ducts has been found attached to the bag house having 120 nos. of bags installed at roof top. ii) the unit was also having driers fitted with HSD fired burners for the process removal of chilka (outter covering of dall) from the moong. iii) The stack provided with the driers section found inadequate in height. iv) in house condition was found poor as a lot of dust was found on tools and plant machinery. (5) SCN u/s 33(A), 31(A) : No (6) Closure directions u/s 33(A), 31(A): No Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 file was put up administratively and it was decided to inspect the unit which is to be carried out.	09-11-2012 Expedite inspection.
3	37322	STAR INSULATION	Jhilmil Industrial	Orange Operate	COPPER WIRE DRAWING AND SUPER ENAMELLED		Recommendations of Scrutinizing	10-10-2011 1)ETP ---- N/A	09-11-2012

	09-06-2011	(PROP. INDER KANT OJHA) A-5/11 JHILMIL INDL. AREA	Area		COPPER WIRE. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 83.61 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	Committee on 17-10-2011 Ask the unit to submit the status of M/s Manoj Wire Industries existing at the premises to whom the closure directions were issued on 20.08.2010. Also seek compliance from Discom and DJB. Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 14-08-2012 File be put up administratively.	(2)ECS ---- N/A (a) AR dated NOT REQUIRED (b) Stack analysis report (Wet Scrubber) dated10.03.2011..... issued by ..GGSIPU.. submitted. (3)D.G.Set: ...N/A... (4) Inspection details: 06.10.2010. No ECS was Found with S/E Plant. (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :Unit was issued closure directions in the name of M/s Manoj Wire Works on 20.08.2010 during inspections in CWG. Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 As decided, letter was issued to DJB, BSES & MCD on 08.10.12 regarding the closure directions issued to M/s MANOJ WIRE INDUSTRIES, A-5/11, JHILMIL INDL. AREA. As approved, letter was also issued to M/s STAR INSULATION on 08.11.12 to submit the status of M/s MANOJ WIRE INDUSTRIES existing at the premiese to which the closure direction were issued on 20.08.2010.	Put up administratively.
4	37324 09-06-2011	VARDHMAN INDUSTRIES J-32,UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Operate	MFG. OF ALL KIND OF FOOTWEAR INCLUDING LEATHER FOOTWEAR WITHOUT TANNING. PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for confirm the closure directions and consent to operate be refused. Decision / Recommendation of Screening Committee on 14-08-2012 File be put up administratively.	17-10-2011 (1)ETP ---- N/A (2)ECS (b) Stack analysis report dated12.07.2011 issued by DPCC submitted. (3)D.G.Set: 1 (a)Noise monitoring report of 125 KVA dated15.07.2011 issued by ..DPCC submitted and noise levels are within limit / beyond limit. (4) Inspection details: Conducted on 13.06.2011, during the inspection following were observed: a) No ECS has been installed with buffing to control the emission from the buffing. b) No channelization system provided with moulding machines. c) Stack height provided with oil fired boiler found inadequate. (5) SCN u/s 31(A) issued on 01.07.2011. Unit submitted its reply on 15.07.2011 along with affidavit and photographs of channelization system, NMR of D.G set and SMR of boiler. A letter issued to the unit on 19.08.2011 for the submission of Bank Guarantee of Rs. 50,000 under Air Act and to provided proper dust colledtion mechanism with channelization system over buffing and submit adequacy report and stack monitoring report. Reply awaited. Recommendation / Action Taken Details (EE/AEE) on 06-11-2012 In compliance to the decision, file was put up wherein, it is decided to placed the file in the meeting for change of category from 2 (b) to 2 (c) since ECS installed.	09-11-2012 Recommended for Inspection .

5	37345 13-06-2011	KRISHNA ELECTROPLATES B-227, (BACK SIDE) NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Operate	ELECTROPLATING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 85 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 400 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Ask the unit to submit stack monitoring report for electroplating process from empanelled consultant of DPCC. If unit submits the same and found within standards, consent to operate and authorization under HWM Rules be issued. Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to seek stack monitoring report for electroplating process from empanelled consultant of DPCC. If unit submits the same and found within standards, consent to operate and authorization under HWM Rules be issued.	14-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated 12.05.2008 issued by GGSIP submitted. (b) Effluent analysis report dated 2011-06-03 issued by DPCC submitted. Effluent Test Report within Limit Yes . 16 number of parameters analyzed which are within prescribed limit. (2)ECS ---- N/A (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 LETTER issued on 08.11.2012.	09-11-2012 Put up administratively w.r.t letter issued for monitoring report.
6	37357 13-06-2011	PRIVILEGE PUNJAB (A UNIT OF D.K. PLAZA PVT. LTD.) A-12 VISHAL ENCLAVE RAJOURI GARDEN	WEST	Orange Operate	Restaurant Capacity 90 persons. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 334.45 (in sq. meter) • Water Consumption ---- 2200 liters/day • Ground Water ---- 2200 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 2000 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administratively.	17-10-2011 (1)ETP ----Physiochemical (a) AR dated 08.04.2011 issued by DTU submitted. (b) Effluent analysis report dated 08.04.2011 issued by DTU submitted. (c) Four parameters analysed wih in prescribed limit. (2)ECS ---- Channalisation (3)D.G.Set: 125 KVA and 82.5 KVA (a) Noise monitoring report of both D.G sets dated 2011-04-13 issued by DPCC submitted. Noise monitoring report within Limit _ Yes. (4) Inspection details:Inspection conducted on 09.02.2011 and following were observed: a) Unit found in operation. b) Oil & Grease trap found existing at back side, however no ETP found installed. c) DG sets of 125 & 62.5 KVA found with acoustic enclosre but having inadequate stack height. d) Emission from kitchen found channelization and discharged through stack having in-adequate stack height. (5) SCN u/s 31(A)/33(A)/5 of EPA details : Notice u/s 31 (A) & u/s 33 (A) issued to the unit on 11.03.2011. (6) Modified direction u/s 31 (A) of the Air Act, 1981 & u/s 33 (A) of the Water Act issued on 04.05.2011. Earlier CMC Decision: Decision on 10.08.2011	09-11-2012 Recommended for grant of Consent to Operate.

							Issue final remainder for bank guarantee, application for CTO with valid MCD and Delhi police license within 15 days failing which action of closure will be initiated. ATR/Remarks: A letter issued to the unit for the submission of bank guarantee, application for CTO with valid MCD and Delhi police license on 05.10.2011.Unit Unit applied for CTO with MCD, Delhi Police License. Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 File was put up administratively on 28.09.2012 as the unit complied modified directions and also submitted BGs which were valid upto 15.10.2012. Hence, it was decided to inspect the unit to varify the rectification of deficiencies. Inspection conducted on 07.11.2012 and following were observed: 1)The unit is engaged in the activity of restaurant cum banquet hall. 2) The unit has installed ETP at roof top. 3) The unit has provided channelization system followed by adequate stack in the kitchen. 4) The unit has installed 2 DG sets at roof with accoustic enclosure and adequate stack height. 5) The unit is having valid MCD and Police License.		
7	37380 15-06-2011	SHREE GANESHA ENTERPRISES (CITY BANQUET) 40 B RAMA ROAD NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	Banquet. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administrativley.	17-10-2011 (1)ETP --- Bio-logical (a) AR dated 23-03-2011 issued by DTU submitted. (b) Effluent analysis report dated 23-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 4 number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - Channalisation for kitchen emissions. (3)D.G.Set Noise Report : 2 (125KVA and 180 KVA) (a) Noise monitoring report dated 01-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:Inspection conducted on 25.01.2011. During the inspection following were observed: a) Waste water generated from the kitchen is discharged directly into the sewer without treatment. b) Effluent Treatment Plant is under installation and yet to be commissioned. c) The tandoor and bhatti installed at first floor are not provided with channelization system. d) D.G sets of 125 KVA & 150 KVA were found installed without adequate stack height. (5) SCN u/s 31(A)/33(A) issued on 11.02.2011 Modified direction u/s 31 (A) of the Air Act, 1981 & u/s 33 (A) of the Water Act issued on 11.03.2011. (6) Closure directions u/s 31(A)/33(A) issued on 05.05.2011. A letter has been issued for the submission of channelization system for kitchen emission on an affidavit, submit the bank guarantees Rs. One lakh each under Air Act and Water Act on 19.07.2011. Unit submitted the bank guarantee of Rs. one lakh each under air and water act on 21.07.2011 and the closure directions has been revoked on 21.07.2011. Unit submitted an affidavit and inform that MCD and Delhi Polce License has been applied and will submit the same at the earliest. Recommendation / Action Taken Details (EE/AEE) on 08-11-2012	09-11-2012 Recommended for Show Cause Notice u/s 33 (A) of Water Act and also for refusal of Consent.

								File was put up administratively on 28.09.2012 and it was decided to inspect the unit. Inspection was conducted on 07.11.2012 and following were observed: 1) The unit is engaged in the activity of Banquet hall. 2) No function is going on at the time of inspection as reported last function was held on 04.11.2012. 3) The unit installed ETP but found in defunct condition. 4) Two DG sets installed just outside premises with accoustic enclosure and with inadequate stack height (stack provided upto silencer level). 5) The unit has provided channelisation system with adequate stack height in the kitchen.	
8	37381 15-06-2011	RADHA PALACE WEST 36 RAMA ROAD NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	Banquet Hall Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 900 (in sq. meter) • Water Consumption ---- 2300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 2000 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administrativley.	17-10-2011 (1)ETP ---- Bio-logical (a) AR dated 23.03.2011 issued by DTU submitted. (b) Effluent analysis report dated 23-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes Four number of parameters analyzed which are within prescribed limit. (2)ECS - Channalisting for kitchen emissions (3)D.G.Set: 3 (2X125 KVA and 82.5 KVA) (a)Noise monitoring reports of all three D.G sets dated 16.03.2011 issued by DPCC submitted and noise levels are within limit. (4) Inspection conducted on 25.01.2011, during the inspection following were observed: a) Unit is having a kitchen with tandoor (3 nos. coal fired) & LPG bhatties, the hood & duct with stack approx 3 above shed. However, the filters of hood are not found in place. b) Two coal fired tandoors at first floor are without channelization system. c) Waste water generated from kitchen is by-passed into the drain without any treatment. ETP found non-operational. d) No chemical dosing tank/aeration facilities provided in ETP. e) No sludge thickener system i.e. filter/sludge drying beds have been provided and no wet sludge seen indicating that ETP is not operated. f) House keeping is very poor, all drains leading to sewer found filled with food items & kitchen waste. g) 5 D.G. Sets (1X180 KVA, 2X125 KVA & 1X82 KVA) found installed without adequate stack nad sides found open without acoustic panels. (5) SCN u/s 31(A) & 33(A) was issued on 11.02.2011 (6) Closure directions u/s 31(A) & 33(A) was issued on 24.03.2011. Temporary revocation of closure direction u/s 33 (A) of the Water Act and u/s 31 (A) of the Air Act was issued on 02.05.2011 subsequent to the submission of A.R of ETP, NMR of D.G sets and B.G of Rs one lakh each under Air and Water act with further directions to apply for CTO with fresh effluent analysis repot. Unit applied for CTO with fresh EAR and submit undertaking regarding MCD and Police License. Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 In comliance to the decision, file was put up administratively, wherein it is decided to inspect the unit. As per the decision, inspection was carried out on 06.11.2012 and following were the observations: 1) The unit is engaged in the activity of Banquet halls. 2) ETP found installed but in non-operational condition. 3) The unit is being discharged untreated effluent directly into sewer. 4) The unit is also having a kitchen at first floor and only channelized fugitive emissions generated from Tandoor. Other portions/ burners are found without channelization System and	09-11-2012 Recommended for Show Cause Notice u/s 31(A) of Air Act & u/s 33(A)of Water Act and also for refusal of Consent.

									only exhausts installed by unit. 5) 2 DG sets of 125 KVA was placed at ground floor, which are found with acoustic enclosure and without adequate stack height (app. 1m above acoustic enclosure). 6) Other 3 DG sets are placed at first floor, out of which 2 DG sets of 125 KVA are with acoustic enclosure and inadequate stack height (approx. 1m about enclosure). 7) DG set of 62.5 KVA was found with acoustic enclosure and adequate stack height.	
9	37398 17-06-2011	KABILA RESTAURANT(A UNIOT OF MAXIMS FOOD) DDA SHOPPING CENTRE, AUROBINDO PLACE	SOUTH	Orange Renewal	RESTAURANT. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 148 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 450 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administratively.	08-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated March, 2011 issued by GGSIU .submitted. (b) Effluent analysis report dated 29-03-2011 issued by GGSIU submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 16-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) dated 24.06.09, letter was issued on 20.07.09 to ask the unit to fie full compliance withinone month. Unit has submitted its reply on 20.07.09 . Unit has submitted a representation on 03.08.09 along with NMR Earlier Committee Decision (In earlier CTR File) 16.03.2009 Ask the unit to file permission from Central Ground Water Authority for extracting the ground water, a fresh adequacy report of ETP and raise the stack height of the D.G. Set and to submit the noise monitoring report of the D.G. Set from approved laboratories of DPCC.Also ask the unit to install solar water heating system, rain water harvesting system, CFL & to undertake planatation of trees. Call on 29.04.2009. (In earlier CTR File) 11.05.2009 Issue final reminder for full compliance of CMC decision, failing which, unit will be called for personal hearing. Call on 24.06.2009. (In earlier CTR File) 24.06.09 Ask the unit to file full compliance within 01 month. Call on 26.08.2009. Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 File is under submission.	09-11-2012 Implement the decision taken on file.	
10	37402 17-06-2011	SAT RATTAN ENGINEERING WORKS F-1862, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	PRESSURE COOKER PARTS WITH ELECTROPLATING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 450 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Ask the unit to submit stack monitoring report for electroplating process from empanelled consultant of DPCC. If unit submits the same and found within standards, consent to operate and authorization under HWM Rules	17-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated 22.03.2011..... issued by G.G.S.I.P.U..... submitted. (b) Effluent analysis report dated 18-03-2011 issued by IP COLLEGE submitted. Effluent Test Report within Limit - No . (2)ECS - N/A (3)D.G.Set: ...N/A... Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 In compliance of the decision taken in the meeting, a letter issued to the unit on 2.11.2012.	09-11-2012 File be put up administratively.	

							be issued. Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to seek stack monitoring report for electroplating process from empanelled consultant of DPCC. If unit submits the same and found within standards, consent to operate and authorization under HWM Rules be issued.	
11	37427 22-06-2011	S & S HOSPITALITY SERVICES INC PLOT NO 16,SHIVAJI MARG NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	BANQUET HALL. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2000 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administrativley. Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administratively. 18-10-2011 (1)ETP: Physiochemical (a) AR dated 30.05.2011 issued by DTU submitted. (b) Effluent analysis report dated 30.05.2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit, Yes. Four numbers of parameters analyzed which are within limit. (2)ECS: Channelization for Kitchen emissions. (3)D.G.Set Noise Report: 2 (320 KVA & 125 KVA) (a) Noise monitoring reports of both D.G sets dated 22-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: Conducted on 28.01.2011, during the inspection following were observed: a) Waste water generated from kitchen located at ground floor and first floor being discharged without treatment. An Oil & Grease Trap is installed & found filled with kitchen garbage. No Effluent Treatment Plant found installed. b) D.G. Sets of 325 KVA & 125 KVA found installed without adequate stack height. (5) SCN u/s 31(A)/33(A) issued on 11.02.2011. (6) Closure directions u/s 31(A)/33(A) issued on 11.03.2011. As decided in CMC A letter issued to the unit on 04.04.2011 for the submission of Bank Guarantee. Unit submitted the Bank Guarantee on 05.04.2011each under air and water act. Temporary revocation of closure direction issued on 07.04.211 with further directions to submit the adequacy report of ETP/STP and to apply for consent to operate. Unit applied for CTO with EAR dated 30-05-11 and and submit an affidavit regarding MCD and Police License. Earlier CMC Decision: Decision on 31.03.2011. Ask the unit to submit Bank Guarantee of Rs. One Lakh each under Air Act and Water Act valid for one year. If unit submits the bank guarantee, issue consent to establish and closure directions be revoked temporarily for a period of 45 days for submission of adequacy report of the ETP installed and to apply for consent to operate. Letter be issued without waiting for minutes.	09-11-2012 Check for the Eating House license from Police Department.

							Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 In compliance to the decision, file was put up, wherein it is decided to inspect the unit. As per the decision, inspection was carried out on 06.11.2012 and following were the observations: 1) The unit was found engaged in the activity of Banquet Hall. 2) ETP found installed and in operational condition. 3) The unit has installed proper channelization system with adequate stack height in the kitchen. 4) DG sets found with acoustic enclosure and adequate stack height. 5) The unit is having valid MCD license till 31.03.2013.	
12	37428 22-06-2011	GRAND PLAZA AFFARES 33/33A, RAMA ROAD NAJAFGARH ROAD INDL AREA	WEST	Orange Operate	BANQUET HALL Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- 01-01-2010 • Built Up Area ---- 8700.73 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2000 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Inspection be expedited, thereafter, file be put up administratively. Decision / Recommendation of Screening Committee on 14-08-2012 Expedite inspection. 18-10-2011 (1)ETP : Bio-logical (a) AR dated25.03.2011 issued by DTU submitted. (b) Effluent analysis report dated 25-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit, Yes, four numbers of parameters analyzed which are within prescribed limit. (2)ECS : no Channelization for Kitchen emissions. (3)D.G.Set Noise Report : 3 (3X125 KVA) (a) The unit has 3 D.G. Set(s) of 125 KVA each, KVA. Noise monitoring report dated 04-04-2011 issued by DPCC submitted. Noise monitoring report within Limit, Yes, three number of parameters analyzed which are within prescribed limit. The unit has 3 D.G. Set(s) of 125 KVA each, KVA. Noise monitoring report dated 04-04-2011 issued by DPCC submitted. Noise monitoring report within Limit, Yes, three number of parameters analyzed which are within prescribed limit. The unit has 3 D.G. Set(s) of 125 KVA each, KVA. Noise monitoring report dated 04-04-2011 issued by DPCC submitted. Noise monitoring report within Limit Yes three number of parameters analyzed which are within prescribed limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Earlier CMC Decision Decision on 21.01.2011 Issue consent to establish. subsequently inspection be conducted. Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 Inspection conducted on 31.08.2012 and following were observed: 1)Unit is engaged in the activity of Banquet hall. 2) ETP is fond installed which is not in working condition at the time of inspection. 3) The unit has channelized emissions from the kitchen. However, one by pass exhaust is found exist. 4) 3 DG sets are found installed withacoustic enclosure at roof top with adequate stack height. In view of the above observations during inspection, SCN u/s 31 (A) of the Air Act and 33 (A) of the Water Act and Refusal of Consent to Operate issued on 18.09.2012. Unit submitted its reply on 10.10.2012 regarding rectification	09-11-2012 Recommended to take action as decided in file.

							of deficiencies observed during the inspection.		
13	37463 27-06-2011	TARUN ELECTRONICS C-171, PHASE-I, NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Renewal	MFG. OF ELECTRONICS COMPONENTS WITH ELECTROPLATING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 65 (in sq. meter) • Water Consumption ---- 1700 liters/day • Ground Water ---- 1500 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 1500 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to inspect the unit.	19-10-2011 (1)ETP : Physiochemical (a) AR dated April, 2008 issued by GGSIU submitted. (b) Effluent analysis report dated 03-06-2011 issued by DPCC submitted. Effluent Test Report within Limit Yes, sixteen numbers of parameters analyzed which are within prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1(62.5 KVA) (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 23-06-2011 issued by DPCC submitted. Noise monitoring report within Limit Yes, three numbers of parameters analyzed which are within prescribed limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No (7)Ground Water ---- 1500 liters/day Recommendation / Action Taken Details (EE/AEE) on 06-11-2012 As per decision, Inspection conducted on 05.10.2012 and following were the observations: 1) unit found operational and engaged in the activity of mfg. of electric comonent with electroplating. 2) ETP found installed and working properly. 3) wet and dry sludge seen at site.	09-11-2012 Recommended to issue letter seeking monitoring report for the prescribed parameters as per notification of MOEF dated 30.03.2012.
14	37490 30-06-2011	AT HOME INDIA PVT. LTD. F-29/4, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MANUFACTURING OF HOME FURNISHING ITEMS WITH WASHING. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 860 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 2100 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to inspect the unit.	17-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR datedJuly,2009..... issued byJamia Millia Islamia..... submitted. In adequacy report, it is mentioned that ETP is adequate to treat 2000 Lt/day generated during printing process but in summary it is mentioned that during washing of aluminum section, floor washing. (b) Effluent analysis report dated 05-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. Effluent analysis report dated 07-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. Unit has shown trade effluent : 2100 Lt/day in application form and 2000 Lt/day in affidavit (2)ECS - N/A (a) Stack monitoring report dated 25-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 82.5 KVA and 75 KVA. Noise monitoring report dated 26-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 2 D.G. Set(s) of 82.5 KVA and 75 KVA. Noise monitoring report dated 26-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	09-11-2012 Recommended to issue SCN for refusal of consent and u/s 33(A) of the Water Act.

Unit has shown 2 DG set of 82.5 kva and 82.5 Kva (both on application form and affidavit) but NMR submitted of 82.5 Kva and 75 KVA.

(4) Inspection details: was done on 10.12.09 and following were found:

1. Unit is in operation w.e.f. year 2003, with washing but ETP was installed in the year 2004.
2. Borewell extraction is carried out for industrial use.
3. ETP was not found in operation and sludge drying beds were being provided & masonry work was in progress.
4. Waste water was being discharged into sewer w/o any treatment.

(5) SCN u/s 33(A) EPA details : issued on 26.03.10 giving opportunity to submit reply within 15 days from the issue of service of the notice.

The unit has failed to submit its reply.

(6) Closure directions u/s 33(A) of EPA details : issued on 24.05.10.

As decided by CMC dated 13.08.10, letter issued on 29.09.10 to submit BG of Rs. one Lakh under Water Act valid for one year. Unit has submitted a letter on 22.02.11 requested that they shall submit the required documents for applying CTO (orange) within 15 days.

As per approval by competent authority, letters were issued on 16.05.11 to concerned authorities of DJB, BSES and MCD. Unit has submitted a letter dated 30.05.11.

As per approval by competent authority, letter was issued on 21.06.11 to submit BG of one lakh under Water Act valid for one year and also submit the CTO application .

Unit has submitted BG on 24.06.11.

Unit has again submitted a letter dated 30.06.11 requesting to revoke the closure notice along with receipt of CTE & CTO application applied.

As per approval by competent authority, Revocation of closure direction u/s 33 (A) issued on 01.07.11

As decided by the CMC (O) in its meeting held on 05.10.11, CTE dated 05.02.08 made infructuous on 09.12.11. CTE w.r.t present application dated 30.06.11 granted on 09.12.11.

EARLIER CMC DECISION

12.2.2010/ 15.2.2010

(In earlier CTE File)

Issue SCN u/s 33(A) of the Water Act.

26.5.2010

(In earlier CTE file)

decision taken on the file for issuing the closure u/s 33 (A) of water Act retified.

13.08.10

(In earlier CTE file)

Ask the unit to submit bank guarantee of Rs. One lakh under the Water Act valid for one year

05.10.11

(In earlier CTE file)

Consent to Establish dated 05.02.2008 made infructuous.

Issue consent to establish w.r.t present application dated 30.06.2011.

Recommendation / Action Taken Details (EE/AEE) on 06-11-2012

As decided, unit was inspected on 19.10.12 & following were observed:

- 1) Unit found operational & engaged in the activity of Mfg. of

								Home furnishing items with washing. 2) Two DG set of 82.5 KVA & 75 KVA exist with acoustic enclosure & adequate stack height. 3) One diesel fired boiler exists with adequate stack height. One electric boiler also exist at the basement. 4) ETP installed. 5) Wet sludge was not observed during the inspection. 6) As reported by the representative, washing activity has not done from 1 to 2 days. 7) Log book not shown at the shown at the time of inspection.	
15	37494 30-06-2011	S.S. SAHNI TECHNOLOGIES A-20/2, PH-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	MFG DRY BATTERIES AND BATTERY PLATES Battery Containers (PVC Section)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to inspect the unit.	20-10-2011 (1)ETP : N/A (2)ECS: wet scrubber, stack attached with lead melting furnace (a) AR dated March, 2011 issued by GGSIU submitted. (b) Stack analysis report dated 29.03.2011 issued by GGSIU submitted. (3)D.G.Set: Nil (4) Inspection details: Conducted on 24.09.2010, during the inspection following were observed: a) Unit found operational and engaged in the activity of MFg. of batteries. b) One lead melting furnace using fuel as LPG is found installed. Fugitive emissions observed which have not been channelized. No emission control system provided. c) One D.G. set of 63 KVA found installed without acoustic enclosure and stack. (6) Closure directions u/s 31(A) issued on 11.10.2010. Unit has submitted Bank Guarantee of Rs. One Lakh on 19.11.2010. After the submission of Bank Guarantee closure direction u/s 31(A) has been revoked on 22.11.2010. Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 As approved, an inspection was conducted on 27.09.2012 and observed that: - Unit found operational and engaged in the manufacturing of batteries and batteries parts. - Suction and hood arrangement found installed followed by wet scrubber but in dysfunctional condition and inadequate stack height. - Hazardous waste not found stored either as dry or wet. - One D.G. set found installed at top floor without acoustic enclosure and inadequate stack height.	09-11-2012 Recommended to issue show cause notice for the deficiencies observed and also for refusal of consent.
16	37495 30-06-2011	ANAND ELECTRO ENGINEERING B-67/1, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	ELECTROPLATING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 125 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 400 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively with status of consent to establish. Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administratively with status of consent to establish.	18-10-2011 (1)ETP ---- ETP (Physico chemical) (a) AR dated 23.06.2011 issued by D.C.E..... submitted. (b) Effluent analysis report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes. (2)ECS - Cyclone (a) AR dated 23.05.2008 issued by G.G.S.I.P.U submitted. (b) Stack monitoring report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details: Inspection of the unit was conducted on 24.03.2011. a) Unit found operating engaged in electroplating & buffing of kitchen accessories. b) ETP & ECS found installed.	09-11-2012 File be put up administratively.

								c) ETP was not in operation. d) ECS for buffing was not working properly. e) Acidic fumes not channelized. f) Bore Well connection 01 No. (5) SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 25.05.2011. A reply received from the unit on 31.01.2012. Recommendation / Action Taken Details (EE/AEE) on 02-11-2012 File was put up administratively and a letter issued to the unit on 18.09.2012 for the submission of treated effluent analysis report. unit submitted its reply stating that unit is in progress of getting the parameters to be tested from approved laboratory and applied for the same.	
17	37526 04-07-2011	TAJ INDUSTRIES A-77,WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	ferrous and non ferrous metal. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- 01-01-1981 • Built Up Area ---- 334 (in sq. meter) • Water Consumption ---- 85 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 09-08-2012 Recommended to inspect the unit.	07-08-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 28-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...nil Note: Old record is not traceble. Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 As decided, inspection of the unit was conducted on 06.11.2012 and following were observed: 1) unit found in operation and engaged in casting of ferrous and non-ferrous metal. 2) Proper channelization system not provided with thw furnace. 3) Emission found escaping from the furnace.	09-11-2012 Recommended to issue SCN for refusal of consent and SCN u/s 31(A) of the Air Act.
18	37548 07-07-2011	RAGHUBIR ELECTRIC WORKS F-125, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Job work of Hard chrome (electroplating) Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 134 (in sq. meter) • Water Consumption ---- 280 liters/day • Ground Water ---- 280 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 170 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Ask the unit to submit stack monitoring report from empanelled laboratory of DPCC. Decision / Recommendation of Screening Committee on 09-08-2012 Recommended to seek the stack monitoring report from empanelled laboratory of DPCC.	07-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 18.08.2011 issued by GGSIPU submitted. (b) Effluent analysis report dated 06-07-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 Letter issued to the unit on 08.11.2012.	09-11-2012 Put up administratively w.r.t letter issued for monitoring report.
19	37554 07-07-2011	J.S. SAHNI SONS ENERGY SYSTEM B-26, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	mfg. of electric storage batteries. Lead Acid Battery Reconditioning/Assembly (without grid casting, oxide mfg & paste		Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Inspection be conducted.	07-08-2012 (1)ETP ---- N/A (2)ECS - Wet Scrubber, bag filter (a) AR dated 23.06.2011 issued by DTU submitted. (3)D.G.Set: 62.5 and 125 KVA	09-11-2012 Recommended to issue show cause notice for the deficiencies observed and for refusal of Consent.

					mixing)	• Date of commissioning of project ---- • Built Up Area ---- 334.45 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended to inspect the unit.	(a) Noise monitoring report of 62.5 KVA and 125 KVA dated 17.06.2011 issued by DTU submitted and noise levels are within limit. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 As approved an inspection was conducted on 27.09.2012 and observed that: - Unit found operational and engaged in manufacturing and assembling of batteries. - ECS found installed. - Wet sludge found in wet scrubber tank but no dry sludge found stored. - Two D.G. sets (62 & 75 KVA) found installed in D.G. room with inadequate stack height.	
20	37576 11-07-2011	MAYA ENGG. WORKS C-314, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Mfg. of Bright Steel Bars. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 350 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 40 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Ask the unit to submit stack monitoring report for Sulphuric acid mist from empanelled consultant of DPCC. IT Cell be requested to correct the categorization of the activity of the unit. Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	08-08-2012 (1) ETP ---- ETP - Physiochemical (a) AR dated June, 2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 06-07-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2) ECS - N/A (3) D.G. Set: ...N/A... (4) Inspection details: NO (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 LETTER ISSUED TO THE UNIT ON 08.11.2012.	09-11-2012 Put up administratively w.r.t letter issued for monitoring report.
21	37587 11-07-2011	GOGIA FRAGRANCES PVT. LTD. A-127, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	Mfg. of Industrial Perfumery and fragrances compound. Fragrances and Industrial Perfume	• Date of commissioning of project ---- • Built Up Area ---- 1300 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 09-08-2012 File be put up administratively.	06-08-2012 (1) ETP ---- N/A (2) ECS - N/A (3) D.G. Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 04-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Unit has neither mentioned hazardous waste in application form nor applied for authorization under HWM Rules. As decided by the CMC (O) in its meeting held on 12.05.10, CTE was issued on 11.06.10. EARLIER CMC DECISION 12.05.10 Issue consent to establish. Recommendation / Action Taken Details (EE/AEE) on 05-11-2012	09-11-2012 Recommended to issue SCN for refusal of consent, u/s 33(A) of the Water Act and u/s 5 of the EPA.

							As decided, file was put up administratively & as decided, unit was inspected by DPCC officials on 20.10.12 & following were observed: 1) The unit is engaged in weighing of raw materials thereafter blending of all the raw material as per formulation, mixing, filtration, checking, packing & its dispatch which is used for cosmetics by industrial units. 2) The unit is also discharging waste water (very small) effluent through the washing of flask/ tubes in the laboratories. 3) Adequate stack not been provided with the DG set. 4) ETP has not been provided. 5) The vessels used for preparing the fragrances are reused after sunlight drying or cleaning by cloth (if) required.		
22	37634 15-07-2011	ADVANCED TECHNOLOGIES A-32, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	MANUFACTURING OF SHEET METAL COMPONENTS WITH DRY POWDER COATING. (WITHOUT PHOSPHATING). Powder Coating without phosphating	• Date of commissioning of project ---- • Built Up Area ---- 75.25 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Ask the unit to submit stack monitoring report for powder coating process from emapanelled laboratory of DPCC. Decision / Recommendation of Screening Committee on 09-08-2012 Recommended to seek the stack monitoring report for powder coating process from emapanelled laboratory of DPCC.	26-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 Letter issued to the unit on 28.09.2012 and unit submitted its reply and requested for some more time for the submission of Stack Monitoring Reort.	09-11-2012 Put up administratively.
23	37672 20-07-2011	RAJIV AUTOMOBILES A-1, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	REPAIRING, SERVICING AND WASHING OF TWO WHEELERS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 180 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 2500 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Ask the unit to submit effluent analysis report of ETP and noise monitoring report of D.G. Set from empanelled consultant of DPCC and also inspect the unit. Decision / Recommendation of Screening Committee on 09-08-2012 Recommended to seek effluent analysis report of ETP and noise monitoring report of D.G. Set from emanelled consultant of DPCC and also inspect the unit.	27-09-2011 (1)ETP ---- Physico-chemical (a) AR dated18.07.11..... issued byDTU..... submitted. (b) Unit has not submitted Effluent analysis report along with CTO application. (2)ECS - N/A (3)D.G.Set: ...30 KVA... Unit has submitted a letter along with the CTO application stating that NMR shall be submitted after restoration of electricity & Water supply. (4) Inspection details: conducted on 01.12.2010: 1) Unit found in operation and was engaged in washing &servicing of bajaj motorcycle. 2) Washing of motorcycle was done in groundfloor and waste water was directly discharged into public sewer. 3) Water from drawn from bore well. 4) At 2nd floor, machine one air compressor and one DG set without acoustic enclosure was found.These machines were enclosed in a room of 2.5m x 2m. 5) DG set had improper stack height which ended inside the room only. 6) The person contacted informed that the unit was established 10 years ago with its head office at Durgapur. (5) SCN u/s 31(A) & 33(A) details : issued on 27.12.10. However, no reply has been received in response to the SCN. (6) Closure directions u/s 31(A) & 33(A) details : issued on	09-11-2012 Recommended to issue SCN for refusal of consent, u/s 33(A) of the Air Act and u/s 5 of the EPA.

								08.03.2011. Unit has submitted its reply on 10.05.11 & 27.06.11. As approved, letter was issued on 20.07.11 for submission of Bank Guarantee of Rs. One lakh each under Air Act, water Act & HWM Rules and also submit technical adequacy report of ETP, applicaton for CTO & HW authorization. Unit has submitted above said BG on 01.08.11 along with technical adequacy reportof ETP, CTO application & application for HWM Rules authorization. As approved, revocation of closure directions issued on 24.08.11. As decided by the CMC (O) in its meeting held on 14.09.11, CTE was issued on 07.10.11. Unit has submitted a letter along with the CTO application stating that test report of ETP & NMR shall be submitted after restoration of electricity & Water supply. EARLIER CMC DECISION 14.09.11 Issue consent to establish. Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 As decided, letter was issued on 25.09.12 for submission of effluent analysis report of ETP and noise monitoring report of D.G. Set from empanelled consultant of DPCC. As decided, unit was inspected on 08.11.12 & following were observed: 1. Unit engaged in servicing of two wheelers with washing. 2. ETP installed in defunct condition and disconnected. 3. Unit has not complied with provisions of HMW Rules.	
24	37682 21-07-2011	UNIVERSAL SWITCH GEAR CONTROL PLOT NO-14,PKT-E,SEC-3,BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Manufacturing of Control Panel with Powder Coating (Without phosphating and without Trade Effluent) Powder Coating without phosphating	• Date of commissioning of project ---- 01-02-2006 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 09-08-2012 Closure directions already revoked temporarily. Recommended to put up file administratively.	08-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 30.06.2011 issued by DTU submitted. (b) Stack monitoring report dated 30-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Recommendation / Action Taken Details (EE/AEE) on 05-11-2012 File was put up adminstratively and it was decided to revoke the closure directions and revocation of closure directions was issued on 18.09.2012.	09-11-2012 Recommended for grant of Consent to Operate.
25	37736 25-07-2011	SOM PAN PRODUCTS PVT. LTD. (UNIT-2) C-123 NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Operate	mfg. of Marketing of Pan Masala. Pan Masala (Mixing Only)	• Date of commissioning of project ---- • Built Up Area ---- 880 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Take action as decided in concerned file. Decision / Recommendation of Screening Committee on 09-	08-08-2012 (1)ETP ---- N/A (2)ECS - stack connected to dryers (b) Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit .	09-11-2012 Implement the decision taken by Member Secretary, DPCC on 03.10.2012.

						08-2012 Recommended to take action as decided in concerned file.	Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . (3)D.G.Set Noise Report : 4 (a) The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 07-08-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 07-08-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 15-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 15-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details: conducted on 08.05.2012 by officials of DPCC and observed that: (a) unit found operational and engaged in manufacturing of pan masala/ gutka with its packing. (b) brand names are: dilbaag and talab. (c) pouches material is paper coated with aluminium (d) hood and channelisation provided but not properly maintained/ not fully operated as required. (e) pouches are being packed in plastic material and paper also. (f) samples were collected containing pouches out of packed materials, packets containing large number of pouches during inspection in the presence of Mr. I.D. Tripathi (Director) (5) SCN u/s 31(A)/5 of EPA details : and for refusal of consent under Air and Water Act issued on 28.05.2012 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO In reference to issue of pouches of pan, masala and gutka case is under process. Regarding prosecution case is being dealt by legal cell. Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 File has been sent to Legal cell for necessary action.	
26	37766 28-07-2011	A.T. INDUSTRIES C-99, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	ELECTROPLATING AND BACKLITE MOULDING. Electroplating Industries	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Ask the unit to	02-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 09.07.2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 06-07-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit.	09-11-2012 Put up administratively w.r.t letter issued for monitoring report.

						• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 340 liters/day	submit stack monitoring report for emission generated from the electroplating process from empanelled laboratory of DPCC. Decision / Recommendation of Screening Committee on 09-08-2012 Recommended to seek the stack monitoring report for emission generated from the electroplating process from empanelled laboratory of DPCC. Decision / Recommendation of Screening Committee on 09-08-2012 Recommended to seek the stack monitoring report for emission generated from the electroplating process from empanelled laboratory of DPCC.	(2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 In compliance to the decision, a letter was issued to the unit on 07.11.2012.	
27	37804 04-08-2011	MALHOTRA STEEL TUBES C-145 B, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	mfg. of deep well hard pumps parts with electroplating. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 550 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 400 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for inspection.	02-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 26.07.2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 21-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 Inspection was conducted on 24.09.2012 and during the inspection it was observed that no channelization, Emission Control System found installed.	09-11-2012 Take action as decided in file, since file has been put up administratively.
28	37826 08-08-2011	REGENT AUTOMOBILES LTD. D-12, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	SERVICING OF AUTOMOBILES CARS. Automobile Servicing And Repair Station With Washing Activity		Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Issue a letter asking the unit to rectify the deficiencies in	26-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...25.07.2011..... issued byDTU..... submitted. (b) Effluent analysis report dated 25-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted.	09-11-2012 Recommended to issue SCN for refusal of consent.

						• Date of commissioning of project ---- • Built Up Area ---- 1400 (in sq. meter) • Water Consumption ---- 10000 liters/day • Ground Water ---- 5000 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 9200 liters/day	the acoustic system provided so as to bring down the noise level as per the notification and submit fresh noise monitoring report for D.G. Set from empanelled laboratory of DPCC. Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to issue a letter asking the unit to rectify the deficiencies in the acoustic system provided so as to bring down the noise level as per the notification and submit fresh noise monitoring report from approved laboratory of DPCC.	(2)ECS - N/A (a) Stack monitoring report dated 25-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 17-05-2011 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - No. The D. G. Set monitored is not meeting the permissible limit as per the G.S.R.371 (E) dated 17th May 2002 and amended till date. Recommendation / Action Taken Details (EE/AEE) on 06-11-2012 As decided, letter was issued on 20.09.12 for asking the unit to rectify the deficiencies in the acoustic system provided so as to bring down the noise level as per the notification & submission of fresh noise monitoring report for D.G. Set from empanelled laboratory of DPCC. No reply has been received till date. Recommendation / Action Taken Details (EE/AEE) on 06-11-2012 As decided, letter was issued on 20.09.12 for asking the unit to rectify the deficiencies in the acoustic system provided so as to bring down the noise level as per the notification & submission of fresh noise monitoring report for D.G. Set from empanelled laboratory of DPCC. No reply has been recived till date.	
29	37830 09-08-2011	P.L.J. & SONS 53/A-3, RAMA ROAD NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	Manufacturing of Kali Mehandi and Hair colour in powder form. Manufacturing Of Toothpowder, Toothpaste, Talcum Powder And Other Cosmetic Items	• Date of commissioning of project ---- • Built Up Area ---- 125 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 03-08-2012 Inspection be conducted.	30-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 Inspection was conducted and SCN u/s 31 (A) of the Air Act was issued on 08.11.2012 for deficiencies observed.	09-11-2012 Put up adminstratively w.r.t SCN issued.
30	37860 11-08-2011	PRAN PRINTERS B-157, OKHLA INDUSTRIAL AREA PHASE-1	Okhla Industrial Area	Orange Operate	PRINTING INCLUDING WASHING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 333 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 100 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to put up file administratively.	13-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated15.04.11..... issued byDTU..... submitted. (b) Unit has submitted incomplete test report. The unit has not mentioned the parameters i.e. total metal & Bio assay test in the test report. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 63 KVA and 10 KVA. Noise monitoring report dated 28-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: during the inspection of M/s YAARTI, B-	09-11-2012 Inspection carried out. Recommended for grant of Consent to Operate and authorization under HWM Rules.

							157, Ph-I, OIA. It was observed that M/s Pran printer was engaged in the activity of printing at ground floor having two DG Set among which DG Set of 15 KVA was found without acoustic enclosure. (5) SCN u/s 31(A) & 5 of EPA details : issued on 28.03.11. Unit has submitted its reply on 05.04.11 & 19.04.11 along with an affidavit. As approved, letter was issued on 10.06.11 for submission of Bank Guarantee of Rs. 50,000/-each under Air Act & HWM Rules and application for CTO & authorization under HWM Rules. Unit has submitted above said Bank Guarantee on 05.07.11. However, the BG is not in proper format. As approved, letter was issued on 11.08.11 for submission of corrected Bank Guarantee. Unit has submitted its reply on 20.09.11 requesting for some time to submit the corrected BG. Unit has submitted its replies on 03.05.12 along with the corrected BGs & informing that they have sold the machines where water treatment was required. They have now purchased new machines which are alcohol based and no water treatment is required. As such ETP plant is no more required by them. The unit has also requested to mark the record the discontinuation of the use of the above plant by them. Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 As decided, file was put up administratively & it was decided to inspect the unit to decide further course of action. unit yet to be inspected.		
31	37872 16-08-2011	SUGOI MOTORS (PVT) LTD 27-A, SHIVAJI MARG, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	SERVICE REPAIR AND MAINTENANCE OF CAR. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 2000 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 5500 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 5000 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to put up file administratively.	29-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 30.03.2011 issued by GGSIPU submitted. (b) Effluent analysis report dated 04-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 22-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details: conducted on 16.09.2010 that observed that ETP found installed but in non-operational condition, neither fresh nor dry sludge found. No channelisation system provided for disposal of treated filtered effluent from SDBs. (5) SCN u/s 31(A)/33(A)/5 of EPA details : issued on 20.01.2011 for refusal of consent under air act and SCN under water act issued on 20.01.2011 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 File was put up administratively on 28.09.2012 and it was deiced to inspect the unit.	09-11-2012 Take action as decided in file.

								Unit was inspected on 23.10.2012 and following were observed: 1) The unit is found operational and engaged in the activity of servicing of activity of servicing of cars. 2) The unit has installed ETP and the same was found in non operational at the time of inspection. The unit is being discharged effluent directly into sewer without any treatment. 3) No channelization found installed in sanding/ rubbing area and lot of dust emission observed in this area. 4) The unit has not complied with the provision of HW Rules and only around 30 Kg dry sludge was exist with the unit. 5) The DG set of 80 KVa was found installed with accoustic enclosure and adequate stack haeight. In view of the above observation, it was decided to issue SCN u/s 31 (A) of the Air Act, 33 (A) of the Water Act and SCN for refusal of consent along with SCN under HWM Rules.	
32	37873 16-08-2011	DEUTSCHE MOTOREN (PVT) LTD 27B, SHIVAJI MARG,NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	SERVICE, REPAIR, AND MAINTENANCE OF BMW CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 8500 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 5500 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 5000 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to put up file administratively.	30-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 12.04.2010 issued by GGSIPU submitted. (b) Effluent analysis report dated 04-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 22-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details :conducted on 16.09.2010 and observed that ETP found installed but in non-operational condition, neither wet nor dry sludge found and 1 DG set of 160 kVA found with acoustic enclosure. (5) SCN u/s 33A)/5 of EPA details : issued on 02.02.2011 under water act (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 File was put up administratively on 29.09.2012 and it was decided to inspect the unit. Inspection was conducted on 23.10.2012 and following were observed: 1) Thae unit found operational and engaged in servicing of cars. 2) Unit has installed an ETP at roof top which is found non operational and unit is discharging effluent directly to the sewer without any treatment. No sludge was found stored. 3) DG set (160 KVA) found installed in proper accoustic enclosure.	09-11-2012 Recommended to issue show cause notice u/s 33(A) of Water Act & also for Refusal of Consent for the deficiencies observed during the inspection on23.10.2012.
33	37893 19-08-2011	NATIONAL STEELS 21/27-X, BLOCK-A, NARAINA INDUSTRIAL AREA PHASE - II	Naraina Industrial Area Phase - II	Orange Operate	MANUFACTURING OF HAND PUMPS AND HAND PUMP PARTS (WITH ELECTROPLATING AND GALVANIZING). Electroplating Industries Galvanising	• Date of commissioning of project ---- • Built Up Area ---- 481 (in sq. meter) • Water Consumption ---- 1300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 800 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for	29-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 31.12.2009 issued by Guru Gobind Singh indraprastha University submitted. (b) Effluent analysis report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit . (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are	09-11-2012 Take action as decided in file.

							inspection.	within limit. (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 Unit has been inspected and file was put up administratively for further necessary action.	
34	37898	HOTEL DURGA DELUXE (A UNIT OF SARASWATI HOTELS PVT. LTD.) 5/40, SARASWATI MARG, W.E.A.,KAROL BAGH	CENTRAL	Orange Operate	Guest House Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- • Built Up Area ---- 216 (in sq. meter) • Water Consumption ---- 1700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1500 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to put up administratively.	03-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 10 KVA. Noise monitoring report dated 10-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes Recommendation / Action Taken Details (EE/AEE) on 05-11-2012 file was put up administratively and it was decided that consent be decided based on the recently proposed caetgorization and standards, therefore, let the RESDH policy be approved by the Board.	09-11-2012 File be put up administratively for decision on consent.
35	37899	KAPOOR FOUNDRY B-49, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Job work of Dry Powder Coating. Phosphating & Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 171 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for inspection.	03-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 06-11-2012 As per decision, inspection was conducted on 26.09.2012 and following were the observations: 1) Unit found operational and engaged in the activity of powder coating and finishing of motor parts by surface grinding. 2) Dust collector were attached with the paint-booth, but no Channelization provided.	09-11-2012 Recommended to issue show cause notice u/s 31(A) of Air Act and also for refusal of Consent for the deficiencies observed during inspection on 26.09.2012.
36	37900	AMIT INDUSTRIES B-49, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MNG OF PARTS OF DOMESTIC APPLIANCES. Powder Coating without phosphating	• Date of commissioning of project ---- • Built Up Area ---- 100.33 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 03-08-2012	27-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 16-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No	09-11-2012 Recommended to issue show cause notice u/s 31(A) of Air Act and also for Refusal of Consent , for the deficiencies observed during inspection on 26.09.2012.

							Recommended for inspection.	(5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 06-11-2012 As per decision, inspection was conducted on 26.09.2012 and following were the observations: 1) Unit found operational and engaged in the activity of non-stick coating on electrical appliance part. 2)Channelization for belt grinder provided, but not proper. 3) DG set found in acoustic enclosure with inadequate stack height. 4) Dust collector provided with shot blasters. 5)Channelization provided with paint-booths.	
37	37911 23-08-2011	R. S. KATHURIA CYECLE AND AUTO IND 9/52, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	Manufacturing of Bicycle Spokes with electroplating. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 804 (in sq. meter) • Water Consumption ---- 1700 liters/day • Ground Water ---- 1200 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 1000 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Issue Show Cause Notice u/s 33(A) of the Water Act and also for refusal of the consent since not meeting the prescribed standards. Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for SCN u/s 33(A) of the Water Act and also for refusal of the consent since not meeting the prescribed standards.	27-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 06.08.2008 issued by guru Gobind Indraprastha University submitted. (b) Effluent analysis report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 On line record shows that unit is not meeting the prescribed standards for effluent. However, the unit is meeting the prescribed standards as per monitoring report submitted. Therefore, file has been put up for review of decision taken on 17.08.2012.	09-11-2012 Take action as per the decision in file.
38	37930 25-08-2011	MODEST GRAPHICS PVT. LTD. C-52 & 53, DDA SHED, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	OFFSET PRINTING INCLUDING WASHING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 194 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 500 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Issue Show Cause Notice u/s 33(A) of the Water Act and for refusal of consent since not meeting the prescribed standards. Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to issue SCN u/s 33(A) of the Water Act and for refusal of consent since not	24-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated29.07.2011..... issued byDTU..... submitted. (b) Effluent analysis report dated 29-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No, sulphide exceeds the prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 05-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 As decided, SCN for closure u/s 33 (A) of water Act was issued on 20.09.12. Show Cause Notice for refusal of consent was issued on 07.11.12 since not meeting the prescribed standards.	09-11-2012 File be put up administratively.

							meeting the prescribed standards.	Unit has submitted its reply on 08.10.12 in response to the SCN u/s 33 (A) of the Water Act & stating that they had applied for fresh analysis report when they get the fresh report they will submit the same & requesting for grant some time for this.	
39	37935 25-08-2011	BANSAL UDYOG D-15, S.M.A INDUSTRIAL AREA , G.T. KARNAL ROAD	S.M.A Industrial Area	Orange Renewal	OFFSET PRINTING INCLUDING WASHING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 486 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 1000 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to put up administratively.	03-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 17.06.2008 issued by .GGSIU submitted. (b) Effluent analysis report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 17-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No . Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 As decided inspection of the unit was conducted on 08.11.2012 and following were observed: 1) unit found in operation and engaged in mfg. ofn building hardware items including pickling. 2) unit has installed ETP to treat the waste water generated from process. As informed due to less quantity of effluent generation, ETP is operated once or twice in a week. 3) unit is having buffing machine(2 no.) and lancer(2 no.), but unit has not provided hood and suction arrangement over it. 4) wet sludge observed under filter process.	09-11-2012 File be put up administratively.
40	37936 25-08-2011	SHRI KRISHNA ENGINEERING WORKS B-86, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	MFG. OF ALUMINIUM KITCHEN WARE WITH ANODIZING. Anodising	• Date of commissioning of project ---- • Built Up Area ---- 508 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 200 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to put up file administratively.	11-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 28.06.2008 issued by GGSIU submitted. (b) Effluent analysis report dated 22-07-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 05-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 18-09-2012 File was put up administratively and it was decided that unit will submit fresh treated effluent analysis report with all parameters for which limits have been laid down. accordingly a letter was issued to the unit on 14.09.2012 regarding same.	09-11-2012 Recommended to issue SCN for refusal of consent.
41	37973 30-08-2011	BAHADUR SINGH & SONS PVT LTD A-28,LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	PROCESS FOOD PRODUCTS (NAMKEEN AND SWEET). Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than	• Date of commissioning of project ---- • Built Up Area ---- 9676.38 (in sq. meter) • Water Consumption ---- 51000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 50000 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 03-08-2012	10-07-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 12.08.2008 issued by DCE submitted. (b) Effluent analysis report dated 24-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 380 KVA. Noise monitoring report dated 26-08-2011 issued by DPCC submitted. Noise	09-11-2012 Recommended for grant of Renewal of Consent to Operate.

					1tonne/Day)		Recommended for inspection.	monitoring report within Limit - Yes (4) Inspection details:no A letter issued to the unit on 13.12.2011 for the submission of following: 1) File CGWA clearance. 2) Install Rain Water Harvesting System. 3) Install Solar Water Harvesting System in view of use of boilers and waste water recycling system. Unit submitted its reply on 21.02.2012 along with photographs of Rain Harvesing System and Quotaion for solar water harvesting system. Recommendation / Action Taken Details (EE/AEE) on 02-11-2012 Inspection was conducted on 15.10.2012 and following observed: 1) unit found in operation and it was found that unit is having PNG as a fuel in kettle. 2) kettle consists of double jacket in which steam is passed for heating the food material/milk. 3) PNG is used in bhatti for making namkeen. 4) Solar water heating system and ETP found installed & in operation . 5) Rain water harvesting pit has been constructed. 6) DG Set installed with acoustic enclosure and adequate stack height. A letter recieved from the unit on 17.10.2012 along with copy of permission from DJB and photographs of installed Rain water harvesting system and solar water harvesting system.	
42	37977 30-08-2011	ALBION CONSULTING PVT. LTD. F-90/12, PHASE-1, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	Manufacturing gold, Silver, Platinum and studded jewellery. Electroplating Industries	• Date of commissioning of project ---- 01-04-1988 • Built Up Area ---- 418.06368 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 100 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to put up file administratively.	24-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated01.08.2011..... issued by ...DTU..... submitted. (b) Effluent analysis report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . 1 number of parameters analyzed which are within limit / beyond prescribed limit. Tempreature is exceeding the prescribed standard. (2)ECS - N/A (3)D.G.Set: ...125 KVA... (a) Noise monitoring report not submitted. (4) Inspection details:conducted by DPCC officials on 05.01.2011. The following were observed: 1. Unit was operational without applying CTO. 2. Electroplating is done by electroplating pens. 3. Ultrasonic m/c is used to clean the articles. 4. Waste water generated from cleaning & electroplating were discharged into sewer w/o any treatment. 5. No ETP has been installed. 6. Dry waste collected through branches & vacuum and then send it to authorized recyclers for refining purpose as reported. 7. One another unit M/s Digital graphics India Pvt Ltd is at ground floor & engaged in the activity offset printing. 8. M/s Digital Graphics India Pvt. Ltd having ETP but not in operational condition. 9.HWM Rules are not followed by both units. 10. One D.G Set of 125 KVA is used by both the units having no acoustic enclosure & inadequate stack height. (5) SCN u/s 31(A)/33(A)/5 of EPA issued on 06.04.2011 As decided by CMC (O) in its meeting held on 17.06.2011, letter was issued ot M/s Albion Consulting Pvt. Ltd for submission of Bank Guarantte of Rs. 50,000/- each under Air	09-11-2012 File be put up administratively.

								Act, Water Act and HWM Rulesvalid for one year along with an affidavit stating that unit will not carry put any water polluting activity & will not use DG set. As decided by CMC (O) in its meeting held on 17.06.2011, letter was issued on 29.07.2011 to M/s Digital Graphics India Pvt Ltd for submission of Bank Guarantee under Air Act, Water Act and HWM Rules & an affidavit. M/s Digital Graphics India Pvt Ltd has submitted Bank Guarantees on 19.09.2011 EARLIER CMC DECISION: 30.07.10 Inspection be conducted. 07.02.2011 Issue SCN u/s 31(A) of the Air Act, u/s 33(A) of the Water Act & u/s 5 of the EPA to M/s Albion Consulting Pvt. Ltd. Issue SCN u/s 31(A) of the Air Act, u/s 33(A) of the Water Act & u/s 5 of the EPA to M/s Digital Graphics India Pvt. Ltd. 17.06.2011 Reply received from both the units. Ask the unit namely M/s Albion Consulting Pvt. Ltd. to submit bank guarantee of Rs. 50,000 each under Air Act, Water Act and HWM Rules valid for one year along with an affidavit stating that unit will not carry out any water polluting activity and will not use D.G. Set. Ask the unit namely M/s Digital Graphics India Pvt. Ltd. to submit bank guarantee of Rs. 50,000 each under Air Act, Water Act and HWM Rules valid for one year Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 As decided, file was put up administratively & it was decided to inspect both the unit i.e., M/s ALBION CONSULTING PVT. LTD. & M/s DIGITAL GRAPHICS INDIA PVT LTD. As decided, file was put up administratively & it was also decided that letter be issued to M/s ALBION CONSULTING PVT. LTD as the unit is doing electroplating & latest notification dated 30.03.12. As approved, letter was issued to the unit i.e., M/s ALBION CONSULTING PVT. LTD on 04.10.12 regarding the additional parameters includes by the MoEF, Govt. of India, vide notification dated 30.03.12. As approved, units was inspected by DPCC officials on 18.10.12 & brief of the finding of the each unit is as below: M/s ALBION CONSULTING PVT. LTD 1) Unit found operational & engaged in the activity of Mfg. of gold, Silver, Platinum & studded jewelery. 2) Electroplating is done by electroplating pens. 3) Dry waste collected through branches & vacuum & then sent it ti authorized recycler for refining purposes. 4) Bore well not exist. 5) As reported, DG set installed in the premise was earlier used by the unit on rent basis. Now, rent agreement was cancelled by the unit. M/s DIGITAL GRAPHICS INDIA PVT LTD has shifted to D-8/2, Ph-I, Okhla Industrial Area. All plant & machinery has been shifted.	
43	38041 07-09-2011	SHAKTI PRODUCTS OVERSEAS PVT. LTD 28B, RAJASTHAN UDYOG NAGAR INDL. AREA	Rajasthan Udyog Nagar Industrial Area	Orange Operate	PACKAGING OF TABACCO. Tobacco Products without Raw Tobacco Processing	• Date of commissioning of project ---- • Built Up Area ---- 1588 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-07-2012 Inspection be conducted. Decision /	02-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil.. (6) Closure directions u/s 5 of EPA was issued on 16.08.2011. unit submitted the bank guarantee on 08.09.2011.	09-11-2012 Recommended for refusal of consent to establish and consent to operate in view of the notification of Department of Food Safety dated 11.09.2012 regarding prohibition of mfg. of Paan Masala / Guthka containing tobacco.

							Recommendation of Screening Committee on 06-07-2012 Recommended to put up file administratively. Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 Inspection of the unit was conducted on 24.07.2012 and based on the observation a letter issued to the unit on 16.08.2012 regarding submission of documentary evidences of two separate units at 28 B Rajasthan Udyog Nagar Industrial Area. Unit submitted its reply on 04.09.2012 along with documentary evidences. A letter issued to the Deputy Commissioner on 04.10.2012 asking about the details of two separate units at 28 & 28 B Rajasthan Udyog Nagar Industrial Area. Reply from Deputy Commissioner was received on 12.10.2012. After that a letter issued to the unit against violation of provision of Plastic Rules, 2011 and Air Act, 1981.	Inspection conducted on 8.09.2011 and 14.10.2011. recently inspection was conducted on 19.04.2012 and following were observed: 1. unit found sealed at the time of inspection and it was reprinted that power supply has been disconnected. 2. DG Set does not exist. 3. The packing pouches being used by unit collected and attached with this report.	
44	38059 09-09-2011	VIMCO BATTERIES (1) REGS. F-39, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF BATTERY INCLUDING PLATES. Batteries (Lead Acid) And Accessories	• Date of commissioning of project ---- • Built Up Area ---- 84 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-07-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 06-07-2012 Recommended for inspection.	29-06-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 06-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 09-11-2012 Inspection conducted on 08.11.2012 and following were the observations: 1) A Unit found operating and engaged in the gridding, mixing, casting and assembly of lead batteries. 2) ECS installed on the furnace but is not working at the time of inspection. 3) Channelization provided in charging room is improper as no exhaust is provided. 4) Hazardous Waste is stored in bags and kept in open without any labelling. 5) No HW logbook shown at the time of inspection.	09-11-2012 Recommended to issue Show Cause Notice for the deficiencies observed during the inspection on 08.11.2012.
45	38143 22-09-2011	SPARCO BATTERIES PVT. LTD A-35/1, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG OF LEAD ACID BATTERIES Batteries (Lead Acid) And Accessories	• Date of commissioning of project ---- • Built Up Area ---- 700 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-07-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 06-07-2012	03-07-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated Aug-2008 issued by GGSIPU submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 140, 82.5 KVA. Noise monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within	09-11-2012 Recommended to issues show cause notice for the deficiencies observed.

							Recommended for inspection.	limit / beyond prescribed limit. (4) Inspection details:24.09.2010 (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :u/s 31 (A) Air Act, issued on 11.10.20104 Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 As approved an inspection conducted on 27.09.2012 and observed that 1. Unit found operational and engaged in the manufacturing of acid batteries. 2. Channelization provided on all furnaces except one. No suction hood provided on grid casting machine. 3. Hazardous Waste is stored in a pucca room in plastic bag only. 4. Two D.G. sets are found installed in a room, only gate is acoustically treated. Stack height of DG sets found adequate. 5. No ECS provided on plate cutting machine. 6. No ETP found. 7. Two cooling tower found installed for cooling grid machine and batteries assembling machine, water re-circulated for cooling purpose.	
46	38161 26-09-2011	VISHAL INDUSTRIES 31, MOTI NAGAR DLF INDUSTRIAL AREA , NAJAFGARH ROAD	Najafgarh Road Industrial Area	Orange Renewal	Leather Finishing. Leather finishing and dyeing (using semi finished leather as starting raw material)	• Date of commissioning of project ---- • Built Up Area ---- 180 (in sq. meter) • Water Consumption ---- 3250 liters/day • Ground Water ---- 3000 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 2500 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-07-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 06-07-2012 Recommended for inspection.	02-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated Oct-2010 issued by GGSIPIU submitted. (b) Effluent analysis report dated 06-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 06-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :nO Recommendation / Action Taken Details (EE/AEE) on 01-10-2012 An inspection was conducted on 03.09.2012 and following were observed: 1) unit found operational and engaged in the ativity of leather finishing (including dyeing and spray painting work). 2) unit has installed an ETP and is operational condition. 3) spray painting is done by the unit in automatic spray painting machine followed by electric heated oven and convertor. 4) one thermic fluid heater (diesel fired) found exist with the unit which is not in use as for drying. unit is using electric heated oven.	09-11-2012 Recommended for grant of Renewal of Consent under Air & Water Acts and Authorization under HW Rules.

47	38204	A.V.N. EXPORT B-208, 2ND FLOOR, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	Mfg. of Readymade Garments with washing. Readymade Garment With Electric/ Gas fired boiler (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 5300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 4000 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-07-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 06-07-2012 Recommended to put up file administratively.	11-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated28.09.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 28-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 14-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: carried out by DPCC officials on 01.03.11 and following were observed: 1. The unit was found in operation including washing of garment. 2. No ETP has been installed to treat the trade effluent generated from the washing process 3. Trade effluent generated from the washing section is being discharge into the sewer without any treatment 4. As reported cutting, sampling, washing, finishing, packing etc. activities are carried out in this premises and stitching of garments are carried out from outside vendor. 5. Adequate stack height and acoustic enclosure has not been provided with the DG set of 15 KVA. 6. Source of water is outside tanker. 7. As reported the unit is being operated about last three months 8. One more unit i.e. M/S International Panacea in operation at the first floor of the premises and engaged in the activity of R&D lab of Biotech product. No ETP has been installed. As reported operating about last one year. (5) SCN u/s 33(A) details : issued on 19.05.2011. Unit has submitted its reply on 27.05.11. As approved, letter was issued on 27.07.11 for submission of Bank Guarantee of Rs. 50,000/- under Water Act for one year along with an affidavit for rectification of deficiencies obsered during inspection. Unit has submitted its reply on 03.08.11 along with the abovesaid affidavit. Unit has submitted abovesaid Bank Guarantee on 23.09.11. Earlier CMC meeting 31.03.2011 Ask the unit namely M/s A.V.N Export to increase the stack height of the D.G Set. Issue SCN u/s 33(A) of the Water Act to M/s A.V.N Export and M/s International Panacea. 26.08.11 Decision taken on file regarding the letter issued to M/s A.V.N. Export for submission of bank guarantee of Rs. 50,000 under W ater Act valid for one year with an affidavit for rectification of deficiencies and directions for closure u/s 33(A) of the Water Act issued to M/s International Panacea ratified. Recommendation / Action Taken Details (EE/AEE) on 06-11-2012 As decided, file was put up administratively & it was approved on file that case of the unit be processed for grant of consent	09-11-2012 Recommended for grant of Consent to Operate.
----	-------	---	-----------------------	----------------	--	--	--	---	---

48	38281 14-10-2011	VINOD ENTERPRISES A-103/4, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	Mfg.of Utensils with Buffing. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-07-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 06-07-2012 Recommended for inspection.	in the meeting. 13-06-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 15-09-2011 issued by DTU submitted. (b) Stack monitoring report dated 15-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 10-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection conducted on 12.06.2010 and following was observed: ECS(dust collector) found installed but out of 14 only 6 buffing machine found connected with ECS. goods are insufficiet to track the process emission and flexible pipes(4 Nos without hood) observed. (5) SCN for refusal of consent and SCN for closure u/s 31(A) issued on 24.10.2010. Recommendation / Action Taken Details (EE/AEE) on 02-11-2012 AS decided inspection of the unit was conducted on 27.08.2012 and follwing were the observations: 1. unit found in operation. 2. unit has installed suction arrangement followed by cyclone which was found in operation. 3. all buffing uddas were not found operating due to shortage of labour.	09-11-2012 Recommended for grant of Consent to Operate.
49	38297 18-10-2011	BANDHAN BANQUETS 14 NAJAFGARH ROAD INDL. AREA	Najafgarh Road Industrial Area	Orange Operate	BANQUET HALL. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 380 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 3000 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-07-2012 Ask the unit to submit valid MCD and Delhi Police license. If unit submits the same, issue Consent to Operate. Decision / Recommendation of Screening Committee on 06-07-2012 Recommended for grant of Consent to Operate.	03-07-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated26.07.2011 issued by DTU submitted. (b) Effluent analysis report dated 03-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 03-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (b) Stack monitoring report (for more than 1000 KVA) dated issued by submitted and parameters within limit / not satisfactory. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on	09-11-2012 Put up administratively w.r.t letter issued on 02.11.2012.

								08-11-2012 As per the decision letter was issued to the unit on 02.11.2012.	
50	38310 20-10-2011	GITA OFFSET PRINTERS PVT LTD C-90, PHASE-I OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	OFFSET PRINTING INCLUDING WASHING OF PLATES AND INK ROLLERS. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 7000 (in sq. meter) • Water Consumption ---- 900 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 500 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-07-2012 Ask the unit to submit fresh effluent analysis report from empanelled laboratory of DPCC for all prescribed parameters and if found meeting the standards, consent to operate and authorization be issued. Decision / Recommendation of Screening Committee on 06-07-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	07-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated06.09.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 06-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 82.5 KVA and 125 KVA. Noise monitoring report dated 26-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Recommendation / Action Taken Details (EE/AEE) on 06-11-2012 As decided, letter was issued on 25.09.12 for submission of fresh effluent analysis report from empanelled laboratory of DPCC for all prescribed parameters. Unit has submitted its reply on 22.10.12 & stating that they are in process for fresh effluent analysis report when they will get the report they will submit the same requesting for some time for submit the fresh analysis report.	09-11-2012 Recommended to issue SCN for refusal of consent.
51	38321 21-10-2011	BHARAT BHUSHAN INDRANI DIE CASTING CO. A-12, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF ALUMINIUM DIE CASTING. Aluminium Pressure Die Casting	• Date of commissioning of project ---- • Built Up Area ---- 110 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 300 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 06-07-2012 Inspection be conducted.	03-07-2012 (1)ETP ---- N/A (2)ECS - NO (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 Inspection conducted on 26.09.2012 and following were observed: 1.) Unit found operational and engaged in the activity of Aluminium Die Casting. 2.) 2 PNG operated furnace found installed. No channelization provided. 3.)No ECS for buffing machine. 4.) 1 DG set found installed at roof top without accoustic enclosure and inadequate stack height. 5.) Another unit found operational at Ist floor engaged in activity in assembling of automotive locks parts with the name M/s Pinnacle Autotech Prop. Abinav Puri.	09-11-2012 Recommended to put up administratively.
52	38331 24-10-2011	GULABGUNDHI TOBACCO CO. 70, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	MANUFACTURING OF CHEWING TOBACCO (KIMAM AND ZARDA). Tobbaco Products without Raw Tobacco Processing		Decision / Recommendation of Screening Committee (MS) on 17-07-2012 Inspection be conducted.	02-07-2012 (1)ETP ---- N/A (2)ECS - Bag House Filter (a) AR dated 22.09.2011 issued by DTU submitted. (b) Stack monitoring report dated 29-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report	09-11-2012 Recommended for discussion before taking decision on the Consent being case of tobacco products.

						• Date of commissioning of project ---- • Built Up Area ---- 242 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 06-07-2012 Recommended for grant of Renewal of Consent to operate with the condition that unit shall not use plastic sachet / multilayered packaging containing plastic for packing of said products.	within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 20.11.2011 (5) SCN u/s 31(A)/33(A)/5 of EPA details :issued on 01.07.2011 u/s Air Act. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 Inspection conducted on 07.11.2012 and following were observed: 1) unit found operational and engaged in the activity of mfg. of tobacco products (Kimam abd zarda). 2) The unit is operating in the part of 70 Rama Road bearing part no A-21. 3) the unit is being packed final product kimam in to glass bottles and by product of low quality is being packed in jute bags (bora) of 30-40 Kg packings of tobacco. 4) The unit has installed a bag house with adequate stack of four grinding and packaging section with a flexible pipe for intake and this pipe to be placed above said unit which is in use.	
53	38392 04-11-2011	NATIONAL SPORTS CLUB INDIA MATHURA ROAD, NEW DELHI	NEW DELHI	Orange Renewal	CLUB WITH RESTAURANT UNIT. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 4100 (in sq. meter) • Water Consumption ---- 16500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 6800 liters/day (b) Trade Effluent ---- 7500 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-07-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 06-07-2012 Recommended for grant of Renewal of Consent to Operate.	02-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 18.01.2007 issued by DCE submitted. (b) Effluent analysis report dated 20-09-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 82.5 KVA and 125 KVA. Noise monitoring report dated 14-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 82.5 KVA and 125 KVA. Noise monitoring report dated 14-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 08-11-2012 Inspection conducted on 02.11.2012 and following were observed: 1) Unit found operational and engaged in club and restaurant with sitting capacity of 80 person. 2) ETP found installed and in operational condition but not operating at the time of inspection. 3) Two DG sets found installed. DG set of 125 KVA with acoustic enclosure and adequate stack height and DG set of 82.5 KVA with acoustic enclosure but acoustic enclosure is in defunct/ broken condition. 4) Club has one borewell connection for swimming pool only. 5) Major R. K Sharma was on leave so on authorised person is them and captain Surender Singh (Admin Officer) refused to sign.	09-11-2012 Recommended to issue SCN for refusal of consent, SCN u/s 33(A) of the Water Act and u/s 31(A) of the Air Act based on the deficiencies observed during inspection dated 02.11.2012.
54	38438	REKHA PRINTERS PVT. LTD.	Okhla Industrial	Orange Renewal	Offset Printing.		Decision / Recommendation	08-06-2012 (1)ETP ---- N/A	09-11-2012

	15-11-2011	A-102/1, PHASE-II, OKHLA INDUSTRIAL AREA	Area		Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 571.7 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 1300 liters/day • (b) Trade Effluent ---- 1700 liters/day	of Screening Committee (MS) on 17-07-2012 Ask the unit to submit fresh effluent analysis report with complete parameters from approved laboratory of DPCC. If unit submits the same and found meeting the standards, Renewal of consent to operate and authorization under HWM Rules be issued. Decision / Recommendation of Screening Committee on 06-07-2012 Ask the unit to submit fresh effluent analysis report with complete parameters from approved laboratory of DPCC. If unit submits the same and found meeting the standards, Renewal of consent to operate and authorization under HWM Rules be issued.	(a) AR datedOctober, 2008..... issued byJamia Milla Islamia..... submitted. (b) Effluent analysis report dated 28-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Unit has submitted incomplete parameter in the test report i.e., Bio-assey, Sulphide, phenolic compounds are not mentioned (2)ECS - N/A (3)D.G.Set Noise Report : N/A Unit has submitted an affidavit along with the application form stating that the Earlier 2 DG sets have been removed from the premises. Recommendation / Action Taken Details (EE/AEE) on 06-11-2012 As decided, letter was issued on 25.09.12 for submission of fresh effluent analysis report with complete parameters from approved laboratory of DPCC.	Recommended to issue SCN for refusal of consent.
55	38450 16-11-2011	KANSAL ENTERPRISES PLOT NO-26, GALI NO-3 , FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	Manufacturing of Cerium Powder by only dry and grinding Cerium Lump Pulverizing units	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 30 liters/day • (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-07-2012 Inspection be conducted to ascertain the nature of chemicals / materials being used. Decision / Recommendation of Screening Committee on 06-07-2012 Recommended for grant of Renewal of Consent to Operate with codition that unit will submit stack monitoring report of bag filter from approved laboratory of DPCC.	06-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 14.08.06 & following were observed: (A) Cerium Lump---Dried (electric oven & drier)-----Grinder---Powder. (B) Cyclone & bag filter is unbuilt with grinder. As decided by the CMC (O) in its meeting held on 27.09.06, consent was issued on 03.10.06. EARLIER CMC DECISION 27.09.06 (In CTR file) Consent Granted Recommendation / Action Taken Details (EE/AEE) on 07-11-2012 As decided, unit was inspected on 08.10.12 & following were observed: 1. Unit is engaged in mfg. of cerium powder by process of drying of cerium lumps in electric oven & then grinding in fine form. 2. Cerium oxide is a mineral obtained from see sands. 3. Cerium powder is used for cleaning of glass.	09-11-2012 Recommended for grant of Renewal of Consent to Operate with codition that unit will submit stack monitoring report of bag filter from approved laboratory of DPCC.
56	DPCC/EC/2/1/2011/325	RAJAT	Narela	Orange	MFG. OF PAN MASALA.		Decision /	04-05-2012	09-11-2012

16-12-2011	INDUSTRIES PVT. LTD. E-655-656, DSIDC NARELA INDL. AREA	Industrial Area	Operate	Tobacco Products without Raw Tobacco Processing	• Date of commissioning of project ---- 01-01-2005 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 375 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendation of Screening Committee (MS) on 17-08-2012 Implement the decision of inspection taken on file. Decision / Recommendation of Screening Committee on 13-08-2012 Implement the decision of inspection taken on file. Decision / Recommendation of Screening Committee (MS) on 01-06-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 22-05-2012 File be put up administratively.	(1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated issued by submitted. (b) Stack monitoring report dated 22-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 22-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:Conducted on 08.09.2011 during the insoection following were observed: (a) Unit found operational engaged in mfg. of tobacco products, gutka, pan masala with paper foil packaging only. No multilayer plastic packaging carried out. (b) ECS installed work is going on, to control the process emission generated. (c) DG sets fond with acoustic enclosure & adequate stack height. (d) One bore well connection exists. (5) SCN u/s 31(A) issued on 01.07.2011. (6) Closure directions u/s 31(A) issued on 07.10.2011 An again inspection conducted on 29.11.2011 during the inspection following were observed: (a) Unit found operational engaged in the activity of Mfg. of Tobacco product, Guthka, Pan Masala. (b) ECS found installed with working condition. (C) Sample of each brand collected, No plastic pouch observed. (d) One borewell connection exists. SCN u/s 21/22 & 25/26 issued on 03.01.2012 for without obtaining prior consent to operate from DPCC. Unit submitted its reply on 18.01.2012 along with an affidavit and receipt of CTO application. Recommendation / Action Taken Details (EE/AEE) on 05-11-2012 As approved by the competent authority, inspection conducted on 03.09.2012 and following were observed: 1) Unit found in operation and engaged in mfg. of Gutka, Jarda, Tobacco product and pan masala. 2) Unit has provided channelization system followed by bag filter system over supari cutter, supari blower and supari shifter which found operational. 3) Sample of paper being used for packaging of pan masala, gutka and other tabbcco product taken in record in presence of Sh. Gaurav Sankhi (Director). 4) Unit has advised to provide emission control system over mixing machine at FF. It Was decided to discussed the case in weekling meeting. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided by the competent authority, file was put up adminitratively.	Recommended for refusal of consent to operate in view of the notification of Department of Food Safety dated 11.09.2012 regarding prohibition of mfg. of Paan Masala / Guthka containing tobacco.
------------	--	-----------------	---------	---	---	--	--	---