

**Minutes of the 14th meeting of the Committee Constituted for
Deciding the Consent under orange Category, held on 22.8.2007
in the Conference Room of Chairman, DPCC.**

The Following persons, attended the meeting on 22.8.07

1. Sh. J. K Dadoo, Chairman DPCC
2. Sh. SS Ghonkrokta, Member Secretary, DPCC
3. Sh. S.K.Gupta ,Head Chemical Engineering Deptt.,IIT Delhi
4. Sh. B. Kumar, SEE, DPCC
5. Dr. Anil Kumar, SSO, Deptt of Env, GNCTD.
6. EE, and AEE of CMC – I and II
7. Sh. M. Dwarakanath, SSO, Deptt of Env., GNCTD as a special invitee.

Agenda - 2 , Action Taken Report on the decisions taken in the meetings held on 4th and 5th July 2007, for the Cases of Wazirpur Industrial Area, was placed before the Committee alongwith the summarized statement. Only 14 cases of Wazirpur Industrial Area , which have filed court cases before Hon'ble High Court of Delhi, against the Directions for Closure etc. issued by DPCC, were taken up by the Committee and decisions taken are annexed as ***Annexure – I***.

The remaining cases of the meetings held on 4th and 5th July 2007 of Wazirpur Industrial Area, will be taken up in the meeting to be held on 20th September 2007.

Agenda I could not be discussed due to paucity of time.

The meeting ended with a vote of thanks to the Chair.

S. No.	Date of Inspection	SNo(Cum)	S.No.(I)	M/s	Ref. No	Name of Industry / Unit	Address	Activity	Activity	Decision taken by the Committee on 04.07.2007	ATR	Brief of Representation / Reply Received from Unit	Decision Taken By the Committee on 22.08.2007
-----------	-----------------------	----------	----------	-----	------------	----------------------------	---------	----------	----------	--	-----	--	--

1	20.03.07	6	1	M/s	26	Sahil Mohit & Co.	B-85, Wazirpur Indl.Area, Delhi - 52	Re-rolling & Pickling	Re-Rolling & Pickling.	Consent under the Air and Water Acts Refused. Authorisation under HW Rules Refused. Directions u/s 33(A) of Water Act (invoking rule 34(6)), u/s 31(A) of Air Act (invoking rule 20A(6)) and u/s 5 of EP Act (invoking rule 4(5)) for closure of the unit and for disconnection of electricity and water supply to the unit. Letter for cancellation of MCD license in the name of the unit. Letter for Communication to MCD for storage of	Letters Issued.	Unit has submitted its representation / rpely on 20.08.2007 & informed regarding the Hon'ble High Court order on 14.08.2007 in the petition filed by the unit. Unit informed regarding rectification of all the deficiencies with respect to ETP, ECS & Hazardous Waste Management and also informed regarding removal of the D.G. Set. Submitted photographs of ETP, ECS & display boards.	In view of the reply filed by the petitioner which is only in the shape of letter and not an affidavit and is not backed by any Bank Gaurantee. The Committee felt that the unit must be reinspected by the same inspecting team to confirm whether the deficiencies noted and intimated have been fully and comprehensively corrected. The inspecting team will also give personal hearing to the petitioner after the inspection and record of the
---	----------	---	---	-----	----	-------------------	--------------------------------------	-----------------------	------------------------	--	-----------------	---	--

										material outside the premises.			personal hearing will be given to CMC. This case will be taken in a special CMC meeting on 10.09.2007. Meanwhile Standing Counsel of Govt. of Delhi in High Court will be consulted on the issue whether the status on the date of inspection is to be assessed by the Committee or whether on the latent status claimed by the unit is to be assessed.
--	--	--	--	--	--	--	--	--	--	-----------------------------------	--	--	--

2	20.03.07	7	2	M/s	27	Vijay Industries	B-71, Wazirpur Indl. Area, Delhi - 52	Annealing & Pickling	Annealing & Pickling.	Consent under the Air & Water Acts Refused. Authorization under HW Rules refused. Directions u/s 33(A) of Water Act (invoking rule 34(6)), u/s 31(A) of Air Act (invoking rule 20A(6)) and u/s 5 of EP Act (invoking rule 4(5)) for closure of the unit and for disconnection of electricity and water supply to the unit. Letter for cancellation of MCD license in the name of the unit. Letter for Communication to MCD for	Letters Issued.	Unit has submitted that Display Boards kept inside due to labours on strike.	In view of the reply filed by the petitioner which is only in the shape of letter and not an affidavit and is not backed by any Bank Gaurantee. The Committee felt that the unit must be reinspected by the same inspecting team to confirm whether deficiencies noted and intimated have been fully and comprehensively corrected. The inspecting team will also give personal hearing to the petitioner after the inspection and record of the
---	----------	---	---	-----	----	------------------	---------------------------------------	----------------------	-----------------------	---	-----------------	--	--

										storage of material outside the premises.			personal hearing will be given to CMC. This case will be taken in a special CMC meeting on 10.09.2007. Meanwhile Standing Counsel of Govt. of Delhi in High Court will be consulted on the issue whether the status on the date of inspection is to be assessed by the Committee or whether on the latent status claimed by the unit is to be assessed.
--	--	--	--	--	--	--	--	--	--	---	--	--	--

3	23.03.07	9	1	M/s	29	Arihant Industries	A- 101/1A, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Re-Rolling & Pickling.	Consent under the Air and Water Acts Refused. Authorisation under HW Rules Refused. Directions u/s 33(A) of Water Act (invoking rule 34(6)), u/s 31(A) of Air Act (invoking rule 20A(6)) and u/s 5 of EP Act (invoking rule 4(5)) for closure of the unit and for disconnection of electricity and water supply to the unit. Letter for cancellation of MCD license in the name of the unit.	Letters Issued.	Unit has submitted that (i) the unit is small scale unit and have limited operations so ETP is not intended to work regularly and to its full capacity, otherwise ETP is operational and well working. (ii) The deficiency of the ECS was rectified and ECS became fully operational. (iii) D.G Set was disconnected and not being used hence there was no need for providing acoustic enclosure.	In view of the reply filed by the petitioner which is only in the shape of letter and not an affidavit and is not backed by any Bank Gaurantee. The Committee felt that the unit must be reinspected by the same inspecting team to confirm whether deficiencies noted and intimated have been fully and comprehensively corrected. The inspecting team will also give personal hearing to the petitioner after the inspection and record of the
---	----------	---	---	-----	----	--------------------	--	--------------------------	---------------------------	--	--------------------	--	--

														personal hearing will be given to CMC. This case will be taken in a special CMC meeting on 10.9.2007. Meanwhile Standing Counsel of Govt. of Delhi in High Court will be consulted on the issue whether the status on the date of inspection is to be assessed by the Committee or whether on the latent status claimed by the unit is to be assessed.
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

11	26.03.07	15	1	M/s	35	S. K. Steels	B- 58, Group, Wazirpur Indl. Area, Delhi - 52	Pickling	Pickling.	Consent under the Air and Water Acts Refused. Authorisation under HW Rules Refused. Directions u/s 33(A) of Water Act (invoking rule 34(6)), u/s 31(A) of Air Act (invoking rule 20A(6)) and u/s 5 of EP Act (invoking rule 4(5)) for closure of the unit and for disconnection of electricity and water supply to the unit. Letter for cancellation of MCD license in the name of the unit. Check for consent status of other two units (i) M/s	Letters Issued.	Reply / Representation awaited.	The unit be reinspected by the same team which inspected earlier to confirm whether deficiencies noted and intimated have been fully and comprehensively corrected. This case will be taken in a special CMC meeting on 10.09.2007. Meanwhile Standing Counsel of Govt. of Delhi in High Court will be consulted on the issue whether the status on the date of inspection is to be assessed by the Committee or whether on the latent status
----	----------	----	---	-----	----	--------------	---	----------	-----------	---	--------------------	---------------------------------------	---

										P.K.Steels & (ii) M/s R.K.Steels existing at the same premises.			claimed by the unit is to be assessed.
--	--	--	--	--	--	--	--	--	--	---	--	--	--

4	14.04.07	51	9	M/s	71	Rahul Udyog	A- 96 / 1A, Wazirpur Indl. Area, Delhi - 52	Annealing, Re-Rolling & Pickling of S.S.Sheets	Annealing Re- Rolling & Pickling of SS Sheets.	Consent under the Air and Water Acts Refused. Authorisation under HW Rules Refused. Directions u/s 33(A) of Water Act (invoking rule 34(6)), u/s 31(A) of Air Act (invoking rule 20A(6)) and u/s 5 of EP Act (invoking rule 4(5)) for closure of the unit and for disconnection of electricity and water supply to the unit. Letter for cancellation of MCD license in the name of the unit.Letter for Communication to MCD for storage of	Letters Issued.	Unit has submitted its reply / representation on 20.08.2007 & informed that Writ Petition has been filed before Hon'ble High Court and the allegations made against him/unit were rectified. In any eventuality any further short coming or irregularity left he is willing to rectify the same. Submitted photographs of ETP, ECS & display boards and containers.	In view of the reply filed by the petitioner which is only in the shape of letter and not an affidavit and is not backed by any Bank Gaurantee. The Committee felt that the unit must be reinspected by the same inspecting team to confirm whether deficiencies noted and intimated have been fully and comprehensively corrected. The inspecting team will also give personal hearing to the petitioner after the inspection and record of the
---	----------	----	---	-----	----	-------------	---	---	---	---	--------------------	---	--

										material outside the premises.			personal hearing will be given to CMC. This case will be taken in a special CMC meeting on 10.09.2007. Meanwhile Standing Counsel of Govt. of Delhi in High Court will be consulted on the issue whether the status on the date of inspection is to be assessed by the Committee or whether on the latent status claimed by the unit is to be assessed.
--	--	--	--	--	--	--	--	--	--	-----------------------------------	--	--	--

5	28.04.07	54	2	M/s	74	Parasmani Steel Job Works	B-33/3, Group, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Re-Rolling & Pickling.	Directions u/s 33(A) of Water Act (invoking rule 34(6)), u/s 31(A) of Air Act (invoking rule 20A(6)) and u/s 5 of EP Act (invoking rule 4(5)) for closure of the unit and for disconnection of electricity and water supply to the unit. Letter for cancellation of MCD license in the name of the unit.	Letters Issued.	Unit has submitted its reply / representation on 17.08.2007 & informed that the effluent generated from unit is being treated at CETP for which they are paying Rs. 10,500 per month. After inspection unit took steps to install ETP & ECS and are under evaluation by GGSIP University. All the irregularities pointed out during inspection have been rectified. Submitted photocopies of ETP & ECS and display board.	In view of the reply filed by the petitioner which is only in the shape of letter and not an affidavit and is not backed by any Bank Gaurantee. The Committee felt that the unit must be reinspected by the same inspecting team to confirm whether deficiencies noted and intimated have been fully and comprehensively corrected. The inspecting team will also give personal hearing to the petitioner after the inspection and record of the
---	----------	----	---	-----	----	---------------------------	--	-----------------------	------------------------	---	-----------------	---	--

														personal hearing will be given to CMC. This case will be taken in a special CMC meeting on 10.09.2007. Meanwhile Standing Counsel of Govt. of Delhi in High Court will be consulted on the issue whether the status on the date of inspection is to be assessed by the Committee or whether on the latent status claimed by the unit is to be assessed.
--	--	--	--	--	--	--	--	--	--	--	--	--	--	---

13	28.04.07	55	3	M/s	75	Jain Udyog	B-41, Group, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Re-Rolling & Pickling.	Directions u/s 33(A) of Water Act (invoking rule 34(6)) & u/s 31(A) of Air Act (invoking rule 20A(6)) for closure of the unit and for disconnection of electricity and water supply to the unit. Letter for cancellation of MCD license in the name of the unit.	Letters Issued.	Unit has submitted its reply / representation on 21.08.2007 & informed that unit where cold re-rolling actiivty was found in operation is not my unit. The locked portion of the unit which could not be inspected by the team is my unit whose consent to establish has been taken but due to some financial scarcity, unit could not establish the unit. The ETP & ECS has been already installed in the unit and pickling drain	Consent Application under the Air & Water Acts not received from the unit. Case to be taken up in the meeting on 28.08.2007.
----	----------	----	---	-----	----	------------	--	--------------------------	---------------------------	---	--------------------	--	--

													has been build for discharge of treated effluent by ETP to sewer. Applied for adequacy report to GGSIP University and the same will be submitted shortly.	
--	--	--	--	--	--	--	--	--	--	--	--	--	---	--

6	11.05.07	58	1	M/s	78	Parmod Steel	C-54, GateNo.5,Wazirpur Indl. Area, Delhi - 52	Pickling and Cold Re Rolling of S.S.Sheets	Pickling & Cold Re- Rolling of SS Sheets.	Consent under the Air and Water Acts Refused. Authorisation under HW Rules Refused. Directions u/s 33(A) of Water Act (invoking rule 34(6)), u/s 31(A) of Air Act (invoking rule 20A(6)) and u/s 5 of EP Act (invoking rule 4(5)) for closure of the unit and for disconnection of electricity and water supply to the unit. Letter for cancellation of MCD license in the name of the unit.	Letters Issued.	Unit has submitted its reply representation on 17.08.2007 & informed that on date of inspection the labours had not turned up as there was no activity. The unit was not working so the ETP also not in operation. It is not true that no semi-dried or fresh sludge was found in the unit. We donot use D.G.Set so there was no need for providing acoustic enclosure. As there was no work on that day, display boards were	In view of the reply filed by the petitioner which is only in the shape of letter and not an affidavit and is not backed by any Bank Gaurantee. The Committee felt that the unit must be reinspected by the same inspecting team to confirm whether the deficiencies noted and intimated have been fully and comprehensively corrected. The inspecting team will also give personal hearing to the petitioner after the inspection and record of the
---	----------	----	---	-----	----	--------------	---	---	--	--	--------------------	---	--

												kept inside.	personal hearing will be given to CMC. This case will be taken in a special CMC meeting on 10.9.07. Meanwhile Standing Counsel of Govt. of Delhi in High Court will be consulted on the issue whether the status on the date of inspection is to be assessed by the Committee or whether on the latent status claimed by the unit is to be assessed.
--	--	--	--	--	--	--	--	--	--	--	--	--------------	--

7	11.05.07	59	2	M/s	79	Sh. Gaurav(Proprietor of pickling unit)	C-55/1 (back side portion),Wazirpur Indl. Area, Delhi - 52	Pickling of S.S.Sheets	Pickling of SS Sheets.	Directions u/s 33(A) of Water Act (invoking rule 34(6)), u/s 31(A) of Air Act (invoking rule 20A(6)) and u/s 5 of EP Act (invoking rule 4(5)) for closure of the unit and for disconnection of electricity and water supply to the unit. Letter for cancellation of MCD license in the name of the prop. of the unit. Letter for Communication to MCD for storage of material outside the premises.	Letters Issued.	Unit has submitted its reply / representation on 17.08.2007 & informed that the unit was only partly and scarcely operational. All pollution control devices were in place but they were used only scarcely for want of business and process order. So some devices found non operational and no wet sludge found at site. D.G. Set is no longer being used that is why no acoustic enclosure was provided. Material piled outside the premises did not	In view of the reply filed by the petitioner which is only in the shape of letter and not an affidavit and is not backed by any Bank Gaurantee. The Committee felt that the unit must be reinspected by the same inspecting team to confirm whether deficiencies noted and intimated have been fully and comprehensively corrected. The inspecting team will also give personal hearing to the petitioner after the inspection and record of the
---	----------	----	---	-----	----	--	---	------------------------	------------------------	--	-----------------	---	--

													belong to unit. However, we took necessary steps after inspection. All irregularities have been rectified. Adequacy report submitted to DPCC along with application and requested to withdraw the notices.	personal hearing will be given to CMC. This case will be taken in a special CMC meeting on 10.09.2007. Meanwhile Standing Counsel of Govt. of Delhi in High Court will be consulted on the issue whether the status on the date of inspection is to be assessed by the Committee or whether on the latent status claimed by the unit is to be assessed.
--	--	--	--	--	--	--	--	--	--	--	--	--	--	---

14	11.05.07	61	4	M/s	81	Vishal Industries	C-55/1, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets	Re-Rolling & Pickling of SS Sheets.	Directions u/s 33(A) of Water Act (invoking rule 34(6)) and u/s 5 of EP Act (invoking rule 4(5)) for closure of the unit and for disconnection of electricity and water supply to the unit. Letter for cancellation of MCD license in the name of the unit. Letter for Communication to MCD for storage of material outside the premises. Consent under the Air and Water Acts and Authorization under HW Rules Refused to M/s Moon Light Trading	Letters Issued.	Consent Application under the Air & Water Acts received from the unit.	Consent Application under the Air & Water Acts received from the unit. Case to be taken up in the meeting on 28.08.2007.
----	----------	----	---	-----	----	-------------------	---	-------------------------------------	-------------------------------------	--	-----------------	--	--

										Co(earlier unit at the site). Letter for cancellation of MCD license, for disconnection of electricity & water supply in the name of M/s Moon Light Trading Co. Check for the consent status of the other S.S. Rolling units in the premises.			
--	--	--	--	--	--	--	--	--	--	--	--	--	--

8	11.05.07	64	7	M/s	84	Shiv Shakti Industries	A-84/1, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets	Re-Rolling & Pickling of SS Sheets.	Consent under the Air and Water Acts Refused. Authorisation under HW Rules Refused. Directions u/s 33(A) of Water Act (invoking rule 34(6)), u/s 31(A) of Air Act (invoking rule 20A(6)) and u/s 5 of EP Act (invoking rule 4(5)) for closure of the unit and for disconnection of electricity and water supply to the unit. Letter for cancellation of MCD license in the name of the unit.Letter for Communication to MCD for storage of	Letters Issued.	Unit has submitted its reply / representation on 17.08.2007 & submitted that the allegation made in notices are either non existent or misconceived or those which have been rectified. The allegation - ETP installed not in working condition is false, the allegation no semi dried fresh sludge is false. The allegation - one rinse tank near the gate from where the effluent is going directly into the drain is false, the falsity is exposed by the	In view of the reply filed by the petitioner which is only in the shape of letter and not an affidavit and is not backed by any Bank Gaurantee. The Committee felt that the unit must be reinspected by the same inspecting team to confirm whether the deficiencies noted and intimated have been fully and comprehensively corrected. The inspecting team will also give personal hearing to the petitioner after the inspection and record of the
---	----------	----	---	-----	----	------------------------	---	-------------------------------------	-------------------------------------	---	-----------------	--	--

										material outside the premises. Check the consent status of the other unit operated by Sh. Pawan Jain in the same premises.		photographs annexed. The ECS system is still functioning well it can be verified by DPCC. D.G. Set is no longer being used so that the D.G. Set was found without acoustic enclosure. Submitted photographs of ETP, ECS & Containers.	personal hearing will be given to CMC. This case will be taken in a special CMC meeting on 10.9.2007. Meanwhile Standing Counsel of Govt. of Delhi in High Court will be consulted on the issue whether the status on the date of inspection is to be assessed by the Committee or whether on the latent status claimed by the unit is to be assessed.
--	--	--	--	--	--	--	--	--	--	--	--	---	--

9	15.05.07	67	3	M/s	87	Avtar Refrigeraton Industries	C-57/1, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets	Re-Rolling & Pickling of SS Sheets.	Consent under the Air and Water Acts Refused. Authorisation under HW Rules Refused. Directions u/s 33(A) of Water Act (invoking rule 34(6)), u/s 31(A) of Air Act (invoking rule 20A(6)) and u/s 5 of EP Act (invoking rule 4(5)) for closure of the unit and for disconnection of electricity and water supply to the unit. Letter for cancellation of MCD license in the name of the unit. Letter for Communication to MCD for storage of	Letters Issued.	Unit has submitted its reply / representation on 17.08.2007 & stated that to avoid disconnection, Hon'ble High Court was approached, where unit has been given 3 days time to file the reply to show cause notices. It is informed that the unit has taken all the measures to control pollution and DPCC can inspect any time to recheck plant. It is also informed that unit is complying DPCC order and will do the same	In the view of the reply filed by the petitioner which is only in the shape of letter and not an affidavit and is not backed by any Bank Gaurantee. The Committee felt that the unit must be reinspected by the same inspecting team to confirm whether deficiencies noted and intimated have been fully and comprehensively corrected. The inspecting team will also give personal hearing to the petitioner after the inspection and record of the
---	----------	----	---	-----	----	-------------------------------	---	-------------------------------------	-------------------------------------	--	-----------------	---	--

										material outside the premises. Check for the consent status of the other units operating in the same premises (i)M/s Mahesh Traders (ii) P.O.P Statue mfg unit (prop Sh Joginder Singh,(iii) Plastic Assembling unit (Sh Neeraj Kumar)		in near future also.	personal hearing will be given to CMC. This case will be taken in a special CMC meeting on 10.09.2007. Meanwhile Standing Counsel of Govt. of Delhi in High Court will be consulted on the issue whether the status on the date of inspection is to be assessed by the Committee or whether on the latent status claimed by the unit is to be assessed.
--	--	--	--	--	--	--	--	--	--	---	--	----------------------	---

12	17.05.07	72	3	M/s	92	Hariom Industries	C-60/3, Wazirpur Indl. Area, Delhi-52.	Manufacturing of SS utensils (involving buffing)	Manufacturing of SS utensils (Manufacturing of SS utensils (involving buffing)	Consent under the Air and Water Acts refused, if applied. Directions u/s 31(A) of Air Act (invoking rule 20A(6)) for closure of the unit and for disconnection of electricity and water supply to the unit. Letter for cancellation of MCD license in the name of the unit.	Letters Issued.	Reply / Representation / Consent Application under Air & Water Acts awaited.	The unit be reinspected by the same team which inspected earlier to confirm whether deficiencies noted and intimated have been fully and comprehensively corrected. This case will be taken in a special CMC meeting on 10.9.2007. Meanwhile Standing Counsel of Govt. of Delhi in High Court will be consulted on the issue whether the status on the date of inspection is to be assessed by the Committee or whether on the latent status
----	----------	----	---	-----	----	-------------------	--	--	--	---	-----------------	--	--

[illegible]

10	17.05.07	73	4	M/s	93	Raj Overseas	C- 60/1, Wazirpur Indl. Area, Delhi - 52	Annealing , re-rolling and pickling of SS sheets and manufacturing of utensils (including buffing)	Annealing, Re-Rolling and Pickling of SS Sheets & manufacturing of utensils (including buffing)	Consent under the Air and Water Acts & Authorisation under HW Rules Refused, if applied.. Directions u/s 33(A) of Water Act (invoking rule 34(6)), u/s 31(A) of Air Act (invoking rule 20A(6)) and u/s 5 of EP Act (invoking rule 4(5)) for closure of the unit and for disconnection of electricity and water supply to the unit. Letter for cancellation of MCD license in the name of the unit.	Letters Issued.	Unit has submitted its reply / representation on 20.08.2007 & informed that during inspection they were conducting trial runs and no commercial produciton was going on. So ETP was not in working condition and dosing tank and filter press dry and no fresh sludge found at site. Now, commercial productin is going on. ETP & ECS are perfect operational & maintained record, provided channelization for buffing and	In view of the reply filed by the petitioner which is only in the shape of letter and not an affidavit and is not backed by any Bank Gaurantee. The Committee felt that the unit must be reinspected by the same inspecting team to confirm whether the deficiencies noted and intimated have been fully and comprehensively corrected. The inspecting team will also give personal hearing to the petitioner after the inspection and record of the
----	----------	----	---	-----	----	--------------	--	---	---	---	-----------------	--	--

													acoustic enclosure with proper stack for D.G. Set. Submitted photographs for ETP, ECS, container, board and acoustic enclosure.	personal hearing will be given to CMC. This case will be taken in a special CMC meeting on 10.9.2007. Meanwhile Standing Counsel of Govt. of Delhi in High Court will be consulted on the issue whether the status on the date of inspection is to be assessed by the Committee or whether on the latent status claimed by the unit is to be assessed.
--	--	--	--	--	--	--	--	--	--	--	--	--	---	--