



CONSENT MANAGEMENT

Agenda No. 1 - Annexure I - 12 Cases of Consent to Establish under orange category of the period 31.07.2010 to 01.04.2010 in reverse chronology (excluding the cases of Redevelopment areas)recommended by Screening Committee as (2b category) in its meeting on 12.12.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	33420 05-04-2010	KUKREJA ENGINEERS PVT LTD H-1201, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Establish	MFG. OF LUMINARIES & STREET LIGHTING EQUIPMENTS. (WITHOUT ANODIZING, PAINTING, PHOSPHATING & REFLECTOR POLISHING).	- Date of commissioning of project ---- - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 1000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 0 liters/day		10-12-2012 (1)ETP ---- N/A (2)ECS - No (3)D.G.Set: ...Nil Earlier CMC deision dated 13.06.2010: issue SCN for refusal of consentand u/s 31(A) of Air Act, 1981. accordingly same was issued on 20.09.2010. inspection of the unit was conducted on 28.09.2010 and following were observed: 1) unit is engaged in the manufacturing of electrical and electronic illumonaries and accessories without powder coating. 2) As reported no unit namely Kukreja Engineers (P) Ltd, does not exists and no activity in the name of this unit is carried out in this premises. 3) The above said unit is listed in Registrar of Companies, Delhi and Haryana w.e.f. September, 2005 After that inspection was again conducted on 16.05.2011 and unit found non-operational, no industrial activity was carried out however plant machinery still exists in the premises.	12-12-2012 File be put up administratively.
2	33421 05-04-2010	NEERU CABLES (INDIA) NEROLEX HOUSE H-1202, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Establish	MFG. OF RUBBER, PVC & XLPE WIRES & CABLES AND LUMINARIES & STREET LIGHTING EQUIPMENT (WITHOUT ANODIZING, PAINING, PHOSPHATING & REFLECTOR POLISHING).	- Date of commissioning of project ---- - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 1500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 0 liters/day		11-12-2012 (1)ETP ---- Nil (2)ECS - Nil (3)D.G.Set: ...Nil Decision / Recommendation of Screening Committee, Dated : 15-10-2012 Inspection be conducted. Accordingly inspection was conducted on 19.10.2012 and following were observed: 1) unit found in operation and engaged in mfg. of aluminium/ copper conductor rubber coated cables i.e. welding cables. 2) unit has not provided hood and suction arrangement over rubber mixing machine, rubber roller etc.. 3) unit is having one baby boiler, oil fired of capacity (180 Lb)	12-12-2012 Issue Show Cause Notice for refusal of consent and file be put up administratively for Show Cause Notice u/s 31(A) of the Air Act. IT Cell be requested to correct the category of the activity of the unit.

							for vulcanizing the cable.	
3	34092 03-06-2010	HINDUSTAN PETROLEUM COOPERATION LTD. SHAKURBASTI INSTALLATION ROHTAK ROAD	WEST	Orange Establish	STORAGE, REFFILLING AND DISTRIBUTION OF PETROLEUM PRODUCTS	• Date of commissioning of project ---- • Built Up Area ---- 11359 (in sq. meter) • Water Consumption ---- 8000 liters/day • Ground Water ---- 4000 liters/day • Waste Water generation (a) Domestic Effluent ---- 6400 liters/day (b) Trade Effluent ---- 0 liters/day	06-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no CMC decision dated 19.08.2010 Ask the unit to submit the status of the action taken w.r.t. shifting to the location between Ghevra and Tikri Kalan as per provisions of MPD-2021. A letter issued to the unit on 07.10.2010 and unit submitted its reply on 15.10.2010 Decision dated 1706.2011 present status be confirmed from the unit with the advice to seek CTE at the new proposed site. Also ask the unit to evaluate its activities at the present location in view of the shifting proposed w.r.t. the requirement of the consent under the provisions of the air act and water act. a letter issued to the unit on 25.07.2011 and reply received from the unit on 04.08.2011	12-12-2012 File be put up administratively.
4	34181 11-06-2010	VABROS (I) PVT. LTD. PLOT NO.-236, FIE PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Establish	Manufacturing of Electrical Goods	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	05-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set :D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 20-12-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 08.09.10 & following were observed: 1. Operating without consent to operate. 2. DG set without acoustic enclosure & adequate stack height. Case was taken up by the CMC (O) in its meeting held on 09.11.10 & it was decided to issue consent to establish if, unit submits report for installation of acoustic enclosure with the	12-12-2012 Unit has submitted noise monitoring report conducted by DPCC laboratory on 16.12.2010. Consent to Establish granted. Ask the unit to apply for consent to operate within 15 days. IT Cell be requested to correct the category of the activity of the unit.

								DG set. As decided by the CMC (O) in its meeting held on 09.11.10, letter was issued on 27.12.10 for submission of report for installation of acoustic enclosure with the DG set. Unit has submitted its reply on 03.02.11 along with NMR of DG set 40 KVA dated 20.12.10 issued by DPCC. Case was again taken up by the CMC (O) in its meeting held on 17.06.11 & it was decided to issue SCN u/s 31 (A) of the Air Act in view of the DG set found without acoustic enclosure and no response to the letter dated 27.12.10 issued. (5) SCN u/s 31(A) details : issued on 01.08.11.	
5	34370 01-07-2010	SHYAM LAL E-761, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Establish	MFG. OF PLASTIC PRODUCTS.	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 160 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 75 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 15-11-2011 Earlier CMC Decision: 17.06.2011 Ask the unit to submit fresh affidavit prescribed for consent to establish on the proper stamp paper. Letter for submission of fresh affidavit on the proper stamp paper was sent to the unit 02.08.2011. Reply has been received on 26.08.2011 alongwith the fresh affidavit in the proper form and also requested to issue consent to establish vide Id.No.34370 dated 01.07.2010.	06-09-2010 Earlier CMC Decisions ATR / Remarks Year of establishment-July 2010 Recommendations of Scrutinizing Committee on 17.08.2010 Issue SCN to the unit stating as to why the necessary action should not be initiated under the provision of the law as the unit has submitted the affidavit on the stamp papers purchased in the name of DPCC.	12-12-2012 Consent to Establish granted without using plastic scrap as a raw material. Ask the unit to apply for consent to operate within 15 days. IT Cell be requested to correct the category of the activity of the unit to Plastic Processed Goods.
6	34372 01-07-2010	SHIVAM INDUSTRIES E-761, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Establish	MFG. OF PLASTIC PRODUCTS.	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 185 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 85 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Earlier CMC Decisions ATR / Remarks Year of establishment-July 2010 Recommendations of Scrutinizing Committee on 17.08.2010 Issue SCN to the unit stating as to why the necessary action should not be	12-12-2012 Consent to Establish granted without using plastic scrap as a raw material. Ask the unit to apply for consent to operate within 15 days. IT Cell be requested to correct the category of the activity of the unit to Plastic Processed Goods.

							initiated under the provision of the law as the unit has submitted the affidavit on the stamp papers purchased in the name of DPCC.	
7	34374	SANJAY ICE MANUFACTURING CO. 01-07-2010 A-122, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Establish	MFG. OF ICE BLOCKS.	- Date of commissioning of project ---- - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 410 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 90 liters/day (b) Trade Effluent ---- 0 liters/day	06-09-2010 ATR / Remarks Year of establishment-Aug 2010 Recommendations of Scrutinizing Committee on 17.08.2010 Issue SCN to the unit stating as to why the necessary action should not be initiated under the provision of the law as the unit has submitted the affidavit on the stamp papers purchased in the name of DPCC.	12-12-2012 Consent to Establish granted with the condition to comply with MSIHC Rules 1989 in respect of use of ammonia. Ask the unit to apply for consent to operate within 15 days. IT Cell be requested to correct the category of the activity of the unit to Manufacturing of Ice.
8	34379	S. K. INTERNATIONAL 02-07-2010 H-1350, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Establish	MFG. OF INJECTION MOULDED GOODS.	- Date of commissioning of project ---- - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 155 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day	01-09-2010 ATR / Remarks Year of establishment-Aug 2010 A letter was sent on 23.03.2010 and asking for apply for CTE. CTO applied on 13.07.2006. CTO applied on 04.01.2010. Recommendations of Scrutinizing Committee on 17.08.2010 Issue SCN to the unit stating as to why the necessary action should not be initiated under the provision of the law as the unit has submitted the affidavit on the stamp papers purchased in the name of DPCC.	12-12-2012 Inspection be conducted and create the file after obtaining the copy of the application etc. from the unit, as the file is not traceable. IT Cell be requested to correct the category of the activity of the unit to Plastic Processed Goods.
9	34550	SHARP MENTHOL INDIA LTD 19-07-2010 C-03, SMA INDUSTRIAL AREA	S.M.A Industrial Area	Orange Establish	MFG. OF MENTHOL & ITS ALLIED PRODUCTS.	- Date of commissioning of project ---- - Built Up Area ---- 613.15 (in sq. meter) - Water Consumption ---- 600 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day	06-09-2010 ATR / Remarks Year of establishment- June 2010. Recommendations of Scrutinizing Committee on 17.08.2010 Recommended for grant of consent to establish.	12-12-2012 Issue reminder to CPCB.
10	34592	SHYAM ENGINEERING CO. 22-07-2010 PLOT NO-3, POCKET-O, SECTOR-2, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	Sheet Metal Works.	- Date of commissioning of project ---- - Built Up Area ---- 152 (in sq. meter) - Water Consumption ---- 100 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day	06-09-2010 ATR / Remarks BUA : 150 sq. mts. GW: Nil litres./Day Water Consumption : 100 Litres/day Waste Water generation : (a) Domestic effluent: Nil (b) Trade effluent: Nil Date of Commissioning: Oct, 2010. Recommendations of Scrutinizing Committee on 17.08.2010 Inspection be conducted.	12-12-2012 Inspection be conducted, thereafter, file be put up administratively.
11	34654	SHREE NATH JI DYE STUFFS 28-07-2010 SHED NO. B-70/10, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Establish	PLASTIC DYE GRINDING AND PACKING.	- Date of commissioning of project ---- - Built Up Area ---- 133.76 (in sq. meter) - Water Consumption ---- 100 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	06-09-2010 ATR / Remarks Year of establishment- . Recommendations of Scrutinizing Committee on 17.08.2010 File be put up administratively	12-12-2012 Inspection be conducted.

12	34681	SHARP MENTHOL INDIA LTD C-15, S.M.A INDUSTRIAL AREA, G. T. K. ROAD	S.M.A Industrial Area	Orange Establish	MENTHOL & ITS ALLIED PRODUCTS.	• Date of commissioning of project ---- • Built Up Area ---- 8206 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day	06-09-2010 ATR / Remarks Year of establishment-1990 CTR granted and valid upto 18.09.2006. CTR applied on 06.11.2006 CTR applied on 09.03.2010. Recommendations of Scrutinizing Committee on 17.08.2010 Recommended for grant of consent to establish.	12-12-2012 Case deferred till the reply w.r.t. letter issued to CPCB on 30.10.2012 in similar case is received.
----	-------	---	-----------------------	------------------	--------------------------------	---	--	---