



CONSENT MANAGEMENT

Agenda No. 2 - Annexure I - 70 Cases of Consent to Operate and Consent to Operate(renewal)under orange category of the period 31.07.2010 to 01.04.2010 in reverse chronology (excluding the cases of Redevelopment areas) recommended by Screening Committee as (2b category) in its meeting on 12.12.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	33427 06-04-2010	MONA AUTO INDUSTRIES (INDIA) PLOT NO 44, SECTOR 5, POCKET -P, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Renewal	Mfg. of Rubber & Plastic Goods.	- Date of commissioning of project ---- - Built Up Area ---- 250 (in sq. meter) - Water Consumption ---- 125 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		06-12-2012 BUA: 250 sq yd GW: Nil Water Consumption: 125 Lt/Day Waste Water: (a) domestic effluent: 60 Lt/day (b) Trade Effluent: Nil Year of estblishment: 2003-04 CTE issued on 09.06.2003. Expired on 03.06.2004. CTO issued on 12.05.2004. Valid till 15.04.2007. Inspection conducted on 20.09.2010:- 1. the unit was found in operation . 2. the unit having HSD fired boiler for steam generation which was found in operation & stack height was inadequate. 3. No channelization has been provided over the rubber rolling after that a Show cause notice for refusal of consent and u/s 31(A) was issued on 10.01.2011. reply recieved on 24.02.2011. CMC Decision dated 31.03.2011: Ask the unit to submit the bank guarantee of Rs 50, 000 under Air Act valid for one year. Accordingly a letter issued to the unit on 17.08.2011. Unit submitted ther bank guarantee on 29.08.2011.	12-12-2012 Renewal of Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit to (i) Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber) without Boiler and (ii) Plastic Processed Goods.
2	33429 06-04-2010	DIMPLE CREATION PVT. LTD B-35, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	EXPORT OF READYMADE GARMENTS	- Date of commissioning of project ---- - Built Up Area ---- 559.3 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		05-12-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 19-02-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 & 75 KVA. Noise monitoring report dated 05-02-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 2 D.G. Set(s) of 125 & 75 KVA. Noise monitoring report dated 05-02-2010 issued by DPCC submitted. Noise	12-12-2012 File be put up administrativley. IT Cell be requested to correct the category of the activity of the unit.

monitoring report within Limit - Yes.

(4) Inspection details: conducted on 28.01.10 & following were observed:

- 1. Unit was found in operation & engaged in the activity of Mfg. & export of ready made garments.
- 2. One bore well exists in the unit.
- 3. One boiler exists (capacity 300 kg) in roof level & one boiler (capacity 50 kg) exists in IInd floor for pressing purposes.
- 4. Two DG set were found in the unit. One is in working condition of 125 KVA with acoustic enclosure & another was used as a stand by capacity 75 KVA.
- 5. One working m/c was found at roof level but not found operational.

(5) SCN u/s 31(A) & 33(A) details : issued on 09.03.10. SCN for refusal was also issued on 09.03.10.

Unit has applied for CTE (orange category) on 18.03.2010 vd ID 33205.

Unit has submitted its reply on 19.03.10 in the response to above said show cause notice.

As decided by the CMC (Green) in its meeting held on 14.06.10, Consent to operate (renewal) (Green Category) made infructuous on 29.07.10 as the unit has applied for consent under orange category.

As decided by the CMC (O) in its meeting held on 26.05.10, letter was issued on 15.07.10 in which unit is directed to stop its operation immediately and not to start unless installation of pollution control devices. The unit is required to submit the adequacy report and effluent analysis report from approved agencies of DPCC.

Unit has submitted its reply on 23.07.10 & stating that unit is a dry unit. washing is not done in their unit. They have already applied for CTO with the SMR of boiler.

As decided by the CMC (O) in its meeting held on 13.08.10, letter was issued on 27.10.10 for submission of Bank Guarantee of Rs. 50,000 each under Water Act and HWM Rules valid for one year. If unit submits Bank Guarantee, consent to establish be issued.

Unit has submitted above mentioned Bank Guarantee on 15.11.10

As decided by the CMC (O) in its meeting held on 26.07.10, unit was inspected by DPCC officials on 30.08.10 & following were observed:

- a)The unit was found in operation.
- b) No washing activity was observed during inspection.
- c) Adequate stack height has not been provided with diesel

								fired boiler. d) Source of water is outside tanker. A public complaint was received in this office on 30.08.10 against the unit. As decided by the CMC (O) in its meeting held on 13.08.10, CTE was issued on 24.12.10. As decided by the CMC (O) in its meeting held on 09.11.10, letter was issued on 28.12.10 to to correct the deficiencies observed during the inspection and submit an affidavit in this regard. No reply has been received from the unit.	
3	33439 07-04-2010	MALIK & CO. B-52, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	MFG OF POLYTHENE BAGS & PRINTED POLYTHENE BAGS	• Date of commissioning of project ---- • Built Up Area ---- 600 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 20-05-2010 Ask the unit to apply for consent to establish. Decision of Consent Management Committee on 26-07-2010 Ask the unit to apply for consent to establish.	Action Taken Details on 12-10-2010 A letter has been issued on 01.09.2010 20-05-2010 1. Trade Effluent: nil 2. G.W: nil 3. D.G.Set: 125 & 82.5 kva, NMR dt. 25.01.10 4. Fresh authorization not applied. 5. Earlier CTO valid upto 25.07.05 vd id no. 6013 & CTR dt. 10.11.06 vd id no. 19753 pending. 6. CTE not applied. Recommendation / Action Taken Details (EE/AEE) on 10-12-2012 As decided by the CMC (O) in its meeting held on 26.07.10, letter was issued on 01.09.10 to apply for consent to establish. Unit has applied for consent to establish on 28.09.10 vd ID 35241 for the activity of Manufacturing of Polythene Bags and Printed Polythene Bags. As decided by the CMC (O) in its meeting held on 25.11.10, CTE was issued on 11.01.11 with the condition that the unit will comply with the provisions of The Delhi Degradable Plastic Bag Act, 2000 envisaging the minimum thickness of plastic bag as 40 micron and size as 8 inches x 12 inches. A representation has been received from the unit on 03.01.12 regarding the change of ownership/ proprietorship of the unit to Sh. Kapil Malik.	12-12-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.
4	33447 07-04-2010	JAWA ENTERPRISES A-141, DDA SHEDS, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MFG OF POLY BAGS	• Date of commissioning of project ---- • Built Up Area ---- 1200 (in sq. meter) • Water Consumption ---- 270 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 240 liters/day (b) Trade Effluent ---- 0 liters/day		11-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 05.11.09 & following were observed: 1. M/s Jawa Enterprises/ Asia Enterprises operating at Ground	12-12-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.

Floor. M/s Jawa Enterprises was issued closure direction u/s 5 of EPA. Still the unit is in operation. Electricity connection/ Water connection is still not disconnected.
2. Unit M/s Matha Offset is also in operation, ETP is installed.
3. ETP not in operation defunct.

(5) Closure directions u/s 31(A) & 5 of EPA details : issued on 04.02.10 (earlier closure direction were issued to the unit on 25.07.07)

Unit has submitted its reply on 07.04.10 informing that they have applied for CTO on 07.04.10 vd id no. 33447 and HWM Authorization on 07.04.10 for the activity of Mfg. of Poly Bags

As per the decision of CMC (O) in its meeting held on 16.03.2010 and it was decided that pursue for effective closure order. Accordingly, letters were issued to BSES, DJB & MCD for disconnection of power supply, water supply & cancellation of MCD factory license respectively on 26.04.2010 and copy of letters were also send to M/s Jawa Enterprises.

Unit has submitted its reply on 20.04.10 along with an affidavit stating that they have already applied for CTE, CTO & authorization under HWM Rules. They have also provided a P.V.C. container for storage Hazardous waste in factory premises and the container is proper labeled and date on which storage of Hazardous waste. They have also requested to revoke the closure order of their unit.

As per the decision of CMC (O) in its meeting held on 13.08.2010 and it was decided to ask the unit to submit Bank Guarantee of Rs. One Lakh each under Air Act, & HWM Rules. If unit submits, the Bank Guarantee, closure directions be revoked provided Bank Guarantee is also submitted by M/s Matha Offset Pvt. Ltd. as decided in earlier CMC s decision dt. 26.07.10. If, unit submit the Bank Guarantee, consent to operate & consent to establish be issued. Accordingly, letter regarding submission of bank guarantee was issued to the unit on 29.09.10.

M/s Jawa Enterprises has submitted the bank guarantee of Rs. 1 lakh each under Air Act & HWM Rules on 12.01.2011. However, M/s Matha Offset Pvt. Ltd. has failed to submit Bank Guarantees of Rs. 1 Lakh each under Air Act, Water Act & HWM Rules in compliance of CMC decision dt. 13.08.10.

The cases of M/s Matha Offset Pvt Ltd. & M/s Jawa Enterprises were discussed with Hon ble Member Secretary along with Environment Engineer (CMC-III) on 08.03.11. As per the discussion and the same was approved on file on 11.03.11, M/s Asia Enterprises partner Mr. Surinder Kumar Jawa s/o Sh. Ram Lal Jawa (as lesser) may be ask to submit the Bank Guarantees of Rs. One Lakh each under Air Act, Water Act and HWM Rules in compliance of CMC decision on 26.07.10 w.r.t M/s Matha Offset Pvt. Ltd. (as M/s Matha Offset Pvt. Ltd. has submitted letter on 19.01.11 that there is no activity in the premises since Dec 2010) & also ask to submit an affidavit

							from premises owner w.r.t. close down the activity by M/s Matha Offset Pvt. Ltd. in their premises & any unit will be start after getting prior permission from DPCC. Accordingly, letter was issued to Mr. Surinder Kumar Jawa s/o Sh. Ram Lal Jawa (as lesser) on 17.03.11 to submit Bank Guarantee of Rs. 1,00,000/- each under Water Act, Air Act and HWM Rules valid for one year in compliance of consent management committee decision on 26.07.10 w.r.t. M/s Matha Offset Pvt. Ltd. & also submit an affidavit from premises owner w.r.t. close down the activity by M/s Matha Offset Pvt. Ltd. in their premises & any unit will be start after getting prior permission from DPCC. As approved, reminder letter was also issued to MCD, BSES & DJB on 09.08.11 to send the compliance report for in compliance of closure direction. M/s Jawa enterprises has submitted its reply on 17.08.11 along with an affidavit stating that they had applied for CTE & CTO with an affidavit Mfg. of poly bags. Unit has also applied for authorization under HWM Rules. Sh. Surinder Kumar Jawa has submitted its reply on 03.01.12 along with an affidavit stating that there is no activity in shed unit okhla for M/s Matha offset pvt. ltd. & requested to not take any action on the plot against M/s Matha offset pvt. ltd. Sh. Surinder Kumar Jawa has submitted its reply on 16.03.12 along with corrected bank guarantee. Unit has submitted its reply on 22.03.12 requesting to withdrawal of two bank guarantee submitted by the unit.	
5	33499 12-04-2010	DEEPAK HYDRAULICS INDIA PVT. LTD A-27/3, PH-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	SCIENTIFIC AND ENGINEERING INSTRUMENT INCLUDING PUMPS	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	05-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	12-12-2012 Inspection be conducted.
6	33510 12-04-2010	SWASTIC FOOD PRODUCTS C-35/8, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	MFG. OF ENGG. GOODS, PVC FOOTWEAR AND INJECTION MOULDED GOODS.		05-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...nil	12-12-2012 Issue Show Cause Notice for refusal of consent. IT Cell be requested to correct the category of the activity of the unit.

						• Date of commissioning of project ---- • Built Up Area ---- 528 (in sq. meter) • Water Consumption ---- 135 liters/day • Ground Water ---- 135 liters/day • Waste Water generation (a) Domestic Effluent ---- 65 liters/day (b) Trade Effluent ---- 0 liters/day	Earlier CMC Decision on 26.07.2010 Ask the unit to apply for consent to establish. Inform to DJB regarding extraction of ground water. Accordingly, a letter issued to the unit on 19.08.2010. No reply received from the unit till date.	
7	33548 15-04-2010	ANAND ENTERPRISES 315/9A, SHAHZADA BAGH INDUSTRIAL AREA	Shahzada Bagh Industrial Area	Orange Operate	Mfg. of Plastic Moulding crockery	• Date of commissioning of project ---- • Built Up Area ---- 83 (in sq. meter) • Water Consumption ---- 40 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day	06-12-2012 (1)ETP ---- Nil (2)ECS - Nil (3)D.G.Set: ...Nil Earlier CMC decision dated 26.07.2010: Ask the unit to apply for consent to establish. Accordingly a letter issued to the unit on 01.09.2010.	12-12-2012 Issue Show Cause Notice for refusal of consent. IT Cell be requested to correct the category of the activity of the unit to Plastic Processed Goods.
8	33552 16-04-2010	RAVINDER PLASTIC UDYOG A-37, SHAHDARA, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Renewal	Manufacturing of Plastic Products.	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day	06-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 26.07.10, letter was issued on 01.09.10 to confirm its reply on an affidavit. Unit has submitted its reply on 26.09.11 along with an affidavit & stating that there is no DG set installed in the unit.	12-12-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct the category of the activity of the unit to Plastic Processed Goods.
9	33591 19-04-2010	PERFECT SERVICES C-105/1, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	STICKERS AND LABELS WITHOUT TRADE EFFLUENT	• Date of commissioning of project ---- • Built Up Area ---- 147.25 (in sq. meter) • Water Consumption ---- 80 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	04-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 05.03.2010 and following were the observations: 1) unit found engaged in the activity of mfg. of stickers and labels. 2) hazardous waste generated from the activity is not managed as per HWM norms. 3) one DG set installed without acoustic enclosure and inadequate stack height. (5) SCN for revocation of consent / u/s 5 were issued on 13.04.2010. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no unit submitted BG of Rs 50,000 under HWM rules on	12-12-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit to Printing Press (Without Trade Effluent Discharge).

							13.09.2010 valid for one year.	
10	33606	ALLOY STEEL COMPANY 22-04-2010 92, SEC-2, PKT-M, DSIDC COMPLEX BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Mfg. of Auto Parts Agriculture parts, Crank Shaft (engg. works)	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	06-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Remarks: Earlier CMC Decision dated 26.07.2010 : inspection be conducted Accordingly inspection was conducted on 08.10.2010 and based on the deficiencies observed a show cause notice for refusal of consent and u/s 31(A) was issued on 10.01.2011 unit submitted its reply on 13.01.2011 alongwith an affidavit stating that DG set have been removed from the premises. CMC Decision dated 31.03.2011: Ask the submit the bank guarantee of RS. 50,000 under Air ACT valid for one year and to apply for CTO. unit submitted the bank guarantee on 02.11.2011.	12-12-2012 Consent to Operate granted.
11	33615	STANDARD CAPACITOR 22-04-2010 B-70/43, DSIDC SHED LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	ELECTRICAL CAPACITORS.	• Date of commissioning of project ---- • Built Up Area ---- 114.27 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- N/A. (2)ECS - N/A (3)D.G.Set: ...Nil Earlier CMC Decision dated 26.07.2010: Ask the unit to apply for consent to establish. accordingly a letter issued to the unit on 19.08.2010 unit applied for the CTE on 09.09.2010 and same was granted on 18.01.2011	12-12-2012 Renewal of Consent to Operate granted.
12	33676	CHAMPION EL COM PVT. LTD 27-04-2010 PLOT NO. 66, SEC-2, POCKET-F DSIDC INDUSTRIAL COMPLEX, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Mfg. of PVC Wire & Cables, And Mfg .of Electronic Components (T.V. & Radio parts)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 220 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 21-04-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes An inspection conducted on 15.04.2011 and following were observed: 1) The unit was found in operation and engaged in the activity of Mfg. of extruding, moulding of PVC wire cables using extruding and verticals injection moulding m/c 2) No suction and hood arrangement provided extruding/moulding m/c. 3) DG set of 62.5 KVA found installed on roof with A/E having	12-12-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.

							adequate stack height of 6 feet from roof.	
13	33693 28-04-2010	LEADER SEWING MACHINE CO. A-85/2, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	SHEET METAL JOBS	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	21-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Decision dated 26.07.2010 ask the unit to apply for CTE. letter issued on 17.08.2010.	12-12-2012 In view of the decision taken by DPCC Board in its meeting, CTE is not required as unit has obtained CTO earlier. Renewal of Consent to Operate granted.
14	33709 29-04-2010	PRINTEK PLASTICS WZ-8/2, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	MFG PLASTIC TUBES AND SHEETS	• Date of commissioning of project ---- • Built Up Area ---- 110 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	21-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 01-12-2009 issued by IP COLLEGE submitted. Noise monitoring report within Limit - yes (4) Inspection details: Inspection conducted on 16.01.2009 and observed that: 1) Unit is found operational and engaged in the activity of mfg. of plastic tubes. 2) no recycling activity is being carried out. 3) Fresh plastic granules is used as raw material. 4) One DG set of unkown capacity, out of order without acoustic enclosure and improper stack height found at site. (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Decision dated 26.07.2010 Seek clarification from DDA regarding conformity. A letter issued to DDA on 23.08.2010. A reply received from DDA on 22.03.2011 stated that activity of the unit falls under the category of plasticizers manufacturing which is listed in the negative list of MPD - 2021. therefore, the same is not permitted.	12-12-2012 File be put up administratively.

15	33735	SHRINK SPECIALISTS B-102, PH-I, MAYAPURI INDUSTRIAL AREA 03-05-2010	Mayapuri Industrial Area	Orange Operate	PVC TUBE BAGS AND SHRINK PACKAGING MACHINES	• Date of commissioning of project ---- • Built Up Area ---- 75.24 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 25 liters/day (b) Trade Effluent ---- 0 liters/day	21-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Decision dated 26.07.2010 ask the unit to apply for consent to establish. Letter issued to the unit on 17.08.2010	12-12-2012 File be put up administratively.
16	33758	TIYA INDUSTRIES A-28, PHASE-I MAYAPURI INDUSTRIAL AREA 05-05-2010	Mayapuri Industrial Area	Orange Renewal	MFG ELASTIC RAIL CLIPS	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	06-12-2012 (1)ETP ---- N/A (2)ECS - stack attached to furnace (a) Stack monitoring report dated 01-11-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 24-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: as per CMC decision dated 26.07.2010, inspection was conducted on 03.08.2010 and folowing were the observations: 1) unit is enagegd in mfg. of rail clips. 2) Unit has installed 2 nos of oil fired furnace. 3) unit has not installed emission control system / channelization system, a lot of smoke emission generated from the process is discharge directly withioout channelization. 4) the ducting over furnace is found broken and the shed over the bhatties are also in broken condition. (5) SCN u/s 31(A) issued on 20.12.2010 (6) Closure directions u/s 31(A) issued on 08.06.2011 and reply from the unit against this closure is received on 02.08.2011 CMC decision dated 11.11.2011 ask the compliance from discom and DJB. Also ask the unit to submit BG of Rs 1 lakh under Air Act valid for one year. If unit	12-12-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.

							submits the BG, closure directions be revoked. a letter issued to the DJB and Discom and unit for BG on 08.12.2011. in response to this letter a reply was received from the unit on 03.02.2012 along with the SMR and NMR and will be submitted BG in one month from the date of letter submitted.	
17	33760 05-05-2010	PATHICK ENGINEERING WORKS A-44, PHASE-I MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	ELASTIC RAIL CLIPS	• Date of commissioning of project ---- • Built Up Area ---- 429 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	06-12-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 19-04-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 16-04-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes . (4) Inspection details: inspection conducted on 17.08.2010 and following were the observations: 1) unit found operational and engaged in the activity of mfg. of elastic rail chips. 2) one DG set found installed with acoustical enclosure and proper stack height. 3) one furnace found installed with proper stack height. as per CMC decision dated 09.11.2010 unit was reinspected by AEE to ascertain the HW generation on 17.01.2011 and observed that: - unit found in operation. - the quenched oil residue/ sludge is generated once in six month. the quenched oil is purchased from the manufacturer of quenched oil as a trade name without contents of salt/chemicals. (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : CMC decision dated 07.02.2011 Ask the unit to apply for authorization under Hwm rules. letter issued to the unit on 25.03.2011	12-12-2012 Issue Show Cause Notice for refusal of consent and put up administratively w.r.t. action for not applying for authorization under HWM Rules.
18	33772 06-05-2010	K.L.STEEL B-3, PH-I, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	RE ROLLING OF MS ROUND, MS FLATS BARS.	• Date of commissioning of project ---- • Built Up Area ---- 418 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 22-04-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil Earlier CMC Decision on 25.11.2010	12-12-2012 Renewal of Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit. M/s Laxmi Enterprises has applied for consent and being dealt separately.

							Issue consent to establish with the condition that capacity shall be less than 25 MT/ day. Subsiquently, inspection be conducted. (4) Inspection conducted on 16.12.2011 during the inspection following were observed: a) Unit found operational & engaged in the activity of re-rolling MS round & M.S Flat bars. b) Hood with adequate height found installed of the furnace (annealing). c) other unit M/s Laxmi Enterprises found operating in the same primses engaged in the activity of hot -rerolling. (5) SCN u/s 31(A) was issued to the M/s Laxmi Enterprises B-3, Badli Industrial Area on 26.04.2012	
19	33781 07-05-2010	MODERN PLASTIC INDUSTRIES A-10/4, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Renewal	Mfg. of Plastic Goods.	• Date of commissioning of project ---- • Built Up Area ---- 175 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 175 liters/day (b) Trade Effluent ---- 0 liters/day	06-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 26.07.10, letter was issued on 01.09.10 to clarify whether the D.G. Set existing earlier have been removed as the unit was in possession of the D.G. Set as per earlier consent application. Unit has submitted its reply on 14.09.10 & stating that at present there is no DG set in their factory premises.	12-12-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct the category of the activity of the unit to Plastic Processed Goods.
20	33829 12-05-2010	RANWELL PLASTIC A-20,PHASE-1 MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	PLASTIC MOLDED ITEMS	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 80 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	06-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no CMC decision dated 30.07.2010 ask the unit to apply for CTE CTE granted to the unit and valid upto 10.01.2012	12-12-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct the category of the activity of the unit to Plastic Processed Goods.
21	33849	VICTORY	Naraina	Orange	polythene bags		21-11-2012	12-12-2012

	13-05-2010	CONDUIT MFG. CO. (REGD.) C-187, NARAINA INDUSTRIAL AREA PHASE - I	Industrial Area Phase - I	Renewal		• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 30 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : decision dated 30.07.2010 Ask the unit to clarifiy whether there is only one unit on ground or there are two separate units. Since two applications have been file in th ename of M/s Victory Conduits MFG. Co and M/s Victory plastics Co. for the same activity and same plot area and same layout plan. Letter issued to the unit on 03.09.2010 and same has returned back undelivered.	Inspection be conducted, thereafter, file be put up administratively.
22	13-05-2010	VICTORY PLASTIC INDUSTRIES C-187, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	MFG OF POLYTHENE BAGS	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 10 liters/day • Ground Water ---- 10 liters/day • Waste Water generation (a) Domestic Effluent ---- 8 liters/day (b) Trade Effluent ---- 0 liters/day		21-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	12-12-2012 Inspection be conducted, thereafter, file be put up administratively.
23	13-05-2010	MOHAN INDUSTRIES C-194/1, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	MFG OF AUTO PARTS	• Date of commissioning of project ---- • Built Up Area ---- 293 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		20-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	12-12-2012 File be put up administratively.
24	13-05-2010	MOHAN FOOTCARE PVT. LTD. T-1/100, PHASE-1, MANGOLPURI	Mangolpuri Industrial Area	Orange Operate	MFG OF LEATHER FOOTWEAR/ PVC FOOTWEAR & EVA FOOTWEAR			05-12-2012 (1)ETP ---- N/A (2)ECS - N/A	12-12-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.

		INDUSTRIAL AREA				• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 250 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 31-12-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Earlier CMC Decision on 07.05.2010 Consent application be made infructuous as unit has obtained consent to establish earlier. Accordingly, letter issued on 02.06.12010. CMC Decision on 30.07.2010. Inspection be conucted. (4) Inspection conducted on 11.11.2010 and it was observed that no measures taken to channelize the emissions generated during manufactruing of foot wears. (5) SCN u/s 31(A) and SCN for refusal of consent were issued on 18.03.2011 Reply received from the unit on 21.03.2011.	
25	33869 14-05-2010	VISHNU PLASTIC INDUSTRY C-48/2, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	MFG. OF PVC, EVA & ALL TYPE OF FOOTWEAR.	• Date of commissioning of project ---- • Built Up Area ---- 270 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 300 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		11-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil Recommendations of scrutinizing Committee on 15.07.2010 Inspection be conducted. Earlier CMC Decision on 30.07.2010 Case be considered after imlementation of decision of scrutinizing committee. Inspection is to be carried out.	12-12-2012 Expedite inspection as decided on 30.07.2010.
26	33878 14-05-2010	PRINT ETCH SYSTEMS G-10, DSIDC COMPLEX, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Operate	MFG. OFFSET PRINTNG WITH LAMINATION AND MFG. OF CORUGATED BOARD/BOXES (W/O PLATE MAKING & WASHING).	• Date of commissioning of project ---- • Built Up Area ---- 13 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 75 liters/day (b) Trade Effluent ---- 0 liters/day		06-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil Earlier CMC Decision on 30.07.2010 Ask the unit to apply for authorization under HWM Rules. Accordingly, a letter issued to the unit on 08.09.2010 but unit did not apply for authorization under HWM Rules.	12-12-2012 Issue Show Cause Notice for refusal of consent and file be put up administratively w.r.t. action for not applying for authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit.
27	33889 17-05-	STAINLAY INDIA 73, S.S.I INDUSTRIAL AREA, GTK ROAD	S.S.I Industrial Area	Orange Renewal	STAINLESS STEEL UTENSILS WITHOUT BUFFING.			06-12-2012 (1)ETP ---- N/A (2)ECS - N/A	12-12-2012 File be put up administratively.

	2010					• Date of commissioning of project ---- • Built Up Area ---- 1100 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day	(3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 180 & 125 KVA. Noise monitoring report dated 03-02-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes Earlier CMC Decision: 21.01.2011 Inspection be conducted. Accordingly, inspection conducted on 01.07.2011 and following were observed: a) Unit found in operation engaged in the activity of S.S. utensils with buffing, unit is operating at ground floor and first floor (Ground Floor is utilizing in moulding/grinding, First Floor is utilizing in packaging and buffing machine 12 nos). No ECS installed to control emission. b) Second Floor of the premises is used in buffing activity by other unit namely M/s Pradeep Goyal, which have installed the ECS but same was not working properly as huge emission observed. c) 2 D.G. Set installed with acoustic & adequate stack height. (5) SCN u/s 31(A) and refusal of consent details : Issued to the unit on 20.07.2011. Reply recieved on 10.08.2011 along with an affidavit and Bank Guarantee of Rs.50,000/-, stating that the bank draft for adequacy report has been deposited in registrar DTU, that the ECS has been installed by M/s Pradeep goel at first floor also, that they had applied Renewal of Consent under Orange category by mistake and they have now applied Consent to Establish and Operate under Green category.The unit has also requested for withdrawal of the SCN for Closure.	
28	33906 18-05-2010	SHIV FILAMENT PLOT NO.C-569, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MFG. OF PLASTIC GRANULES, YARN AND NARROW WOVEN FABRIC.	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 160 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 75 liters/day (b) Trade Effluent ---- 0 liters/day	05-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil Show Cause Notice issued to the unit stating as to why the necessary ation should not be initiated under the provision of the law as the unit has submitted the affidavit on the stamp papers purchased in the name of DPCC on 15.09.2010. A reply received from the unit on 29.10.2010.	12-12-2012 Inspection be conducted, thereafter, file be put up administratively.
29	33908 18-05-2010	KUKREJA ENGINEERS PVT LTD H-1201, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MFG. ELECTRICAL & ELECTRONIC LUMINARIES & ACCESSORIES WITH POWDER COATING.	• Date of commissioning of project ---- • Built Up Area ---- 1260 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- N/A (2)ECS - No (3)D.G.Set: ...Nil Earlier CMC deision dated 13.06.2010:	12-12-2012 File be put up administratively.

							issue SCN for refusal of consent and u/s 31(A) of Air Act, 1981. accordingly same was issued on 20.09.2010. inspection of the unit was conducted on 28.09.2010 and following were observed: 1) unit is engaged in the manufacturing of electrical and electronic illuminaries and accessories without powder coating. 2) As reported no unit namely Kukreja Engineers (P) Ltd, does not exist and no activity in the name of this unit is carried out in this premises. 3) The above said unit is listed in Registrar of Companies, Delhi and Haryana w.e.f. September, 2005 After that inspection was again conducted on 16.05.2011 and unit found non-operational, no industrial activity was carried out however plant machinery still exists in the premises.	
30	33947 24-05-2010	AGGARWAL POLYMERS T-4/61, PH-I, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Operate	MFG OF PVC, EVA COMPOUND & FOOTWEAR.	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	06-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil Earlier CMC Decision on 30.07.2010 Inspection be conducted. Accordingly, Inspection conducted on 11.11.2010 and following were observed: a) Unit engaged in mfg. of plastic granules from old plastic waste and assembling of EVA footwear. b) No measures taken to channelize the emissions generated from the process of plastic granules. CMC Decision on 21.01.2011 Issue SCN for refusal of consent and SCN u/s 31 (A) of the Air Act. Accordingly, SCN for refusal of consent and SCN u/s 31 (A) of the Air Act were issued to the unit on 14.03.2011. Reply received from the unit on 13.04.2011.	12-12-2012 File be put up administratively.
31	33999 28-05-2010	JAYSON INDUSTRIES S-109, PH-I, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	MFG. OF PALSTIC INSULATED & NON INSULATED HOUSE HOLD GOODS AND TOOL TOOM FACILITIES FOR REPAIR AND MANUFACTURE OF MOULDS FOR CAPTIVE CONSUMPTION.	• Date of commissioning of project ---- • Built Up Area ---- 393 (in sq. meter) • Water Consumption ---- 910 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	06-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 05-07-2012 issued by DPCC submitted. Remarks: Earlier CMC Decision dated 05.08.2010: Ask the unit to apply for consent to establish. inform DJB regarding ground water extraction. Accordingly a letter issued to the unit on 15.09.2010.	12-12-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct the category of the activity of the unit.

								Unt applied for the consent to establish on 29.09.2010 and same was issued on 08.01.2011 valid upto 17.01.2012.	
32	34001	DHARAMPAL SINGHAL E-742, DSIDC NARELA INDUSTRIAL AREA 28-05-2010	Narela Industrial Area	Orange Renewal	MFG. OF PLASTIC GRANULES) REPROCESSING).	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 165 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 75 liters/day (b) Trade Effluent ---- 0 liters/day		06-12-2012 (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 28-04-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Remarks: a letter issued to the unit for submission of fresh application for consent to establish and unit applied for the same on 01.10.2010.	12-12-2012 Renewal of Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit to Manufacturing Of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material Without Washing Activity).
33	34013	LAKSHMI ENGINEERING WORKS PLOT NO. 418-420, GALI NO. 4, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA 28-05-2010	Friends Colony Industrial Area	Orange Renewal	Hot RE Rolling of Copper Wire/Rods	• Date of commissioning of project ---- • Built Up Area ---- 1672 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		10-12-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 12-03-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 24.07.09 & it was observed that the unit was in operation during the inspection, however, the team was not allowed to enter the premises. (5) SCN u/s 31(A) details : issued on 22.03.10. Unit has submitted its reply on 06.04.2010 along with SMR dated 12.03.2010 issued by DPCC. As decided by the CMC (O) in its meeting held on 05.08.10, letter was issued on 08.09.10 for submission of Bank Guarantee of Rs. 50,000/- each under Air Act & HWM Rules valid for one year & also submit compliance report of the earlier CMCs decision on an affdavit. Unit has submitted its reply on 12.10.10 along with the above said Bank Guarantees.	12-12-2012 File be put up administratively.
34	34018	ESS KAY INDUSTRIES (INDIA) C-195, MAYAPURI INDUSTRIAL AREA 28-05-2010	Mayapuri Industrial Area	Orange Renewal	JOB WORK OFPLASTIC ITEMS	• Date of commissioning of project ---- • Built Up Area ---- 40 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		21-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no	12-12-2012 Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct the category of the activity of the unit to Plastic Processed Goods.

							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
35	34157 09-06-2010	BATRA ART PRESS A-41, NARAINA INDUSTRIAL AREA PHASE - II	Naraina Industrial Area Phase - II	Orange Renewal	OFFSET PRINTING PRESS	• Date of commissioning of project ---- • Built Up Area ---- 800 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	21-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...one (a)Noise monitoring report of - 200 KVA dated - 24.02.2011- issued by - DPCC- submitted and noise levels are within limit. (4) Inspection details: (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : Decision dated 05.08.2010 Ask the unit to apply for authorization unde HWM rules. A letter issued on 15.09.2010.	12-12-2012 Issue Show Cause Notice for refusal of consent and file be put up administratively w.r.t. action for not applying for authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit.
36	34159 10-06-2010	DELITE PLASTIC INDUSTRIES A-38, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	MFG. OF PLASTIC GOODS (MONOFILAMENT YARNS SUCH THAT PLASTIC STRIPS).	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 450 liters/day • Ground Water ---- 375 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	06-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 05-05-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Earlier CMC Decision on 05.08.2010 Ask the unit to clarify the authenticity of the C.A. certificate submitted in DPCC in view of the letter received from the C.A. and sumit an affidavit in this regard. infrom to DJB regarding ground water extraction. Accodngly, a letter issued to the unit on 06.09.2010. A reply received from the unit on 20.09.2010 along with an affidavit and also submitted the CGWA certificate.	12-12-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct the category of the activity of the unit to Plastic Processed Goods.
37	34160 10-06-2010	ASHOKA INDUSTRIES (PRORIETOR VINAY DUREJA) A-38, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	MFG. OF PLASTIC GOODS SUCH THAT PLASTIC STRIPS.	• Date of commissioning of project ---- • Built Up Area ---- 146 (in sq. meter) • Water Consumption ---- 450 liters/day • Ground Water ---- 375 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	05-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 05-05-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes Earlier CMC decision dated 05.08.2010: Ask the unit to clarify	12-12-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct the category of the activity of the unit to Plastic Processed Goods.

							the authenticity of the C.A certificate submitted in DPCC in view of the letter received from the C.A and submit an affidavit in this regard. Inform to DJB regarding ground water extraction. In this regard a letter has been issued to the unit dated 01.09.2010 to clarify the authenticity of the C.A certificate submitted in DPCC in view of the letter received from the C.A and submit an affidavit in this regard. unit has submitted a reply dated 16.09.2010 along with the affidavit duly attested by notary public in respect of the C.A certificate. unit has also submitted a copy of permission of extracting ground water on the name of Delite Plastic Industries which is his sister concern unit.	
38	34190 14-06-2010	SARVJIT KUMAR C-219, PH -II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG OF PLASTIC MACHINERY AND ITS PARTS	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 100 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	21-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 08-06-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Decision dated 05.08.2010 Ask the unit to apply for Consent to Establish.	12-12-2012 In view of the decision taken by DPCC Board in its meeting, CTE is not required as unit has obtained CTO earlier. Renewal of Consent to Operate granted.
39	34195 14-06-2010	PARDEEP KUMAR 458-466, SHAMBHU NATH COMPOUND, GALI NO. 8, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	Copper Wire Drawing.	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 50 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	06-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 05.08.10, letter was issued on 08.09.10 to apply for authorization under HWM Rules. Unit has not applied for authorization under HWM Rules.	12-12-2012 Issue Show Cause Notice for refusal of consent and file be put up administratively w.r.t. action for not applying for authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit.
40	34223 16-06-2010	B.M.K.B. PLASTICS A-7, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	JOB WORK OF PLASTIC GOODS THROUGH INJECTION MOULDING	• Date of commissioning of project ---- • Built Up Area ---- 1100 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 400 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 150 liters/day	20-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no	12-12-2012 In view of the decision taken by DPCC Board in its meeting, CTE is not required as unit has obtained CTO earlier. Renewal of Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct

								(5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Decision dated 05.08.2010 ask the unit to apply for Consent o establish. A letter issued to the unit on 15.09.2010.	the category of the activity of the unit to Plastic Processed Goods.
41	34260 18-06-2010	KRISHNA METAL INDUSTRIES B-43, GROUP WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	COLD RE ROLLING OF S.S. PATTA (WITHOUT PICKLING)	• Date of commissioning of project ---- • Built Up Area ---- 332 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		05-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil A letter issued to the unit on 01.09.2010 for the submission of fresh affidavit in prescribed format of consent application. No reply received from the unit till date.	12-12-2012 Issue SCN for refusal of consent. IT Cell be requested to correct the category of the activity of the unit.
42	34264 18-06-2010	MOHINDER ENTERPRISES A-101,WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	ANNEALING OF STAINLESS STEEL SHEET ON JOB WORK BASIS.	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		07-12-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 17-06-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil Earlier CMC Decision on 05.08.2010 Ask the unit to apply for consent to establish. Accordingly, a letter issued to the unit on 01.09.2010 but unit did not apply for the same till date.	12-12-2012 Issue Show Cause Notice for refusal of consent. IT Cell be requested to correct the category of the activity of the unit.
43	34290 21-06-2010	RARE CARE COSMETICS PLOT NO 340/3, (NEW MPL. NO 1/424/3), GALI NO 1-B, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Operate	Manufacturing of Cosmetic Cream.	• Date of commissioning of project ---- • Built Up Area ---- 83.6 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 50 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		06-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 09.09.10 & it was observed that daily trade effluent not generated however, utensils/mixer are washed once in a week & thus trade effluent 50 L/Week is generated. As decided by the CMC (O) in its meeting held on 25.11.10, SCN for refusal was issued on 11.01.2011. Unit has submitted its reply on 24.01.11 along with affidavit they do not discharge a single drop of water in sewer except domestic effluent only. All the disposable water is evaporated by heating in winter & in summer is taken to the roof & its get evaporated by sun automatically.	12-12-2012 Ask the unit to apply for authorization under HWM Rules.
44	34295	MAHALAXMI	Udyog	Orange	MFG OF			21-11-2012	12-12-2012

	22-06-2010	FOOTWEARS K-52, UDYOG NAGAR INDUSTRIAL AREA ROHTAK ROAD	Nagar Industrial area	Renewal	FOOTWEAR	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 05-05-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Decision dated 05.08.2010 ask the unit to apply for CTE. letter issued on 15.09.2010. unit submitted its reply on 27.09.2010 and stated that they have already applied for CTE on 31.08.2010.	Renewal of Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit.
45	3423 24-06-2010	MAHESHWARI BROD PLOT NO.- 1/536/B-14, GALI NO-5, FRIENDS COLONY INDUSTRIRAL AREA	Friends Colony Industrial Area	Orange Operate	Manufacturing of Floor Cleaner and Air Freshener	• Date of commissioning of project ---- • Built Up Area ---- 51.83 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 50 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 07.02.09 & following were observed: 1. Unit is engaged in Mfg. of air freshener tablets used in urinals & also floor cleaners (water based) from PDCB (obtained from Gujarat), pine oil & soap solution, colors & perfumes. 2. One exhaust fan installed. 3. Unit is also engaged in packing of naphthalene balls. 4. Proper channelization needs to be provided. As decided by the CMC (O) in its meeting held on 16.02.09, letter was issued on 24.04.09 to apply for consent to establish. Unit has applied for CTE (orange) on 16.06.09 vd ID 30343. As decided by the CMC (O) in its meeting held on 17.06.09, consent to establish & SCN u/s 21 of the Air Act were issued on 30.07.09 for not obtaining CTO. As decided by the CMC (O) in its meeting held on 05.08.10, letter was issued on 27.09.10 to correct the deficiencies observed during inspection and submit an affidavit in this regard.	12-12-2012 Consent to Operate granted without trade effluent discharge. IT Cell be requested to correct the category of the activity of the unit.

								Unit has submitted its reply on 16.11.11 along with photographs of hood & suction arrangement & an affidavit stating that they have provided hood & suction arrangement with proper stack.	
46	34315 24-06-2010	DERBY COSMETICS MANUFACTURERS T-2/131,PH-I,MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	MFG. OF COSMETICS (WITHOUT TRADE EFFLUENT).	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		06-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Earlier CMC Decision on 05.08.2010 Inspection be conducted. Accordingly, inspection be conducted on 11.11.2010 and following were observed: a) Unit is engaged in mfg. of cosmetics i.e. hair oil, jelly, shaving cream etc. b) No acoustic enclosures and adequate stack height provided with D.G sets of 7.5 KVA the rating plate of D.G. set found removed. c) As observed no Water polluting activity observed. d) As informed, the stainless steel mixing tanks are cleaned by a piece of cloths. CMC Decision on 21.01.2011 Issue SCN for refusal of consent and SCN u/s 31(A) of the Air Act. Accordingly, SCN for refusal of consent and SCN u/s 31(A) of the Air Act were issued to the unit on 08.03.2011. Reply received from the unit on 22.03.2011 along with an affidavit and stated that they have removed the DG set from the premises.	12-12-2012 Renewal of Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit.
47	34316 24-06-2010	NAKUL POLYCHEM & PACKAGING INDUS. F-36, DSIDC COMPLEX, ROHTAK ROAD, DSIDC NANGLOI INDUSTRIAL AREA	Nangloi Industrial Area	Orange Renewal	PLASTIC DANA	• Date of commissioning of project ---- • Built Up Area ---- 270 (in sq. meter) • Water Consumption ---- 160 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		05-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	12-12-2012 In view of the decision taken by DPCC Board in its meeting, CTE is not required as unit has obtained CTO earlier. Renewal of Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct the category of the activity of the unit to Manufacturing of PVC Granules & Other Injection Moulded Items (Without Reprocessing Activity).
48	34322	ROYAL COLOUR CARTON	Naraina Industrial Area	Orange Renewal	OFFSET PRINTING PRESS			21-11-2012 (1)ETP ---- N/A	12-12-2012 Renewal of Consent to Operate (without

	24-06-2010	B-95/1, NARAINA INDUSTRIAL AREA PHASE - I	Phase - I			• Date of commissioning of project ---- • Built Up Area ---- 334 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 1000 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 0 liters/day	(2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 62.5 & 40 KVA. Noise monitoring report dated 23-06-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 62.5 & 40 KVA. Noise monitoring report dated 23-06-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 01.07.2005 and following were observed: - the unit is engaged in the activity of printing. - the electric connection has been disconnected by NDPL. - However two DG sets of 62.5 and 40 KVA without acoustic enclosure are existing in the premises. - No effluent is being generated. - the compliane w.r.t. HWM has been observed. - the water connection has not been disconnected by DJB. (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	trade effluent discharge) and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit to Printing Press (Without Trade Effluent Discharge).
49	34329 25-06-2010	PHOENIX CONTACT INDIA PVT. LTD. A-58/2, OKHLA INDUSTRIAL AREA, PHASE-II	Okhla Industrial Area	Orange Renewal	MANUFACTURE OF TERMINAL BLOCKS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 421 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 1000 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 0 liters/day	06-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 21-06-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 05.08.10, letter was issued on 17.09.10 to apply for Consent To Establish. Unit has applied for CTE on 28.10.10 vd ID 35507. As decided by the CMC (O) in its meeting held on 21.01.2011, CTE was issued on 03.03.11.	12-12-2012 Consent to Operate granted without using plastic scrap as a raw material.
50	34340 28-06-2010	ASHISH GLASS INDUSTRIES DSIDC SHED NO-61, SCHEME-I, PHASE-II OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MFG. OF GLASS GIFT ITEM. Glass Processing (Cutting, Grinding, Buffing etc.) without Furnace	• Date of commissioning of project ---- • Built Up Area ---- 148.64 (in sq. meter) • Water Consumption ---- 450 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 15 KVA. Noise monitoring report dated 08-06-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details conducted by the officials of DPCC on 14.03.2011: a. Unit was found operational & engaged in the activity of Mfg.	12-12-2012 Inspection be conducted.

							& processing of glass gift items. b. No channelization was provided with spray paint booth. c. No HWM provisions were made. d. Grinding & polishing were made w/o proper channelizations. An application for CTE on 18.01.2006 was refused on 07.04.06. As decided by CMC (O) in its meeting on 05.08.10, a letter was issued to the unit on 17.09.2010 to apply for CTE. A reply was received from the unit on 07.10.10 along with the receipt of CTE. As decided by CMC (O) in its meeting on 08.04.2011, a letter was issued to the unit on 06.06.2011 asking the unit to provide proper channelization system with spray painting, grinding and polishing section and also to apply for authorization under HWM Rules. Unit has submitted its reply on 24.06.11 & stating that they have provided proper channelization system with spray painting, grinding and polishing section. Unit has applied for authorization under HWM Rules on 29.08.11 vd ID 869.	
51	34378 02-07-2010	OM ENTERPRISES SHED NO.3, CAT-III, DSIDC NANGLOI INDUSTRIAL AREA, ROHTAK ROAD	Nangloi Industrial Area	Orange Operate	POLYTHENE TUBE	• Date of commissioning of project ---- • Built Up Area ---- 45.5 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 85 liters/day (b) Trade Effluent ---- 0 liters/day	06-09-2010 Quantity of Ground water extraction nil ATR / Remarks Earlier CTO application dated 26.07.2002 was refused vide i.d. no. 2887 Applied for CTO on 11.04.2007 vide application no. 21028 Plot area-45.5 sqm D.G. Set- nil Trade eff- nil Recommendations of Scrutinizing Committee on 16.08.2010 Recommended for grant of consent to operate	12-12-2012 Inspection be conducted, thereafter, file be put up administratively.
52	34393 05-07-2010	GEE PEE ENGINEERING INDUSTRIES A-54, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	FIBRE GLASS PRODUCTS SUCH AS HELMETS, HEAT TANK ETC.	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 40 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	06-09-2010 Quantity of Ground water extraction:- 0.04 KLD ATR / Remarks:- Plot Area:379.18 sq.m DG set:62.5 kva with stack ht 2.5m above roof level Trade effluent:NIL NMR submitted dated 23.03.2010 CTR granted and valid up to 02.06.2007 CTR applied on 24.10.2007. Recommendations of Scrutinizing Committee on 17.08.2010:- Inspection be conducted. Inform to DJB regarding ground water extraction.	12-12-2012 Ask the unit to submit stack monitoring report for channelization system from empanelled laboratory of DPCC. IT Cell be requested to correct the category of the activity of the unit.
53	34397	MANGLA INDUSTRIES S-56 PHASE-1	Badli Industrial Estate	Orange Renewal	COLD RE ROLLING OF S.S. PLATES/SHEETS (JOB WORK).		06-09-2010 Quantity of Ground water extraction:- 0.2 KLD	12-12-2012 Reply along with an affidavit received on 12.11.2010. Renewal of Consent to

	05-07-2010	BADLI INDUSTRIAL ESTATE				• Date of commissioning of project ---- • Built Up Area ---- 173 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		ATR / Remarks:- Plot Area:173 sq.m DG set: NIL Trade effluent:NIL CTR refused on on 07.06.2006 CTR applied on 03.07.2007. CTE granted and valid upto 27.02.2009. Recommendations of Scrutinizing Committee on 17.08.2010:- Issue SCN to the unit stating as to why the necessary action should not be initiated under the provision of the law as the unit has submitted the affidavit on the stamp papers purchased in the name of DPCC. Inform to DJB regarding ground water extraction	Operate granted. IT Cell be requested to correct the category of the activity of the unit.
54	34403 05-07-2010	J.P. TRADERS A-65/1, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	PVC TUBE.	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Quantity of Ground water extraction:- 0.5 KLD ATR / Remarks:-Plot Area:400 sq.m DG set: 62.5 kva with stack ht 2.5 m. Trade effluent: NIL NMR submitted dated 21.05.2010. CTO granted and valid up to 23.07.2005 Recommendations of Scrutinizing Committee on 17.08.2010:- Ask the unit to apply for consent to establish. Subsequently, inspection be conducted. Inform to DJB regarding ground water extraction	12-12-2012 Inspection be conducted, thereafter, file be put up administratively.
55	34404 05-07-2010	DASHMESH PLASTIC A-65/1, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	PVC TUBE.	• Date of commissioning of project ---- • Built Up Area ---- 334.45 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Quantity of Ground water extraction:-0.5 KLD ATR / Remarks:-Plot Area:400 sq yards DG set:62.5 kva with stack ht 2.5 m Trade effluent:NIL CTO granted and valid up to 28.07.2005. Recommendations of Scrutinizing Committee on 17.08.2010:- Ask the unit to apply for consent to establish. Subsequently, inspection be conducted. Inform to DJB regarding ground water extraction.	12-12-2012 Inspection be conducted, thereafter, file be put up administratively.
56	34415 07-07-2010	MANU GRAPHICS B-216, PHASE-1, NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Operate	OFFSET PRINTING WORKS WITHOUT WASHING	• Date of commissioning of project ---- • Built Up Area ---- 3000 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 300 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Earlier CMC Decisions Decision on 20.10.09 Issue Consent to establish. Subsequently inspection be conducted Decision on 23.03.2010 Issue SCN u/s 33 (A) of the water act and u/s 5 of EPA for closure of the unit Quantity of Ground water extraction 300 LPD	12-12-2012 Inspection be conducted.

							ATR / Remarks Unit submittted its point wise reply on 18.05.2010 Earlier CTE issued valid upto 17.11.2010 Plot area: 3000 sqm Trade eff: nil D.G. Set: nil Recommendations of Scrutinizing Committee on 16.08.2010 Ask the unit to submit Bank Guaratee of Rs. 50,000 each under Water Act and HWM Rules valid for one year and also submit its reply on an affidavit. Inform to DJB regarding ground water extraction.	
57	34421 07-07-2010	DEHRA ENTERPRISES 426-431, GALI NO 8, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Operate	Copper Wire Drawing.	• Date of commissioning of project ---- • Built Up Area ---- 63 (in sq. meter) • Water Consumption ---- 170 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	11-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 42 KVA. Noise monitoring report dated 01-03-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 14-02-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 25.02.11 & it was observed that unit was found i)The unit has applied under Orange Category as well on 08.05.2009. ii)The unit has also applied under HW authorization. But has not kept the container in an isolated area, also the dateon which storage began was not indicated on each container. iii)A/E with one DG set of 125 KVA provided and with another 125 KVA- not provided. iv) other unit M/s Sunil Malik is also operating in the same premises engaged in Super Enameling and operating without CTE/CTO. (5) SCN u/s 31(A) & 5 of EPA details : issued on 01.07.10. Unit has submitted its replies on 15.08.10. Case was taken up by the CMC (Green) in its meeting held on 04.03.2011 & it was decided that consent under Green category be revoked and case be shifted to CMC(Orange) Committee. It has been observed during the inspection that one another unit namely M/s Sunil Malik is engaged orange category activity. Therefore, SCN u/s 31(A) of the Air Act to be issued. As decided by the CMC (G) in its meeting held on 04.03.2011, SCN u/s 31 (A) of the Air Act was issued on 24.05.11 to M/s	12-12-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.

							SUNIL MALIK. As decided by the CMC (G) in its meeting held on 04.03.2011, Revocation of earlier CTE (Green category) was issued on 13.12.11	
58	34441 08-07-2010	KRISHNA HEEL MANUFACTURING CO. A-25, DSIDC ENGG. COMPLEX MANGOLPURI INDUSTRIAL AREA PH-I	Mangolpuri Industrial Area	Orange Operate	MFG. OF PLASTIC MOULDED GOODS.	• Date of commissioning of project ---- • Built Up Area ---- 53 (in sq. meter) • Water Consumption ---- 110 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	06-09-2010 Quantity of Ground water extraction:- Nil ATR / Remarks:-Plot Area: 53 sq.m DG set:NIL Trade effluent:NIL CTO applied on 18.07.2006 Recommendations of Scrutinizing Committee on 17.08.2010:- Issue SCN to the unit stating as to why the necessary action should not be initiated under the provision of the law as the unit has submitted the affidavit on the stamp papers purchased in the name of DPCC. Also ask the unit to apply for consent to establish.	12-12-2012 Issue Show Cause Notice for refusal of consent. IT Cell be requested to correct the category of the activity of the unit to Plastic Processed Goods.
59	34444 09-07-2010	PRINT TIME PLOT NO. 139, PH-II, SHAHZADA BAGH INDUSTRIAL AREA ROHTAK ROAD	Shahzada Bagh Industrial Area	Orange Renewal	Flexible packaging material (with printing)	• Date of commissioning of project ---- • Built Up Area ---- 32 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day	06-09-2010 ATR / Remarks BUA : 32 sqm GW: Nil Water Consumption : 100 Lt/day Waste Water generation : (a) Domestic effluent: 80 ltr/day (b) Trade effluent: Nil Date of Commissioning: sept 1996 (Establishment) CTO issued on 24-08-2004 Applied for CTR on 13-06-2007 Applied for CTR on 09-07-2010 Recommendations of Scrutinizing Committee on 17.08.2010 Ask the unit to apply for consent to establish and authorization under HWM Rules. Also inspection be conducted.	12-12-2012 Inspection be conducted, thereafter, file be put up administratively.
60	34449 09-07-2010	STYLOPACK PLOT NO. 91, POCKET-I, SECTOR-2, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Flexible printing pouching and lamination work.	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	06-09-2010 ATR / Remarks BUA : 120 sqm GW: Nil Water Consumption : 100 Lt/day Waste Water generation : (a) Domestic effluent: 50 ltr/day (b) Trade effluent: Nil Date of Commissioning: May 2005 (Establishment) Applied for CTO on 9-07-2010 Recommendations of Scrutinizing Committee on 17.08.2010 Issue letter for clarification w.r.t. detailed mfg. process. Ask the unit to apply for fresh authorization under HWM Rules.	12-12-2012 Inspection be conducted, thereafter, file be put up administratively.

61	34493	HIND TIN STORE 500, SHAHZADA BAGH INDUSTRIAL AREA 14-07-2010	Shahzada Bagh Industrial Area	Orange Renewal	Manufacturing of PVC Toys & House wire goods.	• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 300 liters/day • Waste Water generation (a) Domestic Effluent ---- 40 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 ATR / Remarks BUA : 80 sqm GW: Nil Water Consumption : .030 k Lt/day Waste Water generation : (a) Domestic effluent: .004 k ltr/day (b) Trade effluent: Nil Date of Commissioning: 2000(Establishment) CTO issued on 06-05-2003 Applied for CTR on 14-07-2010 Recommendations of Scrutinizing Committee on 17.08.2010 Ask the unit to apply for consent to establish.	12-12-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct the category of the activity of the unit.
62	34494	MOHD. ISMAIL 492, PH-I, INDERLOK, SHAHZADA BAGH INDUSTRIAL AREA 14-07-2010	Shahzada Bagh Industrial Area	Orange Renewal	Manufacturing of PVC/Plastic Toys.	• Date of commissioning of project ---- • Built Up Area ---- 160 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 40 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 ATR / Remarks BUA : 160 sqm GW: 0.030 k ltr/day Water Consumption : 0.030 k Lt/day Waste Water generation : (a) Domestic effluent: 0.004 k ltr/day (b) Trade effluent: Nil Date of Commissioning: 2000 (Establishment) CTO issued on 06-05-2003 Applied for CTR on 14-07-2010 Recommendations of Scrutinizing Committee on 17.08.2010 Ask the unit to apply for consent to establish.	12-12-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct the category of the activity of the unit.
63	34523	MODERN ENGINEERING WORKS GI-48, G.T. KARNAL ROAD INDUSTRIAL AREA 15-07-2010	G.T. Karnal Road Industrial Area	Orange Renewal	MFG. OF AUTO PARTS.	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Quantity of Ground water extraction:- Nil ATR / Remarks:- Plot Area: 200 sq.m DG set: Nil Trade effluent:Nil CTO valid upto 19.10.2007 Recommendations of Scrutinizing Committee on 17.08.2010:- Ask the unit to apply for consent to establish.	12-12-2012 Renewal of Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit to Plastic Processed Goods.
64	34524	ANU AUTO INDUSTRIES GI-48, G.T. KARNAL ROAD INDUSTRIAL AREA 15-07-2010	G.T. Karnal Road Industrial Area	Orange Renewal	MFG. OF AUTO PARTS.	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Quantity of Ground water extraction:- Nil ATR / Remarks:- Plot Area: 360 sq.m DG set:Nil Trade effluent:Nil CTO valid upto 19.10.2007 Recommendations of Scrutinizing Committee on 17.08.2010:- Ask the unit to apply for consent to establish.	12-12-2012 Renewal of Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit to Plastic Processed Goods.
65	34601	HANDA STORE 5/36, KIRTI NAGAR INDUSTRIAL AREA 23-07-2010	Kirti Nagar Industrial Area	Orange Renewal	RUBBER ATUO PARTS			06-09-2010 ATR/Remarks Earlier CTO issued valid upto 01.08.05. Applied for CTO_R vide application no 15533 on 25.07.05 Plot area- 100 sqm D.g. Set nil Trade eff- nil	12-12-2012 Ask the unit to submit stack monitoring report for channelization system from empanelled laboratory of DPCC. IT Cell be requested to correct the category of

						• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		Ground Water nil Recommendations of Scrutinizing Committee on 17.08.2010 Ask the unit to apply for consent to establish.	the activity of the unit to RUBBER AUTO PARTS excluding production of tyres and tubes (without reclamation and devulcanisation of rubber).
66	34603 23-07-2010	SPACE LAMINATORS C-73, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	PRINTING OF FLEXIBLE PACKAGING MATERIAL	• Date of commissioning of project ---- • Built Up Area ---- 656 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Quantity of Ground water extraction nil ATR / Remarks Earlier CTO issued valid upto 28.06.2007 Applied for CTO_R on 27.07.2007 vide application no. 22856 Applied for authorization under HWM rules on 25.07.06 and renewal of authorization on 19.07.2010. Plot area: 605 sq yards D.G set: 40 KVA & 125 KVA,(non-operative/dismantled/disconnected) SMR submitted dated 16.07.2010 Trade eff: nil Applied for authorization under HWM Rules on 25.07.2006 & 19.07.2010 Recommendations of Scrutinizing Committee on 16.08.2010 Ask the unit to apply for consent to establish.	12-12-2012 Inspection be conducted.
67	34624 27-07-2010	SANGHVI CABLES (INDIA) 1/548, GALI NO 6, SHAHDARA, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	Mfg. of PVC Compound, Wire & Cables.	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		01-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 30.09.10, letter was issued on 27.10.10 to apply for consent to establish. Unit has submitted its reply on 12.11.10 along with the photocopy of Consent to establish, which was issued on 30.02.03 vd CNO No. DPCC/CMC/2002-03/5181 (valid up to 22.05.04). EARLIER CMC DECISION 30.09.2010 Ask the unit to apply for consent to establish.	12-12-2012 In view of the decision taken by DPCC Board in its meeting, CTE is not required as unit has obtained CTO earlier. Renewal of Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit.
68	34638 27-07-2010	CHAWLA PACKAGING PVT. LTD. 199, FIE, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	Rotographic printing & Lamination.	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		06-12-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 26-05-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes.	12-12-2012 Inspection be conducted.

								(3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 160 & 160 KVA. Noise monitoring report dated 31-05-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: Conducted on13.05.2011: The unit was advised/not to manufacture packing for guttka / tobacco products As decided by the CMC (O) in its meeting held on 30.09.10, letter was issued on 26.10.10 to apply for consent to establish. Case was taken up by the Screening Committee in its meeting held on 10-10-2012, it was decided that Inspection be conducted. Inspection yet to be conducted as per the decision dated 10.10.2012.	
69	34639 27-07-2010	CHAWLA PACKAGING PVT LTD 200, FIE PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	Flexible printed & laminated film	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		06-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: Conducted on18.05.2011: Unit has been printing packaging in paper & BOPP / Multilayered material. As decided by the CMC (O) in its meeting held on 30.09.10, letter was issued on 26.10.10 to apply for consent to establish including the detailed mfg. process elaborating the method of heating. Case was taken up by the Screening Committee in its meeting held on 10.10.2012 & it was decided that inspection be conducted. Inspection is yet to be conducted as per the decision dated 10.10.12.	12-12-2012 Inspection be conducted.
70	34652 28-07-2010	SUPER ENTERPRISES A-115/1, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	CASTING OF FERROUS & NON FERROUS METAL .	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Quantity of Ground water extraction:- Nil ATR / Remarks:- Plot Area: 225 sq.m DG set: Nil Trade effluent: Nil CTR valid upto 18.08.2007 CTR applied on 14.09.2007. Stack monitoring report submitted on 26.07.2010 Recommendations of Scrutinizing Committee on 17.08.2010:-	12-12-2012 Inspection be conducted.

									Decision be deferred till clarification from DDA.	