



CONSENT MANAGEMENT

Agenda No. 1 - Annexure II - 13 Cases of Consent to Establish under orange category of the period 31.07.2010 to 01.04.2010 in reverse chronology (excluding the cases of Redevelopment areas)recommended by Screening Committee as (2c category) in its meeting on 12.12.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	33610 22-04-2010	ASHA FARM KH. NO. 54/22/1(3-3). PALLA BAKHTWARPUR ROAD	NORTH WEST	Orange Establish	HOSPITALITY.	• Date of commissioning of project ---- • Built Up Area ---- 4050 (in sq. meter) • Water Consumption ---- 5180 liters/day • Ground Water ---- 800 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		10-12-2012 (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set:(62.5 KVA Proposed) Earlier CMC Decision on 13.08.2010 Issue SCN for refusal of consent. Accordingly SCN for refusal of consent issued on 01.11.2010. Reply received from the unit on 26.11.2010. As per the decision taken up by Competent Authority revocation of closure direction issued to the unit on 03.03.2011. Decision on 17.06.2011 Ask the unit to submit the proper permission from the MCD. Accordingly, a letter was issued on 02.08.2011. A reply received from the unit on 23.08.2011 along with permission from MCD. After that an inspection conducted on 26.11.2012 and following were observed: 1. Unit found operational. The party lawn found fully decorated. 2. Unit is having effluent treatment plant but same found in defunct condition. At present waste water generated from kitchen and washing of utensils is being discharged into a under ground tank. 3. Unit is having one kitchen under tin shed in back side of lawn. No channelization system observed. 4. No wet sludge observed in sludge drying bed. 5. Unit is having one room & one lobby in lawn and waste water/sludge in a under ground tank and it is cleaned through a succor machine. 6. Unit has not shown any document like health license from MCD, Police License, Permission from MCD for social formation. 7. Unit is having 4 DG sets (2X125, 1X62.5 & 1X82.5 KVA) found installed with inadequate stack height. 8. Unit found operational without obtaining consent to operate from DPCC.	12-12-2012 Implement the decision taken on file and file be put up administrativley. IT Cell be requested to correct the category of the activity of the unit to Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts).

							(5) SCN u/s 31(A)/33(A) was issued.	
2	33708 29-04-2010	GUPTA METAL & WIRE PRODUCTS PLOT NO.-85, POCKET-N, SECTOR-1, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	Mfg. of Steel Wire, Sheet Metal Products, Wire Drawing & Casting of Ferrous & Non Ferrous metal.	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	06-12-2012 (1)ETP ---- Nil (2)ECS - Nil (3)D.G.Set: ...Nil Earlier CMC decision dated 17.06.2011: Issue SCN for refusal of consent. Accordingly a SCN has been issued to the unit on 26.07.2011. a reply has been received from the unit dated 28.11.2011 giving detailed manufacturing process.	12-12-2012 Recommended for inspection.
3	33880 14-05-2010	AAR GEE POWER CONTROL PLOT NO-54, POCKET-J, SEC-2, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	MFG. of Electrical & Electronics power control panels with phosphating.	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 800 liters/day	06-12-2012 (1)ETP ---- No (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 25-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Stack monitoring report dated 25-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes 1number of parameters analyzed which are within limit prescribed limit. Decision / Recommendation of Screening Committee (MS) Date : 20-04-2012 Inspection be conducted. Thereafter, file be put up administratively. Recommendation / Action Taken Details (EE/AEE) Date : 30-07-2012 As decided by the Screening Committee inspection conducted by the officials of DPCC on 10.07.2012 during the inspection following were observed: a) Unit found in operation cyclone with bags found installed for powder coating section and found in operation. b) No phosphating activity found at site however empty tank lying in the permises. c) Baking is along throught LPG over.	12-12-2012 Recommended for grant of Consent to Establish without phosphating. IT Cell be requested to correct the category of the activity of the unit to Powder Coating without Phosphating.
4	33897 18-05-2010	BLUFOX INTERNATIONAL 11-A, GALI NO.4, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Establish	Manufacturing of Bakelite Powder.	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 50 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	11-12-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 09.09.2011 issued by DTU submitted. (b) Stack analysis report dated - 09.09.11 - issued by - DTU - submitted. (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 09.02.09 & following were observed:	12-12-2012 Recommended for grant of Consent to Establish. IT Cell be requested to correct the category of the activity of the unit.

							1. The unit is dealing with manufacturing of Bakelite moulding power. 2. It was a highly air polluting unit Bakelite powder was spread everywhere at the unit. 3. As informed everything was being recycled and waste was not being segregated & separated, infact was again added up in the process. 4. Filter was installed at the roof to control air pollution but could not be seen as it was inaccessible. (5) Closure directions u/s 31(A) details : issued on 25.03.09 as the unit is figuring in the negative list of MPD 2021. Unit approached to Appellate Authority and the Appellate Authority issued order on 02.02.2010 that in the light of aforementioned analysis, the impugned order of DPCC dated 25.03.2009, issuing directions for closure to the unit M/s Blufox International located at Friends Colony Industrial Area, Delhi, is hereby quashed. The DPCC is directed to take an appropriate decision on the Appellant s application for Renewal of Consent to Operate taking into account the observations of the Authority. A letter was issued on 05.02.10 in which unit was asked to file application for CTE and also to rectify the deficiencies communicated on account of recommendations made in the adequacy report of IIT. Unit has submitted a letter on 18.05.2010 informing CTE application with a request for personal hearing. Case was taken up by the CMC (O) in its meeting held on 26.07.10 & it was decided to accept the request of the unit for personal hearing. Personal hearing is conducted on 30.07.10. As decided by the CMC (O) in its meeting held on 17.06.11, letter was issued 01.08.11 for submission of adequacy report of ECS from empanelled consultant of DPCC. Unit has submitted its reply 13.09.11 along with the adequacy report of ECS dated 09.09.11 issued by DTU.	
5	33928 20-05-2010	BISLERI INTERNATIONAL PVT LTD 60, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Establish	MFG OF PACKAGED DRINKING WATER	• Date of commissioning of project ---- • Built Up Area ---- 5892 (in sq. meter) • Water Consumption ---- 331000 liters/day • Ground Water ---- 331000 liters/day • Waste Water generation (a) Domestic Effluent ---- 10000 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 380 & 380 KVA. Noise monitoring report dated 12-07-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: as per CMC meeting dated 16.03.2009, inspection conducted on 1.05.2009 and following were following:	12-12-2012 Recommended to inspect the unit, thereafter, file be put up administratively in view of the recent guideliness of the Central Government regarding extraction of ground water, as decided on 03.12.2012.

							1) unit found operational and engaged in packaging of drinking mineral water (with treatment). 2) DG set acoustic room needs repaqr at some places. 3) one oil fired boiler observed at site. As informed it is not in use. 4) two injection moulding machines observed at site. As informed, they are not in use and perform pet is procured from outside and only blowing is done in the unit. 5) the discarded bottles are cut and sold to recycler. 6) about 125000 cartons/cases (each with 12 bottles) is the production per month plus 200000 units (20tr/5ltr)/ month. 7) approx7-8 tons/month goes as plastic scrap. 8) 3 borewells exist at the site. 9) As informed the water consumption for the peak month is 6879000 per month (peak summer month). (5) SCN for refusal of consent and u/s 33 (A) of the water act 26.08.2010 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No CMC decision dated 17.06.2011 Ask the unit to clarify how the treated water having the TDS level of about 9000 mg/l is reused and put up the case in next meeting. a letter was issued on 25.07.2011 and reply was received from the unit on 29.08.2011 along with the flow diagram of tertiary treatment of rejected water.	
6	34163 10-06-2010	ALBION CONSULTING PVT. LTD. F-90/12, PHASE-1, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Establish	Manufacturing gold, Silver, Platinum and studded jewellery. Electroplating Industries	• Date of commissioning of project ---- 01-04-1988 • Built Up Area ---- 1300 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- installed (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:conducted by DPCC officials on 05.01.2011. The following were observed: 1. Unit was operational without applying CTO. 2. Electroplating is done by electroplating pens. 3. Ultrasonic m/c is used to clean the articles. 4. Waste water generated from cleaning & electroplating were discharged into sewer w/o any treatment. 5. No ETP has been installed. 6. Dry waste collected through branches & vacuum and then send it to authorized recyclers for refining purpose as reported. 7. One another unit M/s Digital graphics India Pvt Ltd is at ground floor & engaged in the activity offset printing. 8. M/s Digital Graphics India Pvt. Ltd having ETP but not in operational condition. 9.HWM Rules are not followed by both units. 10. One D.G Set of 125 KVA is used by both the units having no acoustic enclosure & inadequate stack height.	12-12-2012 File be put up administratively.

(5) SCN u/s 31(A)/33(A)/5 of EPA issued on 06.04.2011

As decided by CMC (O) in its meeting held on 17.06.2011, letter was issued ot M/s Albion Consulting Pvt. Ltd for submission of Bank Guarantee of Rs. 50,000/- each under Air Act, Water Act and HWM Rules valid for one year along with an affidavit stating that unit will not carry put any water polluting activity & will not use DG set.

As decided by CMC (O) in its meeting held on 17.06.2011, letter was issued on 29.07.2011 to M/s Digital Graphics India Pvt Ltd for submission of Bank Guarantee under Air Act, Water Act and HWM Rules & an affidavit.

M/s Digital Graphics India Pvt Ltd has submitted Bank Guarantees on 19.09.2011

As decided, file was put up administratively & it was decided to inspect both the unit i.e., M/s ALBION CONSULTING PVT. LTD. & M/s DIGITAL GRAPHICS INDIA PVT LTD.

As decided by the screening committee in its meeting held on 17.08.12, file was put up administratively & it was also decided that letter be issued to M/s ALBION CONSULTING PVT. LTD as the unit is doing electroplating & latest notification dated 30.03.12.

As approved, letter was issued to the unit i.e., M/s ALBION CONSULTING PVT. LTD on 04.10.12 regarding the additional parameters includes by the MoEF, Govt. of India, vide notification dated 30.03.12.

As approved, units was inspected by DPCC officials on 18.10.12 & brief of the finding of the each unit is as below:

- M/s ALBION CONSULTING PVT. LTD
- 1) Unit found operational & engaged in the activity of Mfg. of gold, Silver, Platinum & studded jewelery.
 - 2) Electroplating is done by electroplating pens.
 - 3) Dry waste collected through branches & vacuum & then sent it ti authorized recycler for refining purposes.
 - 4) Bore well not exist.
 - 5) As reported, DG set installed in the premise was earlier used by the unit on rent basis. Now, rent agreement was cancelled by the unit.

M/s DIGITAL GRAPHICS INDIA PVT LTD has shifted to D-8/2, Ph-I, Okhla Industrial Area. All plant & machinery has been shifted.

								Decision dated 03.12.12 yet to be implemented.	
7	34234 17-06-2010	CHOPRA METAL WORKS B-31, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Establish	MFG. ZIP SLIDER WITH CASTING & ACID WASH.	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 650 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 50 liters/day		10-12-2012 Inspection of the unit was conducted on 13.12.2010 and following were observed: 1) unit found in oiperation and engaged in the manufacturing of zip sliders. 2) ETP found installed but not found in operation. 3) one more unit was operating in the said premises and details was not informed. Show cause notice u/s 5 of EPA/ 33(A)/31(A) were issued on 11.01.2011 unit submitted its reply on 25.01.2011 wherein mentioned that they are going to start the labelling on each container which will require 10 days time. further stated that daily record of hazardous wastewas maintained. Earlier CMC decision dated17.06.2011: Ask the unit to submit the affidavit for rectification of deficiencies and bank guarantee of RS. 50,000 each under Air Act, 1981, Water ACT, 1974 and HWM Rules valid for one year. Accordingly a letter issued to the unit on 02.08.2011. unit submitted its reply on 25.08.2011 and 12.09.2011 along with an affidavit and bank guarantee under Water Act and HWM Rules. A letter issued to the for submission of bank guarantee under Air Act, 1981 on 15.11.2011 but no reply recieved till date.	12-12-2012 Recommended for inspection.
8	34287 21-06-2010	CENTURY IMPEX A-101/3, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Establish	MANUFACTURING OF READYMADE GARMENTS WITH WASHING.	• Date of commissioning of project ---- • Built Up Area ---- 643.5 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 500 liters/day	Recommendations of Scrutinizing Committee on 15-07-2010 Ask the unit to submit Bank Guarantee of Rs. 50,000 each under Air Act and Water Act valid for one year. Decision of Consent Management Committee on 30-07-2010 Ask the unit to submit Bank Guarantee of Rs. 50,000 each under Air Act and Water Act valid for one year.	13-07-2010 ATR/Remark 1. Comencement- 1993 2. Trade effluent- 0.5 KLD. 3. DG- nil 4. GW- nil. 5. CTE cancelled on 14.09.09 vd id no. 335.	12-12-2012 File be put up administrativley. IT Cell be requested to correct the category of the activity of the unit.

9	34314	GAURAV FOODS F-1705, NARELA INDUSTRIAL AREA 24-06-2010	Narela Industrial Area	Orange Establish	MFG.OF FLOUR MILL.	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 550 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day		06-12-2012 (1)ETP ---- N/A . (2)ECS - Not provided (unit mentioned in application form ECS system has been installed) (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. Earlier CMC Decision: 17.06.2011 Ask the unit to submit fresh affidavit prescribed for consent to establish on the proper stamp paper. As per the decision taken up by CMC (O) dated 17.06.2011 letter for submission of fresh affidavit prescribed for the consent to establish on the proper stamp paper was sent on 04.08.2011. Reply has been received on 26.08.2011 alongwith the fresh affidavit in the proper stamp paper.	12-12-2012 Recommended for grant of Consent to Establish. Ask the unit to apply for renewal of consent within 15 days.
10	34396	TRIBHUVAN METAL INDUSTRIES C-59/1, WAZIRPUR INDUSTRIAL AREA 05-07-2010	Wazirpur Industrial Area	Orange Establish	MFG. OF ALUMINUM SHEETS.	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 400 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 ATR / Remarks Year of establishment-July 2010 Recommendations of Scrutinizing Committee on 17.08.2010 Inspection be conducted.	12-12-2012 Inspection be conducted as decided on 17.10.2012.
11	34491	ROYAL GARDEN KH. NO 210-21/8, G.T. KARNAL ROAD, MUKHMEL PUR 13-07-2010	NORTH WEST	Orange Establish	A PARTY LAWN.	• Date of commissioning of project ---- • Built Up Area ---- 2500 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 3500 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 3000 liters/day		06-09-2010 ATR / Remarks Reply received in regard of the inspection on 29.07.2010. Inspected on 09.06.2010. As per decision of CMC dated 13.08.2010, issue letter to the unit to submit Bank Guarantee of Rs. One Lakh each under Air Act and Water Act valid for one year and submit an affidavit stating that not to operate the unit till the compliance of pollution control nomrs. Recommendations of Scrutinizing Committee on 17.08.2010 Recommendd for grant of consent to establish if the unit complies with the CMCs decision dated 13.08.2010	12-12-2012 File be put up administratively.
12	34492	KAILASH FARM KH. NO. 237,238,239,240,241, VILLAGE MUKHMEL PUR, G.T. KARNAL 13-07-2010	NORTH WEST	Orange Establish	A PARTY LAWN.			06-09-2010 ATR / Remarks Reply received in regard of the inspection on 29.07.2010. Inspected on 09.06.2010. As per decision of CMC dated 13.08.2010, issue letter to the unit to submit	12-12-2012 File be put up administratively.

		ROAD				• Date of commissioning of project ---- • Built Up Area ---- 2500 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 3500 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 3000 liters/day	Bank Guarantee of Rs. One Lakh each under Air Act and Water Act valid for one year and submit an affidavit stating that not to operate the unit till the compliance of pollution control nomrs. Recommendations of Scrutinizing Committee on 17.08.2010 Recommended for grant of consent to establish if the unit complies with the CMCs decision dated 13.08.2010	
13	34668 29-07-2010	TINA RUHCI FARMS HOUSE KH. NO 43/9-10-12,VILLAGE KHERA KALAN G.T.K ROAD	NORTH WEST	Orange Establish	FARM HOUSE A PARTY LAWN. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- 01-01-2010 • Built Up Area ---- 2500 (in sq. meter) • Water Consumption ---- 3200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 3000 liters/day	10-12-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 15.09.2011 issued by D.T.U submitted. (b) Effluent analysis report dated 31-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 6 number of parameters analyzed which are within limit / beyond prescribed limit. In compliance of the decision taken in the CMC meeting held on 20.04.2012, Show Cause Notice for closure u/s 31(A) of Air Act, 1981 and SCN for refusal of consent was issued on 25.05.2012. unit submitted its reply on 13.06.2012 along with the noise mionitoring reports. after that file was put up administratively and it was decided to inspect the unit. As per remark inspection was carried out by officials of DPCC on 16.10.2012. During inspection following were the observation: 1. The farm house cum party lawn found operational. It has informed that no social function has carried out since June 2012 due to non season of marriages. 2. Unit has installed biological treatment plant to treat the waste generated from kitchen, floor wash, toilets etc. but same found not in operation. 3. Unit is having temporary kitchen under tin shed in back side of party lawn. No arrangement for channelisation of emissions generated from process. 4. The unit has also made an underground pit for discharging the waste water directly to ground. 5. Unit is having two borewells.	12-12-2012 Implement the decision taken w.r.t.CTO application on 26.11.2012.