



CONSENT MANAGEMENT

Agenda No. 2 - Annexure II - 32 Cases of Consent to Operate and Consent to Operate(renewal)under orange category of the period 31.07.2010 to 01.04.2010 in reverse chronology (excluding the cases of Redevelopment areas) recommended by Screening Committee as (2c category) in its meeting on 12.12.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	34098 06-04-2010	B. PLASTICS PLOT NO.273, SEC-I, PKT-F, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Flour Mill.	- Date of commissioning of project ---- - Built Up Area ---- 150 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 200 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		06-12-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated April 2010 issued by GGSIU submitted.. (b) Stack monitoring report dated 06-04-2010 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Remarks: Earlier CMC Decision dated 27.08.2010: Consent revoked w.r.t. M/s B. Plastic. Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act, 1974 to M/s Goyal Flour Mills. Consent to establish was revoked on 01.10.2010.	12-12-2012 Recommended for inspection, thereafter, file be put up administratively.
2	33517 13-04-2010	DTC NANGLOI NANGLOI DEPOT	Nangloi Industrial Area	Orange Renewal	REPAIR MAINTENANCE WASHING AND SERVICING OF CNG BUSES	- Date of commissioning of project ---- - Built Up Area ---- 23300 (in sq. meter) - Water Consumption ---- 15000 liters/day - Ground Water ---- 14000 liters/day - Waste Water generation (a) Domestic Effluent ---- 11200 liters/day (b) Trade Effluent ---- 0 liters/day		06-12-2012 (1)ETP ---- physicochemical (a) AR dated 29.01.2010issued by DTU submitted. (b) Effluent analysis report dated 29-01-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 29-01-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no	12-12-2012 Recommended for grant of Renewal of Consent to Operate. Ask the unit to apply afresh for authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit to Automobile Servicing And Repair Station With Washing Activity.

							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
							CMC decision dated 26.07.2010 Ask the unit to apply for CTE. Inform to DJB regarding extraction of groundwater. a letter issued to the unit on 19.08.2010 and to DJB on 23.08.2010. A reply received from the unit on 22.02.2011	
3	33577 19-04-2010	SOLAR PRINT PROCESS PVT. LTD. D-16/2, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	SCREEN PRINTING & OTHER JOB WORK	• Date of commissioning of project ---- • Built Up Area ---- 668.9 (in sq. meter) • Water Consumption ---- 40 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMarch, 2010..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 20-02-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 & 125 KVA. Noise monitoring report dated 03-06-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 16-02-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 29.04.10 & following were the observations: 1. Unit was found operational & a batch type ETP was found in operational condition. 2. The unit is complying with the HWM Rules. 3. The unit is having two DG Set of 125 kva each. however, in the consent application only one DG Set of 125 kva has been mentioned. As decided by the CMC (O) in its meeting held on 26.07.10, letter was issued on 01.09.10 for submission of NMR of 125 KVA DG set found during the inspection. Unit has submitted its reply on 08.09.10 along with NMR dated 03.06.10 issued by DPCC.	12-12-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit to Printing Press (With Trade Effluent Discharge).
4	33746 04-05-2010	STEPHY INDUSTRIES PLOT NO 7, GALI NO 4, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Operate	Mfg. of Kitchen Wares with Buffing	• Date of commissioning of project ---- • Built Up Area ---- 125 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) Stack monitoring report dated 16-03-2010 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A...	12-12-2012 Recommended for grant of Consent to Operate and Consent to Establish. IT Cell be requested to correct the category of the activity of the unit to Manufacturing of Stainless Steel Utensils (With Buffing Activity).

								(4) Inspection details : : conducted on 11.02.2009: Buffing activity was found without ECS. (5) SCN u/s 31(A) details : issued on 24.07.2009. (6) Closure directions u/s 31(A) details : 16.06.2010. Unit has submitted its reply on 28.06.10. As decided by the CMC (O) in its meeting held on 26.07.10, letter was issued on 01.09.10 for submission of Bank Guarantee of Rs. 1 lakh under Air Act valid for one year. Unit has submitted a BG of Rs.100000/- under Air Act on 12.10.2010 As decided by the CMC (O) in its meeting held on 02.11.11, revocation of closure directions was issued on 04.01.12.	
5	33765 05-05-2010	ALKA FOOD INDUSTRIES 26, GTK ROAD, S.S.I INDUSTRIAL AREA	S.S.I Industrial Area	Orange Operate	MFG. OF CONFECTIONERY & AURVEDIC PRODUCTS.	• Date of commissioning of project ---- • Built Up Area ---- 1106 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		06-12-2012 (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 22-04-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 12-04-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes Remarks: Closure directions u/s 31(A)/33(A) was issued on 16.03.2011. unit submitted its reply on 21.03.2011 and 02.06.2011 along with an affidavit and adequacy report of Effluent Treatment Plant dated 17.01.2011 issued by DTU requesting for revocation of closure directions. After that a letter issued to the unit for submission of bank guarantee on 21.06.2011. unit submitted the bank guarantee under Air Act and Water Act on 28.06.2011. Revocation of closure directions were issued on 11.07.2011.	12-12-2012 Recommended for grant of Consent to Operate. IT Cell be requested to correct the category of the activity of the unit.
6	33782 07-05-2010	SAMARA INDIA PVT. LTD. B-32, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	AUTOMOBILE WORKSHOP.	• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 2500 liters/day		06-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 24.03.2010 issued by GGSIU submitted. (b) Effluent analysis report dated 13-03-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 13-03-2010 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1	12-12-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit to Automobile Servicing And Repair Station With Washing Activity with Paint Booth.

							(a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 16-03-2010 issued by IP COLLEGE submitted. Noise monitoring report within Limit - Yes Earlier CMC Decision on 30.07.2010 Ask the unit to apply for consent to establish. Accordingly, a letter issued to the unit on 19.08.2010. Unit applied for the same. CMC decision on 25.11.2010. Consent to establish. Accordingly, same was issued on 13.01.2011 which is valid upto 17.01.2012.	
7	33783 07-05-2010	SAMARA INDIA PVT. LTD. B-24, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	AUTOMOBILE WORKSHOP	• Date of commissioning of project ---- • Built Up Area ---- 4000 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 4000 liters/day	05-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedApril 2010..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 26-04-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A Paint Booth (a) Stack analysis report not submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 18-03-2010 issued by IP COLLEGE submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 26.07.10, letter was issued on 01.09.10 for submission of Stack Monitoring Report of paint booth as mentioned in consent application from approved laboratory of DPCC. No reply has been received from the unit.	12-12-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.
8	33821 11-05-2010	GLOBE SERVICE STATIONA 18 K.M. MATHURA ROAD, BADARPUR	SOUTH	Orange Renewal	PETROL PUMP CUM SERVICING OF AUTOMOBILES (CARS)	• Date of commissioning of project ---- • Built Up Area ---- 600 (in sq. meter) • Water Consumption ---- 2200 liters/day • Ground Water ---- 2200 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 2000 liters/day	05-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated05.04.2010..... issued byDTU..... submitted. (b) Effluent analysis report dated 05-04-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 05-04-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No. D. G. Set monitored is meeting the permissible limit as per the G.S.R.371 (E) dated 17th May 2002 and amended till date.	12-12-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit.

							However Ambient Air Quality Standards in Respect of Noise as mentioned in Schedule III of the Environment (Protection) Rules, 1986 is not meeting. Unit has applied authorization under HWM Rules on 11.05.2010 vd ID 0112. As decided by the CMC (O) in its meeting held on 30.07.10, letter was issued to the unit on 07.09.10 to apply for consent to establish and submit the fresh affidavit and Form-I w.r.t. HWM authorization incorporating the used / waste oil as hazardous waste. A letter was also issued to DJB on 07.09.2010 regarding ground water extraction. Unit has submitted its reply on 27.09.10 along with Form-I w.r.t. HWM authorization & affidavit. Unit has applied for CTE under orange category on 27.09.10 vd ID 35212. As decided by the CMC (O) in its meeting held on 25.11.10, CTE was issued on 11.01.2011 vd CNO 26381.	
9	33839 12-05-2010	DTC HARINAGAR-II HARI NAGAR DEPOT-2	NEW DELHI	Orange Renewal	REPAIR AND MAINTENANCE	• Date of commissioning of project ---- • Built Up Area ---- 2244.5 (in sq. meter) • Water Consumption ---- 7800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 3000 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 18.06.2010 issued by GGSIPU submitted. (b) Effluent analysis report dated 25-05-2010 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 12-05-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: inspection conducted by SIT on 10.06.2009 and following wer observed: 1) unit found operational and is a bus repair and maintenance dpot. 2) ETP was not opertional. 3) waste water stagnation observed ner raadiator cleaning area, bus washing area and near waste water underground sorage tank near ETP. 4) domesic waste water stagnation observed near washing area. As informed same is being discharged from Depot-III which is adjacent with this depot. 5) Oil spillage observed in repair section and hazardous waste (waste oil) storage area,. Hazardous waste (waste out) needs to be stored as per HWM rules. 6) rain water channels need thorough cleaning. 7) one borewell exists at the site. 8) DG stack height needs to be raised as per DG norms. 9) better housekeeping practices needs to be adopted. (5) SCN u/s 31(A)/33(A)/5 of EPA details : as per CMC(O)	12-12-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit to Automobile Servicing And Repair Station With Washing Activity.

							meeting decision dated 24.06.2009 SCN issued on 22.07.2009 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no CMC decision daated 30.07.2010 Call depot manager for personal hearing before MS, DPCC. Inform DJB regarding groundwater extraction. For the above mentioned a letter was issued to DJB on 06.09.2010 and to the unit on 08.09.2010 as unit fails to submit the reply of SCN and call for the personal hearing unit submiited its reply on 18.09.2010 stating that they have sent the repy of SCN on 07.08.2009 (copy enclosed) nd all the irregularities found during inspection were rectified and HWM has been removed from the unit.	
10	33871 14-05-2010	AGGARWAL INDUSTRIES C-504,DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	DAL MILL.	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated march 2010 issued by GGSIPU submitted. (b) Stack monitoring report dated 09-03-2010 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Remarks: a letter issued to the unit for submission of application for consent to operate. unit applied for the same on 29.09.2010 and CTE was granted on 18.01.2011	12-12-2012 Recommended for grant of Renewal of Consent to Operate. IT Cell be requested to correct the category of the activity of the unit to Dal Mills.
11	33881 14-05-2010	D.D.MOTORS (DIVISION OF DD INDUSTRIES LTD) A-1 UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Operate	SHOWROOM REPAIR AND SERVICE AUTOMBILE	• Date of commissioning of project ---- • Built Up Area ---- 5217 (in sq. meter) • Water Consumption ---- 8000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 6000 liters/day	10-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 16.09.2009 issued by DTU submitted. (b) Effluent analysis report dated 21-03-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 05-05-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 18.01.2010 and following were observed: 1) unit is found operational and engaged in the showroom, repair workshop and servicing of four wheelers. 2) two DG sets of 125 and 320 KVAs installed in acoustic	12-12-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit to Automobile Servicing And Repair Station With Washing Activity without Paint Booth.

							treated room. stack ht. of 320 KVA DG set is approx. 3m from acoustic treated room . No stack attached to DG set of 125 KVA. As informed they are going to shift their DG set of 125 KVa to MPIA. 3) boundary (ground floor) were car washing area is not raised yet. As informed it will be done within a week. 4) coverag is provided to under coating area. No channelization and exhust system provided. 5)No fresh sludge observed. ETP sludge not maintained as per HWM rules. 6)ETP log book is maintained upto 14.01.2010. 7) one borewell exists at the site. As informed, unit has already applied for DJB permission (copy enclosed). 8) unit is in process of installation of rain water harvesting structure. (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : as per CMC (O) meeting decision dated 23.03.2010 closure directions issued o the unit on 27.04.2010 unit replied on 04.05.2010 CMC decision dated 16.06.2010 ask the unit to submit BG of Rs 1 lakh under ech air , water act and HWM rules valid for one year . If unit submits BG, closure directions be revoked. A letter regarding the submission of BG was issued to the unit on 21.07.2010. Unit replied and submitted the BG on 28.07.2010. A letter for revocation of closure directions issued to the unit on 09.08.2010 CMC decision dated 30.07.2010 implement earlier CMC decsion dated 16.06.2010.	
12	33884 17-05-2010	ESSEX FARM (P) LIMITED 4, AUROBINDO MARG	SOUTH	Orange Renewal	RESTAURANT & BANQUETS	• Date of commissioning of project ---- • Built Up Area ---- 1605 (in sq. meter) • Water Consumption ---- 11280 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 3280 liters/day (b) Trade Effluent ---- 7500 liters/day	05-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMay, 2010..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 27-04-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 3 D.G. Set(s) of 180, 180 & 140 KVA. Noise monitoring report dated 26-03-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	12-12-2012 Recommended for grant of Renewal of Consent to Operate and application for authorization under HWM Rules dated 17.05.2010 be made infructuous. IT Cell be requested to correct the category of the activity of the unit.

							The unit has 3 D.G. Set(s) of 180, 180 & 140 KVA. Noise monitoring report dated 26-03-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Unit has also applied for authorization under HWM Rules on 17.05.10. As decided by the CMC (O) in its meeting held on 30.07.10, letter was issued on 07.09.10 to apply for consent to establish. Unit has submitted its reply on 09.09.11 & 08.12.11 & stating that there is no need to apply for CTE as they have already obtained CTO (valid up to 14.04.07) & applied for CTE on 22.05.07. Unit has also requested to grant consent at the earliest.	
13	34003	OVN TRADING ENGINEERS PVT LTD. 28-05-2010 B T-1/90, PH-I MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Operate	LIGHT ENGG. EORKS (D.G. SET REPAIRING WORKS).	• Date of commissioning of project ---- • Built Up Area ---- 399 (in sq. meter) • Water Consumption ---- 5000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 4000 liters/day	06-12-2012 (1)ETP ---- physio-chemical (a) AR dated 19.03.2010 issued by DTU submitted. (b) Effluent analysis report dated 19-03-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...Nil Remarks: Earlier CMC decision dated 05.08.2010: Ask the unit to apply for authorization under HWM Rules in view of generation of waste oil from the process. Accordingly a letter issued to the unit on 08.09.2010.	12-12-2012 Inspection be conducted, thereafter, file be put up administratively.
14	34006	S.K. ELECTRICAL JOBS 28-05-2010 B-65, DSIDC, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Renewal	Manufacturing of Sanitary bath fittings (without electroplating)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 01.09.10 & following were observed: 1. Unit is engaged in the Mfg. Of CP bathroom fitting with grinding & buffing tec. 2. Bag filter has also been installed. 3. Adequacy report of the bag filter is however not shown/ available. As decided by the CMC (O) in its meeting held on 25.11.2010, SCN for refusal was issued on 17.01.11 for submitting false information and to submit application of consent to operate along with adequacy report and test report of buffing activity. No reply has been received from the unit so far.	12-12-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.
15	34081	DEVI DURGA FLAVOURS A-31/2,	Mayapuri Industrial Area	Orange Operate	MFG OF KHAINI AND PAN MASALA		10-12-2012 (1)ETP ---- N/A (2)ECS - stack attached to bag house	12-12-2012 Recommended for refusal of consent to operate in view of the notification dated

03-06-
2010

MAYAPURI
INDUSTRIAL
AREA PHASE-I,

- Date of commissioning of project ----
- Built Up Area ---- 501 (in sq. meter)
- Water Consumption ---- 500 liters/day
- Ground Water ---- 0 liters/day
- Waste Water generation
(a) Domestic Effluent ---- 300 liters/day
(b) Trade Effluent ---- 0 liters/day

(a) AR dated 20.12.2011 issued by DTU submitted.
(b) Stack monitoring report dated 28.12.2011 issued by DTU submitted. Stack Test Report within Limit - Yes

stack attached to oven-1
Stack monitoring report dated 26-10-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes

stack attached to oven-2
Stack monitoring report dated 26-10-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes

(3)D.G.Set Noise Report : 2
(a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 18-02-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes
The unit has 2 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 15-01-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes

(4) Inspection details: conducted on 13.01.2012 and following were observed:
1) unit found in operation.
2) paper with aluminium coating inside pouch are being used for packaging of masala/ gutkha with brand name KAKA, CASSH and AASHIQUE. samples of same were collected.
3) three dust collector found installed.

(5) SCN for closure u/s 31(A) issued on 01.07.2011

(6) Closure directions u/s 31(A) issued on 17.08.2011

CMC decisions dated 05.08.2010
Ask the unit to submit the SMR for the stack provided with hood and suction arrangement for the process emissions from approved laboratory of DPCC.
a letter issued to the unit w.r.t. to above decision on 15.09.2010.
unit replied back on 27.10.10 along with the SMR issued from DPCC

Another letter issued to the unit for closure direction on 12.09.2011 for submission of affidavit confirming the channelization system
In response to the above letter unit submitted reply on 19.09.2011 alongwith an affidavit and photographs of channelization system.

Another direction letter issued to the unit on 28.09.2011 for

11.09.2012 of Department of Food Safety, Govt of NCT of Delhi regarding prohibition for Mfg. of Guthka / Paan Masala containing Tobacco in NCT of Delhi.

							submission of BG of Rs 1 lakh under air act. Unit submitted its reply on 29.09.2011 alongwith BG. Letter for Revocation of closure directions u/s Air act issued on 03.10.2011 with a direction to submit adequacy report of channelization system installed along with SMR. unit submitted reply on 08.11.2011 and asked for 20-25 days for submission of adequacy and analysis report. CMC decision dated 11.11.2011 Closure direction revoked on 03.10.2011. Issue reminder to submit adequacy report and test report from empanelled consultant and approved laboratory of DPCC within 15 days. A letter issued to the unit on 29.11.2011. Unit submitted reply alongwith adequacy report and air monitoring report on 11.01.2012 Note: Activity in question has been banned vide recent notification issued by Govt. of Delhi	
16	34091	UTILITY FORMS PVT. LTD. A-23/B-1, MOHAN CO-OPERATIVE INDUSTRIAL ESTATE	Mohan Co-operative Industrial Area	Orange Operate	Printed Sheets (computer stationary, forms, pad, books, magazines etc Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 500 liters/day	06-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJuly, 2006..... issued byChemical Engg. Department, IIT, Delhi..... submitted. (b) Effluent analysis report dated 31-05-2010 issued by DPCC submitted. Effluent Test Report within Limit - No. Bio-assay test, Total Chromium (as Cr), Sulphide (as S), Phenolic compounds (as C₄H₂OH), Zinc & Total Metal are the parameters which are not analyzed. (2)ECS - N/A (3)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 180, 250 & 500 KVA. Noise monitoring report dated 25-05-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 180, 250 & 500 KVA. Noise monitoring report dated 25-05-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 180, 250 & 500 KVA. Noise monitoring report dated 25-05-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Case was taken up by the CMC(O) meeting held on 20.03.09 for Consent to Operate and it was decided to ask the unit to apply for Consent to Establish and file permission from Central Ground Water Authority for extracting the ground water. However, unit has submitted its reply on 08.05.09 & requested to extend the time for completion of required documents.	12-12-2012 File be put up administratively.

								Case was taken up by the CMC(O) in its meeting held on 11.05.09 & 24.06.09 and it was decided to allow time for full compliance & issue reminder. Accordingly, reminder letter was issued on 15.07.09. However, unit has not submitted any reply. Unit has again submitted consent application for consent to operate on 03.06.10 vide I.D.No-34091 but unit has failed to submit application for consent to establish. As decided by the CMC(O) in its meeting held on 05.08.10, SCN for refusal of consent was issued on 17.09.10. Unit has applied for consent to establish on 08.10.10 vd ID 35339. As decided by the CMC(O) in its meeting held on 25.11.10, CTE was issued on 11.01.11.	
17	34153 09-06-2010	UNITACK DIALS PVT LTD D-18/4, PH-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	mfg. of wrist watch dials.	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 450 liters/day	Recommendations of Scrutinizing Committee on 15-07-2010 Ask the unit to apply for consent to establish. Decision of Consent Management Committee on 05-08-2010 Ask the unit to apply for consent to establish.	Action Taken Details on 21-10-2010 An office letter issued to the unit on 17.09.2010 for apply for CTE Reply received from the unit on 19.10.2010 that the unit applied for CTE on 12.10.2010 vide ID 35362. 15-07-2010 1. Comencement-1996 2. Trade effluent-450 lt/day, AR of Mar 2010 submitted, EAR submitted 3. DG-62.5 KVA, NMR submitted. 4. Earlier CTO valid upto 25.07.05, CTR applied on 06.09.05. 5. CTE not applied 6. Fresh HWM authorization applied Recommendation / Action Taken Details (EE/AEE) on 10-12-2012 As decided by the CMC (O) in its meeting held on 05.08.10, letter was issued on 17.09.10 to apply for consent to establish. Unit has applied for consent to establish on 12.10.10 vd ID 35362 for the activity of Manufacturing of Wrist Watch Dials. As decided by the CMC (O) in its meeting held on 25.11.10, CTE was issued on 11.01.11.	12-12-2012 File be put up administratively.
18	34196 14-06-2010	VIBGYOR DYEING 171, FIE PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	Dyeing of Thread	• Date of commissioning of project ---- • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 5100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 5000 liters/day		10-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMarch, 2010..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 22-03-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A	12-12-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit.

								(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 14-06-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held in 05.08.10, letter was issued on 08.09.10 to apply for authorization under HWM Rules. Unit has applied for authorization under HWM Rules on 05.10.10 vd ID 0440.	
19	34214 15-06-2010	NEW LIGHT INDUSTRIES D-34, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Mfg. of Bright Steel Bars Pickling-Others (Except SS pickling)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 250 liters/day		06-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated05.05.10..... issued byDTU..... submitted. (b) Effluent analysis report dated 05.05.10 issued by DTU submitted. Effluent analysis report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 05-05-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 05.08.10,letter was issued on 21.09.10 to apply for consent to establish. Unit has submitted its reply on 08.12.11 requested for grant of consent & authorization under HWM Rules.	12-12-2012 File be put up administratively.
20	34353 29-06-2010	S. VIDYA SERVICE STATION SEC-3 DWARKA	SOUTH WEST	Orange Renewal	WASHING AND SERVICE STATION	• Date of commissioning of project ---- • Built Up Area ---- 26.7 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 750 liters/day		21-11-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated .12.02.2010 issued by GGSIPU submitted. (b) Effluent analysis report dated 30-06-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 16-03-2010 issued by IP COLLEGE submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Decision dated 05.08.2010 Ask the unit to apply for Consent to Establish and	12-12-2012 In view of the decision taken by DPCC Board in its meeting, CTE is not required as unit has obtained CTO earlier. Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit.

							Authorisation under HWM Rules.	
							Unit has applied for authorisation under HWM Rules on 11.10.2010 but not applied for CTE.	
21	34380 02-07-2010	VEENA FABRICATIONS A-13,WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MFG.OF STEEL FABRICATION (WITH BUFFING).	• Date of commissioning of project ---- • Built Up Area ---- 125 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day	06-09-2010 Quantity of Ground water extraction NIL ATR / Remarks:- Plot Area:125 sq.m DG set:NIL Trade effluent: NIL AR of ECS submitted dated 09.04.2010 CTO applied on 30.11.2006 CTE granted and valid up to 14.12.2010 Recommendations of Scrutinizing Committee on 17.08.2010:- Issue SCN to the unit stating as to why the necessary action should not be initiated under the provision of the law as the unit has submitted the affidavit on the stamp papers purchased in the name of DPCC.	12-12-2012 Issue Show Cause Notice for refusal of consent. IT Cell be requested to correct the category of the activity of the unit.
22	34424 07-07-2010	TONIKA AUTOMOBILES A-15, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	AUTOMOBILE WORKSHOP CUM SERVICE CENTER.	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 1200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 2000 liters/day	06-09-2010 Earlier CMC Decisions:- 29.04.2009-Issue final reminder to the unit to apply for CTE. 28.05.2009-Ask the unit to apply for renewal of authorisation under HWM rules. Quantity of Ground water extraction:- NIL ATR / Remarks:-Unit has submitted for authorisation under HWM rules on 13.07.2009 Plot Area:650 sq.yd DG set:NIL Trade effluent:1KLD NMR submitted dated 14.05.2010 AR of ETP submitted on june 2010 CTR granted and valid up to 19.02.2007 CTR granted and valid up to 24.04.2010. Recommendations of Scrutinizing Committee on 17.08.2010:- Ask the unit namely M/s Tonika Automobiles to apply for authorization under HWM Rules. Issue SCN u/s 31(A) of the Air Act and u/s 5 of the HWM Rules to M/s Rama Coach Builders for closure of the unit.	12-12-2012 Recommended for inspection.
23	34484 12-07-2010	7 STAR BANQUET 20, SHIVAJI MARG INDUSTRIAL AREA NEAR	Najafgarh Road Industrial Area	Orange Renewal	BANQUET HALL		06-09-2010 Earlier CMC Decisions Decision on 23.12.2008 Revoke closure order. Ask the unit to file BG of Rs. 50,000 each under three acts, if it does so, consent to establish will be granted. Call on	12-12-2012 Recommended for inspection, thereafter, file be put up administratively.

		MOTI NAGAR				• Date of commissioning of project ---- • Built Up Area ---- 886 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 1900 liters/day	28.01.2009 Decision on 28.01.2009 Issue final remider for BG. Call on 12.03.2009 Decision on 23.04.2009 Issue consent to operate. Call on 03.06.2009 Quantity of Ground water extraction nil ATR / Remarks Earlier CTO issued valid upto 12.07.2010 CTE issued valid upto 30.03.2010 Plot area- 886 sqm D.G Set- 200 KVA, 2X125 KVA installed , NMR submitted dated 02.07.2010 Trade eff- 1.5 KLD,Analysis report of water effluent submitted dated 12.07.2010 & adeqacy report of ETPsubmitted dated 31.10.2008 Recommendations of Scrutinizing Committee on 16.08.2010 Inspection be conducted.	
24	34517 14-07-2010	GOLDY CAR SCANNERS B-45 & 46, KESHOPUR INDUSTRIAL AREA	Keshopur Industrial Area	Orange Operate	Repairing Wrokshop Of Vehicles	• Date of commissioning of project ---- • Built Up Area ---- 234 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	06-09-2010 ATR/Remarks Earlier CTE issued valid upto 06.02.07. Applied for CTO on 30.07.07. Plot area:234 sqm. D.G. Set: nil Trade effluent: nil Ground Water nil Recommendations of Scrutinizing Committee on 17.08.2010 Inspection be conducted.	12-12-2012 Inspection conducted on 21.04.2011. Recommended to issue show cause notice for refusal of consent, u/s 33(A) of the Water Act and u/s 5 of the EPA for deficiencies observed during inspection.
25	34518 14-07-2010	GOLDY CAR SCANNERS B-48, KESHOPUR INDUSTRIAL AREA	Keshopur Industrial Area	Orange Operate	WASHING SERVICING OF VEHICLES	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 4000 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 3000 liters/day	06-09-2010 ATR/Remarks Earlier CTE issued valid upto 04.047.2007 Applied for CTO on 30.07.07 vide application no. 22878 Applied for fresh authorization under HWM Rules on 14.07.2010 vide application no. 0268 Plot area: 117 sqm D.G. Set: nil Trade eff: 3 KLd , Adequacy report of ETP submitted dated 24.05.2010 Ground Water 4KLD Recommendations of Scrutinizing Committee on 17.08.2010 Inspection be conducted. Inform to DJB regarding ground water extraction.	12-12-2012 Inspection conducted on 21.04.2011. Recommended to issue show cause notice for refusal of consent, u/s 33(A) of the Water Act and u/s 5 of the EPA for deficiencies observed during inspection. IT Cell be requested to correct the category of the activity of the unit.
26	34551	INDIA	S.M.A	Orange	ANODIZED		06-09-2010	12-12-2012

	19-07-2010	PRODUCTS E-31,S.M.A. CO-OP INDL AREA GTK ROAD	Industrial Area	Renewal	METAL LABELS & PLASTIC MOULDED GOODS.	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 2300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 2000 liters/day		Quantity of Ground water extraction:- Nil ATR / Remarks:- Plot Area: 125 sq.m DG set:62.5 KVA and its stack height 3.0 in meters above roof of the building. Trade effluent: 2 kilo liters /day. Applied for HW Auth. On 26..07.2010. AR of ETP submitted on June 2010. NMR submitted on 09.07.2010. CTO valid upto 25.07.2005. CTR applied on 14.06.2007. Recommendations of Scrutinizing Committee on 17.08.2010:- Ask the unit to apply for consent to establish.	File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.
27	19-07-2010	BATRA BANQUET PVT. LTD. A-43, NARAINA INDUSTRIAL AREA, PHASE - II	Naraina Industrial Area Phase - II	Orange Renewal	CATERING BANQUET HALL	• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 2000 liters/day		06-09-2010 ATR/Remarks Earlier CTO issued valid upto 13.06.2006 Applied for CTO_R on 13.06.06 Plot area: 1000 sqm D.G. Set: 2X125 KVA, 100 KVA, 82.5 KVA and 62.5 KVA installed. NMR submitted dated 18.01.2010 Trade eff: 2 KLD, Adequacy report of ETP submitted dated 24.05.2010 Ground Water nil Recommendations of Scrutinizing Committee on 17.08.2010 Ask the unit to submit valid MCD and Delhi Police licences.	12-12-2012 Recommended for inspecction, therefore, file be put up administrativley.
28	28-07-2010	PARMANAND & SONS FOOD PRODUCTS PVT. LTD. B- 20,LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	DALL MILL.	• Date of commissioning of project ---- • Built Up Area ---- 702 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Quantity of Ground water extraction:- Nil ATR / Remarks:- A letter received from the unit on 30.04.2010 stating that M/s KLM industries has been merged in to M/s parmanad and sons food products p. ltd. on 01.07.2006 with all assets and liabilities. Plot Area: 1004 sq.m DG set: Nil Trade effluent: Nil Stack monitoring report submitted on 23.06.2010 AR of ECS submitted on october 2006. CTO applied on 10.01.2007. Recommendations of Scrutinizing Committee on 17.08.2010:- Ask the unit to apply for fresh consent to establish and consent to operate in the new name for both the activity.	12-12-2012 Recommended to make the application for CTO dated 28.07.2010 infructuous since subsequent application dated 21.12.2010 has already been decided and issued (valid upto 20.12.2013).
29	34642	BENTEX ELECTRONICS (PROPRIETOR	Naraina Industrial Area	Orange Renewal	MFG OF ELECTRICAL ITEMS			06-09-2010 Quantity of Ground water extraction nil	12-12-2012 Unit has submitted its reply along with

	28-07-2010	BENTEX BUILDERS P. LTD.) B-66/2, NARAINA INDUSTRIAL AREA, PHASE - II	Phase - II			• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day		ATR / Remarks Earlier CTO & CTO_R issued valid upto 19.06.2009 Plot area: 600 sqm D.G. Set: 63 KVA, NMR submitted dated 07.01.2010 Trade eff: nil Recommendations of Scrutinizing Committee on 16.08.2010 Ask the unit to submit stack monitoring report for the channelization systm provided with the powder coating section from approved laboratory of DPCC	stack monitoring report for powder coating activity. Recommended for grant of renewal of consent to operate. IT Cell be requested to correct the category of the activity of the unit to Powder Coating without Phosphating.
30	34651 28-07-2010	S.M. INDUSTRIES A-115/1, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MANUFACTURING OF S.S. PIPES WITH BUFFING.	• Date of commissioning of project ---- • Built Up Area ---- 330 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Quantity of Ground water extraction:- Nil ATR / Remarks:- Plot Area: 225 sq.m DG set: Nil Trade effluent: Nil CTR valid upto 18.08.2007 CTR applied on 14.09.2007. Stack monitoring report submitted on 26.07.2010 Recommendations of Scrutinizing Committee on 17.08.2010:- Decision be deferred till clarification from DDA.	12-12-2012 Recommended to issue reminder to DDA.
31	34664 29-07-2010	LALLY AUTOMOBILES PVT. LTD. D-11, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	REPAIRING SERVICING AND WASHING OF FOUR WHEELERS.	• Date of commissioning of project ---- • Built Up Area ---- 1139.92 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 3000 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 2000 liters/day	Recommendations of Scrutinizing Committee on 17-08-2010 Decision taken on file be ratified. Inform to DJB regarding ground water extraction. Decision of Consent Management Committee on 30-09-2010 Decision taken on file ratified. Inform to DJB regarding ground water extraction.	17-08-2010 Earlier CMC Decisions 21.12.2009 / 22.12.2009 Issue Consent to Establish. Subsequently, inspection be conducted. ATR / Remarks 1. Date of commissioning- Dec 2009 2. Trade effluent-2000 Lt/day, adequacy report dt. Feb 2010 & effluent analysis report dt. 26.07.10 submitted. 3. Ground water-3000 Lt/day, DJB/ CGWA clearence not submitted. 4. D.G. Set- 125 KVA, NMR dt. 22.07.10 submitted. 5. CTE issued on 27.01.10 vd id no. 22621. 6. HWM applied on 26.07.10 vd id no. 0310. Recommendations of Scrutinizing Committee on 17.08.2010 Decision taken on file be ratified. Inform to DJB regarding ground water extraction. Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 As approved on file, letter was issued to the unit on 27.10.2010 through which the bank guarantee submitted by the unit on 01.10.10 under Air Act was being returned to the unit in original and directed to submit the Bank guarantee for	12-12-2012 Recommended for grant of Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit to Automobile Servicing And Repair Station With Washing Activity.

							Rs. 50,000 under Air Act in proper format.	
							As decided by CMC (O) in its meeting on 30.09.10, a letter was issued to the unit on 04.11.2010 informing the DJB regarding ground water extraction.	
							Unit has submitted the corrected Bank Guarantee on 19.11.10 under Air Act.	
32	34690 30-07-2010	NATH MOTORS PVT. LTD. A-30, MOHAN CO-OPERATIVE INDUSTRIAL AREA	Mohan Co-operative Industrial Area	Orange Operate	CAR WASHING AND SERVICING.	• Date of commissioning of project ---- • Built Up Area ---- 1738 (in sq. meter) • Water Consumption ---- 16000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 15000 liters/day	17-08-2010 Earlier CMC Decisions 16.03.10 Issue Consent to Establish. Subsequently, inspection be conducted. 16.06.10 Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act for not applying consent to operate. Ask the unit to correct the deficiencies observed during the inspection and submit an affidavit in this regard. Inform to DJB regarding ground water extraction. ATR / Remarks 1. Date of commissioning- Feb 2010 2. Trade effluent-15000 Lt/day, adequacy report dt. May 2010 & effluent analysis report dt. 24.05.10 submitted. 3. Ground water- Nil 4. D.G. Set- 82.5 KVA & 82.5 KVA, NMR dt. 22.07.10 submitted. 5. CTE issued on 15.04.10 vd id no. 23264. 6. HWM applied on 02.08.10 vd id no. 0331. Reply received on 30.07.10. Recommendations of Scrutinizing Committee on 17.08.2010 Ask the unit to submit stack monitoring report of paint booth section from approved laboratory of DPCC.	12-12-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.