



DELHI POLLUTION CONTROL COMMITTEE
(Government of N.C.T. of Delhi)
4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006
Website : <http://www.dpcc.delhigovt.nic.in>



CONSENT MANAGEMENT

Agenda No 2 - Annexure I - 39 Cases of Consent to Operate and Consent to Operate(Renewal)under orange category of the period 01.11.2012 to 30.11.2012(excluding the cases of redevelopment areas)recommended by Screening Committee as (2b category) in its meeting on 14.12.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/2974 02-11-2012	KRISHNA PLASTIC INDUSTREIS A-25/2, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	MFG.OF PLASTIC MOULDED ITEMS WITH SCREEN PRINTING. Plastic Processed Goods Printing Press (Without Trade Effluent Discharge)	- Date of commissioning of project ---- - Built Up Area ---- 100 (in sq. meter) - Water Consumption ---- 800 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		13-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 05-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no till the entry of this file, previous record of this unit is non-traceable	14-12-2012 Renewal of Consent to Operate (without trade effluent) and Authorization under HWM Rules granted.
2	DPCC/EC/2/1/2012/2990 06-11-2012	SHARDA CONTAINERS PVT LTD PLOT NO. 363, F.I.E PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	MANUFACTURING OF PLASTIC PRODUCTS (DRUMS) Plastic Processed Goods	- Date of commissioning of project ---- - Built Up Area ---- 270 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		13-12-2012 (1)ETP ---- N/A (2)ECS - N/A Channelization has been provided in process area. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 10-09-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	14-12-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
3	DPCC/EC/2/1/2012/2994 07-11-2012	AGGARWAL CABLES PVT. LTD. 69, FIRST FLOOR, F.I.E. PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	Mfg. of PVC Wire and Cables. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	- Date of commissioning of project ---- - Built Up Area ---- 450 (in sq. meter) - Water Consumption ---- 250 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		13-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 06-11-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit	14-12-2012 Renewal of Consent to Operate granted.

							- Yes.		
4	DPCC/EC/2/1/2012/2995	RAHEJA AUTO INDUSTRIES A-7, FIE, PATPARGANJ INDUSTRIAL AREA 07-11-2012	Patparganj Industrial Area	Orange Renewal	MFG. OF AUTO PARTS WITH SPRAY PAINTING Spray Painting, Paint Baking, Paint Stripping	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		13-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 27.04.10, letter was issued on 08.06.10 to apply for fresh authorization under HWM Rules. Reply received on 28.06.10 & stating that for spray painting, paint booth has been provided & this process does not comes under Hazardous Waste. SCN u/s 5 of EPA details : issued on 10.03.11 Unit has applied for authorization under HWM Rules on 31.03.11 vd ID 0711.	14-12-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
5	DPCC/EC/2/1/2012/3002	SHIV POLYMERS B-70/75, DSIDC LAWRENCE ROAD INDUSTRIAL AREA 07-11-2012	Lawrence Road Industrial Area	Orange Operate	MFG. OF EVA COMPOUND GRANULES Eva Footwear and Eva Compound	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		12-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	14-12-2012 Consent to Operate granted.
6	DPCC/EC/2/1/2012/3008	POONAM CABLE PLOT O 204 POCKET-D SECTOR-3 DSIDC BAWANA INDUSTRIL AREA 08-11-2012	Bawana Industrial Area	Orange Operate	MFG. OF WIRE AND CABLE, ELECTRICAL APPLIANCES, ACCESSORIES, FITTING AND FIXTURES (WITHOUT METAL SURFACE TREATMENT, LIKE POWDER COATING, ELECTRPLATING ETC.). Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 70 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		03-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	14-12-2012 Consent to Operate granted.
7	DPCC/EC/2/1/2012/3009	R.S. INDUSTRIES 307/10, SHAHZADA BAGH INDUSTRIAL AREA, OLD ROHTAK ROAD 09-11-2012	Shahzada Bagh Industrial Area	Orange Renewal	MFG. OF PLASTIC GOODS. Plastic Processed Goods	• Date of commissioning of project ---- 01-01-1981 • Built Up Area ---- 94 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		03-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	14-12-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
8	DPCC/EC/2/1/2012/3013	VENUS ENGINEERS	Okhla Industrial Area	Orange Operate	MFG. OF PLASTIC PRODUCTS.			13-12-2012 (1)ETP ---- N/A	14-12-2012 Consent to Operate granted without

	09-11-2012	B-132 DDA SHED PHASE-I, OKHLA INDUSTRIAL AREA			Plastic Processed Goods	• Date of commissioning of project ---- 01-01-2004 • Built Up Area ---- 71.06 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (3)D.G.Set: ...N/A... Decision dated 22.11.12 yet to be implemented.	using plastic scrap as a raw material and also implement the decision dated 22.11.2012.
9	12-11-2012	SHREE KIRAN PLATIC INDUSTRIES B-25, PH-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	MFG. OF PVC FILMS AND TUBES. Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	• Date of commissioning of project ---- • Built Up Area ---- 73 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 0 liters/day		13-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 21-09-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Unit has submitted a letter along with an affidavit stating that unit has changed its name from M/s Kiran Plastic Inds to M/s Shree Kiran Plastic Inds.	14-12-2012 Inspection be conducted, thereafter, file be put up administratively.
10	12-11-2012	GLOSSY COLOR AND PAINTS (P) LTD. 50, A&B SHIVAJI MARG, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	MANUFACTURE OF PAINTS AND VARNISHES (WITHOUT NC PAINTS, NON LITHO VARNISH). Paint (By Mixing Process Only) Except Nitrocellulose and Alkd Resin Based Paints	• Date of commissioning of project ---- • Built Up Area ---- 1350 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 480 liters/day (b) Trade Effluent ---- 0 liters/day		13-12-2012 (1)ETP ---- N/A (2)ECS - stack attached to kettle furnace (a) Stack analysis report dated - 22.08.2012 - issued by - DTU - submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 22-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	14-12-2012 Inspection be conducted, thereafter, file be put up administratively.
11	20-11-2012	SHALU PLASTICS E-65, SECTOR.3, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Renewal	MFG OF PVC GRANULES AND MOULDED GOODS. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		03-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	14-12-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
12		ARIHANT METALS	Friends Colony Industrial	Orange Renewal	MANUFACTURING OF COPPER WIRE DRAWING.			13-12-2012 (1)ETP ---- N/A	14-12-2012 File be put up administrativley.

	20-11-2012	29-B-30, GALI NO.6, FRIENDS COLONY INDUSTRIAL AREA, G.T. ROAD SHAHDARA	Area		Copper Wire Drawing Without Super Enamelling, pickling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 97 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	(2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details : conducted on 07.02.2009 & following were observed: a. This unit is engaged in copper wire drawing with washing at ground floor, 1st floor & 2nd floor. b. No ETP installed. c. Only exhaust fan is installed in the process area. As decided by CMC (O) in its meeting held on 16.02.09, a letter was issued to the unit on 24.04.2009 regarding giving clear cut declaration for management of waste water generated from acid dip/ washing as well as sludge generated from ground soap solution. Unit may also be asked to provide proper suction device, channelization for discharge of waste gases through a chimney raised well above the roof top. Also, ask the unit to apply for CTO (renewal). A reply was received from the unit on 06.05.09. As decided by CMC (O) in its meeting held on 17.06.09, a letter was issued to the unit on 23.07.09 to confirm its reply on an affidavit and apply for renewal of consent and also asking the unit to apply for authorization under HWM Rules. Unit submitted its above said reply on an affidavit on 03.09.09. As decided by CMC (O) in its meeting held on 09.09.09, CTR was issued to the unit on 07.10.09 and authorization under HWM Rules on 12.10.09, which was valid up to 11.10.11.	
13	DPCC/EC/2/1/2012/3047 20-11-2012	SKYLINE CABLES PVT. LTD. A-122, DDA SHED PH-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	MANUFACTURING OF PVC WIRES/CABLES. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	13-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 05-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 27.04.10, CTE & CTR were issued on 03.06.10.	14-12-2012 Renewal of Consent to Operate granted.
14	DPCC/EC/2/1/2012/3048 20-11-2012	S.B.Y ENTERPRISES C-156 PHASE-II MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	MANUFACTURING OF PLASTIC PRODUCTS (MOULDED GOODS) WITHOUT TRADE EFFLUENT DISCHARGE. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 59 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	13-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no	14-12-2012 Consent to Operate granted without using plastic scrap as a raw material.

							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
15	DPCC/EC/2/1/2012/3052 20-11-2012	MULTI COLOUR SERVICES 92, DSIDC SHED COMPLEX, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	PRINTING OF PAPERS Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 111.48 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	13-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82 KVA. Noise monitoring report dated 09-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 09.04.09, letter was issue don 24.04.09 to submit affidavit for source of water supply and adequacy report of ETP from one of the empanelled consultants of DPCC. Unit has submitted its reply on 12.05.09 along with an affidavit stating that they are not consuming any ground water & adequacy report of ETP (Physio-chemical) dated August 2007 issued by GGSIU. As decided by the CMC (O) in its meeting held on 15.06.09, CTR & authorization under HWM Rules were issued on 29.06.09. Unit has submitted an affidavit stating that they have stop making design plates and opted the CPT system instead of designing the plates.	14-12-2012 Inspection be conducted, thereafter file be put up administratively.
16	DPCC/EC/2/1/2012/3055 21-11-2012	VIKAS UDYOG 6/3, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	MANUFACTURING OF PVC COMPOUND. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 205 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	13-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	14-12-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
17	DPCC/EC/2/1/2012/3056 21-11-2012	VIKAS POLYMER 6/3, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	MANUFACTURING OF PVC COMPOUN AND PLASTIC GRANULES. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	13-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no	14-12-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

							(5) SCN u/s 31(A)/33(A)/5 of EPA details : no	
							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
18	DPCC/EC/2/1/2012/3057	JAY SONS 6/8C, KIRTI NAGAR INDUSTRIAL AREA 21-11-2012	Kirti Nagar Industrial Area	Orange Operate	MANUFACTURING OF PLASTIC DANA. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 220 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	(5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no 13-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :	14-12-2012 Consent to Operate granted without using plastic scrap as a raw material.
19	DPCC/EC/2/1/2012/3058	GUPTA & CO A-5/15 , JHILMIL INDUSTRIAL AREA 21-11-2012	Jhilmil Industrial Area	Orange Operate	Mfg. of Paper Trimmers and General Fabrication works by engg. works and mfg. of pvc wire and cable. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 528 (in sq. meter) • Water Consumption ---- 170 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	(5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no 13-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 20 KVA. Noise monitoring report dated 05-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes.	14-12-2012 Consent to Operate granted.
20	DPCC/EC/2/1/2012/3060	JAGDISH KUMAR SHED NO 1, B-45, JHILMIL INDUSTRIAL AREA 21-11-2012	Jhilmil Industrial Area	Orange Operate	MFG. OF PVC GRANULES USING PVC SCRAP Manufacturing Of Reprocessed PVC Granules and Other Injection Moulded Items (Using Scrap as Raw Material Without Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	(5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no 13-12-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 20-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 20.11.10 & it was observed that the unit is engaged in activity of mfg. of PVC (scrap) granules without apply consent. (5) SCN u/s 31(A) details : issued on 21.03.11. (6) Closure directions u/s 31(A) details : issued on 22.11.11. No reply received from the unit in response to the aforesaid SCN. Reply from the unit has been received on 12.12.2011 along with the photocopy of affidavit stating that Unit have installed ECS for the control of emission generated from using PVC granules. Reply from the unit has been again received on 10.05.2012 along with an affidavit regarding installation of Channelization	14-12-2012 File be put up administratively.

	23-11-2012	A-62, PH-I, NARAINA INDUSTRIAL AREA PHASE - I	Phase - I		PLASTIC MOULDING Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 1003 (in sq. meter) • Water Consumption ---- 380 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 18-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes . (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	without using plastic scrap as a raw material.
25	DPCC/EC/2/1/2012/3072 23-11-2012	SUNDEEP INDUSTRIES 17-D/1, RAMA ROAD , NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	PLASTIC/PVC/EVA COMPOUND Eva Footwear and Eva Compound Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 455 (in sq. meter) • Water Consumption ---- 450 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 320 liters/day (b) Trade Effluent ---- 0 liters/day	13-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 17-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes . (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	14-12-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
26	DPCC/EC/2/1/2012/3073 23-11-2012	APEX SHOES CO. PVT. LTD. 70 RAMA ROAD, (16-B), NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	MANUFACTURING OF PVC COMPOUND FROM PVC WASTE (WITHOUT WASHING). Manufacturing Of Reprocessed PVC Granules and Other Injection Moulded Items (Using Scrap as Raw Material Without Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 167 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 240 liters/day (b) Trade Effluent ---- 0 liters/day	13-12-2012 (1)ETP ---- N/A (2)ECS - stack attached to suction hood and extruder (a) Stack monitoring report dated 17-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 17-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no	14-12-2012 Consent to Operate granted.

								CMC decision dated 27.04.2010 Issue CTR with the condition to obtain permission from DJB for groundwater extraction. CTR issued to the unit on 02.06.2010 and valid upto 25.11.2012.	
31	DPCC/EC/2/1/2012/3084 27-11-2012	V.K. ELECTRICAL 98, POCKET-N, SEC-2, DSIDC INDUSTRIAL COMPLEX BAWANA	Bawana Industrial Area	Orange Operate	MFG.OF PVC COATED WIRE AND CABLES Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- 01-01-2006 • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		12-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	14-12-2012 Consent to Operate granted.
32	DPCC/EC/2/1/2012/3086 27-11-2012	SAINI ENGINEERING WORKS PLOT NO 39,PKT-O,SEC-1,DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	Plastic Goods. Plastic Processed Goods	• Date of commissioning of project ---- 01-07-2010 • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		14-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil OLD RECORD NOT TRACEABLE	14-12-2012 Consent to Operate granted without plastic bags and without using plastic scrap as a raw material.
33	DPCC/EC/2/1/2012/3087 27-11-2012	SWASTIK ECOPLAST PVT. LTD. C-599, DSIDC COMPLEX, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	Mfg. of PVC/ Plastic Products Viz PVC, EVA Compound and Master Batch Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 560 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		13-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	14-12-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
34	DPCC/EC/2/1/2012/3093 27-11-2012	MATO INDUSTRIES A-5, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	MANUFACTURING OF AUTOMOBILES PARTS(GUN METAL BUSHES) Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 418.06 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		12-12-2012 (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 26-11-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 26-11-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes Remarks: Inspection of the unit was conducted on 13.12.2010 based on the deficiencies a SCN u/s 31(A) was issued on 20.01.2011 unit submitted it reply on 01.02.2011 stating that height of the stack was extended to 14 meters from ground level and lowered the hood so that ther is efficient collection of air emission.	14-12-2012 Inspection be conducted, thereafter, file be put up administratively.
35	DPCC/EC/2/1/2012/3101	SARVESHWAR INDUSTRIES A-77, JHILMIL	Jhilmil Industrial Area	Orange Renewal	MFG. OF PVC WIRE AND CABLES. Electrical Wire And			13-12-2012 (1)ETP ---- N/A (2)ECS - N/A	14-12-2012 Renewal of Consent to Operate granted.

	30-11-2012	INDUSTRIAL AREA, G.T. ROAD, SHAHADRA			Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 26-11-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 25.01.10, CTR & Warning letter was also issued on 23.02.10 for the delayed submission of the consent application.	
36	DPCC/EC/2/1/2012/3102 30-11-2012	PRASHANT INDUSTRIES PLOT NO-80, POCKET-E, SECTOR-1, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Renewal	PLASTIC MOULDED GOODS (WITHOUT WASHING AND SCRAP AND PLASTIC BAGS/CONTAINERS). Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		12-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	14-12-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
37	DPCC/EC/2/1/2012/3105 30-11-2012	SHENORA COSMETICS A-13, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	Mfg. of Perfumery and Cosmetics Perfumes and Cosmetics	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		13-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no till the entry of this file, previous record of this unit is non-traceable.	14-12-2012 Consent to Operate and Authorization under HWM Rules granted.
38	DPCC/EC/2/1/2012/3107 30-11-2012	SWASTIK POLYMERS H-33, UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Renewal	MFG. OF PVC/ PLASTIC PRODUCTS VIZ PVC, EVA COMPOUND AND MASTER BATCH. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 800 (in sq. meter) • Water Consumption ---- 560 liters/day • Ground Water ---- 560 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		13-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 3 D.G. Set(s) of 180 KVA, 250 KVA and 400 KVA. Noise monitoring report dated 30-11-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no	14-12-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
39	DPCC/EC/2/1/2012/3109	BALWANT RAI B-23, BASEMENT & GROUND FLOOR LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	MFG. OF PLASTIC DANA AND MFG. OF PLASTIC PIPE. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 125.41 (in sq. meter) • Water Consumption ---- 220 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day	12-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	14-12-2012 Consent to Operate granted without using plastic scrap as a raw material.