



CONSENT MANAGEMENT

Agenda No 2 - Annexure II - 23 Cases of Consent to Operate and Consent to Operate(Renewal)under orange category of the period 01.11.2012 to 30.11.2012(excluding the cases of redevelopment areas)recommended by Screening Committee as (2c category) in its meeting on 14.12.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/2966 01-11-2012	AUTO KASHYAP INDIA PVT. LTD. 20, OKHLA INDUSTRIAL ESTATE, PHASE-III	Okhla Industrial Estate	Orange Operate	CAR WASHING AND SHOW ROOM. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- - Built Up Area ---- 545 (in sq. meter) - Water Consumption ---- 3000 liters/day - Ground Water ---- 1500 liters/day - Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 2600 liters/day		13-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated16.02.2012..... issued byDTU..... submitted. (b) Effluent analysis report dated 28-08-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-09-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the Screening Committee (MS) in its meeting held on 20.04.12, CTE was issued on 21.05.12.	14-12-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.
2	DPCC/EC/2/1/2012/2972 02-11-2012	AM AUTOMOBILES (A UNIT OF BLUE BIRD ENTERPRISES PVT. LTD) PLOT NO. 189-91 LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	AUTOMOBILES SERVICE CENTER WITH WASHING, DENTING, PAINTING,REPAIRING. Automobile Servicing And Repair Station With Washing Activity with burner	- Date of commissioning of project ---- - Built Up Area ---- 1800 (in sq. meter) - Water Consumption ---- 5500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 4500 liters/day		12-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated october, 2009 issued by .GGSIU submitted. (b) Effluent analysis report dated 15-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A Stack monitoring report dated 15-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 15-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes Remarks: on basis of the deficiencies observed during inspection conducted on 13.04.2010, a show cause notice for refusal of consent and u/s 5 of EPA was issued to the unit on 02.06.2010 unit submitted its reply on 18.06.2010 stating that ETP is in operational condition and no trade effluent being discharged without treatment and DG Set mentioned in previous notice does not belongs to A.M. Enterprises. Also submitted the copy	14-12-2012 File be put up administrativley.

							of effluent analysis report on 29.07.2010.	
							after that a letter issued to the unit for submission of bank guarantee on 12.10.2010.no reply recieved.	
3	DPCC/EC/2/1/2012/2977	KUMAR AUTOMOBILES B-281, PHASE I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Automobiles Workshop-cum- service Station including washing. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 326.07 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 5000 liters/day	13-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedSeptember, 2008..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 09-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 17-10-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 16.04.10, CTR & letter to apply for fresh authorization under HWM Rules were issue don 31.05.10.	14-12-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
4	DPCC/EC/2/1/2012/2991	GALAXY AUTOMOBILES PVT. LTD. B-23, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	REPAIRING, SERVICING, DENTING AND PAINTING OF CARS. Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 1990 (in sq. meter) • Water Consumption ---- 10500 liters/day • Ground Water ---- 8000 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 6400 liters/day	13-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedNovember, 2012..... issued byJamia Millia Islambia..... submitted. (b) Effluent analysis report dated 31-10-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 30-10-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 26-10-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 17.02.10 & and following were observed:- 1. ETP installed & found in operation. 2. Approx. 1000kg of ETP sludge & app. 200 lt of used oil was observed. 3. One borewell exist in the premises. 4. As per SMR dated 01.10.2009, 1m Stack height is provided with paint booth. As decided by the CMC (O) in its meeting held on 16.04.10, CTR & letter for applying for fresh authorization under HWM Rules were issued on 31.05.10	14-12-2012 Recommended for grant of Renewal of Consent to Operate, authorization under HWM Rules and earlier authorization application dated 26.07.2010 be made infructuous as unit has subsequently applied for authorization on 06.11.2012.
5	DPCC/EC/2/1/2012/2999	ADVANCE PANELS &	Narela Industrial	Orange Operate	Mfg. of Electronic goods i.e. LT/HT		03-12-2012 (1)ETP ---- N/A	14-12-2012

	07-11-2012	SWITCH GEARS P. LTD. A-257, DSIDC NARELA INDUSTRIAL AREA	Area		control Panels, LT/HT Switchgears, Motor Starters etc. With Powder Coating. Powder Coating without phosphating	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	(2)ECS - Cyclone Stack monitoring report dated 06-11-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 06-11-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	Recommended for grant of Consent to Operate.
6	DPCC/EC/2/1/2012/3003 07-11-2012	UNIPACK INDUSTRIES PLOT NO.6 SECTOR-3 PKT-H BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	DAL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	03-12-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House, Bag Filter / Bag House (a) AR dated 18.06.2012 issued by DTU submitted. (b) Stack monitoring report dated 11-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	14-12-2012 Recommended for grant of Consent to Operate.
7	DPCC/EC/2/1/2012/3004 07-11-2012	BAL KISHAN DEEPAK KUMAR DAL MILL H-7, SECTOR-3, DSIDC INDL. COMP., BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	DAL MILL Dal Mills	• Date of commissioning of project ---- 01-01-2011 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	03-12-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House, (a) AR dated june, 2012 issued by DTU submitted. (b) Stack monitoring report dated 11-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	14-12-2012 Recommended for grant of Consent to Operate.
8	DPCC/EC/2/1/2012/3007 08-11-2012	K.M. TOOLING SOLUTIONS (UNIT-II) A-85/1, NARAINA INDUSTRIAL AREA, PHASE - I	Naraina Industrial Area Phase - I	Orange Operate	MFG. OF SHEET METAL COMPONENTS WITH POWDER COATING (WITHOUT PHOSPHATING). Powder Coating without phosphating	• Date of commissioning of project ---- • Built Up Area ---- 270 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	13-12-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) Stack monitoring report dated 17-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no till the entry of this file, previous record of this unit is non-traceable	14-12-2012 Recommended for grant of Consent to Operate without phosphating.
9	DPCC/EC/2/1/2012/3010 09-11-2012	RAJ DALL MILL C-7/1,LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	DALL MILL Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 165 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	14-12-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 18.10.2012 issued by DTU submitted. (b) Stack monitoring report dated 18-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	14-12-2012 Recommended for grant of Renewal of Consent to Operate.

							REmarks: old record is not traceable.	
10	DPCC/EC/2/1/2012/3014	INTIMATE SERVICE STATION PUNCHSILA PARK	SOUTH	Orange Renewal	FILLING STATION CUM SERVICE STATION OF CARS. Automobile Fuel Outlet (With Automobile Servicing, Repairing And Painting)	• Date of commissioning of project ---- • Built Up Area ---- 270 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 3000 liters/day	13-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated17.09.2012..... issued byDTU..... submitted. (b) Effluent analysis report dated 17-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 17-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 28.10.09 & following were observed: 1. ETP was not found in operation. 2.No fresh sludge was seen in the premises. 3.Small quantity of Sludge was kept inside pump/borewell room. 4.Bye pass arrangement observed. (5) Closure directions u/s 33(A) & 5 of EPA details : issued on 02.02.10. Unit has submitted its representation on 08.02.10 along with an affidavit & photographs & 11.05.10 regarding rectification of deficiencies observed during inspection & requested for revocation of closure directions. As decided by the CMC (O) in its meeting held on 19.08.10, letter was issued on 20.10.10 for the submission of Bank Guarantee of Rs. One Lakh under Water Act & HWM Rules and also to apply for fresh authorization under HWM Rules. Unit has submitted aforesaid Bank Guarantee of Rs one Lakh under Water Act & HWM Rules valid for one year on 13.04.11. As approved on file, letter was issued on 10.06.11 to submit an affidavit regarding rectification of deficiencies and apply a fresh for authorization under HWM Rules. Unit has submitted an affidavit on 22.06.11 in the response this office letter dated 10.06.11 & informed that they had applied for authorization under HWM Rules on 13.05.11. As approved, revocation of closure directions was issued to the unit on 01.07.11.	14-12-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
11	DPCC/EC/2/1/2012/3026	DTC SRINIWAS PURI SRINIWAS PURI DEPOT	SOUTH	Orange Renewal	REPAIRING AND MAINTENANCE OF DTC BUSES Automobile Servicing And Repair Station		13-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMarch, 2009..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 22-10-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes.	14-12-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules. IT Cell be asked to delete the duplicate entry w.r.t.

								Unit has applied for fresh authorization under HWM Rules on 02.07.10.	
14	DPCC/EC/2/1/2012/3035 19-11-2012	T & T MOTOR LTD C-7 & 8, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	AUTOMOBILE WORKSHOP CUM SERVICE STATION,DENTING PAINTING. Automobile Servicing And Repair Station With Washing Activity with burner	- Date of commissioning of project ---- - Built Up Area ---- 15000 (in sq. meter) - Water Consumption ---- 6600 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 2600 liters/day (b) Trade Effluent ---- 4000 liters/day		13-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedSeptember, 2012..... issued byJamia Millia Islambia submitted. (b) Effluent analysis report dated 08-11-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 01-11-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 09-08-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	14-12-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
15	DPCC/EC/2/1/2012/3040 19-11-2012	R.N. MOTORS G-17, PEERAGARHI, OUTER RING ROAD	WEST	Orange Renewal	PETROL PUMP WITH VEHICLE SERVICING (CAR WASHING) Automobile Fuel Outlet (With Automobile Servicing, Repairing And Painting)	- Date of commissioning of project ---- - Built Up Area ---- 216 (in sq. meter) - Water Consumption ---- 3500 liters/day - Ground Water ---- 2000 liters/day - Waste Water generation (a) Domestic Effluent ---- 1200 liters/day (b) Trade Effluent ---- 1800 liters/day		13-12-2012 (1)ETP ---- physiochemical (a) AR dated 10.05.2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 08-11-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 12-11-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	14-12-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
16	DPCC/EC/2/1/2012/3043 20-11-2012	PATEL AUTO SERVICE PVT. LTD. 10-B, RAJENDRA PLACE	NORTH WEST	Orange Renewal	AUTOMOBILES / VEHICLES SERVICE AND REPAIRS. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- - Built Up Area ---- 560 (in sq. meter) - Water Consumption ---- 3500 liters/day - Ground Water ---- 3000 liters/day - Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 2500 liters/day		13-12-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 12.11.2012 issued by .DTU submitted. (b) Effluent analysis report dated 12-11-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 12-11-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes Remarks: SCN u/s 31(A) was issued to the unit on 02.06.2010 as water circulator was not working and wet scrubber found damaged. unit submitted reply on 15.06.2010 regarding rectification of	14-12-2012 File be put up administratively.

							deficiencies. after that case was put up in CMC meeting on 19.08.2010 and it was decided to ask the unit to confirm its reply on an affidavit and to apply for authorization under HWM Rules. Accordingly a letter issued to the unit on 24.09.2010. unit applied for the same on 28.06.2010	
17	DPCC/EC/2/1/2012/3049 20-11-2012	NISHA CABLES CO. (P) LTD PLOT NO.-145, SECTOR-1, POCKET-L, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	DAL MILL Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	03-12-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated September, 2012 issued by DTU submitted. (b) Stack monitoring report dated 25-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	14-12-2012 Recommended for grant of Consent to Operate.
18	DPCC/EC/2/1/2012/3051 20-11-2012	MAHARANI OF INDIA C-154, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF READYMADE GARMENTS. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 752.51 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 4000 liters/day	13-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 27.07.2010 issued by GGSIPU submitted. (b) Effluent analysis report dated 15-11-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-11-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	14-12-2012 Recommended for grant of Renewal of Consent to Operate and consent to establish.
19	DPCC/EC/2/1/2012/3082 23-11-2012	KRISHNA ELECTROPLATING WORKS (SOM DUTT) C-81, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	ELECTROPLATING JOB WORK. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 1800 liters/day • Ground Water ---- 1800 liters/day • Waste Water generation (a) Domestic Effluent ---- 240 liters/day (b) Trade Effluent ---- 1400 liters/day	13-12-2012 (1)ETP ---- physiochemical (a) AR dated 16.07.2009 issued by DTU submitted. (b) Effluent analysis report dated 24-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . New Effluent Analysis Report w.r.t. New notifications of MoEF dated 30.03.2012 for electroplating industries is not submitted. (2)ECS - stack attached to electroplating bath (a) Stack monitoring report dated 24-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A...	14-12-2012 Recommended for grant of Renewal of Consent to Operate with condition to submit fresh effluent / emission analysis report from empanelled laboratory of DPCC within six months as per MOEF notification dated 30.03.2012 and as per the decision taken in the meeting of Chairman for 2(d) category cases on 22.11.2012.

					Fresh Raw Material)		Stack monitoring report dated 05-12-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details: inspection conducted on 13.04.2010 and follwoing were the observations: 1) unit is engaged in mfg. of rubber haawai chappals and PVC footwears. 2) the buffing activity (5 nos. of buffing machine) is being carried out without dust collector/ ECS. Spray (silicon) is to be provided with covered system / in a spray booth. At present spraying spraying is carried out in oen space. 3) Dust emissions observed in kneading and mixing section. (5) SCN for refusal of consnet under Air Act 1981. & water act 1974 issued on 10.06.2010 unit replied on 02.07.2010. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no CMC decision dated 19.08.2010 ask the unit to submit BG of Rs 50,000 under air Act valid for one year and adequacy report report and test report of ECS from approved consultant/ laboratory of DPCC. also ask the unit to confirm its reply regarding correction of deficiencies on affidavit. A letter issued to the unit on 13.10.2010. unit replied on 12.12.2010 alongwith BG, affidavit and adequacy and analysis report. CMC decision dated 31.03.2011 plot area of the unit is more than 1000 sq.mtrs. Ask the unit to confirm on an affidavit that the activity of polyurethene is ot carried out. If unit submits the aforesaid affidavit issue CTR. A letter for abovementioned issued to the unit on 26.05.2011. U nit replied alongwith an affidavit on 03.06.2011 CMC decision dated 13.10.2011 Ask the unit to channelize the process emissions by way of providing hood & suction arrangement followed by stack height of 12 meters or 2 meters above roof top of shed / building whichever is more and submit an affidavit in this regard and inform the status of its SSI registration of the unit in view of gazette notification dated 18.03.2011 regarding rubber processing unit. A letter issued for this on 29.11.2011. Unit replied on 08.12.2011 alongwith an affidavit and copy of application of MSME in regard of SSI registration	
23	DPCC/EC/2/1/2012/3104	J.K. FOOD INDUSTRIES H-1408,	Narela Industrial Area	Orange Renewal	DAL MILL Dal Mills		13-12-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House	14-12-2012 Recommended for grant of Renewal of Consent to Operate.

	30-11-2012	D.S.I.D.C. NARELA INDUSTRIAL AREA				• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	(a) AR dated october 2012 issued by DTU submitted. (b) Stack monitoring report dated 12-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...NIL	
--	------------	--	--	--	--	--	---	--