

**Minutes of the 21<sup>st</sup> meeting of the Committee Constituted for Deciding the Consent under orange Category, held on 27.09.2007 in the Conference Room of Chairman, DPCC.**

The following persons, attended the meeting on 27.09.2007

1. Sh. J. K Dadoo, Chair man DPCC
2. Sh. SS Ghonkrokta, Member Secretary, DPCC
3. Sh. S.K.Gupta ,Head Chemical Engineering Deptt., IIT Delhi
4. Sh. B. Kumar, SEE, DPCC
5. Sh. M. Dwarkanath, SSO, Deptt of Env., GNCTD
6. EEs CMC ñ I, II & III.
7. EEs and AEEs of PGRC
8. AEEs and JEE of CMC ñ I, II & III.

21<sup>st</sup> meeting of the Committee constituted for deciding the Consent (under orange Category) was held on 27.09.2007 and following decisions were taken in the meeting ;

**1. Agenda 1: Review of ATR of decisions taken in the meeting held on 18.7.07**

- I. Wrt 21 cases , it was decided not to proceed further and no need to put up further, as actions have been completed.
- II. 2 cases were discussed and decisions taken.
- III. 39 cases were discussed and decisions taken
- IV. Remaining 36 and 8 cases were not discussed due to paucity of time and it was decided to take up the same in due course of time.

*Decisions taken in the cases referred at I,II and III are annexed as Annexure – I.*

**2. Agenda 2: Review of ATR of decisions taken in the meeting held on 19.7.07**

This agenda was not taken up due to paucity of time.

**3. Agenda 3: Review of ATR of decisions taken in the meeting held on 20.8.07**

- I. Out 6 cases only two i.e M/s Ruby Tuesday abd M/s Devyani International were discussed. These two cases pertains to Mrs. Ajeeta Agarwal, EE, CMC ñ I, who had to leave early.
- II. 13 CBI cases were discussed and decisions were taken.
- III. 34 cases of Badli Ind Area were not discussed due to paucity of time.
- IV. Out of 7 cases, only one case i.e M/s Seven Star Banquette Hall was discussed and decision was taken. This one case out of 7 was taken as the case pertains to Mrs. Ajeeta Agarwal, EE, CMC-I, who had to leave early.

*Decisions taken wrt the cases at I (2 cases), II (13 cases) and IV (1 case) are annexed as Annexure – II.*

**4. Agenda 4: Review of ATR of decisions taken in the meeting held on 21.8.07**

- I. All 8 cases were not discussed due to paucity of time.
- II. Out of 23 miscellaneous cases, three cases of Mrs. Ajeeta Agarwal, EE, CMC ñ I were discussed and decisions were taken. *Same are annexed as **Annexure – III.***

**5. Agenda 5: VIP Reference cases**

One VIP reference case i.e M/s Mittal Dal and Flour Mills, Narela Industrial Area was discussed and renewal of consent was granted by the Committee. ***Annexure - IV***

**6. Agenda 6: Fresh cases of PGRC**

Out of 30 cases put up before the committee 6 TLC cases were discussed and decisions were taken. ***Annexure - V***

The meeting ended with a vote of thanks to the Chair .

| .No. | Ref. No. in list of 30 cases. | Name                                                  | Address                                                                            | Facts of the case                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Decision on 27.9.07                                                                                                                                                                           |
|------|-------------------------------|-------------------------------------------------------|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1    | 11                            | Daffodil Hotel                                        | Tania farm<br>Complex satation<br>village chattarpur<br>Block N.D.110030           | A public complaint received on 21.03.2007, marked as ôTLCôAccordingly, the unit was inspected by a team of DPCC officials on 23.03.2007. Following observations were made by the team -:The unit is having a banquet hall, a party lawn, a resurgent and boarding facility. The unit is having 3 kitchen with the restaurant and 1 kitchen with banquet hall / party lawn. The unit has provided suction and ducting arrangement with only one kitchen. However adequate stack height has not been provided. No canalization system has been provided with rest of the kitchens. No ETP has been provided. D.G. set of 180 KVA has been placed in a acoustic enclosure. However one side of acoustic enclosure has not been treated acoustically and adequate stack has not been provided. It was reported that the unit is having license from MCD & Delhi Police but no documents were available. Opportunity of hearing was given to the unit on 29.05.2007 and it was assured by the representative of the unit that he will submit reply and progress within 2-3 days. But no reply has been received so far. Further course of action is to be decided. | Issue SCN u/s 31(A) of the Air Act and u/s 33 (A) of the Water Act.                                                                                                                           |
| 2    | 13                            | Electro Plating Unit<br>(Prop. Sh. Bhupender Shokeen) | Kh-No.186,<br>Opposite Hathi<br>Brand Atta Mill,<br>Prahladpur<br>Bangar, Delhi-42 | A public complaint received on 07.06.2007, marked as ôTLCôAccordingly, the unit was inspected by a team of DPCC officials on 20.06.2007. Following observations were made by the team -:No ETP has been installed. No control measures has been taken to control the fumes generated during process. As reported unit is being operated above last 3 years (No Documentary proof provided).The activity of the unit falls in F-27/33 category of polluting units which are liable to be closed as per Honðle Supreme Court order dated 07.12.2000.Further course of action is to be decided.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Name of the unit to be forwarded to Dy. Commissioner (NW) for effective closure of the unit.                                                                                                  |
| 3    | 14                            | Kumar Engineering                                     | 3076, Gali Saggd<br>Wali, Ram Bazar,<br>Mori Gate, Delhi-06                        | A public complaint received on 04.06.2007, marked as ôTLCôAccordingly, the unit was inspected by a team of DPCC officials on 19.06.2007. Following observations were made by the team -:The unit is engaged in Engineering Job Work and located at ground floor of the premises. As reported the unit is being operated since 1976. But no Documentary proof provided. The activity of the unit does not fall in F-27/33 category. Hence it may be forwarded to Industry Department for necessary action in terms of orders of Honðle Supreme Court dated 07.05.2004. Further course of action is to be decided.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Name of the unit to be sent to Commissioner of Industries, GNCTD for necessary action in terms of Hon'ble Supreme Court order dated 07.05.04 as the unit is operating in non-confirming area. |

|   |    |                               |                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                            |
|---|----|-------------------------------|-------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| 4 | 25 | Umesh Gupta<br>Generator Wale | C-110/15, Gali No. 12, Opposite Sant Parmanand School, North Gondha, Delhi-53 | <p>A public complaint received through L.G. House as transfer application under RTI 2005, marked as TLC regarding pollution by the activity of battary charging, repair of DG sets, use of acid etc. Accordingly the premises was inspected by a team of DPCC officials on 14.09.07 Following observations were made by team. 1.The premises in question is occupied by Sh Umesh Gupta Generatar wala &amp; as reported the correct address of the prmises is C-110/15 instead of C-1522 as mentioned in the complaint. 2. The Ground floor of the premises is being used as office cum garrage and rest of the floors are being used for residential purpose.3. No activity as mentioned in the complaint i.e. charging of battery, repair of DG set, acid etc. have been observed .</p> <p>However, some manual tools like hammer, screw driver etc. were found stored in a box, it was reported that they are owing three DG sets which have been placed on customer sites on rent basis and these tools are being used for repairing of DG sets on customer site.4. It was further reported that earlier battery charging was carried out at ground floor which has been closed about two year back. Further course of action is to be decided.</p> <p>A public complaint received through E-mail, marked as TLC regarding disposal of waste water (oil / vegetables) to public sewer without any treatment thereby causing frequent chocking of public sewers . Accordingly the premises was inspected by a team of DPCC officials on 14.09.07. Following observations were made by the team.1. The ETP found in defunct &amp; disconnected. No wet and dry sludge was observed at site. 2. The trade effluent generated from the process is being discharged directly in to the sewer without any treatment. 3. The unit is not complying with the provisions of HWM Rules only 2 Nos of empty drums of 200 ltr. capacity (labelled H.W.) were found at ETP site.</p> <p>4. The unit is having 3 DG sets of approx. 125 KVA which have been placed in a common acoustically treated room. However in some portion of room acoustic treatment has not been provided. Stacks of all 3 DG sets have been connected with a common stack of approx.15' ht above roof top. But one connecting stack of DG set found in broken condition.5. Proper channelization system has not been provided to chanelize kitchen emissions. The height of stack was not adequate above roof top. 6. No documents i.e. licenses from MCD, Delhi Police &amp; consent of DPCC was provided by contacted person. 7. During the visit, sewer was not found chocked and as reported it is cleaned regularly.As per the record of equiry counter, the unit has applied for consent to operate under orange category on 26.07.02 which has not been dissposed off so far. Further course of action is to be decided.</p> | This application is to be decided as per RTI procedures. The case is not required to be put up before CMC. |
|---|----|-------------------------------|-------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|

|   |    |                    |                               |                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                 |
|---|----|--------------------|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| 6 | 29 | M/s Manoj & Rajesh | WZ-48/5, Khyala,<br>New Delhi | A public complaint has been received from a resident marked as TLC. The premises was inspected by Sh. Pankaj Kapil, EE, DPCC, and Sh. Aditya Narayan Singh, Scientist, Environment Department on 18.09.07. As per the inspection report the plot has no. of small rooms fitted with shutters. Buffing, Nickel - Chrome plating and Zinc plating been carried out in 3 separate rooms by Sh. Manoj & Rajesh who are brother. | Name of the unit to be forwarded to Dy. Commissioner (W) for effective closure of the unit alongwith representation received from the landlord. |
|---|----|--------------------|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|