

Minutes of the 15th meeting of the Committee Constituted for Deciding the Consent under orange Category, held on 28.08.2007 in the Conference Room of Chairman, DPCC.

The Following persons, attended the meeting on 28. 08.2007

1. Sh. J. K Dadoo, Chairman DPCC
2. Sh. SS Ghonkrota, Member Secretary, DPCC
3. Sh. S.K.Gupta ,Head Chemical Engineering Deptt.,IIT Delhi
4. Sh. B. Kumar, SEE, DPCC
5. Dr. Anil Kumar, SSO, Deptt of Env, GNCTD.
6. EEs of CMC I & III and AEEs of CMC – I and II
7. Sh. M. Dwarakanath, SSO, Deptt of Env., GNCTD as a special invitee.
8. Dr. M.P.George , Sr. Scientist, DPCC.

Decisions taken in the Meeting on 28.08.2007 are as given below ;

Agenda - 1 Special reference/Miscellaneous case (2 No.) decisions taken by the Committee are given at **Annexure I**

Agenda - 2. Regarding Remaining **50** cases of the inspections carried out by the Committee for Wazirpur Industrial Area, (after the meeting on 05.07.2007), it was decided that these cases shall be taken in the meeting on 10.09.2007 , after completion of the inspections by the said Committee. Regarding other 8 cases of Wazirpur Indl. Area of this agenda item including two High Court cases, the cases were discussed in detail and decisions taken by the Committee are given at **Annexure – II**.

Agenda – 3 The issues regarding discharge of untreated effluent by Industries of Narela Industrial Area in the Storm Water Drain / damaged / blocked S.W.Drain and unauthorized tube wells , as informed by DSIIDC alongwith a list of such plots (only plot No. given , name & the activity not mentioned in the list provided) in B, D & F sectors of Narela Industrial Area , were discussed . Out of 222 plot Nos. mentioned in the list , 79 have been reported disposing of waste water without any treatment into Sewer / S.W.Drain. The issues were discussed and it was decided that a letter shall be issued to DSIIDC seeking name and the activities of the units (79 – 21 = 58 plots) which are reported to be discharging untreated waste water for which consent record is not available with DPCC. (Out of 79 plots from which untreated waste water discharge is reported , consent record is available for 21 units/ plots with DPCC). Regarding unauthorized tubewells, DSIIDC should take up this issue with the concerned Authority . As regard damaged / Blocked sewerage system of the Narela Industrial Area , as informed by DSIIDC , it was decided to issue Show Cause Notice to DSIIDC which is responsible for the development and maintenance of facilities in the said industrial area, including the maintenance of sewerage / drainage system of the industrial area.

Agenda - 4. The issue regarding Empanelment of the Laboratories by DPCC was discussed and Status of Inspections of Laboratories by the Committee constituted for the purpose was placed before the Committee. It was informed that out of 11 Laboratories which have applied for empanelment , 8 have been inspected by the Committee and out of 3 remaining laboratories , 2 are located outside of Delhi. It was decided that the Laboratories which are located in Delhi shall only be considered for the empanelment by DPCC. This matter will be taken up by the Committee in the meeting on 10.09.2007, after the completion of the remaining inspections.

The meeting ended with a vote of thanks to the Chair.

S.No.	Ref. No.	M/s	Name of Industry/Unit	Address	Industrial Area	Activity	Remarks / Brief of Earlier Decisions Taken	Decision Taken on 28.08.07.
1	126	M/s	M/s A.V. Metal	A-75/2	Wazirpur Indl. Area	Re-Rolling and Pickling of SS Sheets.	Show Cause Notice for refusal of authorization under HW Rules & Show Cause Notice u/s 5 of EP Act issued as per decision taken on 05.07.07. Reinspected by Committee for Wazirpur Indl. Area on 16 .07.2007.	Consent under the Air and Water Acts Refused. Authorisation under HW Rules Refused. Directions u/s 33(A) of Water Act (invoking rule 34 (6)) , u/s 31(A) of Air Act (invoking rule 20 A (6)) and u/s 5 of EP Act (invoking rule 4(5)) for closure of the unit and for disconnection of electricity and water supply to the unit. Letter for cancellation of MCD license in the name of the unit.
2	2	M/s+D1	M/s Mitul Industries	A-124	Wazirpur Indl. Area	Pickling, Annealing & Re-Rolling of SS Sheets	Unit submitted Bank Gaurantee of Rs. Three Lakh on 20.03.2007 with six month validity (valid upto 19.09.2007), as was asked earlier vide letter issued on 09.02.2007, based on the decisions taken by the Committee in the meeting on 29. 01.2007 (Bank Gaurantee of Rs. 3 Lakh was asked (Rs. one Lakh each for operation of ETP , ECS & for proper management of hazardous waste)). 90 days time was given for taking corrective measures regarding discharging the treated effluent into sewerage system of the industrial area or other suitable system for carrying effluent so that there is no open discharge of effluent on the land or into open drain. In case of failure Bank Gaurantee will be forfeited. The unit submitted representations and also an affidavit for the above. Unit was inspected by the Committe for WIA on 12.04.07 and representations were received from the unit and reinspected by the said Committee on 10 .07.2007, as decided in the meeting on 05.07.07.	Since the unit is engaged in pickling of SS sheets , Bank Gaurantee submitted by the unit be revalidated for another six months and on this ground / on this condition Consent under the Air & Water Acts granted & Authorlization under the HW Rules granted. Consent under the Air and Water Acts and Authorisation under HW Rules to be issued after the revalidation of the Bank Gauranttee .Inspection report of the Committee for Wazirpur Industrial Area , accepted by the Committee and as recommended by the said Committee issue letter to MCD for the removal of the material stored by the unit outside of the premises.

3	9	M/s	M/s S.K Enterprises	A-126/1	Wazirpur Indl. Area	Pickling, Annealing & Re-Rolling of SS Sheets	unit was earlier inspected by the committee for WIA and also by the present committee for WIA on 12.04.07. Unit submitted Bank Gaurantee of Rs. Three Lakh on 19.03.2007 with six month validity (valid upto 18.09.2007), as was asked earlier vide letter issued on 09.02.2007 based on the decision taken by the Committee in the meeting on 29. 01.2007 (Bank Gaurantee of Rs. 3 Lakh was asked (Rs. one Lakh each for operation of ETP , ECS & for proper management of hazardous waste). 90 days time was given for taking corrective measures regarding discharging the treated effluent into sewerage system of the industrial area or other suitable system for carrying effluent so that there is no open discharge of effluent on the land or into open drain. In case of failure Bank Gaurantee will be forfeited. The unit submitted representations and also an affidavit for the above. As decided in the meeting on 05.07.07 this case was to be taken up in the next meeting on 18.07.07 however the case could not be taken up by the Committe in that meeting.	Since the unit is engaged in pickling of SS sheets , Bank Gaurantee submitted by the unit be revalidated for another six months and on this ground / on this condition Consent under the Air & Water Acts granted & Authorlization under the HW Rules granted. Consent under the Air and Water Acts and Authorisation under HW Rules to be issued after the revalidation of the Bank Gauranttee .
4	12	M/s	M/s W.C Steel	B-70/2	Wazirpur Indl. Area	Pickling of SS Sheets	Letter issued for cancellation of MCD license, consent & authorization application pending ETP & ECS installed and requested for earlier issued closure direction to the unit. As decided on 05.07.07 this case was to be taken up in the next meeting on 18.07.07.	Consent under the Air & Water Acts Refused. Authorisation under HW Rules Refused.

5	17	M/s	M/s Pawan Kumar	A-87/1	Wazirpur Indl. Area	Plastic injection moulding	Show Cause Notice issued on 22.01.07, since found operating without consent. Hearing was given on 28.03.07. Representative of unit requested for time upto 10.04.07 for submission of consent application however consent application under Air & Water Acts has not been recieved so far. As decided on 05.07.07 this case was to be taken up in the next meeting on 18.07.07. however could not be taken in that meeting.	Directions u/s 31(A) of Air Act(invoking rule 20 A (6)) for closure of the unit and for disconnection of electricity and water supply to the unit . Letter for cancellation of MCD license in the name of the unit.
6	1	M/s+D3	M/s R.N Gupta & Co.	A-125	Wazirpur Indl. Area	Pickling and Annealing of SS Sheets	Inspection was carried out by committee for WIA & unit was found in operation in violation of directions issued for closure on 09.01.07. ETP found defunct and untreated effluent was found discharging. The committee in the meeting held on 05.07.07 decided as given below "Directions to concerned SDM for effective closure of the unit since despite the directions issued by DPCC, for closure of the unit, the unit is operating defying the directions and the unit is habitual offender and willfull defaulter. Concerned SDM be asked to ensure effective closure of the unit & to confirm to DPCC within 3 weeks. Member Secretary DPCC, will also write to concerned Deputy Commissioner in this regard. This matter be brought in the meeting of Committee in August 2007." Letters issued . Compliance report awaited.	Letter seeking compliance report from the concerned SDM.