




DELHI POLLUTION CONTROL COMMITTEE
4th & 5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/ Committee II (b) /2nd Meeting / 2016/ 4734-38 **Dated: 6.7.16**

Subject: Minutes of the **2nd Meeting of the Committee for II (b) Category Cases** headed by Member Secretary, DPCC, held on **25.06.2016**, in the conference room of DPCC at 5th Floor, ISBT, Kashmere Gate, Delhi -06

Please find enclosed herewith the Minutes of the **2nd Meeting** of the aforementioned Committee, held on **25.06.2016**, in the conference room of DPCC at 5th Floor, ISBT, Kashmere Gate, Delhi -06

Concerned Engineers are required to take necessary action as per the decisions taken by the Committee.



(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC.


(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

Minutes of the 2nd Meeting of the Committee for II (b) Category cases, headed by Member Secretary, DPCC and constituted vide office order dated 12.04.2016, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous Waste Rules, held on 25.06.2016, in the conference room of DPCC, at ISBT, Kashmere Gate, Delhi-06.

Attendance Sheet is enclosed as Annexure "A".

Vide Office Order dated 12.04.2016, a Committee headed by Member Secretary, DPCC, has been constituted to decide II (b) category cases [Consent and Authorization of Orange Category units].

As decided, pending cases of Consent to Establish of the period 01.07.2015 to 15.06.2016 were taken by the Committee in the meeting on 25.06.2016.

At the outset, Member Secretary was briefed about the existing software and consent processing mechanism for deciding the consent /authorization etc. as per latest office order dated 12.04.2016.

Following are the Minutes of the Meeting:-

Agenda Item No 1: Pending Cases of Consent to Establish of the period 01.07.2015 to 15.06.2016

The above mentioned cases excludes cases of Hotels & Restaurant of Mahipalpur/Rangpuri area involving orders of Hon'ble National Green Tribunal which are taken collectively in separate meeting.

Decisions were taken online in individual cases and software generated list of 57 no. of units including decisions taken in these cases are at Annexure I. Due to paucity of time, the Committee could take up pending Consent to Establish cases of the period 01.07.2015 to 31.10.2015 and it was decided to take remaining cases in next meeting.


Regarding consent fee submitted by the units, the Committee considered the Undertaking/Certificate of Chartered Accountant given in respect of Gross/Total Capital Investment of the unit for calculation of consent fee.

Following Table Agenda Items were taken by the Committee with the permission of chair.

Table Agenda No 1:- Case of M/s T.R. Sawhney Motors Pvt. Ltd., East Gokulpur, Main Wazirabad Road, Delhi (ID No. 8621 CTE Dated 30.07.2014) engaged in the activity of Service Station (Washing, Repairing, Denting & Painting of Cars).

The matter was briefed before the Committee by officers of CMC - I. It was informed that the existence of the unit is prior to 01.08.1990. The unit submitted a letter on 04.09.2014 informing that Committee headed by Commissioner of Industries, Govt. of Delhi vide order dated 30.11.2007 decided that area SDM may be directed that the premises of the unit may be de-sealed and may be allowed to continue present activity at the given address. The unit has also informed that as per MPD - 2021, at para 15.6.2, "Automobile repair & workshops are allowed in non conforming area on roads of width of 30 meters and above" and said workshop is on main road which is more than 60 meter wide.

Contd....2

The bottom of the page features several handwritten signatures and initials in blue ink. From left to right, there is a large stylized 'Q' or 'R' signature, a signature that appears to be 'Ansh', a signature that looks like 'Deepak Singh', a signature that is partially legible as 'Sawhney', a signature that looks like 'Smita', and a final signature on the far right that is partially cut off.

The said unit is having provisional License from East Delhi Municipal Corporation (EDMC) generated on 27.06.2014 valid upto 25.09.2014 for the activity of Automobile workshop for servicing and repair of automobiles and informed that it will submit Permanent License from EDMC after submitting Consent to Establish from DPCC.

In the past, a letter was issued to the unit seeking valid MCD license in order to prove its conformity w.r.t. the provisions of Master Plan however no reply was received and therefore Show Cause Notice for refusal of Consent was issued to the unit on 20.02.2015. The unit submitted its reply w.r.t said Show Cause Notice on 04.03.2015 & 17.03.2015 and stated the aforementioned things.

As decided by the Committee in the meeting on 19.08.2015, a letter was issued to EDMC on 16.09.2015 seeking clarification regarding conformity of the unit w.r.t. MPD-2021 mentioning that if EDMC does not respond / clarify on the aforementioned issue, Consent to Establish shall be granted to the unit. However, no reply was received from EDMC and therefore the matter was again placed before the Committee in its meeting on 26.02.2016 and as decided another letter was issued to EDMC on 04.05.2016 seeking aforementioned clarification within 15 days failing which Consent to Establish to the unit shall be granted by DPCC, however no reply has been received from EDMC.

After discussions, the Committee decided to grant Consent to Establish to the unit with condition that unit shall submit valid license from East Delhi Municipal Corporation (EDMC) within 03 months.

Table Agenda Item No 2:- Case of Prime Automation, Plot No 28, FIE, Patparganj Industrial Area, Delhi-92 (ID No. 15169 CTE Dated 22.06.2016) engaged in the activity of Service Station of Bikes.

The matter was briefed before the Committee by officers of CMC - I . Committee decided to grant Consent to Establish with the condition that (i) During the establishment of the unit, the water shall be obtained from the authorized source (ii) Unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate.

General Decision taken:-

1. If the existing unit has applied for Consent to Establish however not applied for Consent to Operate, the unit shall be granted Consent to Establish with condition that unit shall apply for Consent to Operate within 03 months.
2. If the unit is operational and having borewell/tubewell however does not have permission for extraction of ground water from DJB/NDMC/CGWA, in such cases, a letter shall be issued to concerned Dy. Commissioner (Revenue) with copy to DJB for taking necessary action for closure /sealing of borewell/tubewell w.r.t. notification of Department of Environment, Govt. of NCT of Delhi dated 12.07.2010 however in such cases, Consent to Establish shall be granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source within 03 months and if such units are not operational (yet to commission) then in such cases unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate.

Contd....3

The bottom of the page features several handwritten signatures and initials in blue ink. From left to right, there is a large stylized 'S', a signature that appears to be 'Anil', a signature that looks like 'Subair Singh', a signature that is partially legible as 'Prakash', a signature that looks like 'Suresh', and a signature that looks like 'Rajesh'. There are also some smaller initials and marks scattered around these signatures.

3. If there is use of water for domestic purpose (for drinking & bathroom/toilet etc.) upto 100 Litres/Day and purchased through tanker/water supplier, such units shall not be asked to submit proof regarding obtaining water from authorized source.


Since decisions are taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on such lists. The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.


The meeting ended with a vote of thanks to the Chair



(S.M. Ali)
Member Secretary, DPCC


(Dr. Chandra Prakash)
SEE, CMC-I


(D.K. Singh)
SEE, CMC-II


(M. Arif)
SEE, CMC- V


(Satender Kumar)
SEE, CMC-III & IV


(D.K. Srivastava)
EE, CMC-II


(M.S. Rawat)
EE, CMC-V






(Shyam Sunder)
EE, CMC-I


(Rajeev Sharma)
EE, CMC-III
(Representing
Sh. S.K. Goyal)


(Amit Chaudhary)
EE, CMC-V


(K. Kumar)
EE, CMC-IV

Attendance Sheet for 2nd Meeting of the Committee constituted vide office order Dated 12.04.2016 and headed by Member Secretary, DPCC, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous Wastes Rules of the units under Category II (b), for the Pending Consent to Establish cases of the period 01.07.2015 to 15.06.2016, held on 25.06.2016, in the Conference Room of DPCC at ISBT Building, Kashmere Gate, Delhi.

S.No.	Name	Designation	Signature
1.	Sh. S. M. Ali	Member Secretary, DPCC	
2.	Dr. Chandra Prakash	SEE(CMC I), DPCC	
3.	Sh. D.K. Singh	SEE(CDC)(CMC II), DPCC	
4.	Sh. M. Arif	SEE(CDC) (CMC V), DPCC	
5.	Sh. Satender Kumar	SEE(CDC)(CMC III & IV), DPCC	— Absent —
6.	Sh. D. K. Srivastava	EE(CDC) (CMC III), DPCC	
7.	Sh. M. S. Rawat	EE(CDC) (CMC V), DPCC	On Leave
8.	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	On Leave
9.	Sh. Shyam Sunder	EE(CDC) (CMC I), DPCC	
10.	Sh. Rajeev Sharma (Representing Sh. S. K. Goyal)	EE(CDC) (CMC III), DPCC	
11.	Sh. Amit Chaudhary	EE(CDC) (CMC V), DPCC	
12.	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	
13.	Sh. K. Kumar	EE(CDC) (CMC IV), DPCC	



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 2nd meeting on 25.06.2016 w.r.t. Agenda Item No 1 -- 57 Pending Consent to Establish cases of the period of 01.07.2015 to 31.10.2015 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	GREEN LOUNGE NORTH BANQUETS (A UNIT OF NAGPAL HOSPITALITY PVT. LTD)	C-03, GROUND FLOOR, 1ST FLOOR WAZIR PUR INDUSTRIAL AREA	03-07-2015	DPCC/EC/2/1/2015/11219	Banquets Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				02-03-2016 (1)ETP ---- proposed (2)ECS - Channelization system is provided for emission generated in kitchen. (3)D.G.Set: ...2 no.s (250 KVA and 250 KVA proposed) Ground Water: Nil Source of Water: 4.0 KLD from DJB Enquiry counter raised the point that it is the consent fee relaxation case, therefore, the documents and the claim is to be finally accepted by the CMC while processing the consent. Condonation fee has been charged based on the following documents:- i) Copy of lease agreement dated 25.010.2014 and an undertaking by owners of the premises stating that the said lease agreement is the first agreement between them. ii) Copy of the MCD license dated 24.06.2015 and an undertaking by the unit stating that this is the first MCD license of the unit. Also, file may also be send to IT cell for	25-06-2016 The correct capital investment of the unit is Rs. 41,00,000 and the same be corrected by IT Cell. Consent to Establish granted. Also inspection be conducted before grant of consent to operate.

											change of address from C-03 to C-93.	
											Remarks/ATR on 24-06-2016 Unit has also applied for CTO on 03.06.2016 along with valid MCD Licence and requested to correct the address from C-03 to C-93.	
2	G.D. MOTORS PVT. LTD.	W-127, MAYAPURI INDUSTRIAL AREA, PHASE-II	06-07-2015	DPCC/EC/2/1/2015/11227	Servicing, Repairing and washing of Two wheelers. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI				01-03-2016 (1)ETP ---- ETP(proposed) (2)ECS - N/A (3)D.G. Set : Nil (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption : 1100 Lt/day (Tanker)	25-06-2016 Consent to Establish granted subject to two conditions i.e. (i) during the establishment of the unit, the water shall be obtained from the authorized source (ii) unit shall submit the proof that the water is being obtained from the authorized source.
3	CASTLE 9 RESTAURANTS PVT. LTD	B-45-47, IST FLOOR, CONNAUGHT PLACE	08-07-2015	DPCC/EC/2/1/2015/11251	Restaurant 200 seats. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				02-03-2016 (1)ETP ---- ETP(proposed) (2)ECS - N/A (3)D.G. Set : 125 KVA and 100 KVA. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption : 4000 Lt/day (DJB. Bill enclosed) (8) MCD license : Copy of NDMC license submitted (valid upto 31.03.2017)	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
4	PRINCE AUTOMOBILES	A-5, DSIDC INDUSTRIAL AREA, ROHTAK ROAD, NANGLOI	09-07-2015	DPCC/EC/2/1/2015/11263	SALES AND SERVICE CENTRE OF TWO WHEELERS. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI				02-03-2016 (1)ETP ---- ETP(proposed) (2)ECS - N/A (3)D.G. Set : Nil (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption : 2500 Lt/day (DJB. Bill enclosed)	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
5	COAST CAFE (A UNIT OF OGAAN	H-2, HAUZ KHAS	09-07-2015	DPCC/EC/2/1/2015/11266	RESTAURANT.	Orange Establish	Non-SPI				02-03-2016 (1)ETP -Proposed	25-06-2016

	INDIA PVT LTD.)	VILLAGE, 2ND & 3RD FLOOR,			Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (With minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer							(2)ECS - N/A (3)D.G.Set: 200 KVA Ground Water- Nil Water Consumption- 3660 litres/day (Source-Corporation (Bill enclosed)) Notices issued, MCD License valid upto 30.03.2016 Delhi Police License was valid upto 30.03.2015	Consent to Establish granted.
6	INDRAPRASTHA AUTOMOBILES PVT. LTD.	B-72/3, WAZIRPUR INDUSTRIAL AREA	14-07-2015	DPCC/EC/2/1/2015/11294	Servicing (Repair, Maintenance and Washing) of Vehicles. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI					02-03-2016 (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set: ..70 KVA(Proposed) Ground Water: Nil Source of Water: 5.80 KLD from tanker water and corporation supply water(as per undertaking) Enquiry counter raised the point that unit is required to submit the following:- a) Details of suppliers of water (Name , Address and Contact details of the Agency(ies) supplying water through tankers including bill) and its valid permission from concerned Agency(ies) for extraction/ drawl of ground water.	25-06-2016 Consent to Establish granted subject to two conditions i.e. (i) during the establishment of the unit, the water shall be obtained from the authorized source (ii) unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
7	COMFORT LIVING HOTELS PVT. LTD.	A-3, GREEN PARK	15-07-2015	DPCC/EC/2/1/2015/11300	HOTEL WITH RESTAURANT AND LODGING. Hotels with atleast 20 bed rooms having kitchen and/or laundry and connected to public/municipal/DJB sewer with Boiler	Orange Establish	Non-SPI					02-03-2016 (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: 250 KVA (Proposed) Ground Water: Nil Water Consumption:8000 litres/day (Source-Corporation (Bill enclosed)) MCD License valid upto 31.03.2015 Delhi Police License valid upto 31.03,2015 Remarks: Unit is required to submit the	25-06-2016 File be put up administratively.

												following documents:Copy of valid MCD license (unit has submitted copy of MCD license (valid upto 31.03.2015) and copy of receipt dated 21.04.2015 for applying renewal of the said license) Closure direction issued on 19.02.2014/22.12.2014 and temporary revocation of direction issued.	
8	KANSIN IMPORT & EXPORT (P) LTD	S-75-76, OKHLA INDUSTRIAL AREA, PHASE-II,	15-07-2015	DPCC/EC/2/1/2015/11307	Leather and Readymade Garments (With Washing) Readymade Garment (with Washing)	Orange Establish	Non-SPI					11-01-2016 (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: 160 KVA (proposed) Ground Water: Nil Water Consumption: 4000 litres/day (Source- Corporation (DJB Bill enclosed)).	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months. IT Cell be also asked to correct the entry w.r.t. ownership of the premises.
9	VANGUARD DIAGNOSTICS PVT. LTD	C-123, OKHLA INDUSTRIAL AREA PHASE-I	20-07-2015	DPCC/EC/2/1/2015/11332	MANUFACTURING OF DIAGNOSTICS KITS AND REAGENTS. Manufacturing of Diagnostic Kit without Boiler or Furnace	Orange Establish	Non-SPI					02-03-2016 (1)ETP -Proposed (2)ECS - N/A (3)D.G.Set: 80 KVA (proposed) Ground Water- Nil Water Consumption- 2000 litres/day (Source- Corporation) Remarks/ATR on 25-06-2016 The unit has submitted a letter on 08.01.2016 informing that Consent to Establish from DPCC has become an important document for several statutory and regulatory license and requested to issue certificate for Consent to establish or a letter w.r.t. status of application for renewing the Provisional Factory License of MCD. In this regard a letter has been issued to the unit on 20.01.2016 informing that Consent to Establish application is under consideration	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.

											and same shall be put up in next meeting of concerned Committee.	
											Unit has submitted a letter on 09.06.2106 requesting grant of Consent to Establish for renewing the Provisional Factory License of MCD as it has not been renewed in the absence of Consent to Establish.	
10	TRIPTI RESTAURANT & CATERING SERVICES	COTTAGE 4-A WEST PATEL NAGAR	22-07-2015	DPCC/EC/2/1/2015/11345	Restaurant. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				02-03-2016 (1)ETP : ETP (Proposed). (2)ECS - N/A (3)D.G. Set : 125 KVA (Proposed) (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption : 3400 Lt/day (DJB. Bill enclosed) (8) Seating Capacity : 45 Seats. (9) Copy of valid MCD license submitted (valid upto 31.03.2016)	25-06-2016 Consent to Establish granted.
11	THE FOOD FACTORY	M-55, GREATER KAILASH-I, M BLOCK MARKET	22-07-2015	DPCC/EC/2/1/2015/11350	Quick Services Restaurant. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				02-03-2016 (1)ETP - N/A 2)ECS - N/A (3)D.G.Set: 125 KVA Ground Water- Nil Water Consumption- 3360 litres/day (Source-DJB (Bill enclosed))	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
12	RAMPUR KITCHEN (MUGHAL DARBAR)	SHOP NO 47-50, 1ST FLOOR, THE INDIA MALL, 1, COMMUNITY CENTRE, NEW FRIENDS	24-07-2015	DPCC/EC/2/1/2015/11383	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/	Orange Establish	Non-SPI				02-03-2016 (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 21.05.2015 and	25-06-2016 File be put up administratively.

		COLONY			Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer						various deficiencies observed (5) SCN u/s 31(A)/33(A)/ : issued on 08.08.2013 (6) Closure directions u/s 31(A)/33(A) : issued on 05.01.2015 Temporary revocation of direction issued on 21.08.2015 Ground water: Nil	
13	ATTIC PRODUCTS	A-103/1 OKHLA INDUSTRIAL AREA PHASE - 2	27-07-2015	DPCC/EC/2/1/2015/11390	Assembly and packaging of Handicraft items. Paint and Varnishes (Blending, Mixing) Process Involving Buffing Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI				07-04-2015 (1)ETP ---- N/A (2)ECS -Proposed (3)D.G.Set: ...N/A... Unit has submitted an application online, Enquiry Counter of DPCC has provided online generated Consent fee receipt/ statement and it reveals that unit has transaction sucessfully for amount Rs. 1,122.71. However, hard copy of relevant documents are not provided. Remarks/ATR on 25-06-2016 Unit has submitted hard copies of consent application on 27.07.2015 along with signed copy of Consent Application Form, undertaking, Detailed Project Report, Layout Plan, Location Plan, Perpetual Lease and Delhi Jal Board bill. Enquiry Counter of DPCC has remarked on the receipt that unit has required to submit undertaking in prescribed format, CA Certificate, two documents regarding proof of commissioning of activity or submit condonation fee w.e.f. 01.06.1991, copy of	25-06-2016 File be put up administratively.

											pan card, details of water suppliers. Unit has submitted undertaking on 17.09.2015 and not submitted other documents as mentioned in Consent to establish application receipt Recommendation / Action Taken Details (EE/AEE) on 21-07-2015 As decided on 13.05.2015, letter was issued to the unit on 29.05.2015 w.r.t. submit hard copies of consent application along with required documents (signed copy of Consent Application Form, undertaking with statements as prescribed in the format of Affidavit, Detailed Project Report, Layout Plan, Location Plan, Proof of Possession of the Premises etc.), unit can be asked to use treated water from existing CETPs and STPs. and also submit the details of Water supplier (s) including source of water with documentary evidence from within 15 days. Letter was returned back and undelivered.	
14	HANUMAN JEE INDUSTRIES	PLOT NO H-1248, DSIIDC, NARELA INDUSTRIAL AREA	27-07-2015	DPCC/EC/2/1/2015/11398	Processing of Condiments spices, groundnuts and dall. Processing of Condiments, Spices, Groundnuts and Dal Etc	Orange Establish	Non-SPI				02-03-2016 1. ETP- N/A. 2. ECS-proposed bag filter 3. Plot Area: 350 sq meter 4. D.G. Set : Nil. 5. Water consumption: 90 L/day. a) Source of water: PNC Delhi Industrial Pvt. Ltd.(no bill submitted) b) Ground water- Nil Remarks/ATR on 24-06-2016 Status of Pollution Control system/Devices: 1. ETP- N/A	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.

											2. ECS- Proposed 3. D.G. set- No Status of Ground Water Extraction: No 1. Water consumption: 90 L/day. a) Source of water: PNC (copy of PNC bill not submitted) Status of Inspection: No Test Reports: Air (Emission)-N/A Water (Effluent)- N/A Noise Test Report- N/A Plot Area:350 sq.mt. Proposed date: 11.08.2015	
15	REAL FOODS	B-225, PHASE-I, NARAINA INDUSTRIAL AREA	30-07-2015	DPCC/EC/2/1/2015/11415	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				02-03-2016 (1)ETP ---- Other ETP Name : ETP (a) AR dated issued by submitted. (b) Effluent analysis report dated 28-08-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 29-10-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes - An inspection was conducted by DPCC officials on 22.01.2015 and following observations were made: 1. Unit found operating and engaged in the activity of Restaurant. 2. Unit having 1 D.G Set of capacity 90 KVA approximately with adequate stack height but without acoustic	25-06-2016 File be put up administratively.

											enclosure. 3. Ducting system is provided in the kitchen and chimney stack height is above the roof top. 4. ETP Plant is not installed but waste water is discharging by the unit into CETP as informed by the unit. 5. Unit having valid MCD License and Delhi police license till 31.03.2015. Accordingly, based on the findings of inspection Show cause notice for closure u/s 33(A) of the Water Act,1974, and u/s 31(A) of the Air Act,1981 was issued to the unit on 04.03.2015. - Unit has failed to submit any reply w.r.t to SCN. -Closure direction was issued to the unit on 25.05.2015. -Unit submitted the reply on 13.07.2015 and informed that direction was issued with the name of M/s Bikanerwala food Pvt. Ltd. while their correct name is Real Foods. Also, submitted the undertaking and security bond of Rs. five lakhs only/- also submitted the copy of MCD and Delhi Police License, Water connection and electricity meter. -Temporary revocation was issued to the unit on 24.07.2015. -Water Consumption- 5000 Litr/Day(MCD Connection)	
16	THE BLACK OLIVE RESTRO-BAR	PLOT NO 1 MLU, POCKET-5, SEC-12, DWARKA,	31-07-2015	DPCC/EC/2/1/2015/11419	Restaurant. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production	Orange Establish	Non-SPI				02-03-2016 (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report :Proposed (4) Inspection details:	25-06-2016 File be put up administratively.

					of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer						inspection conducted on 06.05.2015 and various deficiencies observed. (5) SCN u/s 31(A)/33(A) : 13.01.2015 issued (6) Closure directions u/s 31(A)/33(A) : 13.07.2015 issued Temporary revocation of Direction issued on 21.08.2015. Unit submitted reply on 15.10.2015 and applied for consent to operate on 10.12.2015	
17	PAMPHILOS (A UNIT OF ORAM FOODS PVT. LTD.)	N-8, SECOND FLOOR, N BLOCK MARKET, GREATER KAILASH PART-I	31-07-2015	DPCC/EC/2/1/2015/11422	Eating House. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				11-01-2016 (1)ETP - Proposed (2)ECS - N/A (3)D.G.Set: 60 KVA (proposed) Ground Water- Nil Water Consumption- 3500 litres/day (Source- Corporation (DJB Bill enclosed)) MCD (Health) and Delhi Police Licenses valid upto 31.03.2016	25-06-2016 Consent to Establish granted.
18	AGGARWAL SWEET CORNER PVT. LTD.	PLOT NO 15, MLU POCKET, SECTOR-12, DWARKA	31-07-2015	DPCC/EC/2/1/2015/11424	Restaurant. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				02-03-2016 (1)ETP - Proposed (2)ECS - N/A (3)D.G.Set: 82.5KVA & 125 KVA Ground Water-Nil Water Consumption- 2500 litres/day MCD License valid upto 31.03.2016 Delhi Police License valid upto 30.03.2016 Remarks/ATR on 25-06-2016 Complaint has been received against the unit regarding	25-06-2016 File be put up administratively.

[illegible]

19	ELATION (A UNIT OF REGALE HOSPITALITY PVT. LTD)	M-32, SECOND FLOOR, M-BLOCK MARKET, GREATER KAILASH PART-I,	03-08-2015	DPCC/EC/2/1/2015/11439	Eating House. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				03-03-2016 (1)ETP -Proposed (2)ECS - N/A (3)D.G.Set: 40 KVA Ground Water- Nil Water Consumption- 3500 litre/ day (Source- Corporation (Bill enclosed)) MCD License valid upto 31.03.2016 Delhi Police License not submitted.	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
20	PALACE OF DREAMS (A UNIT OF DKS HOTEL PRIVATE LIMITED)	E-1,UDYOG NAGAR INDUSTRIAL AREA , NEW ROHTAK ROAD ,PEERA GARHI ,DELHI	04-08-2015		Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) not connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				03-03-2016 (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Water Consumption-85 Liters/Day -Unit has not submitted the hard copy of CTE application along with requisite documents.	25-06-2016 Ask the unit to submit hard copies of consent application along with required documents within 15 days. If unit submits the same, Consent to Establish be issued with the condition that the unit shall apply for Consent to Operate within 03 months.
21	THE MAIDENS CROWN BANQUETS (A UNIT OF SRK HOSPITALITY)	B-1, UDYOG NAGAR PEERA GARHI	04-08-2015		banquet hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) not connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				03-03-2016 (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Water Consumption- 100 Liters/Day -Unit has not submitted the hard copy of CTE application along with	25-06-2016 Ask the unit to submit hard copies of consent application along with required documents within 15 days. If unit submits the same, Consent to Establish be issued with the condition that the unit shall apply for Consent to Operate within 03 months.

											requisite documents.	
22	THE OAKLAND	CC-27, NEHRU ENCLAVE, KALKAJI-110019	04-08-2015	DPCC/EC/2/1/2015/11455	Guest House With Kitchen Hotels with atleast 20 bed rooms having kitchen and/or laundry and connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				03-03-2016 (1)ETP ---- Other ETP Name : STP (Proposed) (2)ECS - N/A (3)D,G,Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 15-01-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: Conducted on 02.12.2014 and various deficiencies were observed. (5) SCN u/s 31(A)/33(A) : Issued on 28.05.2013 (6) Closure directions u/s 31(A)/33(A): Issued on 08.08.2013 (7)Temporary revocation of direction issued on 24.08.2015 Ground water: Nil	25-06-2016 File be put up administratively.
23	JAIN BANQUETS (A UNIT OF G.S. AUTOMOBILES PRIVATE LIMITED)	PLOT NO 10, WAZIRPUR PRESS AREA,	06-08-2015	DPCC/EC/2/1/2015/11490	Serve To customer (Banquets Halls) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				03-03-2016 (1) ETP (Physiochemical)- Proposed (2) ECS - N/A (3) D.G.Set: 125 KVA (Proposed in undertaking) (4) Source of water supply: 6 KLD (Outside) The unit has proposed the commencement of production in Oct. 2015, however, not applied for CTO yet. The unit has submitted a copy of application submitted to MCD for obtaining health trade license alongwith copy of application process fee of Rs. 250.	25-06-2016 Check the conformity of the unit before issuing Consent to Establish.

											As per note of the enquiry counter unit is required to submit following documents: -Valid MCD License -Detail of supplier of water including bills and its valid permission from concerned agencies. Note: This Press Area is not connected with CETP of Wazirpur Industrial Area.	
24	SNV MOTORS PVT. LTD.	20, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	10-08-2015	DPCC/EC/2/1/2015/11503	Servicing of two Wheelers with washing. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 17-05-2016 Authorisation Status Pending			03-03-2016 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...15KVA (Proposed)... (4) Inspection details: No (5) SCN u/s 21/22 of Air Act and 25/26 of Water Act details : 07.12.2015 -Unit submitted a reply on 22.12.2015 and informed that they have applied for CTE on 10.08.2015 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Water Consumption- 350 Litre/Day Ground Water- Nil	25-06-2016 Consent to Establish granted.
25	INFORMAL RESTAURANT (A UNIT OF BEL CIBO HOSPITALITY PRIVATE LIMITED)	52, GROUND AND FIRST FLOOR, JANPATH	10-08-2015	DPCC/EC/2/1/2015/11515	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				03-03-2016 (1)ETP ---- Other ETP Name : ETP (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption- 3000 Litre/ Day (NDMC bill enclosed)	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.

											(8) Ground Water -Nil (9) NDMC Licence- valid upto 31.03.2016	
26	FAIR DEAL AUTOMOBILES	PLOT NO- 507, PATPARGANJ INDUSTRIAL ESTATE	13-08-2015	DPCC/EC/2/1/2015/11552	SERVICING REPAIRING AND WASHING OF MOTORCYCLE. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI				02-03-2016 (1)ETP ---- Proposed (2)ECS - Proposed (3)D.G.Set: Nil (4) Water consumption: 1300 L/d Source :MCD (5) Ground water:Nil Remarks / ATR on 24- 06-2016 Recommended for CTE. Inspection be conducted.	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
27	ADISH RESTAURANT	AB-2 SAFDARJUNG ENCLAVE	20-08-2015	DPCC/EC/2/1/2015/11590	RESTAURANT (44 SEAT). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				27-08-2015 (1)ETP ---- ETP - Bio- logical (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:Yes, Inspection was conducted on 11.05.2015 and following were observation made. a. Unit found in operation and engaged in the activity of restaurant having seating capacity of 44. b. No ETP found installed for treatment of effluent from kitchen. c. Ducting/ Channelization provided in the kitchen however, height of ducting found inadequate. d. One D.G. Set found installed with capacity 65 KVA as informed, however, the same could not be inspected as key for upper roof not available. e. The nit is having MDC license valid upto 31.03.2016. The unit has applied for renewal of Police License as informed.	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.

											f. The unit is having connection of Delhi Jal Board. No Borewell in the unit. (5) SCN u/s 31(A)/33(A)/5 of EPA details :06.07.2015 unit submitted its reply on 15.07.2015 and requested to grant a time period of two months to submit consent application. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No No of Seats- 44 MCD License Valid up to 31.03.2016 Delhi Police License Valid upto 31.03.2013. Ground water- Nil Water Consumption 3100 liters/day and its source DJB (Bill Enclosed).	
28	HALDIRAM PRODUCTS PVT. LTD.	17-A, SHIVAJI MARG, MAIN NAJAFGARH ROAD, KARAMPURA, MOTI NAGAR	21-08-2015	DPCC/EC/2/1/2015/11603	EATING HOUSE AND SWEETS AND SNACKS SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				03-03-2016 (1)ETP ---- Other ETP Name : ETP (b) Effluent analysis report dated 03-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 03-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - No The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - No As per the office order dated 18.08.2015	25-06-2016 Consent to Establish granted.

											inspections of water polluting industries was carried out by DPCC officials in Najafgarh Road Industrial Area. An inspection was conducted by DPCC officials on 25.08.2015 and following were the observations: (a) During inspection, unit found in operation. (b) It is a restaurant. (c) Unit has applied for CTE but not applied for CTO yet. (d) ETP installed and was operational. (e) Sample taken by DPCC lab. (f) D.G.S et of capacity 250 KVA installed with acoustic enclosure and inadequate stack height. (g) Unit is using ground water and DJB connection. (h) Proper channelizaiton done in kitchen with adequate stack height -Show Cause Notice for closure u/s 31(A) of Air Act & 33(A) of Water Act was issued on 08.09,2015 -Unit has submitted its reply 01.10,2015 and informed that they have submitted water/noise testing fee to FICCI lab for testing the same (copy of receipt enclosed) and also submitted fee for adequacy report to M/s Jamia Millia Islamia (copy of receipt enclosed) and requesting to give at least a month time for compliance. Water Consumption- 4000 Litre/ Day (DJB bill enclosed) Ground Water-Nij MCD & Delhi Police Licence- valid upto 31.03,2016	
29	ANIL KUMAR	C-58/4, WAZIRPUR INDUSTRIAL AREA	26-08-2015	DPCC/EC/2/1/2015/11638	BUFFING ON UTENSILS. Manufacturing of Stainless Steel Utensils (with	Orange Establish	Non-SPI				03-03-2016 (1)ETP ---- N/A (2)ECS - Cyclone (proposed)	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.

					Buffing Activity)							(3)D.G.Set: ...Nil (4) SCN u/s 31(A) was issued on 09.07.2015 on the basis of deficiencies observed during the inspection on 26.03.2015, thereafter unit applied for CTE. (5) Unit was again inspected on 01.10.2015 to check the storage of hazardous waste in reference to close down of pickling unit namely M/s Narender Industries. -During the inspection M/s Anil kumar found existing without obtaining CTO and ECS on buffing sections. -One bore well was existing, however in the CTE unit is claiming the source of water is DJB. Unit has still not applied for CTO. Remarks/ATR on 24-06-2016 Earlier activity of S.S Pickling was carried out in the premises by M/s Narender Industries which has been closed. M/s Anil kumar not applied for CTO and not informed regarding installation of ECS which buffing Machines.
30	GOLDEN CROWN BANQUET (A UNIT OF MASALA MAGIC HOSPITALITY PVT. LTD)	36 RAMA ROAD, MOTI NAGAR INDL. AREA	26-08-2015	DPCC/EC/2/1/2015/11639	BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²)	Orange Establish	Non-SPI				03-03-2016 (1)ETP ---- (proposed) (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 13-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes	25-06-2016 Consent to Establish granted.

					connected to public/municipal/DJB sewer							(4) Inspection : Yes, Inspection conduted on 26.11.2014 w.r.t the implementation of Action plan under Swacch Bharat Mission, 2014 (office order dated 05.11.2014 & 10.11.2014) and follwing were the observation. - during inspection, the banquet was found operational. - Structure of effluent treatment plant found at site. Effluent is being dircharged into darain without treatment. - the unit is operating without consent taking from DPCC under Air & Water Acts. The unit has not applied for consent. - Stack height of D.G. set found inadequate. -Ground water connection exist. (5) SCN u/s 31(A)/33(A) : issued on 23.12.2014 (6) Closure directions u/s 31(A)/33(A) : issued on 30.01.2015 - unit submitted a reply on 20.02.2015 and informed that they rectified all the deficiencies observed during inspection also submitted the photographs of ETP with copy of voluntary disclosure of existing borewell. Temporary revocation issued on 03.09.2015. MCD ljcense valid upto 31.03.2016 Ground water: Nil Water Consumption: 3500 Litre/day	
31	HOTEL FREESIA (A UNIT OF M/S FREESIA HOTELS PVT LTD)	E-19, DEFENCE COLONY	28-08-2015	DPCC/EC/2/1/2015/11658	HOTEL WITH KITCHEN. Hotels with atleast 20 bed rooms having kitchen and/or laundry and	Orange Establish	Non-SPI					03-03-2016 (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: 180 KVA (Proposed)	25-06-2016 Consent to Establish granted subject to two conditions i.e. (i) during the establishment of the unit, the water shall be obtained from the authorized source (ii) unit

					connected to public/municipal/DJB sewer						Ground Water: Nil Water Consumption: 9000 litres/day MCD License valid upto 31.03.2016	shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
32	RIDERS CORNER	B-48, KESHOPUR INDUSTRIAL AREA	31-08-2015	DPCC/EC/2/1/2015/11667	SERVICING, REPAIRING AND WASHING OF TWO WHEELERS. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI				20-01-2016 (1)ETP ---- Proposed (2)D.G.Set: ...N/A... (3) Inspection details: No (4) SCN u/s 31(A)/33(A)/5 of EPA details : No (5) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (6) Water Consumption: 1100 Litre/day (Outside) Unit is also generating hazardous waste of about 1 Kg/day (approx.)	25-06-2016 Consent to Establish granted subject to two conditions i.e. (i) during the establishment of the unit, the water shall be obtained from the authorized source (ii) unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
33	KESAR S (A UNIT OF LEAGUE INTERNATIONAL LTD.)	PLOT NO 3, VAISHALI, PITAMPURA	01-09-2015	DPCC/EC/2/1/2015/11681	SWEET SHOP WITH SMALL RESTAURANT. Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Establish	Non-SPI		During the delivery of letter on 09.02.2015, the unit was found locked and as per the local enquiry it has been closed.	N/A	24-06-2016 .	25-06-2016 Since unit is closed, the proposal is dropped.
34	SHREE SHANTI NATH ENTERPRISES	PLOT NO 423-424, GALI NO 7, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	01-09-2015	DPCC/EC/2/1/2015/11686	MANUFACTURING OF SANITRY GOODS WITH BUFFING AND WITHOUT ELECTROPLATING. Process Involving Buffing	Orange Establish	Non-SPI		(1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set: ...N/A... (4) water Consumption: 50 Liter/ Day Source: MCD/ Cane Water Supply (5) Ground Water: Nil	N/A	24-06-2016 Recommended for CTE. Inspection be conducted.	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
35	RUBY CYCLE INDUSTRIES	C-46, PHASE-I,	10-09-2015	DPCC/EC/2/1/2015/11755	MFG. OF CONCENTRATE	Orange Establish	Non-SPI				22-04-2016 (1)ETP ---- N/A	25-06-2016

	PVT. LTD.	OKHLA INDUSTRIAL AREA			(FLAVORS) AND SYRUP. Food Additives, Nutrients and Flavors with Electric Furnace						(a) AR dated July, 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 08-07-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Ground Water:- Nil Water Consumption:- Approx. 133 ltr/ day (Source:- MCD water supply (DJB), DJB bill enclosed). Remarks:- Unit has submitted copy of letter submitted to DPCC on 08.04.2015 regarding closing of earlier scitivity i.e. Mfg. of Carbonated Water and an undertaking stating that the activity carbonated water soft drinks concentrated syrup has been totally closed since 31.03.2015 and activity of the unit is Concentrate (Flavors) and syrup.	Inspection be conducted w.r.t. quantum of water used and waste water discharged.
36	KASHYAP MOTORS INDIA PRIVATE LIMITED	46, PHASE-III, OKHLA INDUSTRIAL ESTATE	15-09-2015	DPCC/EC/2/1/2015/11792	CAR REPAIRING, SERVICING WITH AUTOMOBILE WITH SHOW ROOM. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 29-03-2016 Authorisation Status Pending	(1)ETP - Installed (2)ECS - N/A (3)D.G.Set Noise Report : 82.5 KVA Water consumption:-3000 litres/day Source of water:- DJB (Bill enclosed) Ground water - Nil An inspection of the unit was carried out on 21.08.2015 during survey of Okhja Indl. Estate. and following were observed: 1- Unit found in operation and engaged in the activity of Automobile repairing and servicing with washing. 2-As informed, workshop is in operation since about one month back.	Effluent analysis report dated 14-03-2016 issued by SHRIRAM INSTITUTE submitted and found within limit. Noise monitoring report for 82.5 KVA DG Set dated 03-03-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted mentioning year of manufacturing as March, 2014 however the said is not as required under the EP Rules for DG Set.	24-06-2016 Noise monitoring report for DG Set is not as per requirement under EP Rules.	25-06-2016 Consent to Establish granted. Ask the unit to submit fresh noise monitoring report of D.G. Set from empanelled laboratory of DPCC since noise monitoring report for D.G. Set is not as per requirement under EP Rules.

3- ETP is under installation and trade effluent generated from washing activity is being discharged into sewer without any treatment.
4-One drum of waste oil lying outside the washing area.
5-Unit has not comply with the provisions of Hazardous Waste Management (HWM) Rules.
6-Unit has not applied for consent and authorization.
7-Stack height with DG set found inadequate.
8-No record of waste oil was maintained by the unit.

Show Cause Notice u/s 33(A) of Water Act and 31(A) of Air Act and 5 of Environment Protection Act was issued to unit on 07.09.2015 w.r.t. deficiencies observed during inspection dated 21.08.2015.

Unit submitted its reply on 29.09.2015 and stated that:

- 1- Unit has applied for Consent to Establish on 15.09.2015 and they are also going to apply consent to operate with Authorization.
- 2- Effluent Treatment plant is under installation it is completed within 60 days they are under process regarding complete the ETP.
- 3- They put two leak proof drum for collection of waste oil.
- 4- As per provisions of Hazardous Waste Management (HWM) Rules i.e. display board has installed in the form of unit, and leak proof container is marked with specific label in red colour. Container is kept in an isolated area, HW is being stored on pucca floor & in covered area. they began storage in each container.
- 5- Stack height of DG Set is process as per DPCC norms.
- 6- They will maintain

									record for Waste oil. Directions u/s 33(A) of Water Act, 31 (A) of Air Act and 5 of Environment Protection Act was issued to unit on 17.12.2015 to submit Surety Bond of Rs 5 Lakhs within 15 days, proper operate & maintain ETP & submit effluent analysis report, install flow meter at inlet & outlet of ETP, provide adequate stack height with the DG Set & submit Noise Monitoring Report and comply with provision of HWM Rules within 45 days. Unit submitted its reply on 28.03.2016 w.r.t. Directions issued to unit and informing that- 1. They are enclosing the surety bond for an amount of Rs. 5 lac for one year period for installation adequate Effluent treatment plant. 2. They have installed Effluent Treatment Plant to meet the prescribed standards and have enclosed the original test report of Noise monitoring, water test report and receipt of adequacy from approved laboratory of DPCC with Consent to Operate and photocopy of application for adequacy report. 3. They have installed Flow meter at outlet and inlet of ETP. Copy of log book enclosed. 4. They have provide adequate stack height with DG set and copy of Noise Monitoring test report enclosed. 5. They also have applied for Consent to Operate and authorization.			
37	ASTHA HOUSEWARE	315/20 OLD ROHATAK ROAD SHAHZADA BAGH INDL AREA	15-09-2015	DPCC/EC/2/1/2015/11799	MFG. OF CROCKERY ITEMS BY HYDRAULIC PRESS MOULD MACHINE. Process Involving Buffing	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- Proposed 3. D.G. set- No Status of Ground Water Extraction: Yes 1. Water consumption: 200 L/day. a) Source of water:	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 Plot Area: 125 sq.mt. Proposed date of commencement: 01.10.2014	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.

									Borewell (copy of permission from CGWA submitted)			
									Status of Inspection: No			
38	CONTINENTAL ENTERPRISES	495, FIE, PATPARGANJ INDUSTRIAL ESTATE	22-09-2015	DPCC/EC/2/1/2015/11860	S.S. UTENSILS WITH BUFFING. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Establish	Non-SPI		(1)ETP ---- N/A (2)ECS - Cyclone with buffing process (3)D.G.Set: 140 KVA (4) Water Consumption: 200 Liters/ Day Source: Purchase Water (5) Ground Water: Nil	AR - Nil	24-06-2016 Recommended for CTE. Inspection be conducted.	25-06-2016 Consent to Establish granted.
39	LAVANYA ORCHID	15, SHIVAJI MARG, NAJAFGARH ROAD INDUSTRIAL AREA	23-09-2015	DPCC/EC/2/1/2015/11875	Banquet Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board (Cat-II) Name and address matched Water Consumption:3500 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (2)ECS - N/A (3)D.G.Set Noise Report :3 D.G Set of 180,160 and 62.5 KVA installed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent-Effluent analysis report dated 06-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes Noise-(a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 06-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - No	24-06-2016 Noise Monitoring report of D.G Set for 160 KVA provided.	25-06-2016 Consent to Establish granted. Since noise monitoring report for D.G. Set is not meeting the prescribed limit, Ask the unit to submit fresh noise monitoring report of D.G. Set from empanelled laboratory of DPCC after installing proper acoustic enclosure.
40	G.K. MOTEL PVT. LTD	KH. NO- 759-762, MAIN CHATTARPUR ROAD	23-09-2015	DPCC/EC/2/1/2015/11879	Motels. Hotels with atleast 20 bed rooms having kitchen and/or laundry and connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				22-04-2016 (1)ETP -Proposed (2)ECS - N/A (3)D.G.Set:320 KVA and 500 KVA (proposed) Ground Water- Nil Water Consumption- 17840 litres/day (Source:- Outsource) MCD License valid upto 31.03.2016 Delhi Police License valid upto 31.03.2016	25-06-2016 Consent to Establish granted subject to two conditions i.e. (i) during the establishment of the unit, the water shall be obtained from the authorized source (ii) unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
41	S.D. MOTORS	A-5/4A, JHILMIL INDUSTRIAL AREA, G.T.	24-09-2015	DPCC/EC/2/1/2015/11884	Two Wheelers Workshop (Washing and Repairing)	Orange Establish	Non-SPI		(1)ETP ---- N/A (2)ECS ---- N/A	N/A	24-06-2016 Application may be treated as null and void due to the request	25-06-2016 Consent to Establish be made infurctuous since unit has vacated

		ROAD, SHAHDARA			Automobile Servicing and Repair Station with Washing Activity				(3)D.G. Set ---- N/A (4) Water Consumption: 1700 L/ Day Source: MCD Water (5) Ground Water: Nil Reply received on 31.05.2016 that unit was requested that cancel consent to establish application under water Act, 1974. the unit have vacant the premises.		made by the Unit that is (Kindly Cancel my application because i have vacant the premises)	the premises.
42	SHUBH NIMANTRAN BANQUETS	SHUBH NIMANTRAN BANQUETS (A UNIT OF RASS BIHARI BUILDERS & PROMOTERS PVT. LTD, 7/25, KIRTI NAGAR INDL. AREA INTERIOR PARK	29-09-2015	DPCC/EC/2/1/2015/11911	Serve To Customer (Banquet Halls) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Source of Water:Outsource (copy of bill not provided) Water Consumption:8000 Litrs/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Working (2)ECS - N/A (3)D.G,Set Noise Report : 2 D,G Set of 125 KVA installed -A PGMS complaint was recived on 15.03.2016 and an inspection was approved. -Accordingly, an inspection was conducted by DPCC officials on 01.04.2016 and everything found ok. - A letter was issued to the the unit on 25.04.2016 for submitting the CTO application. -Unit submitted a reply on 10.05.2016 along with the copy of CTO application.	Water Effluent-Effluent analysis report dated 18-11-2015 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes Noise Monitoring Report: - The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 20-11-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes -The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 20-11-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes	24-06-2016 copy of water purchase bill not provided.	25-06-2016 Consent to Establish granted subject to condition that unit shall submit the proof within 30 days that the water is being obtained from the authorized source.
43	AMP SUPER CARS PVT. LTD.	PLOT NO B-1/G3, MOHAN CO-OPERATIVE INDUSTRIAL ESTATE, MATHURA ROAD	29-09-2015	DPCC/EC/2/1/2015/11915	AUTOMOBILE REPAIRING AND SERVICING (WITH WASHING). Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI				27-11-2015 (1)ETP ---- Proposed. (2)ECS - N/A (3)D.G.Set: 125 KVA (proposed) Ground Water:- Nil Water Consumption:- 4000 ltr/day (Source-Corporation)	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
44	THE ALLURE (A UNIT OF LEASURE HOTELS PRIVATE	R-57, GREATER KAILASH-I	30-09-2015	DPCC/EC/2/1/2015/11943	Guest House 53 Beds 25 Rooms Hotels with atleast 20 bed rooms	Orange Establish	Non-SPI				22-04-2016 (1)ETP ---- ETP - Bio-logical (proposed) (2)ECS - N/A	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate

	LIMITED)				having kitchen and/or laundry and connected to public/municipal/DJB sewer						(3)D.G.Set: 160 KVA (proposed) MCD and Delhi Police Licenses valid upto 31.03.2016. Ground Water:- Nil Water Consumption:- 4000 ltr/ day (Source- MCD, bill enclosed)	within 03 months.
45	PUSHP ALLELA (A UNIT OF M/S PUSHPA FOOD AND BEVERAGES)	A-4, WAZIRPUR INDUSTRIAL AREA	30-09-2015	DPCC/EC/2/1/2015/11947	Banquet Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (a) AR dated Jan 2016 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 26.10.2015 issued by FICCI RESEARCH & ANALYSIS CENTRE submitted.- Paramerter meeting the prescribed norms. (2)ECS - Channelization provided. (3)D.G.Set: ...Nil Status of Ground Water extraction : 7.0 KLD (registration from CGWA enclosed) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016 MCD Licence and Delhi Police Licence have not been submitted by the unit.	25-06-2016 Consent to Establish granted.
46	SHANTI STEEL	A-92, WAZIRPUR INDUSTRIAL AREA	05-10-2015	DPCC/EC/2/1/2015/11978	Manufacturing of Utensils with Buffing. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Status of Ground Water extraction :No Source of Water: 0.02 KLD from home for drinking purpose only (as per undertaking) Earlier,a Complaint has been received through PGMS against illegal unit existing at A-92, WIA. Thereafter, inspection was carried on 29.06.2015, no.	N/A	24-06-2016 Modified direction was issued on 04.05.2016 to M/s Shanti Steel to apply for consent to operate within 45 days. The unit has not applied for CTO so far.	25-06-2016 Inspection be conducted.

									of unit found existing at the above said address. SCN u/s 31(A) of the Air Act issued to the unit M/s Shikha Steel and M/s Alam nabi and Ram Dhami on 31.07.2015. Reply received from M/s Shanti Steel wherein it is mentioned that M/s Shikha Steel and M/s Alam nabi and Ram Dhami has been left out and sold their plant and machinery to M/s Shanti Steel.			
47	GLOBUS MOTORS PVT. LTD	B-35/3, G.T. KARNAL ROAD INDUSTRIAL AREA	05-10-2015	DPCC/EC/2/1/2015/11997	Service Station Two Wheelers. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 17-07-2014 Authorisation Status Pending HWM Application No. 2 Application Date 05-10-2015 Authorisation Status Pending	Status of Pollution Control system/Devices: 1. ETP- Proposed 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 1100 L/day. a) Source of water: Outside (copy of Outside bill not submitted) Status of Inspection: No	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 CTO applied on 05.10.2015 Plot Area: 250 sq.mt. Proposed date of commencement: 01.01.2013	25-06-2016 Previous applications for Consent to Establish, Consent to Operate and authorization dated 17.07.2014 be made infructuous since unit has applied afresh for servicing with washing activity. Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source within 30 days.
48	NATHU SWEETS PVT. LTD.	PLOT NO 247, PATPARGANJ INDUSTRIAL AREA	07-10-2015	DPCC/EC/2/1/2015/12025	Manufacturing of Sweets and Allied Products. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) not connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		(1)ETP - Proposed (2)ECS - Proposed (3)D.G.Set: Proposed 62.5 KVA and 125 KVA (4) Water Consumption: 2300 L/ Day, Source: Corporation (5) Ground Water: Nil	N/A	24-06-2016 Recommended for CTE. Inspection be conducted.	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
49	RADNIK EXPORTS	B-24/1, PHASE-II, OKHLA INDUSTRIAL AREA	12-10-2015	DPCC/EC/2/1/2015/12078	Mfg. of Readymade Garments with Washing. Readymade	Orange Establish	Non-SPI		(1)ETP - Installed Adequacy report from Jamia Millia Islamia Submitted and found adequate.	Effluent Analysis Report from DPCC Lab dated 06.05.2015 submitted and found within the prescribed limits.	24-06-2016 Earlier the unit was engaged in activity of Manufacturing of Readymade Garments	25-06-2016 Consent to Establish granted.

					Garment (with Washing) with Boiler				(2)ECS -N.A. (having oil fired boiler) (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 125 KVA. Groundwater- Nil Water Consumption- 3500 ltr/day, Source- DJB(Copy of Bill enclosed)	Stack Monitorring Report for 2 Oil Fired Boiler of DPCC Lab dated 06.07.2015 submitted and found with in the prescribed limits. Noise monitoring report dated 01-06-2015 for 125 KVA DG Set submitted and found meeting the limit.	without Washing . Now the unit has applied for Consent to Establish on 12.10.15 and also for Consent to Operate 13.10.2015.	
50	AURUM (A UNIT OF LAMBS HOTEL ENTERPRISES PVT. LTD)	SHOP NO 21/22, GROUND & FIRST FLOOR, DEFENCE COLONY MAIN MARKET	12-10-2015	DPCC/EC/2/1/2015/12080	REstaurant (48 Seats) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				26-05-2016 (1)ETP ---- ETP - Bio-logical (proposed) (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 22-12-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Groundwater- Nil Water consumption- 3000 litre/day Source- Delhi Jal Board (Bill enclosed) MCD license valid upto 31.03.2016 As approved in M/s Manav Hospitality Pvt. Ltd. file, inspection was carried out by Representatives of DPCC on 30.12.2015 and following were observed: 1. M/s Tapas World (A unit of Manav Hospitality Pvt. Ltd.) found closed since about the month of March 2015 as informed. And now, M/s Auram is operating at the said premises since about 2months. 2. M/s Aurum was found in operation engaged in the activity of Restaurant-cum-bar with 96 seats. 3. ETP found installed and found operational Logbook of ETP not maintained. 4. Channelization	25-06-2016 Consent to Establish granted.

											system provided in kitchen with adequate stack height of chimney. 5. Source of water is DJB copy of Bill not provided. 6. MCD License for 48 seats in paste on Bar wall in the premises. Delhi Police License not provided. Show Cause Notice u/s 33(A) of the Water Act and u/s 31(A) of the Air Act was issued to the unit on 24.02.2016 in respect of M/s Aurum Lounge (A unit of Lambs Hotels Entr Pvt. Ltd.), Shop No. 21-22, Ground floor and First floor, Defence Colony Market, New Delhi-110024 w.r.t. deficiencies observed during inspection. M/s Aurum submitted the representations on 03.03.2016 along with DJB Bill and Delhi Police Licenses valid upto 31.03.2016. The unit has also informed that logbook of ETP maintained and will submitted the Consent to Operate within 30 days or earlier as possible.	
51	AURUM LOUNGE (A UNIT OF LAMBS HOTEL ENTERPRISES PVT. LTD)	SHOP NO 21/22, SECOND FLOOR, DEFENCE COLONY MAIN MARKET	12-10-2015	DPCC/EC/2/1/2015/12081	REstaurant (48 Seats) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) not connected to public/municipal/DJB sewer	Orange Establish	Non-SPI				26-05-2016 (1)ETP ---- ETP - Bio-logical (proposed) (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA (Proposed) Groundwater- Nil Water consumption- 3000 litre/day Source- Corporation (Bill enclosed) MCD license valid upto 31.03.2016 As approved in M/s Manav Hospitality Pvt. Ltd. file , inspection was carried out by Representatives of	25-06-2016 Consent to Establish granted.

												DPCC on 30.12.2015 and following were observed: 1. M/s Aurum was found in operation engaged in the activity of Restaurant-cum-bar with 96 seats. 2. ETP found installed and found operational Logbook of ETP not maintained. 3. Channelization system provided in kitchen with adequate stack height of chimney. 4. Source of water is DJB copy of Bill not provided. 5. MCD License for 48 seats in paste on Bar wall in the premises. Delhi Police License not provided. 6. M/s Tapas World (A unit of Manav Hospitality Pvt. Ltd.) found closed since about the month of March 2015 as informed. And now, M/s Aurum is operating at the said premises since about 2months. Show Cause Notice u/s 33(A) of the Water Act and u/s 31(A) of the Air Act was issued on 24.02.2016 in respect of M/s Aurum Lounge (A unit of Lambs Hotels Entr Pvt. Ltd.), Shop No. 21-22, Second Floor, Defence Colony Market, New Delhi-110024 w.r.t. deficiencies observed during inspection. M/s Aurum Lounge submitted the representations on 03.03.2016 along with DJB Bill and Delhi Police Licenses valid upto 31.03.2016 stating that they will comply and the Logbook of ETP was maintained and will submitted the Consent to Operate within 30 days or earlier as possible.	
52	BHIKHARAMS	142, GALI	14-10-2015	DPCC/EC/2/1/2015/12098	Sweets and Snacks.	Orange	Non-SPI			Status of Pollution Control	Test Reports:	24-06-2016	25-06-2016

	FOOD PRODUCTS PVT. LTD	MEM WALI, KATRA BERIYAN, CHANDNI CHOWK			Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Establish			system/Devices: 1. ETP- N/A 2. ECS- Proposed 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 200 L/day. a) Source of water: DSIIDC (copy of DSIIDC bill submitted) Status of Inspection: No	Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	Plot Area: 250 sq. mt. Proposed date of commencement: 23 Nov,2015	File be put up administratively.
53	CAPITAL SCOOTERS PVT. LTD	56B, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	20-10-2015	DPCC/EC/2/1/2015/12171	Service Repair of Honda Two Wheelers. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of Water Delhi Jal Board (Cat-II) Name not matched but address matched Water Consumption: 6000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: ...No Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016 .	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
54	BIKANERVALA FOODS PVT. LTD	103,104 & 105, FIRST FLOOR, RING ROAD MALL, SECTOR-3, ROHINI	21-10-2015	DPCC/EC/2/1/2015/12187	Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- (Proposed) (2)ECS Chennelzation system will be installed. (3)D.G.Set: ...Nil Status of Ground Water extraction : Nil Source of Water: 5.0 KLD from MCD Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA	N/A	24-06-2016 Existing unit not applied for CTO. MCD and Delhi Police licence expired on 31.03.2016.	25-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.

									details : No MCD Licence Valid upto 31.03.2016 Delhi Police Licence valid upto 31.03.2016. Enquiry Counter raised the point that it is the consent fee relaxation case therefore the documents and the claims is to be finally accepted my the CMC while processing the consent. Condensation fee has been charged based on the following documents. (i) Copy of lease agreement dated 13-01-2010 (ii) Copy of first MCD License 12-10-2011 (iii) Copy of Delhi Police License dated 15.05.2013 an undertaking by owner of the premises stating the said lease agreement dated 13-01-2010 is the first lease agreement between them and an undertaking stating that the said license is the first registration of the unit.			
55	ANAND SWAROOP MOTORS LLP	5/9, KIRTI NAGAR INDUSTRIAL AREA	26-10-2015	DPCC/EC/2/1/2015/12212	Servicing of Two Wheelers (With Washing) Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of Water: as per affidavit source of water MCD & Outside (copy of bill not provided) Water Consumption: 1200 Litre/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: No Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016 .	25-06-2016 Consent to Establish granted subject to two conditions i.e. (i) during the establishment of the unit, the water shall be obtained from the authorized source (ii) unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
56	SPEEDY CHOW ROLLMALL (UNIT OF AZURE HOSPITALITY PVT. LTD)	SHOP NO-9, FIRST FLOOR, CORNER MARKET, MAHARISHI	26-10-2015	DPCC/EC/2/1/2015/12217	Eating House. Restaurants/Eating Houses/ Dhabas and other such establishments	Orange Establish	Non-SPI				26-05-2016 Restaurant of 20 Seats (1) Oil and Grease Trap (Proposed)	25-06-2016 Consent to Establish granted.

		DAYANAND MARG, MALVIYA NAGAR			(Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection						(2) ECS - N/A (3) D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 7.5 KVA. (Proposed) Ground Water- Nil Water Consumption- 400 litres/day Source-DJB MCD license valid upto 31.03.2016 Delhi Police license valid upto 31.03.2016	
57	SPEEDY CHOW ROLLMALL (A UNIT OF AZURE HOSPITALTY PVT. LTD)	HS-17 GROUND FLOOR, KAILASH COLONY MARKET	26-10-2015	DPCC/EC/2/1/2015/12218	Eating House. Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Establish	Non-SPI				26-05-2016 (1)Oil and Grease Trap cum Settling Tank (Proposed) (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 7.5 KVA. (Proposed) Ground Water- Nil Water Consumption- 400 litres/day Source-DJB (Bill enclosed) MCD license valid upto 31.03.2016 Delhi Police license valid upto 31.03.2016	25-06-2016 Consent to Establish granted.