



CONSENT MANAGEMENT

Decision taken by Member Secretary (DPCC) on 09.05.2012 in respect of 16 cases of Consent to Establish (Orange Category 2c cases) (excluding the cases of re-development area) w.e.f. 16.03.2012 to 15.04.2012

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activity / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	DPCC/EC/2/1/2012/1142 20-03-2012	ANJALI ENTERPRISES PLOT NO 421-A/4, GALI NO 6, FRIENDS COLONY INDL. AREA	Friends Colony Industrial Area	Orange Establish	wire drawing with super enamelling Copper Wire Drawing With Super Enamelling (Dry Process)	- Date of commissioning of project ---- - Built Up Area ---- 66 (in sq. meter) - Water Consumption ---- 150 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		30-04-2012 (1)ETP ---- N/A (2)ECS - wet scrubber proposed (3)D.G.Set: ...N/A...	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of Consent to Establish.	09-05-2012 Consent to Establish granted.
2	DPCC/EC/2/1/2012/1221 22-03-2012	MIDAS HEALTHCARE LTD A-5/2, JHILMIL INDUSTRIAL AREA,	Jhilmil Industrial Area	Orange Establish	manufacturing of food preparation in syrups, capsules and sachets Food And Fruit Processing Industry - Fruit and Vegetables Medicines / Pharmaceutical Formulation-Without Boiler	- Date of commissioning of project ---- - Built Up Area ---- 98.28 (in sq. meter) - Water Consumption ---- 700 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 50 liters/day		30-04-2012 (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: ...N/A...	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of Consent to Establish.	09-05-2012 Consent to Establish granted.
3	DPCC/EC/2/1/2012/1183 23-03-2012	AGRO PURE CAPITAL FOODS PVT. LTD. D-1511, DSIIDC NARELA INDL. AREA	Narela Industrial Area	Orange Establish	DALL MILL Dal Mills	- Date of commissioning of project ---- 01-01-1992 - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 50 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		25-04-2012 (1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set: ...No... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of Consent to Establish.	09-05-2012 Consent to Establish granted.
4	DPCC/EC/2/1/2012/1187 26-03-2012	S.A. FRESHNERS PVT. LTD. A-63 AND A-62/5, G.T. KARNAL ROAD INDL. AREA	G.T. Karnal Road Industrial Area	Orange Establish	MFG. OF PAN MASALA, GUTKA AND TOBACCO PRODUCTS. Gutka /Supari (Betelnut) Grinding Supari (Betelnut) and Pan Masala Grinding Tobbaco Products without Raw Tobacco Processing	- Date of commissioning of project ---- - Built Up Area ---- 674.72 (in sq. meter) - Water Consumption ---- 1550 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 1200 liters/day (b) Trade Effluent ---- 0 liters/day		26-04-2012 (1)ETP ---- N/A (2)ECS - yes (b) Stack monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of Consent to Establish with the condition that unit shall not use plastic sachet / multilayered packaging containing plastic for packing of said products.	09-05-2012 Consent to Establish granted with the condition that unit shall not use plastic sachet / multilayered packaging containing plastic for packing of said products. Subsequently, inspection be conducted.

[illegible]

								the same address in the activity of mfg. of pan masala, zarda guttkha & sweet supari.		
5	DPCC/EC/2/1/2012/1202	GOYAL FOODS PLOT NO 32 AND 33, PKT-A, SEC-2. DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	Dall and Besan Mill. Dal Mills	• Date of commissioning of project ---- 01-01-2005 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 40 liters/day (b) Trade Effluent ---- 0 liters/day		25-04-2012 (1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set: ...No... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of Consent to Establish.	09-05-2012 Consent to Establish granted.
6	DPCC/EC/2/1/2012/1216	BALA JEE METALTEK PVT. LTD. SHED NO. A-1, DSIIDC JHILMIL INDL. AREA	Jhilmil Industrial Area	Orange Establish	mfg.of aluminium sheets and circles Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 151 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day		27-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Pit furnace & wet scrubber are proposed to be installed.	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of Consent to Establish by using Pit Furnace only.	09-05-2012 Consent to Establish granted by using Pit Furnace only.
7	DPCC/EC/2/1/2012/1229	S.S. UDYOG PLOT NO 62, POCKET-P, SECTOR-1, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	DALL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		25-04-2012 (1)ETP ---- N/A (2)ECS - No (3)D.G.Set: ...No... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of Consent to Establish.	09-05-2012 Consent to Establish granted.
8	DPCC/EC/2/1/2012/1230	S.S. PULSES MANUFACTURING PVT. LTD. PLOT NO 2433, BLOCK-B, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Establish	DALL MILL Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		25-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of Consent to Establish.	09-05-2012 Consent to Establish granted.
9	DPCC/EC/2/1/2012/1257	ROUTE O 4 RESTAURANT (A UNIT OF M/S TRINITY HOTELS AND RESORSTS PVT. LTD. K-2, MIDDLE CIRCLE, CONNAUGHT PLACE	NEW DELHI	Orange Establish	RESTAURANT AND BAR Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 576 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 200 liters/day		02-05-2012 (1)ETP- No. Trade effluent 2.KLD generated and discharge into sewer/drain. (2)ECS - Cyclone (Proposed) (3)D.G.Set: 100KVA (Proposed) (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of Consent to Establish.	09-05-2012 Consent to Establish granted.
10	DPCC/EC/2/1/2012/1260	Y.C. KURELE/	WEST	Orange	PARTY LAWN FOR			02-05-2012	Decision / Recommendation of	09-05-2012

[illegible]

							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no		
13	DPCC/EC/2/1/2012/1345	ARUN PACKERS AND PRINTERS C-36 LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Establish	Mfg. Offset Printing and Packaging. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 260 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 300 liters/day	27-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 31.03.2012 issued by DTU submitted. (b) Effluent analysis report dated 31-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 17-10-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of Consent to Establish.	09-05-2012 Consent to Establish granted.
14	DPCC/EC/2/1/2012/1362	KNS HOSPITALITY B-70/3, WAZIRPUR INDL. AREA	Wazirpur Industrial Area	Orange Establish	BANQUET HALL. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 1844 (in sq. meter) • Water Consumption ---- 10000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1500 liters/day (b) Trade Effluent ---- 5000 liters/day	27-04-2012 (1)ETP ---- trade effluent:5 KLD(ETP proposed). (2)ECS - N/A (3)D.G.Set: ...3 DG sets(1X 380 KVA and 2X 200 KVA), NMR shall be submitted. (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of Consent to Establish.	09-05-2012 Consent to Establish granted.
15	DPCC/EC/2/1/2012/1365	ANKUR EXPORTS A-96/11, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Establish	STAINLESS MANUFACTURING OF STAINLESS STEEL UTENSILS Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	30-04-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 21.06.2009 issued by GGSIU submitted. (b) Stack monitoring report dated 09-02-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of Consent to Establish.	09-05-2012 Consent to Establish granted.
16	DPCC/EC/2/1/2012/1368	ALKA AYURVEDIC PVT LTD C-4, GT KARNAL ROAD, S.M.A	S.M.A Industrial Area	Orange Establish	MANUFACTURING OF AYURVEDIC MEDICINES. Medicines /		27-04-2012 (1)ETP yes (a) AR dated 31.03.2012 issued by DTU submitted. (b) Effluent analysis report dated 31-03-	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of Consent to Establish.	09-05-2012 Consent to Establish granted.

	13-04-2012	INDUSTRIAL AREA			Pharmaceutical Formulation- With Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1200 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 500 liters/day		2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - Stack monitoring report of hot air generated submitted on 13.02.2012 (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-02-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no		
--	------------	-----------------	--	--	---	--	--	---	--	--