



CONSENT MANAGEMENT

Decision taken by Member Secretary (DPCC) on 09.05.2012 in respect of 33 cases of Consent to Operate and Renewal of Consent to Operate (Orange Category 2c cases) (excluding the cases of re-development area) w.e.f. 31.01.2012 to 01.01.2012(in reverse chronology).

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activity / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	DPCC/EC/2/1/2012/449 02-01-2012	DTC PEERA GARHI PEERA GARHI DEPOT	NORTH WEST	Orange Renewal	REPAIR AND MAINTENANCE, WASHING AND SERVICING OF CNG BUSES. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- 16-01-1989 - Built Up Area ---- 3559 (in sq. meter) - Water Consumption ---- 15000 liters/day - Ground Water ---- 14000 liters/day - Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 11200 liters/day		29-03-2012 (1)ETP ---- Phisico Chemical (a) AR dated 31-12-2011 issued by DTU submitted. (b) Effluent analysis report dated 30-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. Earlier authorization expired on 19.2.09. Applied for HWM on 20.8.10. The same application is required to be regenerated through DTC , as the original file is not traceable at the moment. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 30-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of renewal of consent and authorization under HWM Rules.	09-05-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
2	DPCC/EC/2/1/2012/473 05-01-2012	NITIN OVERSEAS A-63, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	S.S. Utensils with Buffing and S.S. Cold Re Rolling (without Pickling) Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day) Manufacturing of Stainless Steel Utensils (With Buffing Activity)	- Date of commissioning of project ---- - Built Up Area ---- 70 (in sq. meter) - Water Consumption ---- 100 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		29-03-2012 (1)ECS - Cyclone (a) AR dated 21.02.2009 issued by G.G.S.I.P.U submitted. (b) Stack monitoring report dated 08-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of renewal of consent.	09-05-2012 Renewal of Consent to Operate granted.
3	DPCC/EC/2/1/2012/482 06-01-2012	DTC KALKAJI DEPOT KALKAJI DEPOT, KALKAJI	SOUTH	Orange Renewal	REPAIRING AND MAINTENANCE OF BUES. Automobile Servicing And Repair Station With Washing Activity			28-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJanuary, 2009..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 21-11-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes.	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of renewal of consent and authorization under HWM Rules.	09-05-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

[illegible]

								provided in the kitchen. (12) As per the decision taken up by Competent Authority letter for submission of bank guarantee of Rs. 2,00,000/- under Water Act for consideration of permanent revocation was sent to the unit on 07.03.2012. (13) Unit has submitted the bank guarantee of Rs. 2,00,000/- under Water Act on 14.03.2012. (14) Revocation of closure direction was sent to the unit on 15.02.2012.		
6	DPCC/EC/2/1/2012/513 10-01-2012	ATUL FOOD INDUSTRIES C-10, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	DALL MILLING. Dal Mills	- Date of commissioning of project ---- - Built Up Area ---- 230 (in sq. meter) - Water Consumption ---- 400 liters/day - Ground Water ---- 250 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		29-03-2012 (1)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 09.01.2012 issued by D.T.U submitted. (b) Stack monitoring report dated 09-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of renewal of consent.	09-05-2012 Renewal of Consent to Operate granted.
7	DPCC/EC/2/1/2012/523 11-01-2012	INDRAPRASTHA AUTOMOBILIES PVT. LTD. C-42, WAZIRPUR INDL. AREA	Wazirpur Industrial Area	Orange Operate	SERVICING (REPAIR, MAINTENANCE AND WASHING) OF VEHICLES. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- 30-09-2011 - Built Up Area ---- 1235 (in sq. meter) - Water Consumption ---- 5800 liters/day - Ground Water ---- 5000 liters/day - Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 4000 liters/day		29-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 15.11.2011 issued by D.T.U submitted. (b) Effluent analysis report dated 15-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 5 number of parameters analyzed which are within limit prescribed limit. (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 70 KVA. Noise monitoring report dated 15-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of consent to operate and authorization under HWM Rules.	09-05-2012 Consent to Operate and Authorization under HWM Rules granted.
8	DPCC/EC/2/1/2012/528 11-01-2012	HIMGIRI CARS PVT. LTD. PLOT NO.118 (C) SMA CO-OP INDL. AREA	S.M.A Industrial Area	Orange Operate	SERVICING OF AUTOMOBILES. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- - Built Up Area ---- 1839.2 (in sq. meter) - Water Consumption ---- 5500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 5000 liters/day		29-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 28.12.2012 issued by D.T.U submitted. (b) Effluent analysis report dated 28-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 6 number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 08-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of consent to operate and authorization under HWM Rules.	09-05-2012 Consent to Operate and Authorization under HWM Rules granted.
9	DPCC/EC/2/1/2012/534 11-01-2012	ATICO TEX PVT. LTD. 70, RAJASTHAN UDYOG NAGAR, G.T. KARNAL ROAD	Udyog Nagar Industrial area	Orange Renewal	ZIP FASTNER. Cotton Spinning and Weaving (With Dyeing or Bleaching)	- Date of commissioning of project ---- - Built Up Area ---- 1400 (in sq. meter) - Water Consumption ---- 13000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 10000 liters/day		29-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 12.11.2008 issued by G.G.S.I.P.U submitted. (b) Effluent analysis report dated 10-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 11 number of parameters analyzed which are within limit prescribed limit.	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of renewal of consent and authorization under HWM Rules.	09-05-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

		LAWRENCE ROAD INDUSTRIAL AREA				- Date of commissioning of project ---- - Built Up Area ---- 380 (in sq. meter) - Water Consumption ---- 500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.		
15	DPCC/EC/2/1/2012/566 13-01-2012	PARMANAND AND SONS FOOD PRODUCTS PVT. LTD. C-35/5, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	Dall Mill. Dal Mills	- Date of commissioning of project ---- - Built Up Area ---- 300 (in sq. meter) - Water Consumption ---- 550 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day		29-03-2012 (1)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 29.11.2011 issued by D.T.U submitted. (b) Stack monitoring report dated 29-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of renewal of consent.	09-05-2012 Renewal of Consent to Operate granted.
16	DPCC/EC/2/1/2012/587 17-01-2012	JAWAHAR EXPORTS B-77, NARAINA INDUSTRIAL AREA PHASE - II	Naraina Industrial Area Phase - II	Orange Renewal	MFG. OF READYMADE GARMENTS WITH DRYCLEANING AND WASHING. Readymade Garment With Electric/ Gas fired boiler (With Washing)	- Date of commissioning of project ---- - Built Up Area ---- 506 (in sq. meter) - Water Consumption ---- 3000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 2000 liters/day		29-03-2012 (1)ETP ---- Physico- chemical (a) AR dated 11.01.2012 issued by DTU submitted. (b) Effluent analysis report dated 11-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes Note: Parameters: Total Chromium (As Cr), Sulphide (as S), Phenolic Compounds (as C ₄ H ₂ OH), Zinc and Total Metal are not mentioned in effluent analysis report. (2)ECS - (b) Stack monitoring report dated 11-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 75, 45 KVA. Noise monitoring report dated 11-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of consent to operate and authorization under HWM Rules.	09-05-2012 Renewal of Consent to Operate granted.
17	DPCC/EC/2/1/2012/602 19-01-2012	AUTO VIKAS SALES & SERVICE PVT. LTD. B-239 PH-I OKHLA INDL. AREA	Okhla Industrial Area	Orange Operate	AUTHORISED SERVICE STATION (SERVICING OF VEHICLES). Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- - Built Up Area ---- 800 (in sq. meter) - Water Consumption ---- 800 liters/day - Ground Water ---- 800 liters/day - Waste Water generation (a) Domestic Effluent ---- 240 liters/day (b) Trade Effluent ---- 400 liters/day		29-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedDTU..... issued by14.11.11..... submitted. (b) Effluent analysis report dated 14-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 14-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of consent to operate and authorization under HWM Rules.	09-05-2012 Consent to Operate and Authorization under HWM Rules granted.

[illegible]

							limit prescribed limit. (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO		
29	DPCC/EC/2/1/2012/709 30-01-2012	BRITANNIA INDUSTRIES LTD. 33, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	Biscuit Manufacturing. Bakery Products and Confectionery with Trade Effluent/Emission Discharge with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 18821 (in sq. meter) • Water Consumption ---- 150000 liters/day • Ground Water ---- 105000 liters/day • Waste Water generation (a) Domestic Effluent ---- 14000 liters/day (b) Trade Effluent ---- 28000 liters/day	29-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 28.08.2010 issued by G.GS.I.P.U. submitted. (b) Effluent analysis report dated 25-01-2012 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes 5 number of parameters analyzed which are within limit prescribed limit. Effluent analysis report dated 25-01-2012 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes 5 number of parameters analyzed which are within limit prescribed limit. (2)ECS - N/A (b) Stack monitoring report dated 15-11-2011 issued by NATIONAL PRODUCTIVITY COUNCIL submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Stack monitoring report dated 15-11-2011 issued by NATIONAL PRODUCTIVITY COUNCIL submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Stack monitoring report dated 15-11-2011 issued by NATIONAL PRODUCTIVITY COUNCIL submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Stack monitoring report dated 15-11-2011 issued by NATIONAL PRODUCTIVITY COUNCIL submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Stack monitoring report dated 15-11-2011 issued by NATIONAL PRODUCTIVITY COUNCIL submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Stack monitoring report dated 15-11-2011 issued by NATIONAL PRODUCTIVITY COUNCIL submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of consent to operate and authorization under HWM Rules. Inspection thereafter.	09-05-2012 Renewal of Consent to operate and authorization under HWM Rules granted. Inspection thereafter.

[illegible]

							(4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO		
33	DPCC/EC/2/1/2012/724 31-01-2012	BAWANA DALL AND FLOUR MILLS PLOT NO- 120, SEC- 4, POCKET-J, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Renewal	Flour Mill and Dal Mill. Dal Mills Flour Mills	- Date of commissioning of project ---- - Built Up Area ---- 210 (in sq. meter) - Water Consumption ---- 400 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	28-03-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 20.03.2011 issued by GGSIPU submitted. (b) Stack monitoring report dated 13-01-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes .1 number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO CTO VALID UPTO 1.08.2007	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of renewal of consent.	09-05-2012 Renewal of Consent to Operate granted.