

								(2)ECS - N/A (a) Stack monitoring report dated 15-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... As decided by the CMC(O) in its meeting held on 16.03.11, CTE was issued on 05.04.11 vd CNO 27109. Inspection is yet to be conducted. EARLIER CMC DECISION 16.03.11 (In CTE File) Issue consent to establish. Subsequently, inspection be conducted.		
6	DPCC/EC/2/1/2012/1140 20-03-2012	A&M DESIGN AND PRINT PRODUCTION 65, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	Offset Printing with Trade Effluent. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 250 liters/day		30-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated31-12-2011..... issued byDELHI COLLEGE OF ENGINEERING..... submitted. (b) Effluent analysis report dated 31-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 23-12-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 13.06.06, SCN for refusal was issued on 21.06.06. Unit has submitted its reply on 12.07.2006 along with the copy of Noise monitoring report and Effluent analysis report. Earlier CMC Decision 13.06.06 SCN for refusal for submission test report for all the parameters mentioned in earlier consent order.	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of renewal of consent and authorization under HWM Rules.	09-05-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
7	DPCC/EC/2/1/2012/1144 20-03-2012	YASHWANT PLACE SERVICE STATION AFRICA AVENUE, OPP. CHANAKYA CINEMA	SOUTH WEST	Orange Renewal	Service Station of cars Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 293 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 4000 liters/day		02-05-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated issued by submitted. (b) Effluent analysis report dated 20-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 2	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of renewal of consent and authorization under HWM Rules.	09-05-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

								(a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 20-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 22-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No		
8	DPCC/EC/2/1/2012/1145 20-03-2012	SHRI VENKATESHWAR ENTERPRISES SHED NO-54, DSIDC, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	MANUFACTURE OF S.S. UTENSILS WITH BUFFING AND POLISHING Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 130 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		26-04-2012 (1)ETP ---- N/A (2)ECS - yes (a) AR dated 28.08.2008 issued byGGSIU submitted. (b) Stack monitoring report dated 16-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 03-05-2012 Renewal of Consent to Operate granted.	09-05-2012 Renewal of Consent to Operate granted.
9	DPCC/EC/2/1/2012/1157 21-03-2012	COLOURMAN B-52 2ND FLOOR LAWRENCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Operate	DYEING AND WASHING OF JEANS. Readymade Garment (With Washing/Dyeing)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 3300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 3000 liters/day		27-04-2012 (1)ETP ---- Physiochemical (a) AR dated 06.09.2011 issued by DTUsubmitted. (b) Effluent analysis report dated 16.03.2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:conducetd on 11.12.2010 during the inspection following were observed: (a) Unit found operational and engaged in the activity of dyeing and washing of jeans. (b) No ETP installed waste water is being discharged directly into drain. (c) HWM Rules are not comply. (d) One cold fired boiler body lying dismantled.	Decision / Recommendation of Screening Committee on 03-05-2012 File be put up administratively.	09-05-2012 Inspection be conducted and file be put up administratively.

								(5) SCN u/s 31(A)/33(A)/5 of EPA details :issued on 12.01.2011 Unit submitted its reply along with an affidavit on 03.03.2011. Another inspection was conducted on 03.06.2011. (a) Unit found operational and engaged in the activity of dyeing and washing of jeans. (b) Deficiencies observed during last inspection was found as it is no rectification was done. (6) Closure directions u/s 31(A)/33(A)/5 of EPA issued on 22.06.2011. Unit submitted its representation on 30.06.2011. A letter was issued to the unit regarding submission of bank guarantee on 19.08.2011. Unit submitted its reply along with applications for CTE and CTO and authorization under HWM Rules on 23.03.2012 and requesting for revocation of closure directions.		
10	DPCC/EC/2/1/2012/1159 21-03-2012	S. NARAYAN & SONS B-88, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Printing. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 92.9 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 500 liters/day		30-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedFebuary, 2012..... issued byJamia Milla Islamia..... submitted. (b) Effluent analysis report dated 22-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 19-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes.	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of renewal of consent and authorization under HWM Rules.	09-05-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
11	DPCC/EC/2/1/2012/1161 21-03-2012	SAMRAT OFFSET PVT. LTD. B-88, OKHLA INDUSTRIAL AREA, PH-II	Okhla Industrial Area	Orange Renewal	PRINTING Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 92.9 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1300 liters/day (b) Trade Effluent ---- 1700 liters/day		30-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedFebruary, 2012..... issued byJamia Millia Islamia..... submitted. (b) Effluent analysis report dated 22-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. Unit has mentioned Trade effluent : 500 Lt/day in application form & 1700 Lt/day in affidavit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 19-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes.	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of renewal of consent and authorization under HWM Rules.	09-05-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
12	DPCC/EC/2/1/2012/1163	A.P. INDIA D15/1, OKHLA INDUSTRIAL	Okhla Industrial Area	Orange Operate	PRINTING Printing Press (With Trade			26-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMarch, 2012..... issued byJamia Millia Islamia.....	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of consent to operate and authorization under HWM	09-05-2012 Consent to Operate and Authorization under HWM Rules granted.

	21-03-2012	AREA, PHASE-1			Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 500 liters/day		submitted. (b) Effluent analysis report dated 09-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set: ...125 KVA... (a)Noise monitoring report of - 125 - KVA dated - 20.09.11 submitted by the unit has been expired. Unit has mentioned 45 KVA DG set in its application form & affidavit but NMR submitted by the unit is for the DG set of 125 KVA. As decided by the CMC (O) in its meeting held on 29.12.11, Consent to establish and letter were issued on 18.01.12 for submission of CTO application within 90 days. EARLIER CMC DECISION 29.12.11 (In CTE File) Issue consent to establish and ask the unit to apply for consent to operate within 90 days, failing which, closure action will be initiated.	Rules.	
13	DPCC/EC/2/1/2012/1169 22-03-2012	SAURABH PRINTERS PVT. LTD. B-280, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Plate Making and Graining. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 305.76 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 300 liters/day		30-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated13.05.2011..... issued by ...DELHI COLLEGE OF ENGINEERING..... submitted. (b) Effluent analysis report dated 28-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 28-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC(O) in its meeting held on 31.03.11, letter was issued on 24.05.11 for submission of effluent analysis report with complete parameters from approved laboratory of DPCC. Unit has submitted its reply on 03.03.11 along with the copy of test report again with incomplete parameters of printing activity. EARLIER CMC DECISION 31.03.11 (In CTR File) Ask the unit to submit effluent analysis report with complete parameters from approved laboratory of DPCC. The letter should indicate the parameters to be	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of renewal of consent and authorization under HWM Rules.	09-05-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

14	DPCC/EC/2/1/2012/1171	VIKRAM ROLLER FLOUR MILLS LTD. B-71/1/2, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	Rollar Flour Mill Flour Mills	• Date of commissioning of project ---- 01-02-1975 • Built Up Area ---- 2587 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	analysed.	27-04-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 28.01.2009 issued by GGSIU submitted. (b) Stack monitoring report dated 19-03-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of renewal of consent.	09-05-2012 Renewal of Consent to Operate granted.
15	DPCC/EC/2/1/2012/1172	HIMGIRI CARS PVT. LTD. B-99, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	AUTOMOBILE SALES/SERVICE Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 1500 (in sq. meter) • Water Consumption ---- 2300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 2000 liters/day		27-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated .07.02.2012 issued by DTU submitted. (b) Effluent analysis report dated 07-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 12-03-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of consent to operate and authorization under HWM Rules.	09-05-2012 Consent to Operate and Authorization under HWM Rules granted.
16	DPCC/EC/2/1/2012/1176	BAWA ENTERPRISES G-6, LAWRENCE ROAD INDUSTRIAL AREA,	Lawrence Road Industrial Area	Orange Operate	MFG. OF ALL KINDS OF SPICES. Spice Grinding	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		25-04-2012 (1)ETP ---- N/A (2)ECS - yes (a) AR dated 30.10.2010 issued by GGSIU submitted. (b) Stack monitoring report dated 19-03-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 15-03-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of consent to operate.	09-05-2012 Consent to Operate granted.

								Inspection to be conducted to know the present status.		
22	DPCC/EC/2/1/2012/1208	JINDER AUTO PVT. LTD. D-1 PHASE-1 MANGOLPURI INDL. AREA	Mangolpuri Industrial Area	Orange Operate	Washing with service Center. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- 01-01-2006 • Built Up Area ---- 140 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 2000 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 800 liters/day		27-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 22.03.2011 issued by GGSIU submitted. (b) Effluent analysis report dated 28-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details: (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :	Decision / Recommendation of Screening Committee on 03-05-2012 Check the status of CTE application and put up administratively.	09-05-2012 Consent to Operate and Authorization under HWM Rules granted.
23	DPCC/EC/2/1/2012/1212	VARUN FABRICATORS SHED 80, DSIDC COMPLEC, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MANUFACTURING OF STAINLESS STEEL UTENSILS (WITH BUFFING AND POLISHING) Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- 01-01-2006 • Built Up Area ---- 112 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		30-04-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 23.05.2008 issued by GGSIU submitted. (b) Stack monitoring report dated 16-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 16-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of consent to operate.	09-05-2012 Consent to Operate granted.
24	DPCC/EC/2/1/2012/1213	SHREE ADINATH WORKS A-124, (3RD FLOOR) WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	MANUFACTURING OF S.S. UTENSILS WITH BUFFING AND POLISHING Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- 01-01-2006 • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		27-04-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 13.03.2009 issued by GGSIU submitted. (b) Stack monitoring report dated 16-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of renewal of consent.	09-05-2012 Renewal of Consent to Operate granted.
25	DPCC/EC/2/1/2012/1215	KAMAL RUBPLAST INDUSTRIES PVT. LTD	Shahzada Bagh Industrial Area	Orange Renewal	MFG.OF RUBBER AUTO PARTS AND RUBBER GOODS			24-04-2012 (1)ETP ---- N/A ((2)ECS - Bag Filter / Bag House (a) AR dated 24.02.2011 issued by	Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for inspection.	09-05-2012 Inspection be conducted and file be put up administratively.

KVA, 320 KVA and 35 KVA. Noise monitoring report dated 04-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes

(4) Inspection details: conducted on 03.03.2011 an following were observed:

- 1.) STP found non-operational. same was found flooded with sewage in the basement/ underground.
- 2.) No solar energy utilisation facilities installed at site.
- 3.) No oil & grease trap provided prior to rain water harvesting pits.
- 4.) no hood duct provided with filters to chanelise smoke/ emission generated from the kitchen. only exhaust fan installed.
- 5.) Tandoor are fired in open area without channezation system.

(5) SCN u/s 31(A) and 33(A) issued on 18.05.2011.

(6) Closure directions u/s 31(A) and 33 (A) and refusal of consent issued on 27.06.2011. REminder letter issued to SDM, DJB & BSES on 05.08.2011.

EARLIER CMC daecision

12.06.2009

SIT-II to inspect & Report

16.04.2010

Call for personal hearing on 12.05.2010
at 5 PM

12.05.09

One representative of the unit appeared before the committee and handed over a letter informing that the concerned representative who is looking after the statutory requirements is on leave and requested to extend the date of hearing for the first week of June, 2010. It has decided that deficiencies noted during the SIT inspection be communicated to the unit for corrections and confirmation on an affidavit. Also ask the unit to apply for consent to operate at the time of commissioning of the project.

Decision on 05.08.2010

Issue SCN for refusal of consent.

Decision on 31.03.2011

Issue SCN u/s 31(A) of the Air Act and u/s 33(A) of the Water Act in view of the findings of the inspection conducted.

Decision on 11.11.2011

Reply along with affidavit & photographs received for rectification of the measures from the unit. Ask the unit to submit bank guarantee of Rs. One Lakh each under Air Act and Water Act valid for one year. If unit submits the bank guarantee, closure directions be revoked with the directions to submit adequacy report of ETP from empanelled consultant of DPCC and to apply for consent to establish and consent to operate. Subsequently, inspection be conducted within 03 months.

Unit submitted the BG of Rs. one Lakh

[illegible]