


By Speed Post



DELHI POLLUTION CONTROL COMMITTEE
4th & 5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)


F.No. DPCC / 2(d) Meeting – 32nd / 2016/ 4024-4032

Dated : 27.01.2016

Subject: Minutes of the 32nd meeting of the Committee constituted vide office order dated 22.09.2014 headed by Chairman, DPCC, for deciding applications of Consent under the Air & Water Acts and Authorization under the Hazardous Wastes Rules, for the cases of Orange Category Industries/ Units[Category 2(d)], held on **27.01.2016**, in the conference room of Chairman, DPCC, at Delhi Secretariat.

Please find enclosed herewith the Minutes of the 32nd Meeting of the aforementioned Committee, held in the conference room of Chairman, DPCC, at Delhi Secretariat on **27.01.2016** in respect of cases of Consent to Operate of Stainless Steel Pickling Units of Wazirpur Industrial Areas. Minutes of the said meeting are also being uploaded on the website of DPCC.

Concerned Engineers are required to take necessary action as per the decisions taken in the said meeting.



(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

1. Member Secretary, DPCC.
2. Prof. S.K.Gupta, Chemical Engg. Deptt, IIT, Hauz Khas, Delhi -16.
3. Dr. A.K.Nema, Professor, Civil Engg. Deptt., IIT, Hauz Khas, Delhi -16.
4. Dr. Anil Kumar, Director, Environment Deptt., Govt. of NCT of Delhi.
5. SEE (CDC) of CMC III.
6. Environmental Engineer (CDC) of CMC III.

Copy for information to:

1. PA to Chairman, DPCC, for the kind information of Chairman, DPCC please.
2. In-charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC.
3. Accounts officer, DPCC.


(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

Minutes of the 32nd meeting of the Committee constituted vide office order dated 22.09.2014 and headed by Chairman, DPCC, for deciding applications of Consent under the Air & Water Acts and Authorization under the Hazardous Wastes Rules, for the cases of Orange Category of Industries/Units[Category 2(d)], held on 27.01.2016, in the conference room of Chairman, DPCC, at Delhi Secretariat.

Attendance sheet is enclosed as Annexure "A".

Prof. S. K. Gupta and Prof. A. K. Nema of IIT Delhi, could not attend the meeting since they were preoccupied in some urgent work.

As per records of DPCC, there are 113 pickling units in Wazirpur Industrial area which were ordered to be closed through various orders issued from September, 2014 to July, 2015. The unit owners made representations against closures. Further, the matter was also agitated in the Hon'ble NGT by some unit owners against the closure.

These closures were inter alia on account of violation of the rules regarding hazardous waste/illegal extraction of water/violation of laws relating to pollution.






Hon'ble NGT upheld the need to observe laws relating to pollution and management of hazardous waste as required by the DPCC. Subject to such compliance only, the units can operate only upto 22nd September, 2016 as per Master Plan of Delhi, 2021, as per the order of Hon'ble High Court dated 11th November, 2013 in W.P(C) No. 6904/13.

Accordingly a policy was framed by DPCC, delineating the terms and conditions that need to be fulfilled by the pickling units for being eligible for grant of consent to operate. The provision of Bank Guarantee of Rs. 5 lakhs, if total investment is less than Rs. 50 lakhs, and Rs. 10 lakhs, if total investment is Rs. 50 lakhs and above, has been kept as one of the terms and conditions to ensure effective enforcement of the law.

Some of the unit owners approached DPCC/ Chairman (DPCC) requesting for allowing furnishing the Bank Guarantee in two parts as they claimed to be not in a position to submit the entire Bank Guarantee in one go. In order to facilitate them, it was decided that Bank Guarantee may be furnished in two parts - i.e., Rs. 2 lakhs and Rs. 4 lakhs, as the case may be, were to be deposited at the time of submitting application with commitment that Bank Guarantee of remaining amount of Rs. 3 lakhs/6 lakhs will be submitted within a period of three months of issuance of the Bank Guarantee submitted. It may be clarified that till the second installment of Bank Guarantee is deposited, the units owners shall continue to be bound, nevertheless, for the entire amount i.e., Rs. 5 lakhs/Rs.10 lakhs. As such the balance surety against 2nd instalment of Bank Guarantee amount should be deposited in the form of surety bond within 15 days of grant of provisional consent.

Till date 63 units owners have applied for grant of consent / authorization. All these units owners have submitted the agreement with CETP and also have undertaken for handling of management of waste, operation of ETP and adherence to pollution control laws/directions of DPCC that may be issued from time to time. All these units which were ordered to be closed and have been reported to be closed by the Dy. Commissioner/SDM vide their letter No.SDM/SV/DPCC/2015/19506 dated 01.12.2015. However, the inlet parameters, namely pH level and concentration of metals indicate that effluent resulting from pickling units is still discharged into CETP. Otherwise there is no reason why pH should be so low. The pH level have hovered between 1.8 to 4.1 from May, 2015 after the issue of closure directions. Clearly, either the units allegedly closed on paper are unscrupulously operating or some other units not on the record of DPCC are functional and discharging high level of pollutants. This is a serious matter and indicates deep rooted habit of unit owners to violate the laws relating to pollution. Collusion or negligence on the part of law enforcement agencies' policies can also not be ruled out.

Contd..2...

Before units can be given consent to operate/ authorization and start actual operation, they must ensure installation of online pH meters which can transmit data to the DPCC on real time basis. Besides, the units have to take necessary action to ensure operation of the ETP and the system of handling the Hazardous waste as per orders of the Hon'ble NGT and laws relating to pollution. Accordingly, a **provisional consent** under Water & Air Acts / **provision authorization** under HWM Rules (not the final consent to operate / authorization) is hereby given for a period of two months. The units which confirm the compliance of terms and conditions specified by DPCC will be inspected and samples collected by the DPCC. The final consent to operate / authorization will be issued soon thereafter when satisfactory inspection and test report become available.

DPCC field engineers concerned shall carry out 100% physical inspection of units in the Wazirpur Industrial area to identify the units operating unscrupulously, units operating illegal without even being in the record of DPCC and units by-passing the conveyance system connecting to CETP, etc. Member Secretary, DPCC may form necessary team, if need in do this job.

Needless to add, the consent to operate / authorization shall only be given till 22nd September, 2016. The pickling units must therefore close down on or before 22nd September, 2016 till when the High Court gave them lifeline. Pickling units are severely polluting units and contribute to introduction of heavy metals in the soil and water. Heavy metals are serious health hazard. Therefore, strict monitoring and compliance will be required. The performa and terms and conditions of the provisional consent / authorization are enclosed.

It is also noted that complaints have been received from various quarters including from Akhil Bhartiya Lok Adhikar Sangatan regarding illegal operation of units. It is essential that the units violating the norms are proceeded against immediately by forfeiture of Bank Guarantee, revocation of consent / authorization and filing of criminal case etc. Likewise, the police complaints should also be filed by both SDM and field Engineers against the units found to be operating illegally without consent.


After units obtain Consent to Operate / authorization and start operation as mentioned above, DPCC lab shall collect samples of CETP on random basis at least one in 15 days. Further, it will also pick up at least 15 samples per month from ETPs randomly selected. Besides, Shri Ram Lab should also be authorized to lift samples randomly on the same scale every month. In addition, third party audit should also be conducted in industrial areas with a view to strengthen enforcement of and compliance of NGT order. This will be mechanism for monitoring / supervision when pickling units start operating after the grant of consent to operate/ authorization.


Action will be taken as per law against the units who violate the law and directions of DPCC.


The cases of other pickling units which may apply will also be dealt with in the same manner as these 63 cases. No further meeting of CMC 2(d) will be required for the purpose. However, it is stipulated that such other units must apply before 15th February, 2016.


The minutes of the meeting (decision) may be uploaded on website immediately and the Association / CETP Society may be given a copy of the minutes free of cost.


The meeting ended with a vote of thanks to the Chair.


27/1/2016
(Ashwani Kumar)
Chairman, DPCC


27-1/16
(Kulanand Joshi)
Member Secy,
DPCC





27/1/2016
(Dr. Anil Kumar)
Director(Env.),
GNCTD



27/1/16
(Pankaj Kapil)
SEE, CMC-III


27/1/16
(Rajeev Sharma)
EE, CMC-III

Annexure "A"

Attendance Sheet for 32nd Meeting of the Committee Constituted vide Office Order Dated 22.09.2014 and headed by Chairman, DPCC , for deciding the Cases / Applications under Orange Category[Category 2(d)] of Consent under the Air & Water Acts and Authorization under the Hazardous Waste Rules, held in the Conference Room of Chairman, DPCC at Delhi Secretariat on 27.01.2016.

S.No.	Name	Designation	Signature
1.	Sh. Ashwani Kumar	Chairman, DPCC	In Chair
2.	Sh. Kulanand Joshi	Member Secretary, DPCC	 27.01.2016
3.	Dr. Anil Kumar	Director (Env) GNCT Delhi	 27.01/2016
4.	Sh. Pankaj Kapil	SEE(CDC)(CMC III), DPCC	
5.	Sh. Rajeev Sharma	EE(CDC) (CMC III), DPCC	



DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENT, GOVT. OF DELHI
4th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
visit us at : <http://dpcc.delhigovt.nic.in>

F.No. DPCC/CMC-III/2016/

Dated:

To,

M/s,
Wazirpur Industrial Area,
New Delhi-110052

Subject: Provisional Consent for a period of two months under the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008.

Sir,

This has reference to Directions/Orders issued under Water (Prevention & Control of Pollution) Act, 1974, Environment (Protection) Act, 1986 and under Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008. According to checklist dated 07-12-2016 approved by Competent Authority. You have submitted application for consent under Water & Air Act and authorization under HWM Rules along with following documents:-

1. Copy of Agreement with CETP Society w.r.t. storage of spend acid / acid residue and Copy of Agreement with CETP Society w.r.t. supply of treated effluent from CETP for industrial usage.
2. Undertaking that the online pH meter will be installed at reaction tank and outlet of ETP within 15 days of grant of consent by DPCC.
3. Security Bond in the form of Bank Guarantee No dated of Rs. 2,00,000/- (Two Lakh only) issued by valid for 1 years, till including undertaking from point I to point VIII as per checklist dated 07-12-2015 approved by Competent Authority.
4.

In view of above, as decided in the meeting of Consent Management Committee (CMC) dated 27.01.2016 in continuation of earlier meetings held on 18.12.2015 & 13.01.2016, a provisional Authorization under Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and Provisional Consent (not Consent to Operate) is hereby granted for a period of two months for compliances of conditions as per **Annexure-I** and as envisaged in the undertaking given including subsequent monitoring. Failure to comply with the law relating to pollution and directions of DPCC shall attract action under the law without any further reference to you. A copy of the decision of CMC is enclosed herewith for information and strict compliance.

Sr. Env. Engineer (CDC)
(CMC-III)

Copy to:

1. The General Manager (Commercial), Tata Power Distribution Limited, Grid Sub Station Building, Hudson Lane, Kingsway Camp, Delhi-110009 with a request to restore/ not to disconnect power supply for 60 days of the addressee.
2. The Member (Water Supply), Delhi Jal Board, Varunalaya, Phase-II, Jhandewalan, New Delhi-110055:- with a request to restore/ not to disconnect water supply for 60 days of the addressee.
3. The Deputy Commissioner, Factory Licensing Department (MCD), 14th floor, Civic Centre, Minto Road, Delhi-110002.
4. The Sub Divisional Magistrate (Saraswati Vihar), Old Middle School Building, Rampura, Lawrence Road, Delhi-110035 - with a request to de-seal the unit/ not to take action for effective closure including sealing of the unit for 60 days.
5. Master file.

Env. Engineer (CDC)
(CMC-III)

Annexure-I

1. The unit owner / consentee shall install online pH meter at reaction tank and outlet of ETP within 15 days of issuance of consent and shall submit photographs of the same in DPCC.
2. The unit owner / consentee shall store spent acid/acid residue in-house for a period not exceeding 15 days only and thereafter same shall be stored in safe manner in CETP Wazirpur with proper record keeping till disposal as per HWM Rules. A proper receipt of handling over and taking over of hazardous waste between a unit owner / consentee and the CETP shall be duly maintained by both the sites and open to DPCC and other Govt. Authorities for inspection.
3. Unit shall continue to store ETP sludge generated after ETP Treatment of rinse Water effluent in the manner as prescribed under HWM Rules.
4. The unit owner / consentee shall ensure operation of ETP and ECS to achieve the following parameters:
 - Effluent:- pH-5.5-9.0, TSS-250mg/l, Oil & Grease-10 mg/l, Iron(as Fe)-3.0mg/l, Copper(as Cu)-3.0 mg/l, Nickel (as Ni)-3.0 mg/l, Chromium Total (as Cr)-2.0 mg/l, Chromium Hexavalent(as Cr⁶⁺)-0.1 mg/l, Total Metal-10mg/l.
 - Emission:- Sulfuric Acid Mist≤50 mg/Nm³
5. The unit owner / consentee shall use ETP only for the purpose of treating the effluent discharged from the rinsed water tank and rinsing washing area used by the unit.
6. The unit owner / consentee shall not divert acid residue (HW Cat. 12.1) and spent bath sludge (HW Cat. 12.3) to ETP.
7. The sealed/closed containers of acid residue/ spent acid will be handed over to CETP society for storing. Individual units shall maintain the receipt / record of such waste transferred. The closing system of containers shall be adequate enough to prevent inadvertent leakage to the contents under normal conditions incident to transportation. The vehicles utilized for collection and carrying of Hazardous Waste should be designed to prevent leachate, spillage and accident.
8. The unit owner / consentee shall not handle acid residue (HW Cat. 12.1) and spent bath sludge (HW Cat. 12.3) and ETP sludge (HW Cat. 34.3) in any other manner except storing the same as hazardous waste and maintain the records of such storage by them.
9. The unit owner / consentee shall reuse the acid (s) to the maximum extent to reduce the quantity of waste acid by modifying the in-house practices.
10. The unit owner / consentee shall discharge its treated effluent into the conveyance system attached to CETP. The unit shall be jointly and severally be responsible for proper operation of CETP as per prescribed norms. In case CETP does not function as per prescribed norms due to non cooperation / in action by a unit owner / consentee, the unit shall be liable to be closed. In other words the unit shall be closed not only for its failure in adhering to the prescribed norms and directions of DPCC / law but also for non-functioning of CETP as per prescribed norms and non-compliance of directions of DPCC / law by the CETP society due to its non cooperation / in action.
11. The unit owner / consentee shall submit the Bank Guarantee of remaining amount of Rs. 3 Lakh or 6 Lakh (as applicable) within period of 3 month of issuance of present Bank Guarantee. Till submission of the aforesaid remaining Bank Guarantee, a Surety against the 2nd installment of the Bank Guarantee will be deposited in the form of Surety Bond, as per prescribed performa, within 15 days of grant of provisional consent.
12. The unit owner / consentee shall provide appropriate containment system for spent acid / acid residue being the hazardous waste in liquid / semi liquid form before commissioning the storage.
13. The unit owner / consentee shall shutdown the existing borewell and use the treated effluent from CETP for industrial uses with proper record keeping. Proper record shall be kept by the CETP and unit owner/ consentee for water supplied by the CETP to the unit.
14. The unit owner / consentee shall abide by all the undertakings given to DPCC.
15. Transportation and storage cost of acid residue/ spent acid will be borne as per mutual agreement of the unit with the CETP society.
16. The unit owner / consentee shall close pickling activity on or before 22/09/2016.

List of 63 S.S Pickling Units applied for consent up to 25.01.2016

S.No.	Name	Address	Activity	Applied on
1	G.S Enterprises,	A-74/2, Wazirpur Industrial Area	Pickling and Cold Re-rolling of S.S Sheets	04.12.2015
2	Shree Krishna Metal Industries,	B-22/2, Wazirpur Industrial Area	Pickling, Annealing and Re-rolling of S.S Sheets	04.12.2015
3	Parsvnath Steels,	A-95, Wazirpur Industrial Area	Pickling, Annealing and Re-rolling of S.S Sheets	04.12.2015
4	A.K Industries,	A-102/1A, Wazirpur Industrial Area	Pickling of S.S Sheets	04.12.2015
5	Arti Industries,	A-97/1, Wazirpur Industrial Area	Pickling, Annealing and Re-rolling of S.S Sheets	04.12.2015
6	Jayna Strips,	A-97/1A, Wazirpur Industrial Area	Pickling of S.S Sheets	09.12.2015
7	Shri Bankey Bihari Rolling,	A-118, Wazirpur Industrial Area	Pickling and Re-rolling of S.S Sheets	09.12.2015
8	Prime Enterprises,	C-44, Wazirpur Industrial Area	Pickling, Annealing and Re-rolling of S.S Sheets	10.12.2015
9	Vijay Industries,	B-71, Wazirpur Industrial Area	Pickling of S.S Sheets	11.12.2015
10	Mitul Industries,	A-124, Wazirpur Industrial Area	Pickling of S.S Sheets	11.12.2015
11	Metal Fabricator,	A-85/3, Wazirpur Industrial Area	Pickling, Annealing and Re-rolling of S.S Sheets	14.12.2015
12	Kamal Steel Industries (Unit-II),	C-37/2, Wazirpur Industrial Area	Pickling of Flat Stainless Steel Sheets	14.12.2015
13	Sidhartha Industries,	B-31(G), Wazirpur Industrial Area	Pickling and Re-rolling of Flat Stainless Steel	14.12.2015
14	Tirupati Metal,	B-8(G), Wazirpur Industrial Area	Pickling of S.S Sheets	16.12.2015
15	Deepak Industries,	A-83/5, Wazirpur Industrial Area	Pickling of S.S Sheets	16.12.2015
16	Balaji Steels,	C-58/3, Wazirpur Industrial Area	Pickling, Annealing and Re-rolling of S.S Sheets	16.12.2015
17	Ravi Steel Industries,	Shed -69, Wazirpur Industrial Area	Cold Re-rolling and Pickling of S.S Sheets	16.12.2015
18	Bhawani Industries,	B-62/1, Wazirpur Industrial Area	Pickling and Re-rolling of S.S Sheets	16.12.2015
19	Shiv Industries,	B-7(G), Wazirpur Industrial Area	Pickling and Re-rolling of S.S Sheets	16.12.2015
20	Pardeep Industries,	A-31, Wazirpur Industrial Area	Pickling, Annealing and Re-rolling of S.S Sheets	16.12.2015
21	Eastern Engineering Works,	C-86, Wazirpur Industrial Area	Pickling of S.S Sheets	16.12.2015
22	Goyal Enterprises,	B-7 (G), Wazirpur Industrial Area	Pickling and Re-rolling of S.S Sheets	16.12.2015
23	Bishwanath,	B-9(G) Backside, Wazirpur Industrial Area	Pickling and Re-rolling of S.S Sheets	16.12.2015
24	Bhagwati Steel,	B-25, Wazirpur Industrial Area	Pickling of S.S Sheets	16.12.2015
25	Shri Ram Rolling Works,	A-93/14, Wazirpur Industrial Area	Pickling of S.S Sheets	16.12.2015
26	Vishwa Karma Metal,	A-101/12, Wazirpur Industrial Area	Pickling and Re-rolling of S.S Sheets	16.12.2015
27	Hariram	C-40/3, Wazirpur Industrial Area	Pickling of S.S Sheets	17.12.2015
28	Shree Krishna Industries	A-101/1, Wazirpur Industrial Area	Cold Re-Rolling and Pickling of S.S. Sheet	18.12.2015
29	Jai Paras Steel	A-16, Wazirpur Industrial Area	Pickling of S.S. Sheet	18.12.2015
30	Shree Luxmi Industries	A-39, Wazirpur Industrial Area	Cold Re-Rolling and Pickling of S.S. Sheets	18.12.2015
31	Rajender jain	C-40, (Backside), Wazirpur Industrial Area	Pickling of S.S. Sheet	21.12.2015
32	Mittal Re-Rolling Industries	A-76/2, Wazirpur Industrial Area	Pickling and Re-Rolling of S.S. Sheet	21.12.2015

List of 63 S.S Pickling Units applied for consent up to 25.01.2016

33	Jindal Enterprises	A-116, Wazirpur Industrial Area	Pickling of S.S. Sheet	21.12.2015
34	Arihant Industries	A-101/1A, Wazirpur Industrial Area	Pickling and Re-Rolling of S.S. Sheet	21.12.2015
35	P.B. Steels	A-24, Wazirpur Industrial Area	Pickling of S.S. Sheet	21.12.2015
36	Premier Industries	B-62, Wazirpur Industrial Area	Pickling of S.S. Sheet	21.12.2015
37	Ganpati Rolling Mill	A-98/6, Wazirpur Industrial Area	Pickling and Re-Rolling of S.S. Sheet	21.12.2015
38	Shree Shyam Steel	A-113/1, Wazirpur Industrial Area	Pickling and Re-Rolling of S.S. Sheet	21.12.2015
39	Brij Mohan Ram Mohan	A-86/2, Wazirpur Industrial Area	Pickling and Re-Rolling of S.S. Sheet	21.12.2015
40	Guru Prem Industries	A-101, Wazirpur Industrial Area	Pickling and Cold Re-Rolling of S.S. Sheet	21.12.2015
41	Rahul Udyog	A-96/1-A, Wazirpur Industrial Area	Pickling, Annealing and Re-Rolling of S.S. Sheet	21.12.2015
42	Durga Industries	A-97/3, Wazirpur Industrial Area	Pickling of S.S. Sheets	21.12.2015
43	Durga Industries	A-99/4, Wazirpur Industrial Area	Pickling and Re-Rolling of S.S. Sheet/Patti	21.12.2015
44	J.N Steel Co.	A-111/1, Wazirpur Industrial Area	Pickling and Re-Rolling of S.S. Sheets	21.12.2015
45	Ganga Industries	A-113, Group, Wazirpur Industrial Area	Pickling of S.S. Sheet	22.12.2015
46	Gupta Enterprises	B-47/2, Wazirpur Industrial Area	Pickling and Re-Rolling of S.S. Sheets	22.12.2015
47	Kalyan Steel Rolling Mill	A-130, Wazirpur Industrial Area	Pickling and Re-Rolling of S.S. Sheets	22.12.2015
48	U-Like Exports	C-34, Wazirpur Industrial Area	Pickling and Re-Rolling of S.S. Sheets	22.12.2015
49	Saraswati Traders	A-96/2, Wazirpur Industrial Area	Pickling, Annealing and Re-Rolling of S.S.	23.12.2015
50	Avtar Refrigeration Industries	C-57/1, Wazirpur Industrial Area	Pickling and Re-Rolling of S.S. Sheets.	01.01.2016
51	Harish Traders	A-96/1, Wazirpur Industrial Area	Pickling and Re-Rolling of S.S. Sheets.	01.01.2016
52	S.V. Industries	A-59, Group Industrial Area Wazirpur	Pickling of S.S. Sheets.	01.01.2016
53	S.K. Steel	B-58, (Group), Wazirpur Industrial Area	Pickling and Cold Re-Rolling of S.S. Sheets.	06.01.2016
54	Shiv Shakti Industries	A-84/1, Wazirpur Industrial Area	Pickling and Re-Rolling of S.S. Sheets.	06.01.2016
55	R.K. Steel	A-12, Group, Wazirpur Industrial Area	Pickling and Re-Rolling of S.S. Sheets	06.01.2016
56	Kusum Steel Company	C-57, Wazirpur Industrial Area	Pickling and Cold Re-Rolling of S.S. Sheets.	08.01.2016
57	Goel Steel Industries	A-35, Wazirpur Industrial Area	Pickling of S.S. Sheets.	08.01.2016
58	Adarsh Steels	B-20, Group, Wazirpur Industrial Area	Pickling of S.S. Sheets.	18.01.2016
59	Onkar Steels	B-67/1, Wazirpur Industrial Area	Pickling of S.S. Sheets.	18.01.2016
60	Vishal Industries	C-55/1, Wazirpur Industrial Area	Pickling and Cold Re-rolling of Stainless Steel Sheets	18.01.2016
61	Tirupati Industry	C-40/1, Wazirpur Industrial Area	Pickling and Cold Re-rolling of Stainless Steel Sheets	18.01.2016
62	Bhagwati Steel	B-28/4, Wazirpur Industrial Area	Pickling of S.S. Sheets.	18.01.2016
63	Singhal Udyog	B-70, Wazirpur Industrial Area	Pickling, Annealing and Re-rolling of S.S. Sheets	20.01.2016