



DELHI POLLUTION CONTROL COMMITTEE
4th & 5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
 (visit us at : <http://dpcc.delhigovt.nic.in>)

F.No. DPCC / 2(d) Meeting – 33rd / 2016/ *3642*

Dated : *18/2/16*

Subject: Minutes of the **33rd** meeting of the Committee constituted vide office order dated 22.09.2014 headed by Chairman, DPCC, for deciding applications of Consent under the Air & Water Acts and Authorization under the Hazardous Wastes Rules, for the cases of Orange Category Industries/ Units[Category 2(d)], held on **11.02.2016**, in the conference room of Chairman, DPCC, at Delhi Secretariat.

Please find enclosed herewith the Minutes of the **33rd Meeting** of the aforementioned Committee, held in the conference room of Chairman, DPCC, at Delhi Secretariat on **11.02.2016**.

Minutes of the said meeting is also being uploaded on the website of DPCC.

Concerned Engineers are required to take necessary action as per the decisions taken in the said meeting.

D.K. Singh

(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

1. Member Secretary, DPCC.
2. Prof. S.K.Gupta, Chemical Engg. Deptt, IIT, Hauz Khas, Delhi -16.
3. Dr. A.K.Nema, Professor, Civil Engg. Deptt., IIT, Hauz Khas, Delhi -16.
4. Dr. Anil Kumar, Director, Environment Deptt., Govt. of NCT of Delhi.
5. SEE (CDC) of CMC II, IV & V.
6. Environmental Engineers (CDC) of CMC II, IV & V.

Copy for information to:

1. PA to Chairman, DPCC, for the kind information of Chairman, DPCC please.
2. In-charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC.
3. Accounts officer, DPCC.

D.K. Singh

(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

Minutes of the 33rd meeting of the Committee constituted vide office order dated 22.09.2014 and headed by Chairman, DPCC, for deciding applications of Consent under the Air & Water Acts and Authorization under the Hazardous Wastes Rules, for the cases of Orange Category of Industries / Units [Category 2(d)], held on 11.02.2016, in the conference room of Chairman, DPCC, at Delhi Secretariat.

Attendance sheet is enclosed as Annexure "A".

Prof.A.K.Nema of IIT Delhi could not attend the meeting since he was preoccupied in some urgent work.

Following are the Agenda Items taken and Minutes of the Meeting:

Agenda Item No 1: 15 Consent to Operate cases of Stainless Steel Pickling Units of Badli SSI, SMA & Rajasthani Udyog Nagar Industrial Areas.

It was informed by the Sr. Environmental Engineer in charge of the industrial area that closure directions were issued to 18 units in SSI / SMA / RUN and Badli Industrial Areas (**List of 18 Units is at Annexure I**), interalia on account of violation of the rules regarding hazardous waste / illegal extraction of ground water / violation of laws relating to pollution. Out of these, three units have reported that they have closed the activity of Stainless Steel Pickling (**S.No. 1, 2 & 3 of the List of 18 Units at Annexure-I**). One of the closed unit i.e M/s Shubham Steel, C-9, SMA Industrial Area, Delhi -33, has applied for Consent to Establish and Consent to Operate for the activity of Cold Re-rolling of SS Sheets which is not water polluting activity. Remaining **15 units (S.No. 4 to 18 of the List of 18 Units at Annexure-I)** owner have applied for Consent to Operate / Authorization for the Stainless Steel Pickling.

In the light of order dated 06.11.2015 in Appeal No. 46 to 56 of 2015 filed by some S.S. Pickling units of Wazirpur Industrial Area, a policy was framed by DPCC, delineating the terms and conditions that need to be fulfilled by the pickling units for being eligible for grant of consent. The 15 units, who have applied for consent for pickling activity, have to be dealt with as per this policy only. At this stage it needs to be mentioned that in aforesaid Appeal No. 46 to 56 of 2015, Hon'ble NGT upheld the need to observe laws relating to pollution and management of hazardous waste as required by the DPCC. Subject to such compliance only, the units can operate only upto 22nd September, 2016 as per Master Plan of Delhi, 2021, as per the order of Hon'ble High Court dated 11th November, 2013 in W.P(C) No. 6904/13.

Senior Environmental Engineer concerned informed that these units have not submitted copy of agreement with their respective CETP society w.r.t storage of spent acid and acid residue. Instead, these units have submitted undertaking regarding sufficient space to store the Spent Acid/Acid Residue and provisions for containment system as per guidelines. Other than that the units applying for consent have complied with the requirement mentioned in the check list dated 07.12.2015. Senior Environmental Engineer concerned has informed that in compliance of Minutes of meeting dated 06.07.2015 and checklist dated 07.12.2015, all these unit owners have submitted Bank guarantee of Rs. 2.0 Lacs/4 lacs, letter from CETP regarding use of treated effluent from CETP, undertaking along with photographs for installation of pH meter/ undertaking that pH meter will be installed, photographs of dismantled/ sealed bore well or permission/registration from CGWA/ DJB for bore well, undertaking for closure of unit on or before 22.09.2016, undertaking that neither acid residue nor spent bath sludge shall be diverted and entered to ETP, undertaking to reuse the acid to maximum extent to reduce the quantity of waste acid, undertaking that the unit shall discharge its treated effluent in to conveyance system connected, undertaking that the bank guarantee of remaining amount of Rs. 3.0 Lakh or 6.0 Lakh (as applicable) will be submitted within period of 3 months, of issuance of present Bank Guarantee.

It was informed that compliance for closure of 12 out of 18 of the S.S. Pickling units have been received from concerned SDMs through email. However, the inlet parameters of CETP, namely pH level and concentration of metals indicate that effluent resulting from pickling units is still discharged into CETP for SSI/SMA/RUN Industrial Areas. Otherwise there is no reason why pH should be low. Clearly, either the units alleged closed on paper are unscrupulously operating or some other units not on the record of DPCC are functional and discharging high level of pollutants. This is a serious matter and indicates deep rooted habit of unit owners to violate the laws relating to pollution. Collusion or negligence on the part of law enforcement agencies' policies can also not be ruled out.

Further, the units shall submit the copy of agreement with their respective CETP society w.r.t storage of spent acid/ acid residue. Further CETP societies shall apply for authorization from DPCC (WMC-II)/ Mr. B.L. Chawla). Mr. B.L. Chawla Incharge of WMC-II will issue authorization if the applicant CETP society has made application as per prescribed procedure.

After receipt of the agreement with CETP concerned and authorization of CETP concerned, a provisional consent under Water & Air Acts / provisional authorization under HWM Rules (not the consent to operate / authorization) may be issued by the Sr. Environmental Engineer concerned to the units for a period of two months. The purpose of aforesaid provisional consent is to enable the units to install necessary pollution control / monitoring devices and furnish test reports showing compliance with effluent standards.

[Handwritten signatures and notes at the bottom of the page, including "16.2.16" and "Comd...2"]

Before the units can be given consent to operate/ authorization and start actual operation, they must ensure installation of online pH meters which can transmit data to the DPCC on real time basis. Besides, the units have to take necessary action to ensure operation of the ETP and the system of handling the Hazardous waste as per orders of the Hon'ble NGT and laws relating to pollution. The units which confirm the compliance of terms and conditions specified by DPCC will be inspected and samples collected by the DPCC. The final consent to operate / authorization will then be issued as soon as inspection and test report are found to be satisfactory.

DPCC field engineers concerned shall carry out 100% physical inspection of units in the SSI/SMA/RUN & Badli Industrial Areas to identify the units operating unscrupulously, units operating illegal without even being in the record of DPCC and units by-passing the conveyance system connecting to CETP, etc. Member Secretary DPCC may form necessary team, if need in do this job.

Needless to add, the consent to operate / authorization shall only be given till 22nd September, 2016. The pickling units must therefore close down on or before 22nd September, 2016 till when the High Court gave them lifeline. Pickling units are severely polluting units and contribute to introduction of heavy metals in the soil and water. Heavy metals are serious health hazard. Therefore, strict monitoring and compliance will be required. The perform and terms and conditions of the provisional consent / authorization approved in case of S.S. Pickling units in Wazirpur Industrial Area shall be used.

It is also noted that complaints have been received from various quarters regarding illegal operation of units. It is essential that the units violating the norms and direction of DPCC are proceeded against immediately by forfeiture of Bank Guarantee, revocation of consent/ authorization and filing of criminal case etc. Likewise, the police complaints should also be filed by both, SDM and field Engineers against the units found to be operating illegally without consent.

After the units obtain Consent to Operate/authorization and start operation as mentioned above, DPCC Lab shall collect samples of CETP on random basis at least one in 15 days. Further it will also pickup at least 03 samples per month from ETPs randomly selected. Besides, Shri Ram Lab or another reliable Lab should also be authorized to lift samples randomly on the same scale every month. In addition, third party audit should also be conducted in industrial areas with a view to strengthen enforcement of and compliance of NGT order. This will be mechanism for monitoring/ supervision when pickling units start operating after the grant of consent to operate/authorization.

Action will be taken as per law against the units who violate the law and directions of DPCC.

Agenda Item No. 2: Renewal of Consent to Establish in respect of construction Projects having built up area less than 20000 sq. meter

Renewal of Consent to Establish was granted to the following two units for one year subject to payment of requisite fee, as mentioned in Annexure - II

1. M/s Spirit Global Constructions Pvt. Ltd., Rajouri Garden, Adjacent to Rajouri Garden Metro Railway Station, Delhi (Activity - Multi Level Parking with Commercial Development.)
2. M/s Rashmi Exports Pvt. Ltd., E-32, Phase-II, Okhla Industrial Area, New Delhi-20 (Activity- Construction of Office Complex)

The minutes of the meeting (decision) may be uploaded on web site immediately. The decision in Agenda Item No.1 above may also be informed to concerned Association (s) of industrial units/CETP Society (ies) for information and action.

The meeting ended with a vote of thanks to the Chair.


(Ashwani Kumar)
Chairman, DPCC


(Kulanand Joshi)
Member Secy, DPCC


(Dr. S.K. Gupta)
Prof. IIT Delhi


(Dr. Anil Kumar)
Director (Env.), GNCTD


(D.K. Singh)
SEE, CMC-II


(Mohd. Arif)
SEE, CMC-V


(Satender Kumar)
SEE, CMC-IV


(M.S. Rawat)
EE, CMC-V


(Ramesh Chandra)
EE, CMC-II


(Amit Chaudhary)
EE, CMC-V


(Sunil Kumar)
EE, CMC-IV

List of 18 Stainless Steel Pickling Units in SSI, SMA, Rajasthani Udyog Nagar and Badli Industrial Areas

S. No.	Name of Unit	Address	Activity
1	Mahavir Enterprises	B-8/2, Phase -I, Badli Industrial Estate, Delhi -42	Pickling, Annealing and Re-Rolling of S.S. Sheets.
2	Vardhman Steels	85, Phase-II, Badli Industrial Estate, Delhi -42	Pickling, Annealing and Re-Rolling of S.S. Sheets.
3	Subham Steel	C-9, SMA Industrial Area, G.T. Karnal Road, Delhi -33	Cold Re-rolling of S. S. Sheets (Earlier was engaged in the activity of Pickling ,Annealing & Re-Rolling of S.S. Sheets)
4	Rose Metal Industries	62, S.S.I Industrial Area, G.T.K Road, Delhi -33	Pickling, Annealing & Re rolling of S. S. Sheets.
5	Hanuman Steel Udyog	63, S.S.I Industrial Area, GTK Road, Delhi -33	Pickling, Annealing & Re rolling of S. S. Sheets.
6	Unico Steel (Pvt.) Ltd.	A-38, Rajasthani Udyog Nagar Industrial Area , G.T. Karnal Road, Delhi -33	Pickling, Annealing and Re-Rolling of S.S. Sheets.
7	Niharika Steels	A-78, Rajasthani Udyog Nagar Industrial Area, G.T.Karnal Road, Delhi -33	Pickling, Annealing and Re-Rolling of S.S. Sheets.
8	Bajrang Engineering Works	D-45, S.M.A. Industrial Area, G.T. Karnal Road, Delhi -33	Pickling of S.S.Sheets
9	Bal Kishan Vinay Kumar	D-46, SMA Industrial Area, G.T. Karnal Road, Delhi -33	Pickling, Annealing and Re Rolling of S.S. Sheets
10	Mittal Steel Marketing	D-6, S.M.A Industrial Area, GTK Road, Delhi -33	Pickling, Re-Rolling and Annealing of S.S. Sheets
11	Lee Laa Overseas	E-13, S.M.A Industrial Area, G.T. Karnal Road, Delhi -33	Pickling, Re-Rolling and Annealing of S.S. Sheets
12	Vimlak World Enterprises	E-14, S.M.A. Industrial Area, G.T.K Road, Delhi -33	Pickling, Re-Rolling and Annealing of S.S. Sheets
13	S.S. Dawar & Company	Plot No. 16, S.S.I Industrial Area, G.T. Karnal Road, Delhi -33	Pickling, Re-Rolling and Annealing of S.S. Sheets
14	Surender Kumar & Co.	S-11, Phase-I Badli Industrial Estate, Delhi -42	Pickling ,Annealing & Re-Rolling of S.S. Sheets
15	Shiv Industries	S-14, Phase I, Badli Industrial Estate, Delhi -42	Pickling ,Annealing & Re-Rolling of S.S. Sheets
16	Swift Chemical Corporation	S-56, Phase-I Badli Industrial Estate, Delhi-42	Pickling ,Annealing & Re-Rolling of S.S. Sheets
17	S.B. Steel	S-58, Phase -I, Badli Industrial Estate, Delhi -42	Pickling ,Annealing & Re-Rolling of S.S. Sheets
18	Hitkari Brothers	Shed No. 5, Badli Industrial Area, Delhi -42	Pickling ,Annealing & Re-Rolling of S.S. Sheets

(Sunil Kumar) EE

Decisions taken by Committee for 2(d) category cases headed by Chairman, DPCC in its 33rd Meeting on 11.02.2016 w.r.t Agenda Item No. 2 : 2 Pending cases of Renewal of CTE (construction projects, built up area < 20000 sq.m) Annexure-II

S.No.	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Category	Activity / Product	Consent Status	Authorization Status	Brief of the Case	Decisions taken in Previous Meeting	Action Taken w.r.t Decisions of Previous Meeting	Remarks	Decisions taken by the Committee on 11.02.2016
1	M/s Spirit Global Constructions Pvt. Ltd.	Rajouri Garden, Adjacent to Rajouri Garden Metro Railway Station	24.12.2014 (earlier applied on 13.01.2014)	6427	Orange / Establish	Multi Level Parking with Commercial Development.	Applied for Consent to Establish	NA	Unit applied for Consent to Establish on 13.01.2014 Total Plot Area : 6797.29 sqm Built up Area : 18905.27 sqm Date of possession of land : 30.06.2010 Date of commencement of construction : 15.02.2014 Proposed Date of Completion : 01.12.2016 Water Consumption : 230.7 KLD Ground water : Nil Waste Water Generation : 158.7 KLD Domestic/ Trade Effluent : 158.7 KLD STP (Proposed) capacity is 250 KLD DG Sets proposed 750 & 320 KVA. Acoustic Enclosure with adequate stack shall be provided. The unit has informed vide letter dated 18.02.2014 that commencement of work will begin only after receipt of CTE from DPCC. Unit has obtained Consent to Establish on 28.05.2014 valid upto 12.01.2015. Now, unit has applied for Renewal of Consent to Establish on 24.12.2014 for further one year period and submitted a letter stating that construction work has not yet been completed and there is no change in the application. The case was taken up in the Consent Committee meeting held on 26.02.2015 headed by MS. DPCC for 2b category cases and it was decided case be referred to committee as per 2 (d).	Consent to Establish granted	Consent to Establish issued on 28.05.2014		Renewal of Consent allowed for one year subject to payment of requisite Consent Fee (i.e. Rs Two Lakh).

(Shwani Kumar) Chairman, DPCC

(Kulanand Joshi) MS

(Dr. S.K. Gupta) Prof. IIT, Delhi

(Dr. Anil Kumar) Director (Env)

(Satender Kumar) SEE

(Sunil Kumar) EE

Decisions taken by Committee for 2(d) category cases headed by Chairman, DPCC in its 33rd Meeting on 11.02.2016 w.r.t Agenda Item No. 2 : 2 Pending cases of Renewal of CTE (construction projects, built up area < 20000 sq.m) Annexure-II

S.No.	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Category	Activity / Product	Consent Status	Authorization Status	Brief of the Case	Decisions taken in Previous Meeting	Action Taken w.r.t Decisions of Previous Meeting	Remarks	Decisions taken by the Committee on 11.02.2016
2	M/s Rashmi Exports Pvt. Ltd.	E-32, Phase-II, Okhla Industrial Area, New Delhi-20	23.07.2015	11368	Orange / Establish	Construction of Office Complex	Applied for Renewal Consent to Establish	N/A	Commencement of production... July, 2016 CTE.... Applied. Total Plot Area (in sq. meter)....8128.59. Builtup Area (in sq. meter)....12110.46. Water Consumption (KLD)....8. Ground Water (in KLD)....Nil. Waste Water Generation (KLD)....5. Domestic Effluent (KLD)....5. Trade Effluent (KLD)....Nil. DG Set(s) of 140 KVA (Proposed) with stack height 4 meter above roof of the building. Inspection was carried out on 17.01.2014 and following were observed:- 1. The site is under construction for a office complex of M/s Rashmi Export Pvt. Ltd. 2. The RCC Super structure work of basement 1 & 2 is completed. 3. The sanctioned built-up area of the project is 1,35,000 sq. ft. 4. It is informed the expansion for built-up area is under process for total 8 floor/ built-up area is 3,20,000 sq. ft. In response to the letter issued after the meeting on 29.01.2014 Unit submitted its reply alongwith an affidavit on 22.04.2014 stating that their project is an 'Office Complex' and has built up area of 12,110.46 sq. mtr which is less than stipulated area for requirement of Environmental Clearance. In future, the project with built up area greater than 20,000 sq. mtr., then they will apply to obtain the Environmental Clearance from SEIAA/ SEAC of Delhi and unit also stating that they will also apply for fresh Consent to Establish, with new built up area after obtaining Environmental Clearance	Decision on 08.05.2014:- Consent to Establish granted	Consent to Establish issued on 04.08.2014.	Unit has applied for Renewal of Consent to Establish on 23.07.2015 alongwith an undertaking stating that nothing has been changed as per information given in previous application w.r.t. built up area, water effluent etc.	Renewal of Consent to Establish granted.

Shwani Kumar)Chairman, DPCC

Kulnand Joshi)MS







(Dr. S.K. Gupta)Prof. IIT, Delhi

(Dr. Anil Kumar)Director(Env)

(D.K. Singh)SEE

(Ramesh Chandra)FF

Attendance Sheet for 33rd Meeting of the Committee Constituted vide Office Order Dated 22.09.2014 and headed by Chairman, DPCC, for deciding the Cases / Applications under Orange Category [Category 2(d)] of Consent under the Air & Water Acts and Authorization under the Hazardous Waste Rules, held in the Conference Room of Chairman, DPCC at Delhi Secretariat on 11.02.2016.

S.No.	Name	Designation	Signature
1.	Sh. Ashwani Kumar	Chairman, DPCC	In Chair
2.	Sh. Kulanand Joshi	Member Secretary, DPCC	 11/2/16
3.	Prof. S.K.Gupta	Prof., Chemical Engg. Department, IIT Delhi	
4.	Dr. Anil Kumar	Director (Env) GNCT Delhi	
5.	Sh. D.K.Singh	SEE(CDC)(CMC II), DPCC	
6.	Sh. Pankaj Kapil	SEE(CDC)(CMC III), DPCC	Busy with SEIA Meeting
7.	Sh. M. Arif	SEE(CDC)(CMC V), DPCC	
8.	Sh. Satender Kumar	SEE(CDC)(CMC IV), DPCC	
9.	Sh. M. S. Rawat	SEE(CDC)(CMC V), DPCC	
10.	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	
11.	Sh. Amit Chaudhary	EE(CDC) (CMC V), DPCC	
12.	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	