

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-I placed before the Committee for 2(d) category cases in the meeting held on

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
1	Larsen & Tourbo Ltd.	Sarai Kale Khan Near Nizamuddin Bridge Indraprastha Millennium Park, NH-24	18.02.2016	13709	Consent to Establish	Commercial-Batching Plant	Non SPI	Not Applicable	Status of Pollution Control System / Devices: (ETP-Working, Sprinkler System have been provided) Status of Ground water extraction: Borewell exists. Applied to DJB for permission for ground water extraction. Source of Water : Borewell Status of Inspection:- Inspection was conducted and SCN u/s 31 of Air Act, 1981 was issued to the unit Subsequently , Modied directions were issued to the unit on 04.02.2016 directing the unit to deposit a penalty of Rs.50,000/- as per Hon'ble NGT directions. Now unit have submitted a reply stating that they have taken all the measures to control the pollution and they have deposited an amount of Rs. 50,000/-. Inspection is to be done by DPCC to check the present status	Test Reports:- Air (Emissions)- N.A. Water(Effluent)- N.A. Noise-test- N.A.	Yes

(Dr. Chandra Prakash), SEE (CMC-I)

(Shyam Sunder), EE (CMC-I)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-I placed before the Committee for 2(d) category cases in the meeting held on

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
2	Larsen & Turbo Ltd.	Mayur Vihar Phase-I, Barapullah Bridge, Phase-Iii Near Noida Mor Fly Over	09.02.2016	13571	Consent to Establish	Commercial-Batching Plant	Non SPI	Not Applicable	Status of Pollution Control System / Devices: (ETP-Working, Sprinkler System have been provided) Status of Ground water extraction: Borewell exists. Applied to DJB for permission for ground water extraction. Source of Water : Borewell Status of Inspection:- Inspection was conducted by DPCC officials on 25.01.2016 and SCN u/s 31 of Air Act, 1981 was issued to the unit on 03.02.2016. Unit has submitted reply along with consent application of CTE and CTO.	Test Reports:- Air (Emissions)- N.A. Water(Effluent)- N.A. Noise-test- N.A.	Yes

(Dr. Chandra Prakash), SEE (CMC-I)

(Shyam Sunder), EE (CMC-I)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-I placed before the Committee for 2(d) category cases in the meeting held on

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
3	PRG Internation Electrical Pvt. Ltd.	B-43, Jhilmil Industrial Area, G.T. Road, Shahdara, Delhi - 110095	23.06.2015	11118	Consent to Establish	Manufacturing of Electricals Goods (Fan, Exhaust Fans, Stampings And Laminations Etc. With Trade Effluent) including phosphating	SPI	Fresh (Applied on 23.06.2015)	Status of Pollution Control System / Devices: (ETP-Working) (Two D.G.set of capacity 2 x 125 & Acoustic Enclosure provided) Status of Ground water extraction: No Borewell. Source of Water : DJB supply Status of Inspection:- Inspection was carried out on 17.09.2015 and found satisfactory	Test Reports:- Air (Emissions)- Test Reports within norms- Yes Water(Effluent)- Test Reports within norms- Yes Noise-test Reports within norms-Yes	Yes

(Dr. Chandra Prakash), SEE (CMC-I)

(Shyam Sunder), EE (CMC-I)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-I placed before the Committee for 2(d) category cases in the meeting held on

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
4	PRG Internation Electrical Pvt. Ltd.	B-43, Jhilmil Industrial Area, G.T. Road, Shahdara, Delhi - 110095	23.06.2015	11119	Consent to Operate	Manufacturing of Electricals Goods (Fan, Exhaust Fans, Stampings And Laminations Etc. With Trade Effluent) including phosphating	SPI	Fresh (Applied on 23.06.2015)	Status of Pollution Control System / Devices: (ETP-Working) Status of Ground water extraction: No Borewell. Source of Water : DJB supply Status of Inspection:- Inspection was carried out on 17.09.2015 and found satisfactory Unit has submitted a reply stating that "we have taken all the necessary steps to bring down the noise level by putting a canopy on our machine to ensure that the noise is within the permissible limit".	Test Reports:- Air (Emissions)- Test Reports within norms- Yes Water(Effluent)- Test Reports within norms- Yes Noise-test Reports within norms-Yes	Yes

(Dr. Chandra Prakash), SEE (CMC-I)

(Shyam Sunder), EE (CMC-I)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
5	Pragati Accessories Pvt. Ltd	E-46/6, Okhla Industrial Area Phase-II, Delhi -20	13.10.2014	9244	Consent to Operate(Renewal)	Offset Printing including washing mfg.of Plastic Products with injection moulding Viz Tooth brush and bathroom shower and Electroplating.	SPI	Renewal	Status of Pollution Control System / Devices: Requisite Device(s) (ETP installed & working) Status of Ground water extraction: No Borewell. Source of Water : DJB. Status of Inspection:- photographs submitted w.r.t. rectification of deficiencies observed during inspection on 29.12.2015.	Test Reports:- Air (Emissions) - Test Reports of electroplating section within norms. Water(Effluent) - Test Reports of ETP within norms. Noise - Test Noise Monitoring report of DG Set within norms.	Yes

D.K. Singh
(D.K. Singh), SEE (CMC-II)

Ramesh Chandra
(Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
6	The Delhi Golf Club Limited	Dr. Zakir Hussain Road, New Delhi-03	25.04.2014	7621	Consent to Establish	Club with Restaurant, Bar and Pub	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Requisite Device(s) (STP working) Status of Ground water extraction: 5 Numbers of Borewells sealed by SDM Source of Water : NDMC, CPWD & Treated Water of STP. Status of Inspection:- unit has submitted letter w.r.t. rectification of deficiencies observed during inspection on 24.07.2015 and stack monitoring report of boilers and requested to release the bank guarantee.	Test Reports:- Air (Emissions) - Test Reports of Boiler within norms. Water(Effluent) - Test Reports of STP within norms. Noise - Test Noise Monitoring report of DG Set within norms.	Yes

Deepak Singh
(D.K. Singh), SEE (CMC-II)

Ramesh Chandra
(Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.


S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
7	The Delhi Golf Club Limited	Dr. Zakir Hussain Road, New Delhi-03	01.10.2014	9185	Consent to Operate	Club with Restaurant, Bar and Pub	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Requisite Device(s) (STP working) Status of Ground water extraction: 5 Numbers of Borewells sealed by SDM Source of Water : NDMC, CPWD & Treated Water of STP. Status of Inspection:- unit has submitted letter w.r.t. rectification of deficiencies observed during inspection on 24.07.2015 and stack monitoring report of boilers and requested to release the bank guarantee.	Test Reports:- Air (Emissions) - Test Reports of Boiler within norms. Water(Effluent) - Test Reports of STP within norms. Noise - Test Noise Monitoring report of DG Sets within norms.	Yes

(Signature)
(D.K. Singh), SEE (CMC-II)

(Signature)
(Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.


S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
8	Divya Jewellers Pvt. Ltd.	X-34/33, Phase-II, Okhla Industrial Area, Delhi - 20	20.05.2015	10873	Consent to Operate(Renewal)	Manufacturing of Jewellery	SPI	Renewal	Status of Pollution Control System / Devices: Requisite Device(s) (ETP,ECS working) Status of Ground water extraction: Certificate of Regestration of wells has been obtained from CGWA Source of Water : DJB, Borewell & Tankers.(Bill submitted) Status of Inspection:- Done on 11.12.2015 (Found Satisfactory)	Test Reports:- Air (Emissions) - Test Reports for ECS for Buffing within norms. Water(Effluent) - Test Reports of ETP within norms. Noise - Test Noise Monitoring report of DG Set within norms.	Yes


 (D.K. Singh), SEE (CMC-II)


 (Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
9	Chhabra Farm (A Unit of Shrinagar Hotels Pvt. Ltd.)	G-1, Pushpanjali Farm, Dwarka Link Road, Bijwasan, Delhi	10.08.2015	11507	Consent to Operate	Farm House	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Requisite Device(s) (STP installed) Status of Ground water extraction: As informed by unit Borewell disconnected and sealed by SDM Source of Water : Tankers (Bill submitted) Status of Inspection:- Inspection on 24.06.2014 action was taken and deficiencies rectified. Direction for closure revoked.	Test Reports:- Air (Emissions) - Test NA. Water(Effluent) - Test Reports of STP within norms. Noise - Test Noise Monitoring report of DG Set within norms.	Yes


 (D.K. Singh), SEE (CMC-II)


 (Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.


S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
10	Orbit Zippers Pvt. Ltd.	F-90/8, Okhla Industrial Area, Phase-I, Delhi-20	30.06.2015	11187	Consent to Operate(Renewal)	Mfg. of Zippers including Dyeing & Washing	SPI	Renewal	Status of Pollution Control System / Devices: Requisite Device(s) (ETP installed & working) Status of Ground water extraction: No Borewell. Source of Water : Tankers Status of Inspection:- Done on 04.01.2016 (Found Satisfactory)	Test Reports:- Air (Emissions) - Test NA. Water(Effluent) - Test Reports of ETP within norms. Noise - Test Noise Monitoring report of DG Set within norms.	Yes

(Signature)
(D.K. Singh), SEE (CMC-II)

(Signature)
(Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
11	Albion Consulting Pvt. Ltd.	F-90/12, Okhla Industrial Area, Phase-I, Delhi-20	19.06.2015	11094	Consent to Operate(Renewal)	Gold, Silver & Platinum Studded Jewellery (without Electroplating)	Non SPI	Authorization Valid upto 29.08.2016	Status of Pollution Control System / Devices: Requisite Device(s) (ETP installed & working) Status of Ground water extraction: No Borewell. Source of Water : Tankers Status of Inspection:- Done on 29.12.2015 (Found Satisfactory)	Test Reports:- Air (Emissions) - Test NA. Water(Effluent) - Test Reports of ETP within norms. Noise - Test Noise Monitoring report of DG Set within norms.	Yes


 (D.K. Singh), SEE (CMC-II)


 (Ramesh Chandra), EE (CMC-II)

**Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(d) category cases in the meeting held on
26.02.2016.**

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
12	The Taj Mahal Hotel	Number One Mansingh Road, Delhi - 01	24.12.2014	9762	Consent to Operate(Renewal)	Hotel (5 Star)	Non SPI	Not Applicable	Status of Pollution Control System / Devices: (STP-Working) (3 D.G. set- of 2x 1050 & 1250 with Acoustic Enclosure) ECS-scrubber-Working Status of Ground water extraction: Borewells exist. Permission from NDMC obtained. Source of Water : NDMC & Borewell. Status of Inspection:- Yes (Found Satisfactory)	Test Reports:- Air (Emissions) - Unit has submitted stack monitoring report on 01.12.2014 was found within the limit. Water(Effluent) - Unit submitted the Water Effluent Test Report on 25.11.2014 and it was found within the limit Noise - Unit submitted the noise monitoring Test Report on 01.12.2014 and it was found within the limits	Yes


(Satender Kumar), SEE (CMC-IV)


(Sunil Kumar), EE (CMC-IV)

**Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(d) category cases in the meeting held on
26.02.2016.**


S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
13	ACG Hospitality Pvt. Ltd	1A Sub Distt. Centre, Hari Nagar, Delhi-64	19.02.2015	10177	Consent to Operate(Renewal)	Hotel (3 Star)	Non SPI	Not Applicable	Status of Pollution Control System / Devices: (STP-Working) (2 D.G. set- of 2x 380 KVA with Acoustic Enclosure) Status of Ground water extraction: Borewell disconnected / sealed by the unit. Source of Water : DJB & Tanker. Bill submitted. Status of Inspection:- Yes (Found Satisfactory)	Test Reports:- Water(Effluent) - Unit submitted the Water Effluent Test Report on 11.02.2015 and it was found within the limit Noise - Unit submitted the noise monitoring Test Report on 17.02.2015 and it was found within the limits	Yes



(Satender Kumar), SEE (CMC-IV)


(Sunil Kumar), EE (CMC-IV)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-V placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.


S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
14	Parkash Industries	121, Phase-II, Badli Industrial Estate, Delhi - 42	20.08.2015	11587	Consent to Establish	Chrome Plated Bathroom Fittings. (Casting, Buffing & Electroplating)	SPI		Status of Pollution Control System / devices: 1. ETP- Yes a) Adequacy report of ETP dated 20.04.2015 issued by DTU submitted. 2. ECS-Yes Cyclone a) Adequacy report of ECS (cyclone) dated November 2014 issued by Jamia Milia submitted. 3. D.G. Set(s): 100 KVA 4. Water consumption: 2500 L/day. Status of Ground water extraction: Ground Water- No Borewell. Source of water: DJB (Copy of DJB bill submitted) Status of Inspection: No Being SPI unit, closure directions issued on 05.06.2015. After receipt of security bond of Rs. 5 lakh & undertaking to abide by all pollution control norms, closure directions revoked temporarily for 45 days on 06.07.2015. Unit has requested for final revocation and consent/ authorization	Test Reports: Air (Emissions)- Test Reports within norms Water (Effluent)- Test Reports within norms Noise- Test Reports within norms	Yes


(Mohd. Anil), SEE (CMC-V)


(M.S. Rawat), EE (CMC-V)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-V placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.


S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
15	Parkash Industries	121, Phase-II, Badli Industrial Estate, Delhi - 42	20.08.2015	11588	Consent to Operate	Chrome Plated Bathroom Fittings. (Casting, Buffing & Electroplating)	SPI	Fresh	Status of Pollution Control System/ devices: 1. ETP- Yes a) Adequacy report of ETP dated 20.04.2015 issued by DTU submitted. 2. ECS-Yes Cyclone a) Adequacy report of ECS (cyclone) dated November 2014 issued by Jamia Milia submitted. 3. D.G. Set(s): 100 KVA 4. Water consumption: 2500 L/day. Status of Ground water extraction: Ground Water- No Borewell. Source of water: DJB (Copy of DJB bill submitted) Status of Inspection: No Being SPI unit, closure directions issued on 05.06.2015. After receipt of security bond of Rs. 5 lakh & undertaking to abide by all pollution control norms, closure directions revoked temporarily for 45 days on 06.07.2015. Unit has requested for final revocation and consent/ authorization	Test Reports: Air (Emissions)- Test Reports within norms Water (Effluent)- Test Reports within norms Noise- Test Reports within norms	Yes


(Mohd. Arif), SEE (CMC-V)


(M.S. Rawat), EE (CMC-V)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(d)category in meeting on 26.02.16(except permission for Ground Water)(Annex-B)


S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
1	Skygourmet Catering Pvt. Ltd.	IGI Airport Complex, Near Centaur Hotel, Delhi	20.02.2015	10199	Consent to Operate(Renewal)	Flight Catering.	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Requisite Device(s) (STP installed) found working on 24.09.2013 Status of Ground water extraction: Borwell exist. Extraction permission has not been obtained. Voluntary Disclosures to DJB & Applied to DJB for permission. Status of Inspection:- Done on 24.09.2013 Unit informed regarding rectification of deficiencies observed during inspection on 24.09.2013. Directions for closure issued on 17.10.2014 revoked temporarily vide letter dated 14.11.2014.	Test Reports:- Air (Emissions) - Test Reports of Boilers within norms.. Water(Effluent) - Test Reports of STP within norms. Noise - Test Noise Monitoring report of DG Set within norms.	Yes (except permission for extraction of ground water for which application has been filed to DJB). Directions for closure issued on 17.10.2014 may be revoked.


(D.K. Singh), SEE (CMC-II)


(Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(d)category in meeting on 26.02.16(except permission for Ground Water)(Annex-B)

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
2	Taj Sats Air Catering Ltd.	IGI Airport Authority Complex, Delhi-37	07.02.2014	6865	Consent to Operate(Renewal)	Flight Catering.	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Requisite Device(s) (STP installed) found working on 02.09.2014 Status of Ground water extraction: Borwell exist. Extraction permission has not been obtained . As informed applied to DJB & CGWA for permission and Voluntary disclosure to DJB Status of Inspection:- Unit informed regarding rectification of deficiencies observed during inspection on 02.09.2014.	Test Reports:- Air (Emissions) - Test Reports of Boilers within norms. Water(Effluent) - Test Reports of STP within norms. Noise - Test Noise Monitoring report of DG Set within norms.	Yes (except permission for extraction of ground water for which application has been filed to DJB)


(D.K. Singh), SEE (CMC-II)


(Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. 13 Consent to Operate/Renewal Cases of EIA Cell placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Authorization Status (Fresh/Renewal)	Remarks	Test Report(s) found in order	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
1	Brightways Housing & Land Development Ltd.	Plot No-7, District Centre, Jasola, Delhi-44	07.03.2013	3720	Consent to Operate	Shopping Mall and Office Complex	Not Applicable	Pending CTE dated : 01.11.2007. Pending CTO dated : 07.09.2009 & 10.06.2009 As decided by Consent Committee 2(d) on 31.10.2014, unit was inspected on 20.11.2014 and on the basis of deficiencies found, Show Cause Notice for Refusal of Consent to Operate and for closure u/s 31 (A) of Air Act & 33 (A) of Water Act have been issued on 27.11.2014 and letter deputy commisiioner (SE) for closure/Sealing of the borewells. An opportunity of hearing in person was given to unit on 16.02.2015 and Modified direction to the unit on 07.04.2015 giving 45 days to 120 days for rectification of deficiencies and submitting compliance report. Unit has submitted reply on 22.05.2015 wrt modified direction and stating that they are in process of upgrading the STP from 64 KLD to 80 KLD, once it completed, they submitted the fresh effluent report, flow meters will be installed alongwith STP modification, they had approached DJB and also applied under voluntary disclosure of existing borewell, solar panel have been installed, stack height of DG sets is as per norms and also applied for stack monitoring report of DG set, tree plantation work in progress and they had also applied for adequacy report of STP at Jamia Millia Islamia. Compliance report not received so far. As approved in the last meeting dated 05.08.2015, letter was issued and unit has submitted reply on 05.11.2015 however fresh adequacy report of STP not submitted, copy of log book does not reflect the reading of flow meters, stack monitoring report is not showing the stack height above roof level. In modified direction dated 07.04.2015, unit was asked to develop green belt as envisyed in EC condition no 06 of operational phase and they stated that they can develop only plotted plants in their premises. Status of Ground Water Extraction : Borewell exists (permission not submitted) Source of Water : Borewell Court Case: Pending in Hon'ble Supreme Court reg. BG and ED.	NMR dated 28.12.2012 meeting the norms. Effluent Anslysis Report dated 08.02.2013 meeting the norms. Stack monitoring Report dated 24.10.2015 stack height for DG set not mention.	No. CTO may be refused and direction for closure may be issued.

(Pankaj Kapil), SEE (EIA)

(Surender Singh) EE (EIA)

Statement of concerned Engineers w.r.t. 13 Consent to Operate/Renewal Cases of EIA Cell placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Authorization Status (Fresh/Renewal)	Remarks	Test Report(s) found in order	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
2	Pragya Products(P) LTd.	Plot No.-2, Community Centre, Block-B, Shalimar Bagh, Delhi-88	16.05.2013	4339	Consent to Operate	Shop in Park North (Commercial Complex)	Not Applicable	Pending CTE dated : 07.08.2008. and CTO dated : 15.04.2010, CTE & CTO are not granted so far. Unit paid the penalty of Rs. 1 crore, as imposed by CMC in 2008. There is one CVC reference pending against the Secretary (Env) Sh. KJ Dadoo. No response received from MoEF/DOV. Letter issued on 28.09.2010 to the directorate of vigilance for advice whether CTE and CTO can be granted or not subsequently reminder letter issued on 12.09.2013, 13.11.2013, 5.5.2015 & 09.06.2015 for advise whether Consent can be decided as per Act or be kept pending till the outcome of the case. The project is completed and operational. No reply received. Admin officer of DPCC has provided two communication with vigilance division of MoEF informing the status of appeal in Supreme Court case regarding shopping complex/builders. Unit has submitted six monthly compliance report of EC conditions 26.11.2015 along with copy of stack monitoring report, noise monitoring, ambient air report and effluent analysis reports of STP of MoEF approved lab showing meeting the norms. As approved in the last meeting of 2d on 05.08.2015 and decided to seek comment of legal cell regarding issue of consent. The issue is pending with CVC/DOV against the Secretary (Env) , GNCTD. The applications for CTE/O have been kept pending with DPCC. Court Case: Nil Status of Ground Water Extraction : No Borewell Source of Water : Tanker. Status of Inspection : No inspection after commissioning	NMR dated 29.11.2012 meeting the norms. Effluent Analysis Report dated 05.04.2013 meeting the norms. As per test report of MoEF lab Noise Monitoring report dated 16.10.2015 meeting the norms. Effluent Analysis Report dated 20.10.2015 meeting the norms. Stack Monitoring Report dated 18.10.2015 meeting the norms.	Yes, in view of legal opinion.


(Pankaj Kapil), SEE (EIA)

(Sunder Singh) EE (EIA)

Statement of concerned Engineers w.r.t. 13 Consent to Operate/Renewal Cases of EIA Cell placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Authorization Status (Fresh/Renewal)	Remarks	Test Report(s) found in order	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
3	Lifestyle Buildcon (P) Ltd.	Plot-4, Jasola District Centre, Delhi-44	13.02.2014	6919	Consent to Operate(Renewal)	Shopping complex cum office namely salcon aurum	Not Applicable	Pending CTE dated 13.09.2006 and CTO dated 26.02.2010 & 13.02.2014. Unit was inspected on 27.01.2014 and SCN issued on 07.02.2014. Unit submitted its reply on 21.02.2014 and stated that they are not violating the orders of Hon'ble High Court. As per Legal opinion "inspection may be carried out to check the present extent of occupancy as compared to affidavit filed by unit earlier and to check whether the unit is continuing to violate environmental laws and depend upon inspection report further action can be taken in the matter". As decided unit was reinspected on 21.11.2014 and following are the main findings: 1. STP in non operational condition. 2. Bypass arrangement exist. 4. Adequacy report is not matching with existing STP 5. Sludge drying system (centrifuge type) found removed and not in use condition. 6. No dry/ wet sludge found. 7. Dual plumbing system for flushing not provided. 8. Treated water is not being used in Cooling & flushing. 9. Readings of Flow meters installed at STP inlet & outlet indicate that incoming flow and out going flow is mismatching. 10. No proper tree plantation. 11. One borewell exist and found in use in contrary to the information submitted for stoppage of use of borewell. No permission shown. 12. No data/ record maintained regarding water consumption. 13. Flow meters not installed with the bore well and lines for reuse of treated water. 14. No solar light or solar water heater installed. On the basis of findings of inspection SCN u/s 33(A) and u/s 25(4), 27(2) (b) of the Water Act, 1974, u/s 31 (A) and u/s 21(4) of the Air Act, 1981 again issued on 03.12.2014. Occupancy gathered during the previous inspection have been forwarded to Legal Cell for Confronting the unit in Hon'ble High Court w.r.t. variations. Unit has submitted its reply on 22.02.2014 contradicting the issues raised in SCN and stating that the action is contrary to the directions of Hon'ble High Court in view of stay continuing. DCC has filed applications in the High Court for vacation of Stay and Contempt of Court in April, 2015. As decided in meeting dated 08.05.2015, matter sent to Legal Cell to peruse the case. Next hearing of the case is 26.02.2016. Status of Ground Water Extraction : Borewell exists (Permission not submitted) Source of Water : Borewell Court Case: High Court case against closure directions issued by DPCC	Noise Monitoring Report of 2 x 1250 KVA and 500 KVA submitted. As per test report of MoEF lab Noise Monitoring report dated 15.10.2015 meeting the norms. Effluent Analysis Report dated 19.10.2015 meeting the norms. Stack Monitoring Report dated 15.10.2015 meeting the norms.	No. Legal cell be asked to get stay vacated.


(Pankaj Kapil), SEE (EIA)

 Surender Singh) EE (EIA)

Statement of concerned Engineers w.r.t. 13 Consent to Operate/Renewal Cases of EIA Cell placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Authorization Status (Fresh/Renewal)	Remarks	Test Report(s) found in order	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
4	Maruti Suzuki India Ltd.	Plot NO. 1 Shopping Mall, Nelson Mandela Marg, Vasant Kunj, Delhi-70	26.09.2014	9147	Consent to Operate(Renewal)	Office Complex	Not Applicable	CTO granted was valid upto 02.11.2014. Unit has applied for renewal of Consent on 26.09.2014. Unit has submitted adequacy report and effluent analysis report of STP of 46 KLD, meeting the norms. As approved, unit was inspected on 18.3.2015 and SCN of refusal of consent and SCN under section 33(A) of water act, was issued on 08.04.2015 for the deficiencies. The unit has submitted reply on 21.4.2015 and stated that they have rectified the deficiencies. As approved in the last meeting dated 05.08.2015, inspection was carried out and STP found installed in operational condition and well maintained, Log book of flow meters, flushing and horticulture has been maintained, the sludge line from primary clarifier, connected to filter press and sludge from secondary clarifier is channelised to collection tank as required. Unit has submitted six monthly compliance report 19.11.2015. Status of Ground Water Extraction : No Borewell. Source of Water : Tankers	D G sets Noise Monitoring Report dated 12.09.2014 meeting the norms. Effluent Analysis Report dated 28.08.2014 meeting the norms.	Yes.



(Pankaj Kapil), SEE (EIA)


(Surender Singh) EE (EIA)

Statement of concerned Engineers w.r.t. 13 Consent to Operate/Renewal Cases of EIA Cell placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Authorization Status (Fresh/Renewal)	Remarks	Test Report(s) found in order	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
5	Unison Hotel Ltd.	Plot No 2, Vasant Kunj, Phase-II, Nelson Mandela Road, Delhi-70	29.01.2015	9993	Consent to Operate(Renewal)	Hotel Complex	Not Applicable	EC was amended & granted to the unit for expansion of Hotel on 1.08.2014. Unit has applied for renewal of CTO for the existing Hotel on 29.01.2015 with only noise monitoring report of D G Sets Unit has submitted stack monitoring report of DG Sets and boilers on 01.5.2015. SCN for renewal of Consent was issued on 22.06.2015 to submit analysis report from DPCC approved labs. Unit has submitted the effluent analysis report on 27.05.2015 and stack monitoring report with corrected at 15 % O₂ on 01.07.2015. As approved by the competent authority, SCN for refusal of consent and SCN under Air and Water Acts were issued to the unit on 18.12.2015 and unit was submitted the reply wrt notices. A modified direction was issued to the unit on 20.01.2016 for giving 45 days time to rectify all the deficiencies and to submit pointwise compliance report alongwith supporting documents and fresh analysis report of STP, DG sets etc. Reply received on 23.02.2016 and stating that STP is operational and water test report submitted, no bypass arrangement provided in the STP, New flow meters are functioning properly, permission of Borewell from CGWA has been submitted, monitoring report of DG set submitted, Effluent analysis report of STP outlet is submitted and stack monitoring report of DG set exceeding norms and boilers are submitted. Stack height of DG set is less than 30 mt, however unit has installed wet scrubber. Status of Ground Water Extraction : Borewells Exists (CGWA permission obtained). Source of Water : Municipal Authority (DJB) & Borewells.	D G sets Noise Monitoring Report dated 17.02.2016 meeting the norms. Effluent Analysis Report dated 18.02.2016 meeting the norms. (Phosphate not monitored) and boilers dated 17.02.2016 meeting the norms.	No

(Pankaj Kapil), SEE (EIA)


 (Surender Singh) EE (EIA)

Statement of concerned Engineers w.r.t. 13 Consent to Operate/Renewal Cases of EIA Cell placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Authorization Status (Fresh/Renewal)	Remarks	Test Report(s) found in order	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
6	The Indian Hotels Company Limited (Taj Dwarka)	Sector-21, Metro Station Complex, Delhi-75	27.02.2015	10255	Consent to Operate	Hotel	Not Applicable	CTE was granted to the unit on 18.11.2009 and extended on 23.03.2015 valid upto 10.03.2016. Unit has installed STP of 320 KLD instead of 500 KLD as envisaged in EC. As per EC total builtup area is 85883 sq.m (including FAR area 43891 sq.m), However as per application total builtup area is 72055.29 sq.m including (FAR area 29965.94 sq.m). Unit has submitted the noise monitoring report, stack monitoring reports of DG sets & Boilers and Technical Adequacy report of STP and ETP on 29.05.2015. As approved in the last meeting of 2d dated 05.08.2015, an inspection was carried out on 19.11.2015 and following deficiencies observed: • STP of 320 KLD found non operational and the prevailing condition e.g. sludge holding tank found empty, no dry/wet sludge in the premises, tube settler filled with stinky sludge, poor MLSS observed (about 10%) indicate that the same is not being operated since long. • ETP for treatment of laundry effluent was found non functional, Pumps & Pipe connections of some part are yet to be done. • Waste water from STP/ETP is being discharge outside the premises using bypass arrangements provided near the oil & grease trap & back side of STP (using sump collection tank No. 3, 5 & 6). • Bypass system of flow meter at inlet of STP provided. Reading of flow meters shows the malfunctioning of the STP since long. • Fresh water is being used in flushing, gardening & cooling purposes instead of the treated waste water. • Treated water & fresh water lines for cooling purposes found inter-connected in service floor to skip the monitoring/accountability of actual reuse of treated water in cooling. • Details of trees & landscape plan not provided. • 2 DG sets of 1450 kVA each have been installed & stack ht of both DG sets (4.3 mt above roof) is inadequate (minimum requirement of 6.0 mts). As approved by the competent authority, SCN under Air and Water Acts were issued to the unit on 17.12.2015 and unit was submitted the reply wrt notice and which was consider on merit. A modified direction was issued to the unit on 20.01.2016 for giving 45 days time to rectify all the deficiencies and to submit pointwise compliance report. Submitted effluent test report from lab not approved by DPCC. Compliance of Modified Direction not submitted.	Monitoring Report of DG Sets (2 x 1450 KVA) dated 09.03.2015 with stack monitoring report dated 05.03.2015 and also with monitoring report of two boilers dated 04.03.2015 meeting the norms. Effluent Analysis report from M/s Microchem Sillicker approved by MoEF.	No. Case be referred to SEAC/SEIAA.

(Pankaj Kapil), SEE (EIA)

(Surender Singh) EE (EIA)

Statement of concerned Engineers w.r.t. 13 Consent to Operate/Renewal Cases of EIA Cell placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Authorization Status (Fresh/Renewal)	Remarks	Test Report(s) found in order	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
7	Parsvnath Metro Mall	Near Seelampur Metro Station, Delhi	04.03.2015	10284	Consent to Operate(Renewal)	Commercial Complex	Not Applicable	EC was granted by MoEF on 07.11.2008 for total builtup area of 96812.898 sq.m with STP of 410 KLD. Unit has install STP of 60 KLD instead of 410 KLD required as per EC. Unit has submitted a letter on 19.06.2015 stating that work on proposed site have been suspended since Dec,2010 and stated that they have constructed a portion of the project and made operational, obtained CTO for said operational part and now applied for its renewal. Consent to Operate valid upto 10.03.2014. As approved direction u/s 33 (A) of Water Act and u/s 31 (A) of Air Act is being issued on 16.07.2014 for obtaining EC and CTE before start of further construction. As approved in the last meeting dated 05.08.2015, and inspection was carried out on 28.09.2015 and SCN for refusal on consent and SCN under Air Act were issued on 09.11.2015 for the deficiencies observed. Unit has submitted reply on 24.11.2015 stating that presently the basements is being used for parking only, the mall is vacant for quite some time, the STP was non-functional as no effluent was being generated, the sedimentation tank was very well connected with the rain water harvesting pit, the same was not visible since the pit was covered from the top with cement crown, they had applied for borewell permission well in advance to CWGA on 20.08.2008, however they had disconnected the existing borewell till such approval and working on the possibility of installation of solar light within the complex, whereas water heater is not required within the premises being a wholesale, retail outlet only. Stack height of DG set increased. Unit has submitted adequacy report dated 20.12.2015 and effluent analysis report meeting the norms. Status of Ground Water Extraction : Borewell Exists (permission not submitted), Borewell disconnected as informed . Source of Water : Municipal Authority (DJB).	D G sets Noise Monitoring Report dated 21.11.2015 meeting the norms. Effluent Analysis Report dated 15.12.2015 meeting the norms. Stack Monitoring report of DG set dated 24.11.2015 meeting the norms.	Yes.


(Pankaj Kapil), SEE (EIA)

(Surender Singh) EE (EIA)

Statement of concerned Engineers w.r.t. 13 Consent to Operate/Renewal Cases of EIA Cell placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Authorization Status (Fresh/Renewal)	Remarks	Test Report(s) found in order	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
8	Jyothy Fabricare Services Limited	Western Zopne (Near Sewage Treatment Plant), Indra Gandhi International Airport, Delhi	12.05.2015	10785	Consent to Operate	Laundry and drycleaning	Not Applicable	Unit was applied CTE on 26.08.2013 which is valid upto 25.08.2014 and extended on 22.05.2015 valid upto 03.08.2015. Unit has applied for Consent to Operate on 12.05.2015 with technical adequacy report may,2015, test report of boiler. As approved in the last meeting dated 29.07.2015, an inspection was carried out and found that: The unit was found operational stage, ETP installed was found in operational condition as well as maintained, However green belt was not maintained, Status of Ground Water Extraction : Borewell of DIAL. Source of Water : Borewell of DIAL. & water supply by DIAL	ECS - Boiler Stack monitoring report dated 03.04.2015 Effluent Analysis Report dated 31.08.2015 meeting the norms.	Yes.



(Pankaj Kapil), SEE (EIA)


(Surender Singh) EE (EIA)

Statement of concerned Engineers w.r.t. 13 Consent to Operate/Renewal Cases of EIA Cell placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Authorization Status (Fresh/Renewal)	Remarks	Test Report(s) found in order	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
9	Pride Hotels Ltd.	Asset-5A, Delhi Aerocity, India Gandhi International Airport, Delhi	29.06.2015	11171	Consent to Operate	Hotel	Not Applicable	EC granted on 06.06.2011. CTE was granted, extended upto 21.07.2014 and again upto 04.11.2015. Now unit has applied for Consent to Operate for Hotel project along with adequacy report of STP of June, 2015, effluent analysis report of inlet and outlet of STP, Noise Monitoring report for the DG set, Stack height of DG sets 27 m from G.L. Unit has installed wet scrubber with the DG Set and submitted Efficacy report dated 02.12.2015 wrt wet scrubber with DG sets on 04.12.2015. Unit has submitted completion certificate issued by AAI, MCD & Delhi Police licenses.. Status of Ground Water Extraction: No Borewell Source of Water : Water supplied by DIAL & Tankers Status of Inspection : No inspection after commissioning.	D G sets Noise Monitoring Report dated 14.05.2015 meeting the norms. Effluent Analysis Report dated 28.04.2015 meeting the norms. Stack Monitoring report of DG set and Boiler dated 09.08.2015.	Yes.


(Pankaj Kapil), SEE (EIA)


(Surender Singh) EE (EIA)

Statement of concerned Engineers w.r.t. 13 Consent to Operate/Renewal Cases of EIA Cell placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Authorization Status (Fresh/Renewal)	Remarks	Test Report(s) found in order	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
10	V3S Infratech Limited	V3S East Centre, Plot No 12, Laxmi Nagar, District Centre, Vikas Marg, Delhi-92	05.08.2015	11476	Consent to Operate(Renewal)	Commercial Complex	Not Applicable	CTO granted on 15.01.2013 and valid upto 12.02.2015. Now unit has applied for Consent to Operate for Commercial Complex alongwith the adequacy report of Effluent Treatment Plant . Original application not traceable and project proponent provided Copy of the application and alongwith other documents and test reports. Status of Ground Water Extraction : No Borewell Source of Water : DJB Bill of 2012 submitted.. Status of Inspection : No inspection after earlier CTO	D G sets Noise Monitoring Report dated 22.05.2015 meeting the norms. Stack Monitoring dated 21.04.2015 meeting the emission norms. Effluent Analysis Report dated 12.05.2015 meeting the norms.	Yes. With the condition to raise the stack height of DG set of 1560 kVA upto 30 mt above roof level being renewal case.
11	Gold Cause Constructdion Pvt. Ltd. (Paradise)	Plot No 23, Shivaji Place, District Center, Raja Garden, Delhi-27	30.09.2015	11948	Consent to Operate	Shopping Mall	Not Applicable	EC granted on 10.06.2009. Pending CTE application dated 24.11.2008. Direction under Air and Water Acts was temporarily revoked on 23.07.2015 for submission of technical adequacy report of STP and CTO application. Unit has applied for Consent to Operate alongwith technical adequacy report of STP, Noise monitoring report of DG set and stated that effluent analysis report and DG set stack report will be submitted after operation and commissioning of STP. Status of Ground Water Extraction : No Borewell Source of Water : Tankers Status of Inspection : No inspection after commissioning.	D G sets Noise Monitoring Report dated 15.09.2015 meeting the norms.	Yes. Direction be also revoked.


(Pankaj Kapil), SEE (EIA)

(Sunder Singh), EE (EIA)

Statement of concerned Engineers w.r.t. 13 Consent to Operate/Renewal Cases of EIA Cell placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Authorization Status (Fresh/Renewal)	Remarks	Test Report(s) found in order	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
12	Oak Infrastructure Developers Ltd.	Asset No 7, Hospitality District, DIAL, IGI Airport, Delhi	31.12.2015	13054	Consent to Operate	Commercial Facility	Not Applicable	CTE granted on 02.02.2011, extended upto 22.12.2014 and again extended upto 13.01.2016. Unit has submitted six monthly compliance report on 13.01.2016. Now unit has applied for Consent to Operate for Commercial Complex. Unit has submitted Noise Monitoring report for the DG set and Stack monitoring report for the DG set. Installed wet scrubber with the DG Sets. As per EC unit has to install STP of 120 KLD however as per the CTO application unit has install STP of 250 KLD and submitted Technical adequacy report of STP of jan,2015. Status of Ground Water Extraction : No Borewell Source of Water : Water supply from DIAL Status of Inspection : No inspection after commissioning.	D G sets Noise Monitoring Report dated 28.08.2015. Stack Monitoring dated 23.12.2015 meeting the emission norms. Effluent Analysis Report not submitted.	Yes.


(Pankaj Kapil), SEE (EIA)


(Surender Singh) EE (EIA)

Statement of concerned Engineers w.r.t. 13 Consent to Operate/Renewal Cases of EIA Cell placed before the Committee for 2(d) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Authorization Status (Fresh/Renewal)	Remarks	Test Report(s) found in order	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
13	Aggarwal Plaza Pvt. Ltd.	Janakpuri (West), Metro Station, Delhi-58	04.02.2016	13519	Consent to Operate	Multilevel Parking with Commercial Complex	Not Applicable	EC granted on 14.08.2012. CTE was granted and valid upto 21.01.2014, extended upto 16.12.2014. Now unit has applied for Consent to Operate for Multilevel Car Parking with Commercial Complex alongwith adequacy report of STP of Jan, 2016 & Noise Monitoring report for the DG set. Effluent analysis report dated 21.01.2016 meeting the norms. Status of Pollution Control System / Device : STP installed Adequacy report of STP of Jan, 2016 submitted. Status of Ground Water Extraction : No Borewell . Source of Water : DJB assurance letter submitted . Status of Inspection : No inspection after commissioning .	Test Reports:- Air (Emissions) - N. A Water (Effluent) - Test Reports of STP within norms. Noise - Test Noise Monitoring report of DG Set within norms.	Yes.


(Pankaj Kapil), SEE (EIA)


(Surender Singh) EE (EIA)