



DELHI POLLUTION CONTROL COMMITTEE


4th & 5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/ Committee II (b) /3rd Meeting / 2016/ 4754-58 Dated: 6.7.16

Subject: Minutes of the **3rd Meeting of the Committee for II (b) Category Cases** headed by Member Secretary, DPCC, held on **27.06.2016**, in the conference room of DPCC at 5th Floor, ISBT Building, Kashmere Gate, Delhi -06

Please find enclosed herewith the Minutes of the **3rd Meeting** of the aforementioned Committee, held on **27.06.2016**, in the conference room of DPCC at 5th Floor, ISBT ISBT Building, Kashmere Gate, Delhi -06

Concerned Engineers are required to take necessary action as per the decisions taken by the Committee.



(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

- 1.PS to Chairman, DPCC ,for kind information of Chairman, DPCC please.
- 2.In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC .


(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

Minutes of the 3rd Meeting of the Committee for II (b) Category cases, headed by Member Secretary, DPCC and constituted vide office order dated 12.04.2016, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous Waste Rules, held on 27.06.2016, in the conference room of DPCC, at ISBT, Kashmere Gate, Delhi-06.

Attendance Sheet is enclosed as Annexure "A".

Following are the Minutes of the Meeting:-

Agenda Item No 1: Pending Cases of Consent to Establish of the period 01.11.2015 to 15.06.2016 (including remaining cases of the period 01.07.2015 to 31.10.2015).

The above mentioned cases excludes cases of Hotels & Restaurant of Mahipalpur/Rangpuri area involving orders of Hon'ble National Green Tribunal which are taken collectively in separate meeting.

Decisions were taken online in individual cases and software generated list of 137 no. of units including decisions taken in these cases are at Annexure I. Due to paucity of time, the Committee could not take all the pending Consent to Establish cases of the said period and it was decided to take remaining cases in next meeting.

Regarding consent fee submitted by the units, the Committee considered the Undertaking/Certificate of Chartered Accountant given in respect of Gross/Total Capital Investment of the unit for calculation of consent fee.


Case of M/s Competent Automobiles Company Limited, 895/C-8, Near Jain Mandir Dadabari, Mehrauli, New Delhi-110030 (ID No. 8607 CTE Dated 28.07.2014) engaged in the activity of Repair and Services of Vehicles though prepared by concerned CMC however not figuring in the agenda list generated through software therefore this case was taken for decision offline by the Committee.

The case was briefed by the concerned officers of CMC-II. It was informed that the existence of the unit is prior to 01.08.1990. Adhoc License was issued to the unit by MCD in July, 1990 mentioning on the said License "Non Conforming Area" for Service and Repair of Maruti Car.

Earlier, Show Cause Notice u/s 33(A) of the Water Act and u/s 31(A) of the Air Act were issued to the unit on 21.07.2014 after the inspection 20.06.2014 w.r.t. RTI related to said unit. A letter was also issued to Commissioner (MCD) (South) on 21.07.2014 to take necessary action against the unit. Show Cause Notice was issued to the unit by the South Delhi Municipal Corporation (SDMC) on 04.08.2014 with the directions to stop running trade/industrial activity i.e. residential purpose only as the MPD-2021 and for sealing of the said premises. The unit had gone to the Hon'ble High Court of Delhi which ordered that representative of the petitioner to appear before the Dy. Commissioner (South Zone) on 25.08.2014 however till the proceedings are disposed of, the directions given in the impugned notice dated 04.08.2014 shall not be given effect to.

In view of the above and as decided earlier, DPCC had issued letter to the unit on 17.10.2014 asking the unit to submit valid MCD license in order to prove its conformity w.r.t. the provisions of Master plan within 30 days however no reply has been received from the unit. Thereafter a letter was issued to Commissioner (MCD) (South) on 10.02.2015 referring the earlier letter of DPCC, said Notice of SDMC & said High Court Order with request to send the comments and inform about the latest position in the said High Court case and also about status of MCD License in respect of the said Unit. Copy of the said letter was also sent to the unit.

Contd....2



As per order of Hon'ble High Court Dated 20.08.2014 in the matter of M/s Competent Automobiles Company Limited Vs. South Delhi Municipal Corporation,

" Present writ petition and application are disposed of with a direction that the impugned order dated 4th August, 2014 be treated as a show cause notice. Learned counsel for respondent-Corporation states that documents referred to and relied upon in the Notice dated 4th August, 2014 shall be furnished to the petitioner within two working days. Petitioner is granted two weeks to file a reply affidavit and the Deputy Commissioner, South Zone, SDMC, is directed to dispose of the said notice after giving an opportunity of hearing to the petitioner. To obviate the need for any notice, a representative of the petitioner is directed to appear before the Deputy Commissioner, South Zone, SDMC on 25th August, 2014 at 4.00 p.m.

However, till the proceedings are disposed of, the directions given in the impugned notice dated 4th August, 2014 shall not be given effect to.

Accordingly, the application stands disposed of."

After discussions, the then Committee in its meeting on 19.08.2015 decided that another letter be issued to the Unit seeking copy of valid MCD license in order to provide its conformity w.r.t. the provisions of Master Plan within 30 days and SDMC be again asked to inform about the latest position in the said High Court case & valid MCD License, if any issued to the unit. The SDMC be also requested to inform about the Conformity of the Unit w.r.t MPD-2021.

In view of the said decision taken by the Committee, a letter was issued to Commissioner, SDMC on 17.09.2015 with request to inform about the latest position in the said High Court case & provide copy of valid MCD license, if any, issued to the unit and also inform about the conformity of the unit w.r.t Master Plan of Delhi-2021 within 15 days, so that decision on the application for Consent to Establish can be taken by DPCC. No reply has been received from SDMC so far.

In view of the said decision taken by the Committee, a letter was issued to the unit on 17.09.2015 with direction to submit copy of valid MCD license in order to prove the conformity of the said unit w.r.t. the provisions of Master Plan of Delhi within 30 days failing which further necessary action be taken as per law including refusal of the said Consent application without any further reference in this regard.

In response to said letter, unit submitted its representation on 16.10.2015 informing that it is existing prior to 01.08.1990 (operating since 1987), having license to work a factory (issued by Office of the Chief Inspector of Factories, Registration Date 25.01.1988 renewed upto 2018), was issued MCD license on 02.07.1990 on Adhoc Policy for non conforming area (with validity upto 31.03.2001) and also referred orders of Hon'ble Supreme Court dated 07.05.2004 in MC Mehta Vs. Union of India & Others regarding closure/stopping operation of all industrial units that have come up in Residential/non-conforming areas in Delhi on or after 1st August, 1990. The unit has also informed that as per monitoring reports for Effluent Treatment Plant, Noise Monitoring Report of D.G. Set and Emission Monitoring Report of Paint Booth of 2014, it is meeting the prescribed standards.

Another letter was issued to SDMC 07.03.2016 with request to provide latest position w.r.t. High Court case & provide copy of valid MCD license, if any, issued to the unit and also inform about the conformity of the unit w.r.t Master Plan of Delhi-2021 within 15 days, so that decision on the application for Consent to Establish can be taken by DPCC. No reply has been received from SDMC so far.

 Several handwritten signatures and initials are present at the bottom of the page, including what appears to be 'R', 'b: Omb', 'Anupam K Singh', 'Srinivas', and others. To the right, the text 'Contd....3' is written.

Another letter was issued to the unit on 07.03.2016 with directions to submit copy of valid MCD license in order to prove the conformity of the said unit w.r.t. the provisions of Master Plan of Delhi within 30 days failing which further necessary action shall be taken as per law including refusal of the said Consent application without any further reference in this regard.

In response to said letter dated 07.03.2016, unit has submitted its reply on 07.04.2016 mentioning the said order of Hon'ble Supreme Court and aforementioned test reports mentioned in its earlier reply received on 16.10.2015. In this letter, order of Hon'ble National Green Tribunal dated 21.10.2014 in the matter of Delhi Pollution Control Society Vs. Union of India & Others, related to Automobile Service Stations, has also been referred. As per the said order,

"The Committee shall examine that preferably the service centers are not permitted to operate in the non conformity area except the ones which are already in existence as of September, 2014. Even these would be permitted to operate only when they obtain specific consent of the DPCC for running both the petrol pump and the service center. In future no petrol pump-cum- service center and/or service center simplicitor would be permitted to operate in non-conformity area".

After detailed discussions, it was decided that a final opportunity be given to the unit for submission of copy of valid MCD license in order to prove the conformity of the said unit w.r.t. the provisions of Master Plan of Delhi within 30 days failing which further necessary action shall be taken as per law including refusal of the said Consent application. SDMC be again asked to inform about the latest position in the said High Court case & valid MCD license, if any, issued to the unit. The SDMC be also requested to inform about the Conformity of the Unit w.r.t MPD-2021.


Since decisions are taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on such lists. The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.


If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.


(S.M. Ali)
Member Secretary, DPCC


(Dr. Chandra Prakash)
SEE, CMC-I



(D.K. Singh)
SEE, CMC-II


(M. Arif)
SEE, CMC- V


(Satender Kumar)
SEE, CMC-III & IV


(D.K. Srivastava)
EE, CMC-III


(M.S. Rawat)
EE, CMC-V


(Shyam Sunder)
EE, CMC-I









(Ramesh Chandra)
EE, CMC-II


(S.K. Goyal)
EE, CMC-III


(Amit Chaudhary)
EE, CMC-V


(Sunil Kumar)
EE, CMC-IV

Attendance Sheet for 3rd Meeting of the Committee constituted vide office order Dated 12.04.2016 and headed by Member Secretary, DPCC, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous Wastes Rules of the units under Category II (b), for the **Pending Consent to Establish cases of the period 01.11.2015 to 15.06.2016**, held on 27.06.2016, in the Conference Room of DPCC at ISBT Building, Kashmere Gate, Delhi.

S.No.	Name	Designation	Signature
1.	Sh. S.M. Ali	Member Secretary, DPCC	
2.	Dr. Chandra Prakash	SEE(CMC I), DPCC	
3.	Sh. D.K. Singh	SEE(CDC)(CMC II), DPCC	
4.	Sh. M. Arif	SEE(CDC) (CMC V), DPCC	
5.	Sh. Satender Kumar	SEE(CDC)(CMC III & IV), DPCC	
6.	Sh. D. K. Srivastava	EE(CDC) (CMC III), DPCC	
7.	Sh. M. S. Rawat	EE(CDC) (CMC V), DPCC	
8.	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	
9.	Sh. Shyam Sunder	EE(CDC) (CMC I), DPCC	
10.	Sh. S. K. Goyal	EE(CDC) (CMC III), DPCC	
11.	Sh. Amit Chaudhary	EE(CDC) (CMC V), DPCC	
12.	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	
13.	Sh. K. Kumar	EE(CDC) (CMC IV), DPCC	on leave



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 3rd meeting on 27.06.2016 w.r.t. Agenda Item No 1 -- 137 Pending Consent to Establish cases of the period of 01.11.2015 to 15.06.2016 (including remaining cases of the period 01.07.2015 to 31.10.2015) (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decision
1	BHARAT ENTERPRISES	E-760, DSIDC, NARELA INDUSTRIAL AREA	13-10-2015	DPCC/EC/2/1/2015/12089	Job work of Jeans Washing. Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (5 KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 5500 L/day. a) Source of water: MCD (copy of MCD bill not submitted) Plot Area: 350 sq.mt. Proposed date of commencement: 01.11.2015 Status of Inspection: Yes Inspection was conducted on 11.01.2016 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Dyeing & washing of jeans with spray painting works w/o consent from DPCC. 2. No ETP installed. waste water is being dicahrged directly into sewer w/o any treatment. 3. Coal is being used in boiler causing air pollution. No ECS installed. 4. HWM rules not complied with. 5. Borewell connection exists w/o permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016. Modified directions u/s 31	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	27-06-2016 -	27-06-2016 Inspection be conducted.

									(A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorisation issued on 29.04.2016			
									Reply received on 09.06.2016 in which installed ETP and requested time for testing reports & also orderd diesel fired boiler.			
2	JAI KISHAN DASS NARESH KUMAR DAL MILL	B-34, SECTOR-2, DSIIDC, BAWANA INDUSTRIAL AREA	26-10-2015	DPCC/EC/2/1/2015/12216	Dal Mill Dal Mills	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- Proposed 3. D.G, set- No Status of Ground Water Extraction:No 1. Water consumption: 200 L/day. a) Source of water: DSIIDC (copy of DSIIDC bill submitted) Plot Area:250 sq.mt. Proposed date of commencement: 23.11.2015 Status of Inspection: No	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	27-06-2016 -	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
3	DENIM WORLD	J-55, SECTOR-2, DSIIDC, BAWANA INDUSTRIAL AREA	29-10-2015	DPCC/EC/2/1/2015/12247	JOB WORK OF WASHING OF READYMADE GARMENTS. Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed 2. ECS- Proposed 3. D.G, set- No Status of Ground Water Extraction:No 1. Water consumption: 12000 L/day. a) Source of water: DSIIDC (copy of DSIIDC bill submitted) Plot Area: 250 sq.mt. Proposed date of commencement: 25.11.2015 Status of Inspection: Yes Inspection was conducted on 21.09.2015 by the officials of DPCC and inspection findings are as follows: Unit found operating and engaged in the activity of jeans dyeing. 1 No ETP installed, waste water discharges directly into the sewer. 2 Coal used in the boiler as fuel causing air pollution. 3 No valid consent obtained from DPCC. 4 Bore well is used without	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	27-06-2016 -	27-06-2016 Inspection be conducted.

									permission from DJB/CGWA. 5 HWM rules are not complied with. SCN for closure u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA on 19.10.2015 Replied on 09.11.2015 stated that unit exists in the name of M/s Denim world, ETP work is going on, using oil fired instead of coal & effluent discharge with CETP & requested to give time to apply for CTO, adequacy report, stack monitoring report etc			
4	GLOBAL WASH	C-211, SECTOR-1, DSIIDC, BAWANA INDUSTRIAL AREA	29-10-2015	DPCC/EC/2/1/2015/12248	JOB WORK OF WASHING OF READYMADE GARMENTS (WITH OIL FIRED BOILER). Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (14 KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 15000 L/day. a) Source of water: Outside source (copy of Outside source bill not submitted) Plot Area: 250 sq.mt. Proposed date of commencement: 28.11.2015 Status of Inspection: Yes Inspection was conducted on 22.09.2015 by the officials of DPCC and inspection findings are as follows: unit found operating and engaged in the activity of jeans dyeing. No valid consent from DPCC. ETP under installation, waste water discharges directly into the sewer without treatment. One boiler (horizontal) (1 tonne/hr) found in use and coal is used as fuel causing air pollution. No ECS installed. HWM rules are not complied with. One Borewell exists without permission from DJB/CGWA. SCN for closure u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA on 19.10.2015	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	27-06-2016 -	27-06-2016 Inspection be conducted.

									Replied on 09.11.2015 stated ETP work is going on, using oil fired instead of coal & effluent discharge with CETP & requested to give time to apply for CTO, adequacy report, stack monitoring report etc			
5	BALAJEE METAL INDUSTRIES	A-131, WAZIRPUR INDUSTRIAL AREA	02-11-2015	DPCC/EC/2/1/2015/12264	MFG. OF ALUMINIUM CIRCLE AND ACCESSORIES. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 08-10-2015 issued by DPCC submitted, Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Status of Ground Water extraction : NO Source of Water: 1.0 KLd from DJB (bill enclosed) Earlier, consent was refused and direction for closure were issued to the unit on 27.07.2015. The unit has also applied for CTE and CTO along with stack monitoring report of Pit furnace	N/A	24-06-2016	27-06-2016 Consent to Establish granted.
6	3S JOINT VENTURES HOSPITALITY	C-91/10, WAZIRPUR INDUSTRIAL AREA	02-11-2015	DPCC/EC/2/1/2015/12294	Banquet Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (a) AR dated Nov 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated - N/A in CTE. (2)ECS - Channelization system is provided. (3)D.G.Set: ...160, 160 KVA (Proposed) Status of Ground Water extraction : 5.0 KLD (registration in the name of M/s Ajit Singh and Co. (P) Ltd. enclosed) Earlier, a temporary revocation of closure direction was issued on 05.08.2015. Afterthat unit applied for CTE and CTO on 02.11.2015 and 03.11.2015 but failed to submit fresh effluent analysis report of treated effluent and valid permission from MCD. A	N/A	24-06-2016	27-06-2016 Consent to Establish granted.

									reminder letter was also issued on 15.06.2016 giving 15 days to submit the same. reply awaited.			
7	COLOR CREATION	O-17, SECTOR-2, DSIIDC, BAWANA INDUSTRIAL AREA	03-11-2015	DPCC/EC/2/1/2015/12302	Job work of Washing of Readymade Garments (With oil fried boiler) Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (10KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 11500 L/day. a) Source of water: Outside source (copy of Outside source bill not submitted) Plot Area: 250 sq.mt. Proposed date of commencement: 22.11.2015 Status of Inspection: Yes Inspection was conducted on 22.09.2015 by the officials of DPCC and inspection findings are as follows: 1 Unit found operating and engaged in the activity of jeans dyeing. 2 No ETP installed, waste water discharges directly into the sewer. 3 No HWM rules complied with. 4 No valid consent taken from DPCC. 5 Borewell exists without permission from DJB/CGWA. 6 Coal used as fuel in boiler causing air pollution. SCN for closure u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA on 19.10.2015 Replied on 09.11.2015 stated ETP work is going on, using oil fired instead of coal & effluent discharge with CETP & requested to give time to apply for CTO, adequacy report, stack monitoring report etc	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	27-06-2016 -	27-06-2016 Inspection be conducted.
8	MANGU CHICKEN CORNER	SHOP NO 24, DDA MARKET, SECTOR-17, ROHINI	04-11-2015	DPCC/EC/2/1/2015/12318	Dhaba Without Seats Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP Only Oil and Grease Trap cum settling tank provided. (2)ECS Channelization system provided in kitchen. (3)D.G.Set: ...Nil	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted.

					annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection				Status of Ground Water extraction : No Source of Water: 0.3 KLD from DJB (bill enclosed) MCD License valid upto 31.03.2016. Delhi Police license valid upto 31.03.2015 Earlier, a complaint against this unit received on 23.04.2015, thereafter, an inspection carried on 25.06.2015 and during inspection oil and grease cum settling tank not found installed for treatment of wastewater generated from washing section. Modified direction was issued on 30.10.2015. Now unit has submitted both the application of Consent to Establish and Consent to Operate along with all the requisite documents.			
9	BIKANERVALA FOOD PVT. LTD.	116 AND 117, ADITYA ARCADE, 30, COMMUNITY CENTER, PREET VIHAR	09-11-2015	DPCC/EC/2/1/2015/12351	Eating House with 100 Seating Capacity Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		(1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: ...N/A (4) water consumption: 10000 liters/ day, Source: outside (5) Ground water: Nil	Applied for CTE for the operation of 100 seated restaurant as per Delhi Police Licence.	24-06-2016 Recommended for CTE. Inspection be conducted.	27-06-2016 Consent to Establish granted subject to two conditions i.e. (i) during the establishment of the unit, the water shall be obtained from the authorized source (ii) unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
10	SETCO	69/2-A INDUSTRIAL AREA , NAJAFGHAR ROAD MOTI NAGAR BEHIND MOIT NAGAR BUS STAND	09-11-2015	DPCC/EC/2/1/2015/12356	Automobile Servicing/Repairing and Washing of Two Wheelers. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of Water: Outside Water Consumption: 1100 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: ...No Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.

									31(A)/33(A)/5 of EPA details : No			
11	SILVER ARROW AUTOMOBILES PVT. LTD.	B-84, MAYAPURI INDUSTRIAL AREA, PHASE-I	09-11-2015	DPCC/EC/2/1/2015/12358	SALES, SERVICING AND REPAIRING OF MERCEDES BENZ ACTIVITY. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of Water:Corporation (copy of bill not provided) Water Consumption:7000 Litres/ Day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP --Proposed (2)ECS - N/A (3)D.G.Set: 1 D,G Set of 125 KVA Proposed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	copy of Municipal Corporation bill not provided	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
12	BATTERIES WORLD	B-72, SECTOR-3, DSIIDC, BAWANA INDUSTRIAL AREA	09-11-2015	DPCC/EC/2/1/2015/12359	MANUFACTURING OF BATTERIES. Batteries (Lead Acid) and Accessories without Trade Effluent Discharge	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- Proposed 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 100 L/day. a) Source of water: Outsie source (copy of Outside source bill not submitted) Status of Inspection: No Plot Area: 100 sq.mt. Proposed date of commencement: 01.10.2016	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 -	27-06-2016 Consent to Establish granted with conditions i.e. (i) during the establishment of the unit, the water shall be obtained from the authorized source (ii) unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate.
13	CURRY N CUBES (A UNIT OF SAS CHEFS)	J-2/3, B.K. DUTTA MARKET, RAJOURI GARDEN	09-11-2015	DPCC/EC/2/1/2015/12361	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board (CAT-II) Name and address matched Water Consumption:5000 Litres/Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Proposed (2)ECS - Channelization system Proposed (3)D.G.Set: 1 D.G Set of 125 KVA Proposed	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.

					sewer				Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD License and Delhi Police License expired on 31.03.2016			
14	SHRI KASHUMBARI FOODS LLP	PLOT NO G-1116, DSIIDC, NARELA INDUSTRIAL AREA	10-11-2015	DPCC/EC/2/1/2015/12367	PROCESSING AND PACKING OF DALL. Dal Mills	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- Proposed 3. D.G. set- No Plot Area:350 sq.mt. Proposed date of commencement:26.11.2015 Status of Ground Water Extraction:No 1. Water consumption: 80 L/day. a) Source of water: PNC (copy of PNC bill not submitted) Status of Inspection: No	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 -	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
15	SUPER WASH	J-218, SECTOR-2, DSIIDC BAWANA INDUSTRIAL AREA	18-11-2015	DPCC/EC/2/1/2015/12386	JOB WORK OF WASHING OF READYMADE GARMENTS (WITH OIL FRIED BOILER). Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (10KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction: No 1. Water consumption: 11000 L/day. a) Source of water: Other source (copy of Other source bill not submitted) Plot Area-150 sq.mt. Proposed date of commencement- 07.11.2015 Status of Inspection: Yes Inspection was conducted on 21.09.2015 by the officials of DPCC and inspection findings are as follows: 1 Unit found operating and engaged in the activity of jeans dyeing. 2 No ETP installed, waste water discharges directly into the sewer. 3 1- Boiler exists and Coal/rubber waste used as fuel causing air pollution. 4 No consent obtained from DPCC. 5 Borewell connection exists without permission	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	27-06-2016 -	27-06-2016 Inspection be conducted.

									from DJB/CGWA. 6 HWM rules are not complied with.			
									SCN for closure u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA on 19.10.2015			
16	M/S INKA HOME CRAFTS PVT.LTD.	E-25,B-I,EXT.MOHAN COOPRATIVE,INDUSTRIAL ESTATAE,NEW DELHI-110044	18-11-2015	DPCC/EC/2/1/2015/12393	manufacturing and washing of readymade garments with washing Readymade Garment (with Washing)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP -Installed (found Operational) (2) ECS - N/A (3)D.G.Set: 50 KVA Status of Ground Water extraction : Having borewell, permission not submitted, as informed during inspection on 19.05.2016 not using the borewell Water Consumption - 16200 ltrs /day Source of water - Outside (tanker bill not submitted) An inspection of the unit was carried out on 27.08.2015 during survey of MCIE and following were observed- a) ETP found installed and found not in operational condition. Effluent was being by passed by a flexible pipe through effluent lifting pump provided for lifting of effluent to reaction taken. No dry/wet sludge seen. b) The unit was not complying with the provisions of HWM Rules w.r.t. not provided the display board, not storing the hazardous waste in leak-proof container, containers not marked with specified label, not storing the hazardous waste in isolated area, containers not stored on pucca floor & in covered area, not indicating the date of beginning of storage on each container and not maintaining the record of hazardous waste in Form-III. c) No permission for extraction of ground water shown.	N/A	24-06-2016 Based on inspection on 19.05.2016 and deficiencies observed Show Cause Notice u/s 33(A) of the Water Act, u/s 31 (A) of the Air Act and u/s 5 of EP Act issued to the unit on 23.06.2016 & reminder letter to Dy. Commissioner (South-East) has been issued on 23.06.2016 for taking necessary action to ensure stoppage of use of borewell.	27-06-2016 File be put up administratively.

Show cause Notice u/s 33(A) of the Water Act, u/s 31 (A) of the Air Act and u/s 5 of Environment (Protection) Act issued to the unit on 07.09.2015 & letter to Dy. commissioner (South-East) on 07.09.2015 for taking necessary action w.r.t. Notification of gov. of NCT of Delhi dated 12.07.2010 regarding extraction/drawl of groundwater through borewell.

Unit submitted reply on 29.09.2015 w.r.t. said Show Cause Notice along with undertaking informing that you have installed ETP for treating the waste effluent, applied for Consent to Establish online & informed that Consent to Operate along with Adequacy report of ETP, Analysis Report of ETP & document will be submitted very soon and Authorization under HWM Rules shall be submitted very soon and requested for 45 days time.

Inspection of the unit was again carried out by DPCC Representatives on 19.05.2016 and following were observed-

- No wet /dry sludge observed at site.
- Unit is not complying with the provisions of Hazardous Waste Management Rules.
- Record of Hazardous waste is not being maintained.
- Unit having bore well however permission not shown. As informed, they are not using the same and using out source Tanker water (Tanker Bill could not be shown).
- Logbook of ETP is not being maintained properly.

Another Show cause Notice u/s 33(A) of the Water Act, u/s 31 (A) of the Air Act and u/s 5 of Environment (Protection) Act issued to the unit on 23.06.2016 & reminder letter to Dy. commissioner (South-East) has been issued on 23.06.2016 for taking necessary action w.r.t. Notification of gov. of NCT of Delhi dated 12.07.2010

									regarding extraction/drawl of groundwater through borewell.			
17	KWALITY RESTAURANT (A UNIT OF KWALITY RESTAURANT & ICE CREAM)	7, REGAL BUILDING CONNAUGHT PLACE	20-11-2015	DPCC/EC/2/1/2015/12406	RESTAURANT (116 SEAT). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Source of Water: NDMC Connection Name and Address matched Water Consumption: 8500 Litrs/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP -- Working (2)ECS - Channelization Proposed (3)D.G.Set: 1 D.G Set of 50 KVA installed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD License and Delhi Police License valid upto 31.03.2017	Water Effluent: Effluent analysis report dated 17-03-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes	24-06-2016	27-06-2016 Consent to Establish granted.
18	SIDSHI AUTOMOBILES PVT. LTD	F-10, UDYOG NAGAR INDUSTRIAL AREA	27-11-2015	DPCC/EC/2/1/2015/12475	SERVICE STATION OF MAHINDRA TWO WHEELERS. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of Water- Ground Water having Borewell permission from CGWA provided) Consumption of Water-700 Litre/Day (1)ETP ---- Proposed (2)ECS - N/A (3) D.G.Set: Nil (4) Inspection details: Nil (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	N/A	24-06-2016	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
19	LEE PACIFIC	31/35, MAIN ROHTAK ROAD PUNJABI BAGH	01-12-2015	DPCC/EC/2/1/2015/12530	Banquets 200 Seats. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Water Consumption 4000 lits per day . Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No	No	25-06-2016	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.

					public/municipal/DJB sewer				Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
20	SBM PROCESSORS	C-37/6, 1ST FLOOR, LAWRENCE ROAD INDUSTRIAL AREA	04-12-2015	DPCC/EC/2/1/2015/12566	Washing only of garments Readymade Garment (with Washing)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set: ...Nil Status of Ground Water extraction :Nil Source of Water: 1,5 KLD from DJB Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details : No Enquiry counter raised the point that there are two other User IDs of the unit exist. One User ID of the unit is having request for water testing of ETP dated 03.11.2015 and another User ID created by the unit without having consent/lab status. One another User ID in the name of M/s S.B.M. Creations also exist under the proprietorship of Ms. Poonam Gupta having Consent to Establish for the activity of Dyeing & Washing of Garments issued on 10.12.2004 valid upto 09.12.2005. Unit has created new User ID itself and applied for consent to establish under Orange category online and submitted consent fee through credit card. Unit has selected its activity under the head of Readymade Garments (with Washing) as per DPCC categorization. Unit is required to submit the following documents: - (i) CA certificate as per column no. 5 of Consent Application Form as unit is operating (ii) to file atleast two documents to prove its commissioning w.e.f. 01.10.2014 (mentioned in consent application form) OR to submit condonation fee w.e.f. 1st June, 1991 as required vide office order dated 17.04.2013 (iii) to file consent to operate	N/A	24-06-2016	27-06-2016 Letter seeking proof regarding date of establishment / start of the unit and other required documents.

									application along with required documents (iv) request letter for deactivation of User ID created by the unit.			
21	SLOTCO STEEL PRODUCTS PVT. LTD.	A-84/3, NARAINA INDUSTRIAL AREA, PHASE-I	04-12-2015	DPCC/EC/2/1/2015/12574	MANUFACTURING OF STEEL PRODUCTS AND STEEL FABRICATION. Powder Coating without phosphating	Orange Establish	Non-SPI		Source of Water Consumption: 300 Litres/Day (Copy of DJB Bill provided), name mentioned in the bill not matched, address matched Ground Water:Nil ETP ---- N/A ECS - Stack attached to powder coating booth D.G.Set--1 D.G. Set(s) of 82.5 KVA. Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A	Air Emission Teat Report: Stack monitoring report dated 09-05-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes Noise monitoring Test Reports: Noise monitoring Test Report report dated 27-01-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	24-06-2016	27-06-2016 Consent to Establish granted.
22	INDOFIX INTERNATIONAL PVT. LTD.	14-B, MOTI NAGAR DLF INDUSTRIAL AREA, NAJAFGARH ROAD	04-12-2015	DPCC/EC/2/1/2015/12577	MANUFACTURING OF PIPE FITTINGS, FASTENERS AND AUTO INDUSTRIAL PARTS. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board (Cat-II) Name and Address not matched Water Consumption: 300 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - N/A (2)ECS - Hood Suction System Proposed (3)D.G.Set: Proposed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
23	WORLD ART DINING (A UNIT OF NIMITAYA HOSPITALITY LLP)	1, NWA CLUB ROAD, PUNJABI BAGH	09-12-2015	DPCC/EC/2/1/2015/12636	SOCIAL FUNCTION SUCH AS MARRIAGES / SOCIAL PARTIES / PVT. FUNCTIONS. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board Water Consumption: 15000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)STP ----Installed	N/A	25-06-2016 File is under the submission with Chairman, DPCC	27-06-2016 Unit has applied for Consent to Operate. Consent to Establish granted.

					36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer				(2)ECS - Channelization Provided (3)D.G.Set: ...N/A... Status of Inspection : No -During inspection everything found o.k			
24	AMAR NATH UTHRA	B-6, TIMBER BLOCK, WHS, KIRTI NAGAR INDUSTRIAL AREA	09-12-2015	DPCC/EC/2/1/2015/12641	SAW MILL. Saw Mill	Orange Establish	Non-SPI		Source of Water:50 Litres/day (Delhi Jal Board) Copy of bill not provided Ground Water Nil ETP ---- N/A ECS - One stack attached to saw mill. D.G.Set: ...Nil Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	.	24-06-2016	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
25	LAVANYA DREAMS (A UNIT OF RPM BANQUETS)	PLOT NO D-13, UDYOG NAGAR INDUSTRIAL AREA, PHASE-I	11-12-2015	DPCC/EC/2/1/2015/12689	Serve To Customer (Banquet Halls) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board (CAT-II) Name not matched and address matched Water Consumption: 10,000 Litrs/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: ..2 D.G Set of 125 KVA Proposed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
26	LAVANYA BANQUETS PVT. LTD.	C-144, MAYAPURI INDUSTRIAL AREA, PHASE-II	11-12-2015	DPCC/EC/2/1/2015/12690	Serve To Customer (Banquet Halls) Restaurants/Eating Houses / Dhabas and other such establishments (with	Orange Establish	Non-SPI		Source of Water: Outside (as per affidavit) and DJB (copy of bill provided) name not matched but address matched. Water Consumption: 10000	N/A	24-06-2016	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for

					minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer				Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ----- Proposed (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
27	RAJ KAMAL BANQUETS (A UNIT OF UNICORN CELEBRATORS LLP)	F-3, UDYOG NAGAR INDUSTRIAL AREA, PEERAGARHI	11-12-2015	DPCC/EC/2/1/2015/12695	Banqueting Business Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board receipt Provided, name and address matched. Water Consumption: 4000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ----- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: 2 D,G Set of 400 and 200 KVA Proposed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD License expired on 31.03.2016	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted.
28	ARJUN HOSPITALITY	PLOT NO 3, TILAK NAGAR INDUSTRIAL AREA	14-12-2015	DPCC/EC/2/1/2015/12725	Serve to Customer (Restaurant) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor	Orange Establish	Non-SPI		Source of Water: Outsource (as informed in affadavit) but copy of Delhi Jal Board bill also provided of CAT-II and Name not matched but address matched. Water Consumption: 3000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP -Proposed (2)ECS - N/A	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.

					Area of 100m ²) connected to public/municipal/DJB sewer				(3)D.G.Set: 1 D.G Set of 125 KVA Proposed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
29	VERNA METAL INDUSTRIES	BC-341, MANGOLPURI INDUSTRIAL AREA, PHASE-II	16-12-2015	DPCC/EC/2/1/2015/12739	Casting and Assembly of Sanitary Fittings and Accessories (Without Electroplating and without buffing) Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Stack monitoring report dated 25-09-2015 issued by SHRIRAM INSTITUTE submitted, Stack Test Report within Limit - Yes Status of Ground Water extraction : No Source of Water: 0.1 KLD from DJB (bill enclosed) Earlier, a compliant has been received against this unit, thereafter inspection carried on 25.06.2015 during inspection unit found engaged in the activity of mfg. of sanitary fittings and accessories (with casting and electroplating) without taking any control measures. Afterthat, a SCN was issued on 16.07.2015. Subsequently, unit submitted its reply on 26.08.2015 and stating that they have closed the electroplating section and buffing activity and doing only casting and assembly of sanitary fittings and accessories for which they have installed chimneys (photograph enclosed). A modified direction was also issued on 08.10.2015 with the condition to apply for consent to establish and operate along with all requisite documents within 45 days. Now unit has applied for both CTE and CTO in the activity of Casting and Assembly of Sanitary Fittings and Accessories (Without Electroplating and	N/A	24-06-2016 . Recommendation / Action Taken Details (EE/AEE) on 27-06-2016 Consent to Establish granted with the condition that unit shall install Online Monitoring System (OLMS) for Particulate Matter and shall also install separate electricity meter (sub-meter) for the air pollution control system installed by the unit within 03 months.	27-06-2016 Consent to Establish granted with the condition that unit shall install Online Monitoring System (OLMS) for Particulate Matter and shall also install separate electricity meter (sub-meter) for the air pollution control system installed by the unit within 03 months.

									without buffing) on 16.12.2015.			
30	ZOOM ROADYS	C-2/9, PHASE-II, MAYAPURI INDUSTRIAL AREA	16-12-2015	DPCC/EC/2/1/2015/12773	SERVICE STATION OF BIKES. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board (Cat-II) Name not matched but address matched. Water Consumption:1500 Litre/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set- 1 D.G Set of 62.5 KVA installed -A complaint received through PGMS on 24.05.2016 an an inspection was approved. Status of Inspection : an inspection was conducted by DPCC officials on 24.05.2016 and following were observed: -ETP installed in the premises but found non operational. -DG Set installed at backside of the unit with inadequate stack height. -SCN u/s 31(A) and u/s 33(A) details : yet to be issued	Noise- unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-06-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	24-06-2016 SCN u/s 31(A) and u/s 33(A) yet to be issued	27-06-2016 File be put up administratively.
31	GRANDEUR BUSINESS SOLUTIONS PRIVATE LIMITED	A-39, BAWANA INDUSTRIAL AREA, SECTOR 5,DSIDC,	22-12-2015		Manufacturers and Installers of BIO Toilets Sanitary Goods with Casting (except cupola furnace) without Buffing and Electroplating	Orange Establish	Non-SPI		-	-	24-06-2016 Unit has applied online. Hard copy and requisite documents are not submitted.	27-06-2016 Ask the unit to submit hard copies of consent application along with required documents within 15 days.
32	M.G. ENTERPRISES	PLOT NO A-86, KESHOPUR INDUSTRIAL AREA, VIKASPURI	22-12-2015	DPCC/EC/2/1/2015/12876	Die Casting. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Establish	Non-SPI		Source of Water- Outsource Water Consumption- 20 Litres/ Day Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Proposed (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection : No	N/A	25-06-2016 .	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.

									SCN u/s 31(A)/33(A)/5 of EPA details :No			
									Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
33	SAFFRON ENTERPRISES	PLOT NO 74, FIE, PATPARGANJ INDUSTRIAL AREA	22-12-2015	DPCC/EC/2/1/2015/12884	MANUFACTURING OF METAL CABINETS (WITH POWDER COATING AND PLASTIC MOLDING) Plastic Processed Goods Powder Coating without phosphating	Orange Establish	Non-SPI		(1)ETP -- N/A 2) ECS -- Cyclone (3)D.G. Set: Nil (4)Water Consumption: 50 L/d, Source: Purchase Water (5) Ground water: Nil	N/A	24-06-2016 Recommended for CTE.	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
34	ORIENT FASHION EXPORTS(INDIA) PVT. LTD	PLOT NO. E-45/9&10, PHASE-II, OKHLA INDUSTRIAL AREA	22-12-2015	DPCC/EC/2/1/2015/12918	Mfg. of Readymade Garments without washing and Dry Cleaning. Laundry and Dry-cleaning with Boiler Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		1)ETP - ETP - Physiochemical (a) AR dated March 2016 issued by Jamia Millia Islamia submitted and found adequate. (b) Effluent analysis report dated 03-12-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted and found within Limit . (2)ECS - N.A(Oil fired Boiler) (a) Stack monitoring report dated 30-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted and found within Limit. (3)D.G.Set : 200 KVA and 205 KVA (a) The unit has 2 D.G. Set(s) of 200 KVA and 205 KVA. Noise monitoring report dated 20-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. But unit has submitted report for only one DG set but capacity of DG set is not specified. Ground water-Nil Water consumption-2000 ltrs/day, Source- DJB (Bill enclosed for the same premises) Status of Inspection :NIL	Effluent analysis report dated 03-12-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted and found within Limit . Stack monitoring report for Oil Fired Boiler dated 30-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted and found within Limit. D.G.Set : 200 KVA and 205 KVA Noise monitoring report dated 20-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted however not mentioned the capacity of DG Set monitored and year of mfg of DG Set	24-06-2016 The unit requested for Change of Name from M/s Silver Ocean Exports Pvt. Ltd to ORIENT FASHION EXPORTS(INDIA) PVT. LTD and the same has been done. The unit has applied for Consent to Establish for the activity of Mfg. of Readymade Garments with washing and Dry Cleaning.	27-06-2016 Consent to Establish granted. Also revoke the earlier consent issued on 31.10.2012 valid upto 25.09.2017 since the name of the unit changed and again applied with washing activity.
35	KRISHNA TRADING CO.	A-93/3 (GROUP), WAZIRPUR INDUSTRIAL AREA	23-12-2015	DPCC/EC/2/1/2015/12931	CASTING OF FERROUS AND NON FERROUS METAL. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Proposed (3)D.G.Set: ...Nil Status of Ground Water extraction : No	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that unit shall install Online Monitoring System (OLMS) for Particulate Matter and shall also install separate electricity meter (sub-meter) for the air pollution control system within 03 months. Unit shall also submit the proof that the water is being obtained

									Source of Water: 0.1 KLd from outside source. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
36	DECENT ELECTRICALS	7/22, KIRTI NAGAR INDUSTRIAL AREA	23-12-2015	DPCC/EC/2/1/2015/12943	MFG. OF ELECTRICAL HOME APPLIANCES WITH POWDER COATING, PAINT AND VARNISH (WITHOUT PHOSPHATING / WITHOUT TRADE EFFLUENT DISCHARGE). Polishing, Painting, Varnishing etc on goods, furniture etc. Powder Coating without phosphating	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 07-04-2016 Authorisation Status Pending	Source of Water: Corporation (copy of bill not provided) Water Consumption- 200 Litre/ Day Status of Pollution Control System (1)ETP :N/A (2)ECS - Stack attached to Powder coating booth and paint booth and electric oven (3)D.G.Set Noise Report : 1 Status of Ground Water extraction : Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Air (Emissions) - Unit has submitted a stack monitoring report of Stack attached to Powder coating booth and paint booth and electric oven a) Stack monitoring report dated 01-03-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes b)Stack monitoring report dated 01-03-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes c) Stack monitoring report dated 01-03-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes d)Stack monitoring report dated 01-03-2016 issued by DPCC submitted. Stack Test Report within Limit - yes e) Stack monitoring report dated 01-03-2016 issued by DPCC submitted. Stack Test Report within Limit - yes Noise - unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 07-03-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	24-06-2016	27-06-2016 Consent to Establish granted.
37	A.K. AUTOMOBILE	PLOT NO 25, GALI NO 2 AND 3, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	23-12-2015	DPCC/EC/2/1/2015/12948	SERVICING OF VEHICLES WITH WASHING. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		(1)ETP ---- Proposed (2)ECS ---- Nil (3)D.G. Set ---- Nil (4) Water Consumption: 1200 Liters/ Day, Source: Purchase Water (5) Ground Water: Nil	N/A	24-06-2016 Recommended for CTE. Inspection be conducted.	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
38	WHITE KLOVE	1563. LAXMI NARAIN STREET, NEAR IMPERIAL CINEMA, PAHAR GANJ	23-12-2015	DPCC/EC/2/1/2015/12968	GUEST HOUSE (26 ROOMS) W/O KITCHEN AND LAUNDRY.	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A	Test Reports: Air (Emission)-N/A	24-06-2016 CTO applied on 06.05.2016	27-06-2016 Consent to Establish granted.

					Hotels with at least 20 bed rooms without kitchen or laundry and connected to public/municipal/DJB sewer				3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 2000 L/day. a) Source of water:MCD (copy of MCD bill not submitted) Status of Inspection: Yes Inspection was conducted on 15.07,2015 by the officials of DPCC and inspection findings are as follows: 1. No effluent treatment plant provided to treat the trade effluent generated from kitchen and guest rooms etc. 2. No Chimney provided in the kitchen to channelize the emissions generated from kitchens. 3. D.G. set of 62 KVA placed on public land on ground was seen but no adequate stack height provided. Acoustic enclosure provided with this D.G. set. 4. No valid license from Delhi Police, MCD and permission of borewell shown. As informed about 8 yrs back the hotel changed the name from Kashish International to the White klove Hotel. SCN u/s 33(A) of water Act, 1974 and u/s 31(A) of Air Act, 1981 and letter to unit to submit either copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA or submit evidence along with photographs of closure / sealing of borewell (both prior and after sealing) with copy to DC (Central) be issued on 17.07,2015 as unit was operating without CTE/CTO & four deficiencies observed during inspection. Modified Direction u/s 33(A) of water Act, 1974 and u/s 31(A) of Air Act, 1981 issued on 20.10,2015 for submitting CTE/TO within 45 days.	Water (Effluent)-N/A Noise Test Report- N/A	Plot Area: 150 sq.mt. Proposed date of commencement: Nov, 2015	
39	SGM AIRCON PVT. LTD.	PLOT NO 56, POCKET-N, SECTOR-1, BAWANA INDUSTRIAL AREA	28-12-2015	DPCC/EC/2/1/2015/12983	MANUFACTURING OF KATHA. Manufacturing of Katha with	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (500L/day) 2. ECS- N/A	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A	24-06-2016 -	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being

					Distillation and with Trade Effluent Discharge				3. D.G. set- No Plot Area: 200 sq.mt. Proposed date of commencement: May,2016 Status of Ground Water Extraction:No 1. Water consumption: 700 L/day. a) Source of water:Outside (copy of Outside bill not submitted) Status of Inspection: No	Noise Test Report- N/A		obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
40	KAWAL INDUSTRIES	18, DLF INDUSTRIAL AREA MOTI NAGAR	28-12-2015	DPCC/EC/2/1/2015/12989	JOB WORK OF SHOT BLASTING. Shot Blasting	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board (copy of bill not provided) Water Consumption: 100 Litre/ Day Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Hood and Suction System (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Air (Emission)-unit submitted a Stack monitoring report dated 07-04-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes	24-06-2016 .	27-06-2016 Consent to Establish granted.
41	GULLUS	UNIT NO 14, PLOT NO 15-16, GF, DISTRICT CENTRE, JANAKPURI	29-12-2015	DPCC/EC/2/1/2015/13027	TAKE AWAY. Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Establish	Non-SPI		Source of Water- Tanker (copy of bill provided) Consumption of Water-500 Litre/Day Ground Water-Nil (1)Oil and Greese Trap cum Settling tank ---- Proposed (2)ECS - N/A (3) D.G.Set: No (4) Inspection details: Nil (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No MCD License and Delhi Police license expired on 31.03.2016	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source.
42	THE BRINELL CLOTHING INC	F-30/1, PH-II, OKHLA INDUSTRIAL AREA	31-12-2015	DPCC/EC/2/1/2015/13060	MFG. OF READYMADE GARMENTS (WITH WASHING). Readymade Garment (with	Orange Establish	Non-SPI		(1)ETP - Installed. Adequacy Report Dated January 2016 issued by Jamia Millia Islamia submitted and found adequate.	1.Adequacy Report Dated January 2016 issued by Jamia Millia Islamia submitted and found adequate. 2. Effluent analysis report dated 18-11-2015 issued	24-06-2016 This is existing unit which has also applied for Consent to Operate on 31.12.2015. Earlier	27-06-2016 Consent to Establish granted.

					Washing) with Boiler				(2)ECS -N.A (Having oil fired boiler) (3)D.G.Set- 40 KVA, 125 KVA, 140 KVA Ground water- Nil Water Consumption-3000 ltrs/day, Source- DJB (bill enclosed for the same premises)	by DPCC submitted and found within Limit - 3.ECS - N/A 4. Stack monitoring report dated 26-10-2015 for Oil fired Boiler issued by DPCC submitted and found within Limit, 5.D.G.Set Noise Report : The unit has 4 D.G. Set(s) of 15 KVA (not in use),40 KVA,125 KVA and 140 KVA. Noise monitoring report dated 03-11-2015 issued by DPCC submitted and found meeting the prescribed limit.	unit has obtained Consent under Green Category for the activity of Fabrication and export of readymade garments (without washing) with validity upto 19,06,2008.	
43	KHANDELWAL AUTOMOBILES CENTRAL DELHI	20, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	31-12-2015	DPCC/EC/2/1/2015/13063	REPAIRING, SERVICING AND WASHING OF TWO WHEELER VEHICLES. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of Water: Corporation (as per undertaking) Water Consumption: 700 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: No Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent Analysis Report: Effluent analysis report dated 26-02-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes	24-06-2016 Copy of corporation bill not provided.	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
44	BURGERKING (A UNIT OF BURGERKING INDIA PVT. LTD.)	E-8, CONNAUGHT PLACE, NEW DELHI	31-12-2015	DPCC/EC/2/1/2015/13071	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Source of Water: NDMC Connection Name not matched and address matched Water Consumption: 8100 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G Set of capacity 200 KVA installed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent: Effluent analysis report dated 04-03-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise: The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 26-02-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	24-06-2016 .	27-06-2016 Consent to Establish granted.

									Closure directions u/s 31(A)/33(A)/5 of EPA details : No NMDC License expired on 31.03.2015 and Delhi Police License expired on 31.03.2018			
45	SHAKTI INSULATORS	56-A, NAJAFGARH ROAD INDUSTRIAL AREA	05-01-2016	DPCC/EC/2/1/2016/13130	Copper Wire Drawing with enamelling. Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Establish	Non-SPI		Source of Water-DJB (copy of bill not provided) Water Consumption:100 Litres/ Day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Hood and Suction system Proposed (3)D.G.Set: 1 D.G Set of 125 KVA installed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
46	SUNIL VARSHNEY	PLOT NO.164 POCKET-J SECTOR-2 DSIIDC INDUSTRIAL COMPLEX BAWANA INDUSTRIAL AREA DELHI	06-01-2016		MFG OF ELECTRICALS GOODS (SWITCH, PIN SOCKET, PLUGS AND BULB HOLDERS ETC.) WITHOUT TRADE EFFLUENT Bakelite Powder mfg. using Phenol Formaldehyde Resin As Raw Material and Bakelite Products	Orange Establish	Non-SPI		-	-	24-06-2016 Unit has applied online. Hard copy and requisite documents are not submitted.	27-06-2016 Ask the unit to submit hard copies of consent application along with required documents within 15 days. If unit submits the same, Consent to Establish be issued with the condition that the unit shall apply for Consent to Operate within 03 months.
47	DELICIOUS COCO WATER PVT. LTD.	PLOT NO D-13, UDYOG NAGAR INDUSTRIAL AREA, PHASE-I	06-01-2016	DPCC/EC/2/1/2016/13145	SERVE TO CUSTOMER (BANQUET HALLS). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB	Orange Establish	Non-SPI		Source of Water: Outsource Water Consumption:6000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: ...No Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s	N/A	24-06-2016	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.

					sewer				31(A)/33(A)/5 of EPA details : No			
48	H.J. INDUSTRIES (METAL)	A-60, JHILMIL INDUSTRIAL AREA	11-01-2016	DPCC/EC/2/1/2016/13204	Sanitary Goods i.e. Manufacturing of Bathroom Fittings and its Accessories. Process Involving Buffing	Orange Establish	Non-SPI		(1)ETP ---- N/A (2)ECS - as per DPCC specification proposed (buffing process) (3)D.G.Set: 62.5 KVA (4) Water Consumption: 200 Liters/ Day, Source: Purchase Water (5) Ground Water: Nil	AR - nil	24-06-2016 Recommended for CTE. Inspection be conducted.	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source.
49	KAINOOSH (A UNIT OF RIGHT HOSPITALITY INC.)	16 SHIVAJI MARG, NAJAFGARH ROAD INDL AREA	13-01-2016	DPCC/EC/2/1/2016/13239	BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Source of Water: Ground Water Water Consumption:2200 Litres/ Day Status of Ground Water extraction : Permission for ground water extraction not provided Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (2)ECS - Channelization Proposed (3)D.G.Set: .2 D.G Set of 125 KVA and 160 KVA Proposed Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016 Permission for ground water extraction not provided.	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Issue letter to DC concerned to take necessary action w.r.t. notification dated 12.07.2010 regarding extraction of ground water through borewell.
50	T AND T MOTORS LTD.	B-92, PHASE-I, MAYAPURI INDUSTRIAL AREA	14-01-2016	DPCC/EC/2/1/2016/13247	Automobile Workshop Cum Service Station Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board (Cat-II) Name not matched and address matched Water Consumption: 3000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS -Proposed (3)D.G.Set: .1 D.G Set of 62.5 KVA installed Status of Inspection :No SCN u/s 31(A)/33(A)/5 of	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.

									EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
51	SPARSH AUTOTECH PVT. LTD.	A-94/8, GROUND FLOOR, WAZIRPUR INDUSTRIAL AREA	14-01-2016	DPCC/EC/2/1/2016/13249	Service Station of Cars Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: ...62.5 KVA (Proposed) Status of Ground Water extraction :Nil Source of water: 3.5 KLD from outside source. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/a	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
52	THE EMBASSY RESTAURANT	C-27, OKHLA INDUSTRIAL AREA PHASE-I	15-01-2016	DPCC/EC/2/1/2016/13281	Catering (Food Factory) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP -Proposed (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction : Nil Water Consumption- 12000 ltr/day, Source- DJB (Bill enclosed for the said premises) MCD license valid upto 31.03.2016 Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016 It is existing unit and applied for Consent to Establish and ETP is proposed.	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
53	MEHAK BANQUETS (A UNIT OF AMOUR BANQUETS PVT. LTD.)	43/35, WEST PUNJABI BAGH, NEW ROHTAK ROAD	20-01-2016	DPCC/EC/2/1/2016/13343	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual	Orange Establish	Non-SPI		source of Water: Outside Delhi Jal Board (CAT-II) Name not matched address matched and copy of tanker bill not provided Water Consumption: 5000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.

					Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer				System (1)ETP - Proposed (2)ECS - N/A (3)D.G.Set: 4 D.G Sets of 125 KVA each installed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD License expired on 31.03.2016			
54	ZAFFERANO HOSPITALITY	A-1, NARAINA INDUSTRIAL AREA, PHASE-I	22-01-2016	DPCC/EC/2/1/2016/13366	Serve To Customer (Banquet Halls) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board (Cat-II) name and address matched Water Consumption: 5000 Litres/ Day Status of Ground Water extraction : Status of Pollution Control System (1)ETP ---Proposed (2)ECS - N/A (3)D.G.Set: 2 D.G set of 250 KVA and 125 KVA installed -A complaint was received in this office on 30.12.2015 and an inspection was carried out by DPCC officials on 06.01.2016 and lot of discrepancies were observed. -Accordingly, a show cause notice was issued to the unit on 01.02.2016 based on inspections findings. -Unit submitted a reply w.r.t to SCN and requested for some more time to rectifying all the deficiencies observed during inspection. -In response to the addressee reply modified direction was issued to the unit on 08.06.2016 for submitting the CTO application with all the requisite documents.	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
55	COPPER METAL WORKS	BC-341 (FIRST FLOOR), PHASE-II, MANGOL PURI INDUSTRIAL AREA	22-01-2016	DPCC/EC/2/1/2016/13376	Grinding and Buffing of Bathroom Fittings. Process Involving Buffing	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set: ...Nil	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted.

									Status of Ground Water extraction : No Source of Water: 0.05 KLD from DJB (bill enclosed) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
56	BINSAR AUTOMOBILES	PLOT NO 28/21, GALI NO 3, FRIENDS COLONY INDUSTRIAL AREA	25-01-2016	DPCC/EC/2/1/2016/13390	TWO WHEELERS WORKSHOP (WASHING AND REPAIRING). Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		(1)ETP ---- Proposed (2)ECS ---- N/A (3)D.G. Set ---- N/A (4) Water Consumption: 1700 Liters/ Day Source: Tanker Water (5) Ground Water: Nil	N/A	24-06-2016 Recommended for CTE. Inspection be conducted.	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
57	MALWA AUTOMOBILES PVT. LTD.	29, SSI , G.T. KARNAL ROAD INDUSTRIAL AREA	29-01-2016	DPCC/EC/2/1/2016/13447	Servicing, Denting, Painting and Repairing of Vehicles with Washing. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI	HWM Application No, 1 Application Date 08-04-2016 Authorisation Status Pending	Status of Pollution Control system/Devices: 1. ETP- Proposed 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 1500 L/day. a) Source of water:Outside (copy of Outside bill not submitted) Status of Inspection: No	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 Earlier SCN was issued to unit at the address 29, Rajasthani Udyog Nagar on 18.01.2016 as the sample collected on 26.10.2015 reveals that parameters(TSS, BOD, Oil & Grease) are exceeding the prescribed limits. Unit has submitted adequacy report of ETP & Effluent analysis report from FICCI. Parameters are within the prescribed limits. Plot Area: 1010 sq.mt. Proposed date of commencement: Feb, 2016	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source.
58	PANDIT & CO.	53, PHASE-II, OKHLA INDUSTRIAL AREA	01-02-2016	DPCC/EC/2/1/2016/13459	Denting, Painting, Repairing and Servicing Automobile Workshop with Washing. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI	HWM Application No, 1 Application Date 01-02-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Installed (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil Water Consumption - 1000 ltrs /day	Effluent analysis report dated 20-01-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted and found within limit. Stack monitoring report of Paint Booth dated 07-12-2015 issued by SHRIRAM INSTITUTE submitted and found within limit.	24-06-2016 The unit has also applied for Consent to Operate & Authorization under HWM Rules on 01.02.2016.	27-06-2016 Consent to Establish granted.

Source of water - Delhi Jal Board (bill provided)

Inspection of the unit was carried out on 23.11.2015 during survey of Okhla Indl. Estate. During the inspection it was observed that -

- Unit found operational, engaged in the activity of Automobile Workshop and Body Shop.
- ETP found installed but the same was not found operational and waste water (trade Effluent) was being discharged directly into storm water drain without any treatment.
- 1 no. of Paint Booth installed (diesel fired) & inadequate stack height above roof level.
- Washing activity, painting and polishing of cars, body transplant, detailing etc are carried out at the unit.
- As informed servicing of vehicles engine is not carried out, and only certain activities mentioned above are carried out.
- Logbook of ETP not maintained.
- Unit was not complying with provisions of HWM Rules i.e. Display Board not provided, Hazardous Waste not stored in leak proof container, containers not stored/kept in isolated area and also date is not indicated (beginning & end) on the containers.

Show Cause Notice u/s 33(A) of the Water Act, u/s 31(A) of the Air Act and u/s 5 of the EP Act was issued on 07.12.2015.

Unit submitted reply on 17.12.2015 & 04.01.2016 w.r.t. the said Show Causes Notice along with copy of Water Bill informing that the ETP is now operational and all connections have been done and no waste water is being discharged directly, Paint Booth has adequate stack height i.e. 2 m above roof level, logbook of ETP is maintained properly , Display Board has been provided at front gate and complying with all condition of DPCC related to HWM

									Rules and leak proof container stored in isolated area. Unit submitted representation on 09.02.2016 & 16.03.2016 alongwith Adequacy Report of ETP. The unit has informed that they had applied for Consent to Establish, Consent to Operate & Authorization under HWM Rules on 01.02.2016.			
59	GLACIER GARMENTS	H-200, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA	01-02-2016	DPCC/EC/2/1/2016/13472	Washing of Readymade Garments with Boiler. Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP-Proposed (5KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 4004 L/day. a) Source of water:Outside (copy of Outside bill not submitted) Status of Inspection: Yes Inspection was conducted on 12.01,16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Washing of jeans without consent from DPCC. 2. No ETP installed effluent is being discharged directly into sewer without any treatment. 3. Cyclone has been provided with coal fired boiler at roof top floor. 3. One borewell connection exists without permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02,2016 to Kunal Industries. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorization issued on 29.04,2016 Reply received on 05.02.2016 & 01.03.2016 stating that unit exists by the name of Glacier garments, applied for CTE on 01.02.2016 under	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 -	27-06-2016 Inspection be conducted.

									orange category, requested two months time to apply for CTO, to install ETP etc, coal fired boiler is replaced by oil fired boiler and borewell connection has been removed.			
									Reply again received on 30.05.2016 in which applied for CTE, installed ETP (photographs submitted), converted coal into oil fired boiler (photographs submitted), requested two months time to submit necessary documents and apply for CTO.			
60	SRS ENTERPRISES (AZALEA BANQUET)	PLOT NO C-162, NARAINA INDUSTRIAL AREA PH-1	02-02-2016	DPCC/EC/2/1/2016/13483	Serve To Customer (Banquet Halls) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board (Cat-II) Name not matched and address matched Water Consumption: 700 Litrs/ Day Status of Ground Water extraction : Status of Pollution Control System (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: 1 D,G Set of capacity 200 KVA Proposed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
61	D.N. SONS	E-38, SMA INDUSTRIAL AREA, G.T. KARNAL ROAD	02-02-2016	DPCC/EC/2/1/2016/13497	BUFFING AND POWDER COATING OF HARDWARE GOODS. Powder Coating without phosphating Process Involving Buffing	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed 2. ECS- N/A 3. D.G. set- 1 X 62.5 KVA (Proposed) Status of Ground Water Extraction:No 1. Water consumption: 7000 L/day. a) Source of water: DJB & Outside source (copy of DJB bill submitted) Status of Inspection: No	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 Plot Area: 561 sq.mt. Proposed date of commencement: 01.06.2016	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
62	MY BAR HEAD QUARTERS (A UNIT OF SRANSH TRADERS PVT. LTD.)	N-49, 2ND FLOOR, CONNAUGHT PLACE	03-02-2016	DPCC/EC/2/1/2016/13501	EATING HOUSE (RESTAURANT). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of	Orange Establish	Non-SPI		Source of Water: NDMC connection (copy of bill provided) Water Consumption: 18000 Litres/ Day Status of Ground Water extraction : Nil	Water Effluent: Effluent analysis report dated 04-03-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise- The unit has 1 D.G. Set(s)	24-06-2016	27-06-2016 Consent to Establish granted.

					36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer				Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G Set of 200 KVA installed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD expired on 05.05.2015 and Delhi Police License valid upto 31.03.2016.	of 200 KVA. Noise monitoring report dated 26-02-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
63	M.R. ITALIAN CHAINS LTD.	G-1/38, LAWRENCE ROAD INDUSTRIAL AREA	03-02-2016	DPCC/EC/2/1/2016/13506	MANUFACTURING OF GOLD CHAIN, GOLD AND DIAMOND JEWELLERY WITHOUT ELECTROPLATING. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Exhaust fan and duct provided. (3)D.G.Set: ...Nil Status of Ground Water extraction : No Source of Water: 0,1 KLD from MCD Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
64	THE BARBEQUE COMPANY (A UNIT OF SAVOUR HOSPITALITY)	HL-1 AND HL-2, L BLOCK, ANAND VIHAR, JAI ROAD, HARI NAGAR	04-02-2016	DPCC/EC/2/1/2016/13530	Restaurant (98 Seat) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Souce of Water: Delhi Jal Board (Cat-II) Name not matched but address matched Water Consumption: 6500 Litres/Day Ground Water: Nil Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (Proposed) (2)ECS - N/A (3)D.G.Set: .1 D.G Set of 82 KVA installed Status of Ground Water extraction : No Status of Inspection : No SCN u/s 31(A)/33(A)/5 of	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.

									EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD License and Delhi Police License expired on 31.03.2016			
65	GREEN LOUNGE PREMIUM BANQUETS (A UNIT OF NAGPAL HOSPITALITY PVT. LTD.)	C-97, PHASE-II, MAYAPURI INDUSTRIAL AREA	08-02-2016	DPCC/EC/2/1/2016/13551	banquets Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Source of Water: Outside (copy of bill not provided) Water Consumption: 4000 Litre/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- ETP - Bio-logical Proposed (2)ECS - Hood Suction System Proposed (3)D.G.Set: 2 no. of D.G Set of 320 KVA and 250 KVA installed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details :No MCD License expired on 31.03.2016	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
66	PIONEER CREATIVE BLUES	P-41 AND 48, SECTOR-5, DSIDC, BAWANA INDUSTRIAL AREA	12-02-2016	DPCC/EC/2/1/2016/13651	JOB WORK OF WASHING OF READYMADE GARMENTS (WITH OIL FIRED BOILER). Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (14KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 15000 L/day. a) Source of water: Outside source Status of Inspection: Yes Inspection was conducted on 13.01.16 by the officials of DPCC and inspection findings are as follows: 1. The Unit has not installed ETP. Waste water is being discharged without treatment. 2. Coal is being burnt in the boiler. No ECS installed with the boiler. 3. Emission control measures not taken with the spray booth chamber. 4. Borewell is used for	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 -	27-06-2016 Inspection be conducted.

									water extraction without permission from DJB/CGWA. 5. Consent/Authorization not obtained from DPCC. HWM measures has not been taken. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorization issued on 29.04.2016 Reply received on 31.05.2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dyeing and engaged in washing of ready made garments only. Further stating that they are approaching the lab for getting test reports of ETP & boiler. Requested few days time to apply for Consent to Operate.			
67	PALJEES FRESH BAKED	J-7, UDYOG NAGAR ROHTAK ROAD	12-02-2016	DPCC/EC/2/1/2016/13657	MFG. OF BAKERY ITEMS (JUST LIKE BISCUITS, BREAD, CAKE). Food and Fruit Processing Industry -Bakery (Bread & Biscuit) / Blanco Cakes	Orange Establish	Non-SPI		Source of Water- Delhi Jal Board (Cat-II) Name and address matched Water Consumption-300 Litre/Day Ground Water- Nil (1)ETP ---- Proposed (2)ECS - Proposed (3)D.G.Set: . Nil (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
68	RANA MOTORS PVT. LTD.	A-8, RAJASTHANI UDYOG NAGAR, G.T.K. ROAD	18-02-2016	DPCC/EC/2/1/2016/13710	Service, Repair and Maintenance of Cars. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed 2. ECS-N/A 3. D.G. set- 1x 125 KVA (Proposed) Status of Ground Water Extraction:No 1. Water consumption: 10000 L/day. a) Source of water: DJB & Outside source (Copy of DJB water bill submitted) Status of Inspection: No	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 Plot Area: 3678.96 sq. mt. Proposed Date of Commencement: April,2016	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
69	J. S.	SHED NO 32 SFC	02-03-2016	DPCC/EC/2/1/2016/13817	Mechanical Rubber	Orange	Non-SPI		Source of Water- Municipal	N/A	24-06-2016	27-06-2016

	AUTOMOBILES	CATEGORY-II DSIDC INDUSTRIAL COMPLEX ROHTAK ROAD, NANGLOI			And Servicing with washing of Vehicles (Two Wheelers) Automobile Servicing and Repair Station with Washing Activity	Establish			Corporation (copy of bill not provided) Water Consumption- 2400 Litre/ Day Status of Pollution Control System (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set:- 1 D.G Set of 40 KVA Proposed Status of Ground Water extraction : Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		.	Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
70	CAPITAL CARS PRIVATE LIMITED	PLOT NO 206 F.I.E. PATPARGANJ INDUSTRIAL AREA	02-03-2016	DPCC/EC/2/1/2016/13832	Automobile Workshop Cum Service Station. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		(1)ETP ---- Proposed (2)ECS - Proposed (3)D.G.Set - 125 KVA (4) Water Consumption: 4000 L/ Day, Source: outside (5) Ground Water: Nil	N/A	24-06-2016 Recommended for CTE. Inspection be conducted.	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
71	APARNA ENTERPRISES	36 NAJAFGARH ROAD INDUSTRIAL AREA	03-03-2016	DPCC/EC/2/1/2016/13837	Electrical Goods I.e. Fans (With Powder Coating) Powder Coating without phosphating	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board (cat-II) copy of bill not provided but name and address not matched Water Consumption: 200 Litre/ Day Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Stack attached to powder coating section (3)D.G.Set : Nil Status of Ground Water extraction : Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Test report for stack monitoring report of Powder coating section not provided.	24-06-2016 .	27-06-2016 Consent to Establish granted.
72	LENSKART EYETECH PRIVATE LIMIED	C-57/3, PHASE-2, OKHLA INDUSTRIAL AREA	03-03-2016	DPCC/EC/2/1/2016/13843	Mfg. of Lens Contact Lens (with Trade Effluent)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Proposed (2)ECS - Nil (3)D.G.Set: 250 KVA (Proposed) Status of Ground Water	N/A	24-06-2016 Source of Water mentioned is DJB (Copy of Bill not enclosed)	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.

									extraction : Nil Water Consumption -2750 ltr/day, Source- DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
73	DK BIKE SPARES & SERVICES LLP	61 NAJAFGARH ROAD (MOTI NAGAR DLF INDUSTRIAL AREA)	04-03-2016	DPCC/EC/2/1/2016/13860	Repairing and Servicing of motor bikes with greecing and washing. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of Water- Outside (Copy of bill not provided) Water Consumption-1000 Litre/Day Ground Water- Nil (1)ETP ---- No (2)ECS - Proposed (3)D.G.Set: . No (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
74	THE JRD LUXURY BOUTIQUE HOTEL (A UNIT OF JRD BUILDCON PVT. LTD.)	B-7/113A SAFDARJUNG ENCLAVE	04-03-2016	DPCC/EC/2/1/2016/13862	Guest House Hotels with atleast 20 bed rooms having kitchen and/or laundry and connected to public/municipal/DJB sewer with Boiler	Orange Establish	Non-SPI		Source of Water- Delhi Jal Board (Cat-II) & Outside (Copy of bill DJB provided but not for outside purchase water bill) Water Consumption-10320 Litre/Day Ground Water- Nil (1)ETP ---- Proposed (2)ECS - One diesel fired boiler capacity of 2500 Litre/Hour with stack height above roof level 4metre. (3)D.G.Set: . 1 D.G Set of 125 KVA (with acoustic enclosure provided) (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source.
75	RAJPOOT MOTORS	C-9, S.M.A COOPERATIVE INDUSTRIAL ESTATE , G.T. KARNAL ROAD	07-03-2016	DPCC/EC/2/1/2016/13878	Two Wheelers workshop (Washing and repairing) Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (1KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 1700 L/day. a) Source of water: Outside source (copy of Outside source bill not submitted) Status of Inspection: No	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 Plot Area: 350 sq. mt. Proposed date of commencement: March,2016	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
76	GLOBUS MOTOCORP (P) LTD	B-31, JHILMIL INDUSTRIAL AREA, BEHIND JHILMIL METRO	08-03-2016	DPCC/EC/2/1/2016/13897	Servicing and Repair of Auto mobile/ Cars	Orange Establish	Non-SPI		(1)ETP ---- Proposed (2)ECS - N/A	N/A	24-06-2016 Recommended for CTE. Inspection be	27-06-2016 Consent to Establish granted with

		STATION			Automobile Servicing and Repair Station with Washing Activity				(3)D.G.Set: - N/A (4) Water Consumption: 2200 L/ Day Source: DJB (5) Ground Water: Nil		conducted.	the condition that the unit shall apply for Consent to Operate within 03 months.
77	FRONTIER MOTORS PVT. LTD.	6A, TILAK NAGAR INDUSTRIAL AREA	08-03-2016	DPCC/EC/2/1/2016/13899	Servicing, Repair and Body Shop of Cars. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of Water- Delhi Jal Board (Cat-II) copy of bill provided and address found matched. Water Consumption- 3000 Litre/ Day Ground Water- Nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (Proposed) (2)ECS - N/A (3)D.G.Set- Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details :	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
78	G M SONS	A-10 G T KARNAL ROAD INDUSTRIAL AREA	10-03-2016	DPCC/EC/2/1/2016/13924	Manufacturing of Ice Cream Ice-cream with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (1KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 1800 L/day. a) Source of water: Outside source (copy of Outside source bill not submitted) Status of Inspection: No	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 Plot Area: 255 sq. mt. Proposed date of commencement: July, 2016	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate.
79	HINDUSTAN CONSTRUCTION CO. LTD	MUNIRKA ELEVATED CORRIDOR PROJECT NELSON MANDELA ROAD (OPP ONGC OFFICE)	11-03-2016	DPCC/EC/2/1/2016/13942	Munirka Elevated Corridor Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI		Source of Water- Outside (copy of bill not provided) Water Consumption-14600 Litre /day Ground Water- Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Proposed (3)D.G.Set: ...1 D.G Set of 125 KVA Proposed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No -An inspection was carried out by DPCC officials on 20.02.2016 and everything was found o.k.	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
80	CREATIVE CLUB	H-1402, DSIIDC, NARELA INDUSTRIAL AREA	11-03-2016	DPCC/EC/2/1/2016/13945	Job work of Washing of Readymade Garments (Without	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (10KLD)	Test Reports: Air (Emission)-N/A	24-06-2016 -	27-06-2016 Inspection be conducted.

					Boiler) Readymade Garment (with Washing)				2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 10000 L/day. a) Source of water:Out Side (copy of Out Side bill not submitted) Status of Inspection: Yes Inspection was conducted on 11.01.16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Dyeing & washing of jeans w/o consent from DPCC. 2. No ETP installed waste water is being discharged directly into sewer w/o any treatment and not connected with conveyance system of CETP. 3. No ECS over paint booths provided. 4. HWM rules not complied with. 5. Borewell connection exists w/o permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorization issued on 29.04.2016 Reply received on 31.05.2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dyeing and engaged in washing of ready made garments and spray painting. Further stating that they are approaching the lab for getting test reports of ETP & boiler. Requested few days time to apply for Consent to Operate.	Water (Effluent)-N/A Noise Test Report- N/A		
81	SIDSHI AUTOMOBILES PVT LTD	K-30 UDYOG NAGAR INDUSTRIAL AREA	11-03-2016	DPCC/EC/2/1/2016/13950	SERVICE STATION OF MAHINDRA TWO WHEELERS. Automobile Servicing and	Orange Establish	Non-SPI		Source of Water- Outside (Copy of tanker bill provided) Consumption of Water-700 Litre/Day Ground Water-Nil	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized

					Repair Station with Washing Activity				(1)ETP ---- Proposed (2)ECS - N/A (3) D.G.Set: Nil (4) Inspection details: Nil (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No			source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
82	MAHAVEER INDUSTRIES	PLOT NO S-19 BADLI INDUSTRIAL AREA	11-03-2016	DPCC/EC/2/1/2016/13955	MANUFACTURING OF ALUMINIUM CIRCLES. Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS-Yes 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 20 L/day. a) Source of water: Outside source: Home (copy of Outside source water bill not submitted)	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 -	27-06-2016 Consent to Establish granted with the condition that unit shall install Online Monitoring System (OLMS) for Particulate Matter and shall also install separate electricity meter (sub-meter) for the air pollution control system installed by the unit within 03 months. Further, unit shall apply for Consent to Operate within 03 months.
83	KRISH AUTOMOTORS PVT LTD	A-3 WAZIRPUR INDUSTRIAL AREA	11-03-2016	DPCC/EC/2/1/2016/13956	SERVICING / REPAIRING OF AUTOMOBILES. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- proposed. (2)ECS - Paint booth will be installed. Channelization system to be provided. (3)D.G.Set: ...82.5 and 50 KVA (proposed) Status of Ground Water extraction : Nil Source of Water: 3.3 KLD from DJB (bill enclosed) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No Unit has shifted from B-65/2 to A-3 WIA.	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
84	TRIMURTI FRAGRANCES PVT. LTD.	PLOT NO 227, FIE, PATPARGANJ INDUSTRIAL AREA	14-03-2016	DPCC/EC/2/1/2016/13964	Grinding work Supari (Betelnut) and Pan Masala Grinding	Orange Establish	Non-SPI		(1)ETP ---- N/A (2)ECS - dust collector (3)D.G.Set: 320 KVA (4) Water Consumption: 100 L/ Day Source: Drinking Water Suppliers (cane) (5) Ground Water: Nil	N/A	24-06-2016 Recommended for CTE. Inspection be conducted,	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months. Also inspection be conducted.
85	TRIMURTI FRAGRANCES PVT. LTD.	PLOT NO 230, FIE, PATPARGANJ INDUSTRIAL AREA	14-03-2016	DPCC/EC/2/1/2016/13965	Grinding Work Supari (Betelnut) and Pan Masala Grinding	Orange Establish	Non-SPI		(1)ETP ---- N/A (2)ECS - Nil (3)D.G.Set: 250 KVA	N/A	24-06-2016 Recommended for CTE. Inspection be conducted.	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate

									(4) Water Consumption: 100 L/ Day Source: Drinking Water Suppliers(Cane)			within 03 months. Also inspection be conducted.
									(5) Ground Water: Nil			
86	SHAN ENTERPRISES	B-2618, II FLOOR, DSIIDC, NARELA INDUSTRIAL AREA	15-03-2016	DPCC/EC/2/1/2016/13973	Job work of washing of readymade Garments (With oil Fired Boiler) Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (8KLD) 2. ECS- N/A 3. D.G, set- No Status of Ground Water Extraction:No 1. Water consumption: 9000 L/day. a) Source of water:Out Side (copy of Out Side bill not submitted) Status of Inspection: Yes Inspection was conducted on 19.01,16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Dyeing & washing of jeans w/o consent from DPCC. 2. No ETP installed waste water is being discharged directly into sewer w/o any treatment. 3. Waste rubber is being used as fuel in the boiler causing air pollution. Thick black smog observed from the stack. No ECS installed. 4. HWM rules not complied with. 5. One borewell exists w/o permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016 Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorization issued on 29.04.2016 Reply received on 31.05,2016/14.06,2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dyeing and engaged in washing of ready made garments only. Further stating that they are approaching the lab for	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 -	27-06-2016 Inspection be conducted,

									getting test reports of ETP & boiler. Requested few days time to apply for Consent to Operate.			
87	SHIV KUMAR (UNIT-I)	N1-112, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA	15-03-2016	DPCC/EC/2/1/2016/13974	Job work of Washing of Readymade Garments (With oil Fired Boiler) Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (10KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 11000 L/day. a) Source of water:Out Side (copy of Out Side bill not submitted) Status of Inspection: Yes Inspection was conducted on 13.01.16 by the officials of DPCC and inspection findings are as follows: 1. Water is being discharged without any treatment. 2. Water is being discharged into open drain (not into sewer) which is the conveyance system leading to the CETP. 3. During the inspection, it was observed that unit is using wood/biomass (briquettes)- livgreen solid biofuel. No diesel/oil is used in the boiler. 4. Borewell is used for water extraction without permission from DJB/CGWA. 5. The unit is operating without ConserNt/Authorization from DPCC. HWM measures has not been taken. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorization issued on 29.04.2016 Reply received on 31.05.2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dying and engaged in washing of ready made garments only. Further	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 -	27-06-2016 Inspection be conducted.

									stating that they are approaching the lab for getting test reports of ETP & boiler. Requested few days time to apply for Consent to Operate.			
88	SUPREET RETREADS	76 DSIDC SHED SCHEME-I OKHLA INDUSTRIAL AREA	17-03-2016	DPCC/EC/2/1/2016/14020	Retreading of tyre (job work) Process Involving Buffing Tyre Retreading (without Boiler)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - Proposed (3)D.G.Set: 50 KVA (Proposed) Status of Ground Water extraction : Nil Water Consumption- 200ltr/day, Source- Corporation/Out side (Copy of Bill not enclosed) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016 Proposed activity is Tyre retreading with buffing however without boiler.	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
89	GOLDEN CROWN BANQUET (A UNIT OF M/S FIESTA EATERY PVT. LTD.)	GROUND FLOOR, A-38, MOHAN CO-OPERATIVE INDUSTRIAL ESTATE, MAIN MATHURA ROAD	18-03-2016	DPCC/EC/2/1/2016/14033	Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP (Work order issued for installation of ETP) (2)ECS - N/A (3)D.G.Set: 125 KVA Water consumption 4000 ltrs /day Source of water - Outside (bill not provided) Status of Ground Water extraction : Nil Inspection of the unit carried out on 10,09,2015 during the survey of MCIE. During the inspection it was observed that unit had not installed ETP and was operating without consent of DPCC therefore Show Cause Notice u/s 33(A) of the Water Act & u/s 31(A) of the Air Act was issued to the unit on 12.10.2015. Unit has submitted reply on 09.11.2015 and 11.01.2016 w.r.t. Show Cause Notice	N/A	24-06-2016 The unit mentioned date of establishment as April, 2016 whereas found existing during the inspection on 10.09.2015 and therefore unit be asked to submit proof regarding actual date of establishment for calculation of Consent fee. As decided in file inspection is yet to be carried out.	27-06-2016 Unit be asked to submit proof regarding actual date of establishment for calculation of Consent fee. Expedite inspection.

									informing that they are in process to install ETP & work order for installation of ETP has been given and it may be completed in a month and in process to submit application for Consent to Establish & Consent to Operate. It was also informed that applied for Adequacy report & test report of ETP & after getting Adequacy & test report of ETP they will submit application for Consent to Operate and requested for one month to apply for Consent to Establish and three months for Consent to Operate. Unit has applied for Consent to Establish under Air & Water Acts on 18.03.2016 for the activity of Banquet Hall with year of establishment April 2016, however during inspection on 10.09.2015 unit found established. Unit has not applied for Consent to Operate so far and therefore matter was submitted in file and as approved an inspection is to be carried out to verify the facts.			
90	SIDH ENTERPRISES	E-43, SECTOR-4, DSIIDC INDUSTRIAL AREA, BAWANA	21-03-2016	DPCC/EC/2/1/2016/14076	Job work of washing of readymade garments (With oil fired boiler) Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (15KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 10000 L/day. a) Source of water: Other source (copy of Other source not bill submitted) Status of Inspection: Yes Inspection was conducted on 14.01.16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Washing of Jeans. 2.ETP found under installation. Reaction cum settling tank filters are lying on roof top floor. 3.Effluent being discharge without treatment into direct sewer/conveyance system. 4. No ECS found installed with coal fired boiler. 5. One borewell exists	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 -	27-06-2016 Inspection be conducted,

									without permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act & 33(A) of Water Act issued on 24.02.2016. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act giving 45 days time to comply with the pollution control norms & to apply for consent,etc. issued on 29.04,2016 Reply received on 31.05,2016/14.06,2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dyeing and engaged in washing of ready made garments only. Further stating that they are approaching the lab for getting test reports of ETP & boiler. Requested few days time to apply for Consent to Operate.			
91	ATRIO (A UNIT OF SHOKEEN HOTELS & RESORTS PVT LTD)	KH NO 13/31, 17/7/1 AND 17/27 KAPASHERA CHOWK TO NH-8 ROAD, VILLAGE KAPASHERA	21-03-2016	DPCC/EC/2/1/2016/14078	Motel and Banquet Hall, Party lawn. Hotels with atleast 20 bed rooms with kitchen and/or laundry and not connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Source of Water: borewell and packaged bottles for drinking as per affidavit Water Consumption: 20930 Litres/ Day Status of Ground Water extraction : using Ground Water and permission for same not provided Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (2)ECS - N/A (3)D.G.Set Noise Report : 3 D.G Set of 500, 180 and 320 KVA installed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD License and Delhi Police License valid upto 31.03,2016	Water Effluent- Effluent analysis report dated 11-05-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise Monitoring Reports- a) The unit has 3 D.G. Set(s) of 500 KVA,380 KVA and 140 KVA. Noise monitoring report dated 13-04-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes b) The unit has 3 D.G. Set(s) of 500 KVA,380 KVA and 140 KVA. Noise monitoring report dated 13-04-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes c) The unit has 3 D.G. Set(s) of 500 KVA,380 KVA and 140 KVA. Noise monitoring report dated 13-04-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	24-06-2016	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source, Issue letter to DC concerned to take necessary action w.r.t. notification dated 12.07.2010 regarding extraction of ground water through borewell.
92	PANEX OVERSEAS	B-270 , PH-I OKHLA INDUSTRIAL AREA	22-03-2016	DPCC/EC/2/1/2016/14080	Mfg. of Readymade Garments with Washing with Boiler. Readymade Garment (with	Orange Establish	Non-SPI		(1)ETP - Installed . (2)ECS - N.A (having oil fired boiler)	Effluent analysis report dated 05-01-2016 for ETP , issued by DPCC submitted. Effluent Test Report within Limit	24-06-2016 Earlier the unit was engaged in Mfg. of readymade garments without washing and	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized

					Washing) with Boiler				(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set of 125 KVA, Noise monitoring report dated 05-11-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Ground water- Nil Water Consumption- 1050 ltrs/day , Source- Outside (Copy of Water Supplier (Pvt. Agency) bill enclosed)	Stack monitoring report dated 02-02-2016 for Oil Fired Boiler issued by DPCC submitted and found meeting the standards. Noise monitoring report dated 05-11-2015 for DG Set of 125 KVA issued by DPCC Lab submitted, and found meeting the standards.	Consent was valid upto 29.10.2024 now the unit has applied for Consent to Establish for readymade garments with washing with Boiler and also applied for Consent to Operate on 22.03.2016.	source. Revoke the earlier consent to operate under Green category issued on 19.12.2014 valid upto 29.10.20124 since unit has again applied for consent to establish and consent to operate under orange category for the activity of Mfg. of Readymade Garment with Washing.
93	GLOBAL WASH	B-155, SECTOR-2, DSIIDC INDUSTRIAL AREA, BAWANA	22-03-2016	DPCC/EC/2/1/2016/14088	Job work of washing of readymade garments (With oil fired boiler) Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (14KLD) 2. ECS- N/A 3. D.G. set- 1 X 50 KVA (Proposed) Status of Ground Water Extraction:No 1. Water consumption: 17000 L/day. a) Source of water: Other source (copy of Other source not bill submitted) Status of Inspection: Yes Inspection was conducted on 12.01.16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Washing of Jeans. 2. No ETP installed, effluent discharge without treatment into direct sewer/conveyance system. 3. No ECS found installed with coal fired boiler. 4. One borewell exists without permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act & 33(A) of Water Act issued on 24.02.2016. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act giving 45 days time to comply with the pollution control norms & to apply for consent & authorization issued on 29.04.2016	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 -	27-06-2016 Inspection be conducted.

									Reply received on 31.05.2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dying and engaged in washing of ready made garments only. Further stating that they are approaching the lab for getting test reports of ETP & boiler. Requested few days time to apply for Consent to Operate.			
94	HOTEL DEER PARKK	B-7/122A, SAFDARJUNG ENCLAVE	22-03-2016	DPCC/EC/2/1/2016/14094	Guest House Hotels with less than 20 bed rooms having kitchen and/or laundry and connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board and Packaged Drinking bottles for DJB connection Cat-II bill provided and name not matched and address matched Water Consumption:2300 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- No details provided in the project report as well as in application form (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G Set of 62,5 KVA SCN u/s 31(A)/33(A) details : issued on 29.01.2016 MCD License and Delhi Police License expired on 31.03.2016 - unit submitted a reply on 23.03.2016 and informed that they have rectified all the deficiencies and also requesting for some more time for submitting the requisite documents.	Noise- The unit has 1 D.G. Set(s) of 55 KVA. Noise monitoring report dated 06-04-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	24-06-2016 No details provided for waste water treatment plant in the project report as well as in application form.	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
95	COLOR COMBINATION	H-19, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA	29-03-2016	DPCC/EC/2/1/2016/14122	Job work of washing of readymade garments (With oil fired boiler) Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (10KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 10000 L/day. a) Source of water: Other source (copy of Other source not bill submitted) Status of Inspection: Yes Inspection was conducted	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 -	27-06-2016 Inspection be conducted.

									on 12.01.16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Dyeing & washing of jeans without consent from DPCC. 2. One Coal fired boiler is in use causing air pollution. No ECS installed. 3. No ECS/Channelization provided over spray paint booths. 4. No ETP installed waste water is being discharged directly into sewer without any treatment. 5. HWM rules not complied with. 6. One borewell connection exists without permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016 Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorization issued on 29.04.2016 Reply received on 31.05.2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dying and engaged in washing of ready made garments only. Further stating that they are approaching the lab for getting test reports of ETP & boiler. Requested few days time to apply for Consent to Operate.			
96	RESHMA ENTERPRISES	H-191, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA	29-03-2016	DPCC/EC/2/1/2016/14123	Job work of washing of readymade garments (With oil Fired boiler) Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (10KLD) 2. ECS- N/A 3. D.G, set- No Status of Ground Water Extraction:No 1. Water consumption: 11100 L/day. a) Source of water: Other source (copy of Other source not bill submitted) Status of Inspection: Yes Inspection was conducted on 12.01.16 by the officials of DPCC and inspection	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 -	27-06-2016 Inspection be conducted.

									findings are as follows: 1. Unit found operating & engaged in the activity of Dyeing & washing of jeans without consent from DPCC. 2. One Coal fired boiler is in use causing air pollution. No ECS installed. 3. No ECS/Channelization provided over spray paint booths. 4. No ETP installed waste water is being discharged directly into sewer without any treatment. 5. HWM rules not complied with. 6. One borewell connection exists without permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016 Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorization issued on 29.04.2016 Reply received on 31.05.2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dyeing and engaged in washing of ready made garments and spray paint. Further stating that they are approaching the lab for getting test reports of ETP & boiler. Requested few days time to apply for Consent to Operate.			
97	SOMANI FOODS (SEVEN HEAVEN)	B-52, LAWRENCE ROAD INDUSTRIAL AREA	31-03-2016	DPCC/EC/2/1/2016/14146	BANQUET Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Bio-logical(Proposed) (2)ECS - Channelization provided. (3)D.G.Set: ...125 KVA (Proposed) Status of Ground Water extraction : Nil Source of Water: 2.2 KLD from tanker (as per undertaking) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.

									EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No No MCD licence submitted by the unit.			
98	GRAND AUTO CAPITAL	C-42 WAZIRPUR INDUSTRIAL AREA	31-03-2016	DPCC/EC/2/1/2016/14147	AutoMobile Servicing and Repair Station With Washing. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- proposed (2)ECS - Paint booth will be installed. (3)D.G.Set: ...62,5 KVA (proposed) Status of Ground Water extraction :Nil Source of Water: 5,5 KLD from DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted.
99	TIRUPATI INFRAPROJECTS PRIVATE LIMITED	D-16, UDHYOG NAGAR, INDUSTRIAL AREA	31-03-2016	DPCC/EC/2/1/2016/14153	Bakery and Confectionery products. Bakery Products and Confectionery with Trade Effluent/Emission Discharge Food and Fruit Processing Industry - Confectioneries Food and Fruit Processing Industry -Bakery (Bread & Biscuit) / Blanco Cakes	Orange Establish	Non-SPI		Source of Water- Delhi Jal Board (Copy of bill not provided) Water Consumption-250 Litre/Day Ground Water- Nil (1)ETP ---- Proposed (2)ECS - Proposed (3)D.G.Set: . Proposed (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted.
100	SPICE GRILL (A UNIT OF DAP AND COMPANY)	GROUND FLOOR, FIRST FLOOR, 39, GF, FF, CLUB ROAD PUNJABI BAGH	31-03-2016	DPCC/EC/2/1/2016/14165	RESTAURANT (198 Seats) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²)	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board Name and address matched Water Consumption: 4000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (2)ECS - N/A (3)D.G.Set: 1 D.G Set of 125 KVA Proposed Status of Inspection : No	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that the unit shall submit copy of valid MCD license and to apply for Consent to Operate within 03 months.

					connected to public/municipal/DJB sewer				SCN u/s 31(A)/33(A)/5 of EPA details : No			
									Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
101	S.K. WESTEND ETERPRISES	PLOT NO 15 & 16 DISTRICT CENTRE JANAK PURI	04-04-2016	DPCC/EC/2/1/2016/14178	Serve to customer (Banquets Halls) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Source of Water: Outsource Water Consumption: 15,000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ----- Proposed (2)ECS - N/A (3)D.G.Set: 5 no. of D,G Set of 125 KVA and 1 D,G Set of 64 KVA installed -File was put-up regarding the operation of numerous party lawns/ restaurants/ banquets without consent of DPCC in West District of Delhi. -An inspection was carried out by DPCC officials on 15.02.2016 and lot of deficiencies were observed. -Show cause notice was issued to the unit on 11.03.2016 regrading above mentioned inspection. -Unit submitted a reply on 07.04.2016 and requested for some time for submitting the application for consent to operate along with all requisite documents. -Modified direction was issued to the unit on 26.05.2016 giving 30 days.	N/A	24-06-2016	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
102	KAVERI WASH	H-1351 DSIIDC INDUSTRIAL AREA NARELA	04-04-2016	DPCC/EC/2/1/2016/14186	Washing of Readymae garments (With oil fired boiler) Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (10KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 9800 L/day. a) Source of water: Other source (copy of Other source not bill submitted) Plot Area: 350 sq.mt. Status of Inspection: Yes Inspection was conducted on 11.01.16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating &	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016	27-06-2016 Inspection be conducted.

									engaged in the activity of Dyeing & washing of jeans w/o consent from DPCC. 2. No ETP installed. waste water is being dicahrged directly into sewer w/o any treatment. 3. Two boilers (1T/hr, 500 kg/hr) exists. One boiler (500kg/hr) was in use & coal, wood used as fuel causing air pollution. No ECS installed. 4. HWM rules not complied with. 5. Ground water extracted through borewell w/o permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorisation issued on 29.04.2016 Reply received on 31.05.2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dyeing and engaged in washing of ready made garments only. Further stating that they are approaching the lab for getting test reports of ETP & boiler. Requested few days time to apply for Consent to Operate.			
103	KHUSHI WASHING	B-2317 DSIIDC INDUSTRIAL AREA NARELA	04-04-2016	DPCC/EC/2/1/2016/14187	Jobs work of Washing of Readymade garments (With oil fired boiler) Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (15KLD) 2. ECS- N/A 3. D,G, set- No Status of Ground Water Extraction:No 1. Water consumption: 14000 L/day. a) Source of water: Other source (copy of Other source bill not submitted) Status of Inspection: No	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 Plot Area: 200 sq. mt. Proposed date of commencement: 23 April,2016	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
104	MCTC EXIM PVT. LTD.	B-239 OKHLA INDUSTRIAL AREA PHASE-I	06-04-2016	DPCC/EC/2/1/2016/14195	Automobiles workshop cum service station including painting denting and washing.	Orange Establish	Non-SPI		(1)ETP - Proposed (2)ECS - N/A (3)D.G.Set: 62.5 (Proposed)	N/A	24-06-2016 Copy of Proof / Water Purchase Bill not enclosed	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for

					Automobile Servicing and Repair Station with Washing Activity with burner				(4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Ground water- Nil Water Consumption- 14000 ltrs/day, Source- Outside (Copy of Proof / Water Purchase Bill not enclosed)			Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
105	LENSKART SOLUTIONS PRIVATE LIMITED	D-12/2, PHASE-II, OKHLA INDUSTRIAL AREA	08-04-2016	DPCC/EC/2/1/2016/14234	MFG. OF LENS. Contact Lens (with Trade Effluent)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Proposed (2)ECS - Proposed (3)D.G.Set: 160 KVA (Proposed) Status of Ground Water extraction : Nil Water Consumption - 2370 ltr/day, Source- Outside (Copy of Purchase Proof / Bill not enclosed) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016 Copy of Water Purchase Proof / Bill not enclosed.	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
106	R K AUTOMOBILES	PLOT NO.340,FRIENDS COLONY INDUSTRIAL AREA	11-04-2016	DPCC/EC/2/1/2016/14253	AUTOMOBILE WORKSHOP FOR WASHING AND REPAIRING. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		(1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: Proposed 15 KVA (4) Water Consumption: 1700 L/ Day Source: Water Tanker (5) Ground Water: Nil	N/A	24-06-2016 Recommend for CTE.	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
107	GALAXY AUTOMOBILES PVT LTD	28, DLF INDL. AREA, MOTI NAGAR	12-04-2016	DPCC/EC/2/1/2016/14276	SERVICING, DENTING AND PAINTING OF CARS. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Source of Water: Through Tanker (copy of bill not provided) Water consumption:10800 Litre/day Source of Ground Water:Nil (1)ETP : ETP proposed (2)ECS - N/A	.	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate.

									(3)D.G.Set: 2 D.G Sets having capacity 36.5 & 62.5 KVA installed (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
108	CHAUHAN SPICES LLP	A-90, NARAINA INDUSTRIAL AREA, PHASE-I	13-04-2016	DPCC/EC/2/1/2016/14307	MFG. OF SPICES. Spice Grinding	Orange Establish	Non-SPI		Source of Water- Delhi Jal Board (Cat-II) Name and address matched Water Consumption-100 Litre/Day Ground Water-Nil 1)ETP ---- N/A (2)ECS - Proposed (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
109	MAGIC AUTO PVT. LTD.	B-83, G.T. KARNAL ROAD INDUSTRIAL AREA	18-04-2016	DPCC/EC/2/1/2016/14340	SERVICING AND REPAIRING OF CARS ACTIVITY. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed 2. ECS- N/A 3. D.G. set- 1 X 62.5 KVA (Proposed) Status of Ground Water Extraction:No 1. Water consumption: 7000 L/day. a) Source of water: DJB & Outside source (copy of DJB bill submitted) Plot Area: 561 sq.mt. Proposed date of commencement: 01.06.2016 Status of Inspection: No	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	27-06-2016 -	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
110	DIVINE AUTOTECH PVT. LTD.	26, RAJASTHANI UDYOG NAGAR INDUSTRIAL AREA, G.T. KARNAL ROAD	19-04-2016	DPCC/EC/2/1/2016/14361	AUTOMOBILE SERVICING, REPAIRING, DENTING AND PAINTING WITH WASHING. Automobile Servicing and Repair Station with Washing Activity Denting and Painting of Vehicles	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (2KLD) 2. ECS- N/A 3. D.G. set- 1 X 62.5 KVA (Proposed) Status of Ground Water Extraction:No 1. Water consumption: 2500 L/day. a) Source of water: DJB (copy of DJB bill submitted) Status of Inspection: No	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 Plot Area: 1505 sq. mt. Proposed date of commencement: May,2016	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
111	SHIVJI MOTORS	C-140, MAYAPURI INDUSTRIAL AREA PHASE-2	22-04-2016	DPCC/EC/2/1/2016/14399	SERVICE AND WASHING OF TWO WHEELER	Orange Establish	Non-SPI		Source of Water- Delhi Jal Board (Cat-II) name and address matched	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with

					AUTOMOBILES. Automobile Servicing and Repair Station with Washing Activity				Water Consumption-1000 Litre/Day Ground Water- Nil (1)ETP ---- Proposed (2)ECS - No (3)D.G.Set: . No (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No			the condition that the unit shall apply for Consent to Operate within 03 months.
112	AGGARWAL PLACTICS	G-1028, DSIDC NARELA INDUSTRIAL AREA	22-04-2016	DPCC/EC/2/1/2016/14409	MANUFACTURING OF PVC DANA WITH WASHING. Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (3KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 3000 L/day. a) Source of water: Outside tankers (copy of Outside tankers not bill submitted) Plot Area: 350 sq.mt. Status of Inspection: Yes Inspection was conducted on 12.03.15 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating and engaged in the activity of mfg. of PVC conduit pipes by reprocessing. 2.Effluent from washing of scrap being discharged w/o any treatment. 3.One Borewell exists, copy of application for voluntary disclosure shown. Notice for closure u/s 31 (A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EPA (Plastic Rules) issued to M/s Aggarwal Plastics on 19.08.2015. Another Notice u/s 31(A) of Air Act, 33(A) of Water Act & u/s 5 of EPA giving 15 days time for compliance may be issued failing which closure will issued on 01.02.2016 Replied on 11.03,2016, water & air sampling reports attached and requested to give one month time to give adequacy report.	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 CTO applied on 22.04.2016	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source. Issue letter to DC concerned to take necessary action w.r.t. notification dated 12.07.2010 regarding extraction of ground water through borewell.
113	GRAND CELEBRATION (A UNIT OF M/S TAJ HOSPITALITY)	A-146, PHASE-II, MAYAPURI INDUSTRIAL AREA	25-04-2016	DPCC/EC/2/1/2016/14431	BANQUET. Restaurants/Eating Houses / Dhabas and other such	Orange Establish	Non-SPI		Source of water- Outside (copy of bill provided) Water Consumption- 19620 Litre/ Day Ground Water-Nil	Stack monitoring report of D.G Set is not provided.	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being

					establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Status of Pollution Control System (1)ETP - Proposed (2)ECS - Proposed (3)D.G.Set: .. 1 D.G Set of 180 KVA installed from 2015. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
114	GOLA CEREMONIAL BANQUETS (UNIT OF NARESH KAPOOR AND COMPANY)	8/39, KIRIT NAGAR INDUSTRIAL AREA	26-04-2016	DPCC/EC/2/1/2016/14446	BANQUETS. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water- Outside (Copy of bill not provided) Water Consumption-4000 Litre/Day Ground Water- Nil (1)ETP ---- Proposed (2)ECS - Proposed (3)D.G.Set: . 2 D.G SDet of capacity 320 KVA or 250 KVA Proposed (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
115	GAURVA UNIVERSAL WASH	F-200, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA	27-04-2016	DPCC/EC/2/1/2016/14467	JOB WORK OF WASHING OF READYMADE GARMENTS (WITH OIL FIRED BOILER). Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (10KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 10000 L/day. a) Source of water: Outside source (copy of Outside source bill submitted) Plot Area: 100 sq.mt. Status of Inspection: Yes Inspection was conducted on 14.01.16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Dyeing & washing of jeans	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 -	27-06-2016 Inspection be conducted.

									without consent from DPCC. 2. No ETP installed. Waste water is being dicahrged directly into sewer without any treatment. 3. One wood fired boiler exists causing air pollution. No ECS installed. 4. HWM rules are not complied with. 5. One borewell connection exists without permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016. Directions for closure u/s 31(A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA issued on 29.04.2016 Reply received on 17.05.2016 stated that they are not doing Dying and doing washing of ready made garments. Coal fired boiler is converted into oil fired. Requested for revocation of closure directions and 45 to 60 days time short to submit ETP report, stack monitoring report etc.to fulll fill other documents.			
116	BAGGA LINK SERVICE LTD.	PLOT NO B-93, MAYAPURI INDUSTRIAL AREA, PHASE-I	27-04-2016	DPCC/EC/2/1/2016/14472	SHOW ROOM CUM SERVICE STATION OF THREE WHEELERS. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of Water- Delhi Jal Board (Cat-II) copy of bill provided but name and address not matched Water Consumption-2500 Litre/Day Ground Water- Nil (1)ETP ---- Proposed (2)ECS -No (3)D.G.Set: . Proposed (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
117	RAJ VATIKA (A UNIT OF KHURANA HOSPITALITIES)	876, EAST PARK ROAD, KAROL BAGH	28-04-2016	DPCC/EC/2/1/2016/14504	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed 2. ECS- N/A 3. D.G, set- 2 X 125 KVA Status of Ground Water Extraction:No 1. Water consumption: 3000 L/day. a) Source of water: DJB & Outside source (copy of DJB bill submitted) Status of Inspection: No	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 Plot Area: 1291 sq.mt. Proposed date of commencement: Sep,2014	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.

					Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler							
118	ASHWANI PLASTIC	C-516, NARELA INDUSTRIAL AREA	02-05-2016	DPCC/EC/2/1/2016/14534	MANUFACTURING OF PLASTIC DANA WITH WASHING. Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 4000 L/day. a) Source of water: Outside source (copy of Outside source bill not submitted) Status of Inspection: Yes Inspection was conducted on 12.03.15 by the officials of DPCC and inspection findings are as follows: Unit namely Ashwani Plastic found operating engaged in reprocessing of plastic with trade effluent discharge without ETP and without consent/ registration from DPCC. One borewell exist w/o permission SCN u/s 31(A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 30.04.2015 Modified Direction u/s 31(A) of Air Act, 33(A) of Water Act & u/s 5 of EPA giving 45 days time to apply for consent/authorization issued on 08.12.2015 Replied on 11.03.2016, water & air sampling reports attached and requested to give one month time to give adequacy report.	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 CTO applied on 02.05.2016	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source, Issue letter to DC concerned to take necessary action w.r.t. notification dated 12.07,2010 regarding extraction of ground water through borewell.
119	SAFDARJUNG CLUB	SAFDARJUNG ENCLAVE	13-05-2016	DPCC/EC/2/1/2016/14670	CLUB. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with	Orange Establish	Non-SPI		Source of Water- Delhi Jal Board (Cat-II) copy of bill provided and name matched but address not matched Water Consumption-6400 Litre/ Day Status of Pollution Control System (1)ETP ---- Yes	Water (Effluent) Test Report- Effluent analysis report dated 22-06-2016 issued by DPCC submitted, Effluent Test Report within Limit - Yes Noise Monitoring Test Report-- unit has 2 D.G. Set(s) of 62.5 KVA and 160 KVA. Noise monitoring report dated 14-06-2016 issued by DPCC submitted. Noise	24-06-2016 Closure direction is being issued.	27-06-2016 Case deferred.

					Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 62.5 KVA and 160 KVA. Noise monitoring report dated 14-06-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Status of Inspection : No -A complaint was received in our office and an inspection was carried out by DPCC officials on 18.11.2015 and lot of discrepancies were observed. -Based on inspection a show cause notice u/s 31(A) and u/s 33(A) was issued on 05.01.2016. -In response to our show cause notice unit submitted a reply and requested for some time to rectify all the deficiencies observed during inspection. -Modified direction was issued to the unit on 28.03.2016 giving 45 days. -Unit has submitted a reply and also submitted an application for consent to establish but after that no further response received w.r.t consent to operate and installation of STP/ETP.	monitoring report within Limit - Yes		
120	R.B. PRODUCTS	PLOT NO.-25, POCKET-B, SECTOR-2, DSIDC BAWANA INDUSTRIAL AREA	13-05-2016	DPCC/EC/2/1/2016/14672	MANUFACTURING OF BISCUITS AND CONFECTIONERY. Bakery Products and Confectionery with Trade Effluent/Emission Discharge with Boiler Food and Fruit Processing Industry Bakery Biscuit Production	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed 2. ECS- N/A 3. D.G. set- No Plot Area:250 sq.mt. Proposed date of commencement: June,2009 Status of Ground Water Extraction:No 1. Water consumption: 250 L/day. a) Source of water: Outside tankers (copy of Outside tankers bill not submitted) Status of Inspection: No	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 -	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source.
121	AAA HOSPITALITY	KH. NO 73/15, 72/11, 72/12 AND 72/13, MAIN G.T. KARNAL ROAD, ALIPUR	13-05-2016	DPCC/EC/2/1/2016/14678	MOTEL WITH 22 NO. ROOMS AND 2 NO. BANQUETS WITH 200 SEATS. Hotel/ Guest Houses having less than 20 rooms (double bed)	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- STP Proposed (30KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 -	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit

					or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Extraction:No 1. Water consumption: 20,000 L/day. a) Source of water: Outside tankers (copy of Outside tankers bill not submitted) Status of Inspection: No Plot Area: 5000 sq.mt. Proposed date of commencement: June,2016			shall apply for Consent to Operate within 03 months.
122	PALUCK CREATION PVT. LTD.	T-2/137,PH-I MANGOLPURI INDL. AREA	19-05-2016	DPCC/EC/2/1/2016/14726	READYMADE GARMENTS Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP (a) AR dated March, 2016 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 04-03-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A Stack monitoring reports dated 19-02-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 35 KVA. Noise monitoring report dated 19-01-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : No Source of Water: 10 KLD from Tanker (as per undertaking) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source.
123	VINTY IMPEX P. LTD.	A-57, PHASE-I, OKHLA INDUSTRIAL AREA	19-05-2016	DPCC/EC/2/1/2016/14740	LAB (JEWELLERY TESTING). In House Testing Laboratory with Trading Activity	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 19-05-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 27-04-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 160 KVA. Noise	Test Reports:- Air (Emissions) - NA Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	24-06-2016	27-06-2016 Consent to Establish granted.

									monitoring report dated 19-04-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : No Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No Water consumption- 3000 ltrs/day, Source- DJB (Copy of Bill enclosed)			
124	SNS PRODUCTS PRIVATE LIMITED	PLOT NO 99, FIE, PATPARGANJ INDUSTRIAL AREA	20-05-2016	DPCC/EC/2/1/2016/14771	MIXING / GRINDING AND REPACKING OF SPICES. Spice Grinding	Orange Establish	Non-SPI		(1)ETP - N/A (2)ECS -proposed (Channelization) (3)D.G.Set: -30 KVA (4) Water Consumption: 100 Liters/ Day, Source: Drinking Water Suppliers (in canes) (5) Ground Water: Nil	N/A	24-06-2016 Recommended for CTE.	27-06-2016 Consent to Establish granted.
125	RAVI KISHORE ENTERPRISES PVT. LTD.	B-12, LAWRENCE ROAD INDUSTRIAL AREA	23-05-2016	DPCC/EC/2/1/2016/14785	BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Proposed. (2)ECS - N/A (3)D.G.Set: ...640, 640 and 125KVA (Proposed) Status of Ground Water extraction : Yes (Permission mentioned in the list in the name of Kwality Ice Cream Co. enclosed) Source of Water: 5.5 KLD from DJB (bill enclosed) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No Unit has submitted copy of receipt of MCD License dated 23.04.2016, copy of receipt dated 06.01.2015 issued by North Delhi	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.

									Municipal Corporation w.r.t charges from industrial to commercial and a letter dated 08.04.2016 issued by Delhi Fire Service regarding clearance of building plans from fire safety point of view.			
126	R.R. AUTOMOBILES	71/1, GROUND FLOOR AND BASEMENT, SHIVAJI MARG, NAJAFGARH ROAD INDUSTRIAL AREA	24-05-2016	DPCC/EC/2/1/2016/14792	AUTOMOBILE REPAIR AND SERVICING WITH WASHING. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of Water- Corporation (Copy of bill not provided) Water Consumption- 2500 Litre/Day Ground Water- Nil (1)ETP ----- Proposed (2)ECS - N/A (3)D.G.Set: ...1 D,G Set of 62.5 KVA proposed (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
127	LIBRA AUTOMOTIVES PVT. LTD	B-41, PHASE-I, MAYAPURI INDUSTRIAL AREA	25-05-2016	DPCC/EC/2/1/2016/14798	REPAIRING DENTING PAINTING AND SERVICING OF CAR ACTIVITY. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of Water- Delhi Jal Board (Cat-II) name and address matched. Consumption of Water-6000 Litre/Day Ground Water-Nil (1)ETP ----- Proposed (2)ECS - N/A (3) D,G,Set: Proposed (1 D,G. set of 125 KVA) (4) Inspection details: Nil (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted.
128	SIDDHARTH AGRO FOOD	PLOT NO F-1722, DSIIDC, NARELA INDUSTRIAL AREA	25-05-2016	DPCC/EC/2/1/2016/14814	DALL MILLS. Dal Mills	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS-Proposed 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 200 L/day. a) Source of water: PNC (copy of PNC water bill not submitted) Status of Inspection: No	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 Plot Area: 350 sq.mt. Proposed date of commencement: 29 May,2016	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
129	KBT PLASTICS PVT. LTD.	Z-41, PHASE-2, OKHLA INDUSTRIAL AREA	27-05-2016	DPCC/EC/2/1/2016/14843	AUTOMOBILE SERVICING, REPAIRING, DENTING AND PAINTING WITH WASHING. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI	HWM Application No, 1 Application Date 12-05-2009 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Proposed (2)ECS - Measures shall be taken for the emissions from the paint booth (3)D.G.Set: 62.5 KVA (Proposed)	N/A	24-06-2016 Earlier unit was engaged in the activity of Offset printing with washing and the same has been closed and now the unit has applied for Consent to Establish for the	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months. Consent to operate and authorization application dated 12.05.2009 be

									Status of Ground Water extraction : Nil Water Consumption-2500 ltr/day, Source- Purchase water (Copy of Bill for Purchase of water/ Proof not enclosed) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		activity of Automobile servicing , repairing, denting and painting with washing. Earlier application for Consent to Operate (Renewal) and Authorization under HWM Rules dated 12.05.2009 for the past activity are also pending.	made infructuous.
130	TARANG GARDENS AND BANQUETS PVT. LTD.	A-9, ROAD NO. 56, GHAZIPUR, MAIN ROAD DELHI	30-05-2016	DPCC/EC/2/1/2016/14861	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 4) water consumption: 6000 liters/ Day Source : Corporation Water 5) Ground Water: Nil (6) A RTI received on 18.08.2015 followed by complaint received against the unit, the unit was inspected and for deficiencies SCN e u/s 33(A) of Water (Prevention and Control of Pollution) Act,1974 and u/s 31(A) of Air (Prevention and Control of Pollution)Act, 1981 followed by modified directions were issued and for non - compliance, Direction for Closure u/s 33(A) of Water (Prevention and Control of Pollution) Act,1974 and u/s 31(A) of Air (Prevention and Control of Pollution)Act, 1981 has been issued on 20.5.2016. A communication has been received from the unit on 02.06.2016 informing the compliance and requested for revocation of direction by stating the compliance of the norms.	AR : N/A	24-06-2016 Recommended for CTE. Direction for Closure issued on 20.5.2016 be revoked.	27-06-2016 Consent to Establish granted with the condition to submit valid MCD license within 03 months.
131	PEARL GRAND EMPEROR (A UNIT OF UJJWAL PEARL HOSPITALITY)	B-5, GAZIPUR	01-06-2016	DPCC/EC/2/1/2016/14890	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area	Orange Establish	Non-SPI		(1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set Noise Report : 1x500 KVA, 3x250 KVA capacity. 4) water consumption: 19000 liters/ Day, Source : Corporation Water	A Case of Consent to Establish.	24-06-2016 Recommended for CTE. Direction for Closure issued on 20.5.2016 be revoked.	27-06-2016 Consent to Establish granted with the condition to submit valid MCD license within 03 months.

					100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				5) Ground Water: Nil (6) A RTI received on 18.08.2015 followed by complaint received against the unit, the unit was inspected and for deficiencies SCN e u/s 33(A) of Water (Prevention and Control of Pollution) Act,1974 and u/s 31(A) of Air (Prevention and Control of Pollution)Act, 1981 followed by modified directions were issued and for non - compliance, Direction for Closure u/s 33(A) of Water (Prevention and Control of Pollution) Act,1974 and u/s 31(A) of Air (Prevention and Control of Pollution)Act, 1981 has been issued on 20.5.2016. A communication has been received from the unit on 02.06.2016 informing the compliance and requested for revocation of direction by stating the compliance of the norms			
132	ASHOK AND CO. PAN BAHAR LTD.	PLOT NO 62, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	03-06-2016	DPCC/EC/2/1/2016/14924	MANUFACTURING AND PACKAGING OF PAN MASALA (WITHOUT TOBACCO AND NICOTINE FREE). Pan Masala (Mixing Only) Supari (Betelnut) and Pan Masala Grinding Use of Furnace (excluding Cupola / Arc/Induction Furnace)	Orange Establish	Non-SPI		Source of Water: Outsource (copy of bill not provided) Water Consumption: 1200 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 D.G Set of 250 KVA installed Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Air Emissions- stack monitoring report of Dust Collector and oven a) Stack monitoring report dated 31-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes b)Stack monitoring report dated 25-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes c)Stack monitoring report dated 31-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes Noise Monitoring Report: a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 25-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes b) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 25-05-2016 issued by	24-06-2016 Copy of water purchase bill not provided.	27-06-2016 Unit has obtained license from Food, Safety and Standards Authority of India dated 08.01.2016 valid upto 07.01.2021 for the activity of Pan Masala. Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source.

										FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes			
133	HOTEL LE TRAVENTINO	PLTO NO 4 AND 5, GREEN PARK	08-06-2016	DPCC/EC/2/1/2016/14999	GUEST HOUSE. Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI			Status of Pollution Control System (1)ETP ---- Installed (2)ECS - N/A (3)D.G.Set: 125 & 160 KVA Status of Ground Water extraction : 2 borewells found during inspection on 01.09.2015 however no permission was shown. As informed vide letter received on 09.06.2016 have been disconnected permanently (photo submitted) Water Consumption- 4800 ltrs /day Source of water - Outside (copy of tanker bill from private water supplier enclosed) A complaint was filed by Ms. Aruna Bhowmick and Shri R.N. Bhagi in PGC on 12.09.2013 regarding covering the drain and choking of drainage /sewerage system in Green Park Area. Various orders have been passed by Public Grievance Commission including directions to DPCC and other Departments to jointly inspect the Hotels in the said area and take necessary action. As directed by PGC vide order dated 08.07.2015, Secretary (Environment), Govt. of NCT of Delhi, constituted a Committee, consisting of officials from various Deptt, including DPCC, SDMC, Env Deptt. etc to inspect the Hotels at Green Park Area. Inspection of Hotels including M/s Hotel Potala (Unit of Golden Line Promoters Pvt. Ltd.) was carried out on 01.09.2015 and following were the main observations- - The Hotel was found operational at Plot no. 4 & 5, Green Park, New Delhi-16 with the activity of Hotel	N/A	24-06-2016 As per orders of NGT dated 20.06.2016, the Consent to Establish application submitted by the unit is to decided within 15 days.	27-06-2016 Honourable NGT in its order dated 20.06.2016 has directed that appellant shall ensure that the hotel remains closed until necessary Consent to Establish & Consent to Operate are granted by the DPCC. The unit has submitted demand draft of Rs. 2.5 Lakhs on 27.06.2016 as environment compensation as per said NGT order. Consent to Establish granted to the hotel with condition that unit shall apply for Consent to Operate along with required documents (excluding test reports since directions for closure is still enforced) expeditiously. In view of this, Enquiry Counter of DPCC to accept the Consent to Operate application without test reports.

(60 rooms) cum in-house Restaurant (46 seats) and Banquet (100-150 persons).

- Sewer connection of the Hotel needs to be verified by Delhi Jal Board, as no documents were shown at site. However, the team observed the sewage flow from unit through a channel flowing into sewer line / mainhole in the front side of unit.

-There is separate storm water drain in front side of unit. Very slight flow of waste water was observed in the storm water drain. However, no outfall channel of waste water from this unit could be found in the inspected portion of storm water drain located in front of the unit (covered with RCC slab).

-No ETP/ STP found installed and trade effluent generated from kitchen is being discharged into sewer without any treatment.

-No Oil & Grease Trap provided in the kitchen.

-2 borewells located in the front side of premises and were in used for ground water extraction, no permission was shown.

-2 Hot water generators located at roof top of building without stack.

-2 DG Set (125 & 160 KVA)
located at roof top without
adequate stack height.

-Unit has provided copy of MCD (Health) license for guest house for 30 rooms each for Plot no. 4 & 5 respectively.

-No Police License provided.

- Unit was operating without consent from the DPCC.

Show Cause Notice u/s 31(A) of the Air Act and 33(A) of the Water Act was issued to M/s Hotel Potala (Unit of Golden Line Promoters Pvt. Ltd.) on 02.09.2015 and Dy. Comm. (South) was also requested vide letter dated 02.09.2015 to take necessary action for extraction / drawl of groundwater through borewells.

M/s hotel Potala submitted
reply / representation on

22.09.2015 w.r.t. said Show cause Notice & informed that have applied for Delhi Jal Board on 19.06.2015 for sewage connection and quotation for ETP is also under process and requested to grant some considerable time to comply.

Direction u/s 33(A) of the Water Act & u/s 31(A) of the Air Act issued to M/s Hotel Potala on 18.11.2015 to install adequate pollution control devices (ETP/STP), install adequate stack height with channelization system of kitchen, hot water generator & DG Sets and submit consent applications with required documents & reports within 45 days, surety bond for an amount of Rs 10 Lakhs within 15 days and also directed that hotel shall not operate till installation of ETP /STP, submission of CTO & CTE application. For testing of treated effluent (after installation of ETP / STP) & stack monitoring of Hot water generator, hotel shall seek prior approval of DPCC separately for operation (only for testing purpose).

Reminder letter was issued on 18.11.2015 to Dy. Comm. (South) to take necessary action for extraction / drawl of groundwater through borewells.

Personal hearing was given to the hotel by Member Secretary, DPCC on 15.02.2016. During Personal Hearing on 15.02.2016 Sh. Abraham Mathew (CEO-Hotel Le Traventino) submitted in written submission and received the copy of Direction Dated 18.11.2015 issued to Hotel Potala and stating that at present said hotel is not operating at said premises. Now M/s Hotel Le Traventino is operating at the said premises w.e.f. 01.01.2016 and complete reply will be submitted by 17.02.2016 alongwith status of M/s Hotel Potala from the owner of the premises.

DJB has submitted a letter dated 16.02.2016 and informed that the M/s Hotel Potala (Unit of Golden Line Promoters Pvt. Ltd.) in Green Park, sewer discharges coming into sewer manhole of DJB and they had issued challan for unauthorized sewer connection. The said hotel had applied for sewer connection in DJB.

A reply was received from M/s Hotel Le Traventino on 18.02.2016 informing that M/s Hotel Potala was on lease & left the property on 01.01.2016. M/s Le Traventino taken the property on lease from the owners from 01.01.2016 to run the hotel & now they are in the process to get different license from different authorities. Unit requested to grant sometime to fulfill the formalities but not submitted detailed reply w.r.t. installation of pollution control devices, status of M/s Hotel Potala.

Directions u/s 33(A) of the Water Act & u/s 31(A) of the Air Act issued to M/s Le Traventino (Earlier Hotel Potala (Unit of Golden Line Promoters Pvt. Ltd.)) on 02.06.2016 and reminder letter to Dy. Commissioner (South) to take necessary action for extraction / drawl of groundwater through borewells.

Action Taken report w.r.t. earlier orders of PGC dated 16.07.2015, 21.10.2015 & 28.03.2016 was submitted to PGC vide letter dated 08.06.2016.

M/s Le Traventino has submitted a reply on 09.06.2016 w.r.t. Directions u/s 33(A) of the Water Act & u/s 31(A) of the Air Act issued on 02.06.2016 and informed that they have applied for Consent to Establish on 08.06.2016, requested for Noise Monitoring, Stack Monitoring Report & Effluent Analysis and submitted receipt in this regard. The unit also submitted Security

Bond of Rs 10 Lakhs, photographs of ETP installed, Oil & Grease Trap, stack height of DG set & disconnection of borewell, acknowledgement receipt for sewer connection and copy of sanctioned building plan from MCD. It is also informed that they will submit application for consent to operate after receiving the test reports and requested 60 days in this regard and also requested to withdraw the closure directions.

PGC vide order dated 14.06.2016 (hearing on 09.06.2016) has directed that if license to Hotel Le Traventino is not issued by 17.06.2016, then the Licensing branch of MCD shall issue closure notice and take action for closure / sealing on 21.06.2016. Further, license should not be given by South DMC at the premise until Consent to Operate is not issued by DPCC. The next date of hearing in the case is 29.09.2016.

M/s Le Traventino has filed an appeal before the NGT against Directions for closure issued by DPCC on 02.06.2016.

Honorable NGT vide its order dated 20.06.2016 has directed DPCC to dispose off the application submitted by the appellant (unit) expeditiously but not later than 15 days from the order. NGT has also directed that the Appellant (hotel) to pay environmental compensation of Rs 2.5 Lakhs to State Pollution Control Board within 10 days. In the meanwhile until the necessary Consent to Establish & Consent to Operate are granted by the DPCC the appellant shall ensure that the hotel remains closed. With said directions appeal was disposed off with liberty to the appellant to approach NGT in the event they are aggrieved by any action of DPCC.

The unit has submitted

									letter on 21.06.2016 alongwith said NGT order with request to grant some more time for submitting consent to operate and withdraw the directions for closure. The unit has submitted letters on 24.06.2016 alongwith unsigned technical adequacy report of ETP from Jamia Millia Islamia giving details of ETP and also informed that they will submit environmental compensation of Rs 2.5 lakhs on 27.06.2016 as imposed by Honble NGT vide its order dated 20.06.2016 and requested for grant of Consent to Establish as soon as possible.			
134	PEARL GRAND GALAXY (A UNIT OF BLACK PEPPER HOSPITALITY)	PLOT NO. - 3, EAST GURU ANGAD NAGAR	09-06-2016	DPCC/EC/2/1/2016/15039	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		(1)ETP ----proposed (2)ECS - N/A (3)D.G.Set : 2nos. 500 KVA capacity each (4) Water Consumption: 19000 L/ Day Source: Outside (5) Ground Water: Nil	CTE case.	24-06-2016 Recommended for CTE. Inspection be conducted.	27-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source and copy of valid MCD license.
135	SUMMIT PROMOTERS PRIVATE LIMITED	PLOT NO. 1, LSC, INSTITUTIONAL AREA, KARKARDOOMA, DELHI	09-06-2016	DPCC/EC/2/1/2016/15042	Commercial Project Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Establish	Non-SPI		(1) ETP ---- STP Proposed. (2) ECS ---- Proposed (3) D.G. Set ---- 625 KVA (4) Water Consumption: 35000 L/ Day, Source: Delhi Jal Board (5) Ground Water: N/A	N/A (Consent to Establish case)	24-06-2016 Recommended for CTE.	27-06-2016 Consent to Establish granted with conditions i.e. (i) during the establishment of the unit, the water shall be obtained from the authorized source (ii) unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Also inspection be conducted.
136	PASCOS	B1/I-3, MOHAN CO- OPERATIVE INDUSTRIAL ESTATE, MAIN MATHURA ROAD,	11-06-2016		sales, service, spares, parking, repairs etc Automobile Servicing and	Orange Establish	Non-SPI		The unit has applied for Consent to Establish for the Activity of Automobile Service Station with washing through online mode however has not	N.A	24-06-2016 Unit has not submitted the Hard Copy of the Consent application and	27-06-2016 Ask the unit to submit hard copies of consent application along with required documents within 15 days. Consent to Establish dated

					Repair Station with Washing Activity				submitted the Hard Copy of the Consent application and other required documents to DPCC so far.		other required documents to DPCC and therefore a letter may be issued seeking the same within 15 Days.	10.06.2016 be made infructuous since unit has again applied for Consent to Establish.
137	SAFFRON HOSPITALITY (REGALIA)	C 111 MAYAPURI INDUSTRIAL AREA PH II	14-06-2016	DPCC/EC/2/1/2016/15077	A PARTY HALL / BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board (Cat-II) Name not matched and address matched Water Consumption:3000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (2)ECS - Channelisation Proposed (3)D.G.Set: 1 D,G Set of 62.5 KVA proposed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	N/A	24-06-2016 .	27-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.

--